











APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)


Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 90°



Test Mode : TX Mode

Ant 90°



APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : 5G NR n7_TX Mid CH_5MHz


Vertical



No. Msk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	46.975	33.03	-11.30	21.73	70.30	-48.57	peak	
2	171.135	34.41	-11.37	23.04	70.30	-47.26	peak	
3	378.715	33.25	-8.69	24.56	70.30	-45.74	peak	
4	519.365	34.01	-5.62	28.39	70.30	-41.91	peak	
5	706.575	35.26	-2.14	33.12	70.30	-37.18	peak	
6 *	924.825	34.60	0.41	35.01	70.30	-35.29	peak	

Test Mode : 5G NR n7_TX Mid CH_5MHz


Horizontal



No. Msk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	57.645	33.76	-11.69	22.07	70.30	-48.23	peak	
2	164.345	33.19	-11.01	22.18	70.30	-48.12	peak	
3	287.050	35.79	-10.83	24.96	70.30	-45.34	peak	
4	462.620	35.68	-6.58	29.10	70.30	-41.20	peak	
5	678.445	36.41	-2.52	33.89	70.30	-36.41	peak	
6 *	883.600	35.07	0.07	35.14	70.30	-35.16	peak	

Test Mode : 5G NR n7_TX Mid CH_20MHz


Vertical



No. Msk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	48.915	33.81	-11.27	22.54	70.30	-47.76	peak	
2	199.265	39.73	-14.39	25.34	70.30	-44.96	peak	
3	477.170	34.45	-6.37	28.08	70.30	-42.22	peak	
4	675.535	37.05	-2.56	34.49	70.30	-35.81	peak	
5	795.330	34.99	-1.25	33.74	70.30	-36.56	peak	
6 *	877.295	35.68	-0.01	35.67	70.30	-34.63	peak	

Test Mode : 5G NR n7_TX Mid CH_20MHz


Horizontal



No. Msk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	40.670	33.25	-11.69	21.56	70.30	-48.74	peak	
2	134.275	34.53	-12.10	22.43	70.30	-47.87	peak	
3	473.290	34.67	-6.42	28.25	70.30	-42.05	peak	
4	634.795	35.25	-3.06	32.19	70.30	-38.11	peak	
5	770.110	35.82	-1.13	34.69	70.30	-35.61	peak	
6 *	978.175	35.09	0.79	35.88	70.30	-34.42	peak	

Test Mode : 5G NR n12_TX Mid CH_5MHz


Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm/Hz	dBm/Hz	dB			
1	38.730	34.38	-1.89	32.49	82.30	-49.81	peak	
2	161.435	33.17	-0.90	32.27	82.30	-50.03	peak	
3	364.650	34.13	0.82	34.95	82.30	-47.35	peak	
4	445.645	34.56	3.12	37.68	82.30	-44.62	peak	
5	624.610	35.56	6.77	42.33	82.30	-39.97	peak	
6 *	737.615	45.42	8.64	54.06	82.30	-28.24	peak	

Test Mode : 5G NR n12_TX Mid CH_5MHz


Horizontal



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm/Hz	dBm/Hz	dB			
1	50.370	32.92	-1.28	31.64	82.30	-50.66	peak	
2	143.975	34.56	-1.48	33.08	82.30	-49.22	peak	
3	356.890	34.27	0.60	34.87	82.30	-47.43	peak	
4	533.430	35.09	4.67	39.76	82.30	-42.54	peak	
5 *	738.585	47.40	8.66	56.06	82.30	-26.24	peak	
6	850.135	36.55	9.62	46.17	82.30	-36.13	peak	

Test Mode : 5G NR n12_TX Mid CH_15MHz


Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm/Hz	dBm/Hz	dB			
1	44.550	34.09	-1.38	32.71	82.30	-49.59	peak	
2	163.375	33.33	-0.98	32.35	82.30	-49.95	peak	
3	256.010	35.39	-2.19	33.20	82.30	-49.10	peak	
4	445.645	34.20	3.12	37.32	82.30	-44.98	peak	
5	658.075	35.00	7.26	42.26	82.30	-40.04	peak	
6 *	732.765	46.47	8.51	54.98	82.30	-27.32	peak	

Test Mode : 5G NR n12_TX Mid CH_15MHz


Horizontal



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBm	dB	dBm/Hz	dBm/Hz	dB			
1	51.340	33.39	-1.30	32.09	82.30	-50.21	peak	
2	167.255	33.85	-1.14	32.71	82.30	-49.59	peak	
3	483.475	34.97	3.74	38.71	82.30	-43.59	peak	
4	616.365	35.87	6.66	42.53	82.30	-39.77	peak	
5 *	734.220	46.74	8.55	55.29	82.30	-27.01	peak	
6	937.920	35.10	10.48	45.58	82.30	-36.72	peak	

Test Mode : 5G NR n30_TX Mid CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	55.705	33.37	-11.52	21.85	55.30	-33.45	peak	
2	164.345	33.99	-11.01	22.98	55.30	-32.32	peak	
3	386.960	34.80	-8.35	26.45	55.30	-28.85	peak	
4	597.935	33.82	-3.66	30.16	55.30	-25.14	peak	
5	782.235	34.72	-1.19	33.53	55.30	-21.77	peak	
6 *	921.915	34.80	0.41	35.21	55.30	-20.09	peak	

Test Mode : 5G NR n30_TX Mid CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	56.675	33.57	-11.61	21.96	55.30	-33.34	peak	
2	167.255	34.89	-11.14	23.75	55.30	-31.55	peak	
3	433.520	34.03	-7.20	26.83	55.30	-28.47	peak	
4	562.530	35.26	-4.64	30.62	55.30	-24.68	peak	
5	728.400	35.94	-1.60	34.34	55.30	-20.96	peak	
6 *	893.300	34.85	0.21	35.06	55.30	-20.24	peak	

Test Mode : 5G NR n38_TX Mid CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	32.910	34.77	-12.57	22.20	70.30	-48.10	peak	
2	163.375	33.81	-10.98	22.83	70.30	-47.47	peak	
3	440.310	35.45	-7.02	28.43	70.30	-41.87	peak	
4	627.035	35.72	-3.18	32.54	70.30	-37.76	peak	
5	742.950	35.33	-1.23	34.10	70.30	-36.20	peak	
6 *	924.340	35.21	0.41	35.62	70.30	-34.68	peak	

Test Mode : 5G NR n38_TX Mid CH_20MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	48.915	34.40	-11.27	23.13	70.30	-47.17	peak	
2	156.585	34.78	-10.95	23.83	70.30	-46.47	peak	
3	390.840	35.36	-8.22	27.14	70.30	-43.16	peak	
4	636.250	36.18	-3.03	33.15	70.30	-37.15	peak	
5	809.880	36.76	-1.09	35.67	70.30	-34.63	peak	
6 *	903.970	36.75	0.32	37.07	70.30	-33.23	peak	

Test Mode : 5G NR n38_TX Mid CH_40MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1	46.490	33.47	-11.30	22.17	70.30	-48.13	peak	
2	162.405	35.42	-10.94	24.48	70.30	-45.82	peak	
3	412.665	35.14	-7.73	27.41	70.30	-42.89	peak	
4	669.230	36.07	-2.63	33.44	70.30	-36.86	peak	
5	786.115	36.14	-1.20	34.94	70.30	-35.36	peak	
6 *	869.050	35.71	-0.13	35.58	70.30	-34.72	peak	

Test Mode : 5G NR n38_TX Mid CH_40MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1	55.220	33.40	-11.48	21.92	70.30	-48.38	peak	
2	165.800	34.31	-11.08	23.23	70.30	-47.07	peak	
3	464.075	34.59	-6.56	28.03	70.30	-42.27	peak	
4	681.355	35.80	-2.50	33.30	70.30	-37.00	peak	
5	771.565	34.91	-1.14	33.77	70.30	-36.53	peak	
6 *	909.790	35.52	0.34	35.86	70.30	-34.44	peak	

Test Mode : 5G NR n41_TX Mid CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1	46.975	33.14	-11.30	21.84	70.30	-48.46	peak	
2	160.950	34.08	-10.88	23.20	70.30	-47.10	peak	
3	456.800	34.75	-6.68	28.07	70.30	-42.23	peak	
4	640.130	35.96	-2.98	32.98	70.30	-37.32	peak	
5	793.390	35.09	-1.23	33.86	70.30	-36.44	peak	
6 *	897.665	34.80	0.27	35.07	70.30	-35.23	peak	

Test Mode : 5G NR n41_TX Mid CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1	52.310	33.03	-11.34	21.69	70.30	-48.61	peak	
2	161.435	34.74	-10.90	23.84	70.30	-46.46	peak	
3	506.270	35.04	-5.88	29.16	70.30	-41.14	peak	
4	671.170	35.50	-2.61	32.89	70.30	-37.41	peak	
5	737.615	35.61	-1.36	34.25	70.30	-36.05	peak	
6 *	872.930	35.73	-0.07	35.66	70.30	-34.64	peak	

Test Mode : 5G NR n41_TX Mid CH_100MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	53.765	33.58	-11.39	22.19	70.30	-48.11	peak	
2	167.255	34.02	-11.14	22.88	70.30	-47.42	peak	
3	385.020	33.34	-8.44	24.90	70.30	-45.40	peak	
4	464.560	35.06	-6.55	28.51	70.30	-41.79	peak	
5	674.080	36.13	-2.57	33.56	70.30	-36.74	peak	
6 *	914.640	34.79	0.37	35.16	70.30	-35.14	peak	

Test Mode : 5G NR n41_TX Mid CH_100MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	40.185	33.85	-11.73	22.12	70.30	-48.18	peak	
2	170.165	34.41	-11.27	23.14	70.30	-47.16	peak	
3	350.100	34.46	-9.45	25.01	70.30	-45.29	peak	
4	501.420	34.42	-5.99	28.43	70.30	-41.87	peak	
5	747.800	35.84	-1.10	34.74	70.30	-35.56	peak	
6 *	984.965	35.97	0.86	36.83	70.30	-33.47	peak	

Test Mode : 5G NR n66_TX Mid CH_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	49.400	34.10	-11.27	22.83	82.30	-59.47	peak	
2	156.585	33.59	-10.95	22.64	82.30	-59.66	peak	
3	228.365	37.85	-13.72	24.13	82.30	-58.17	peak	
4	446.130	34.26	-6.87	27.39	82.30	-54.91	peak	
5	556.225	35.08	-4.82	30.26	82.30	-52.04	peak	
6 *	769.140	35.48	-1.13	34.35	82.30	-47.95	peak	

Test Mode : 5G NR n66_TX Mid CH_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	39.700	33.33	-11.78	21.55	82.30	-60.75	peak	
2	160.950	33.69	-10.88	22.81	82.30	-59.49	peak	
3	296.265	34.99	-10.65	24.34	82.30	-57.96	peak	
4	498.510	34.75	-6.04	28.71	82.30	-53.59	peak	
5	684.750	36.44	-2.46	33.98	82.30	-48.32	peak	
6 *	935.495	35.55	0.47	36.02	82.30	-46.28	peak	

Test Mode : 5G NR n66_TX Mid CH_30MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		45.035	33.74	-11.36	22.38	82.30	-59.92	peak	
2		161.435	33.73	-10.90	22.83	82.30	-59.47	peak	
3		325.850	33.61	-9.79	23.82	82.30	-58.48	peak	
4		483.475	35.13	-6.26	28.87	82.30	-53.43	peak	
5		662.440	35.79	-2.70	33.09	82.30	-49.21	peak	
6	*	962.170	35.63	0.65	36.28	82.30	-46.02	peak	

Test Mode : 5G NR n66_TX Mid CH_30MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		47.460	32.94	-11.29	21.65	82.30	-60.65	peak	
2		175.015	35.52	-11.76	23.76	82.30	-58.54	peak	
3		418.970	34.49	-7.56	26.93	82.30	-55.37	peak	
4		512.575	34.97	-5.77	29.20	82.30	-53.10	peak	
5		647.405	36.32	-2.87	33.45	82.30	-48.85	peak	
6	*	812.790	36.17	-1.03	35.14	82.30	-47.16	peak	

Test Mode : 5G NR n70_TX Mid CH_15MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		55.7050	32.58	-1.74	30.84	82.30	-51.46	peak	
2		157.0700	30.00	-1.22	28.78	82.30	-53.52	peak	
3		540.2200	30.89	5.30	36.19	82.30	-46.11	peak	
4		730.8250	30.60	9.35	39.95	82.30	-42.35	peak	
5		879.2350	31.67	10.99	42.66	82.30	-39.64	peak	
6	*	977.6900	31.57	12.24	43.81	82.30	-38.49	peak	

Test Mode : 5G NR n70_TX Mid CH_15MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		57.1600	31.84	-1.87	29.97	82.30	-52.33	peak	
2		155.6150	30.81	-1.23	29.58	82.30	-52.72	peak	
3		637.7050	30.85	7.76	38.61	82.30	-43.69	peak	
4		827.3400	31.20	10.63	41.83	82.30	-40.47	peak	
5		930.6450	31.33	11.78	43.11	82.30	-39.19	peak	
6	*	973.3250	31.27	12.22	43.49	82.30	-38.81	peak	

Test Mode : 5G NR n71_TX Mid CH_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	56.190	33.01	-1.56	31.45	82.30	-50.85	peak	
2	159.010	36.02	-0.87	35.15	82.30	-47.15	peak	
3	450.980	35.25	3.23	38.48	82.30	-43.82	peak	
4	520.820	34.37	4.40	38.77	82.30	-43.53	peak	
5 *	632.855	39.65	6.91	46.56	82.30	-35.74	peak	
6	930.160	35.40	10.44	45.84	82.30	-36.46	peak	

Test Mode : 5G NR n71_TX Mid CH_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	51.340	33.84	-1.30	32.54	82.30	-49.76	peak	
2	159.010	34.52	-0.87	33.65	82.30	-48.65	peak	
3	394.235	33.46	1.85	35.31	82.30	-46.99	peak	
4	555.255	35.62	5.15	40.77	82.30	-41.53	peak	
5 *	634.795	39.94	6.94	46.88	82.30	-35.42	peak	
6	962.655	34.93	10.66	45.59	82.30	-36.71	peak	

Test Mode : 5G NR n71_TX Mid CH_20MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	51.825	33.46	-1.31	32.15	82.30	-50.15	peak	
2	167.740	33.26	-1.15	32.11	82.30	-50.19	peak	
3	401.995	33.24	2.01	35.25	82.30	-47.05	peak	
4	524.215	34.39	4.48	38.87	82.30	-43.43	peak	
5 *	628.490	39.15	6.84	45.99	82.30	-36.31	peak	
6	915.125	35.47	10.37	45.84	82.30	-36.46	peak	

Test Mode : 5G NR n71_TX Mid CH_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	46.975	33.93	-1.30	32.63	82.30	-49.67	peak	
2	159.495	34.25	-0.85	33.40	82.30	-48.90	peak	
3	308.390	34.57	-0.37	34.20	82.30	-48.10	peak	
4	476.200	34.18	3.62	37.80	82.30	-44.50	peak	
5	628.490	37.12	6.84	43.96	82.30	-38.34	peak	
6 *	950.045	36.13	10.54	46.67	82.30	-35.63	peak	

Test Mode : DC_66A_n30A_TX Mid CH_10MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	41.63	-12.51	29.12	55.30	-26.18	peak	
2	154.160	37.44	-11.08	26.36	55.30	-28.94	peak	
3	319.060	38.85	-9.90	28.95	55.30	-26.35	peak	
4	435.945	38.71	-7.00	31.71	55.30	-23.59	peak	
5	549.435	38.59	-4.91	33.68	55.30	-21.62	peak	
6 *	611.515	40.51	-3.42	37.09	55.30	-18.21	peak	

Test Mode : DC_66A_n30A_TX Mid CH_10MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	63.465	38.12	-12.31	25.81	55.30	-29.49	peak	
2	160.465	37.61	-11.04	26.57	55.30	-28.73	peak	
3	328.275	38.41	-9.59	28.82	55.30	-26.48	peak	
4	488.325	38.66	-6.01	32.65	55.30	-22.65	peak	
5	615.880	39.44	-3.32	36.12	55.30	-19.18	peak	
6 *	777.385	40.01	-0.85	39.16	55.30	-16.14	peak	

Test Mode : DC_2A_n41A_TX Mid CH_20MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	51.340	36.77	-11.32	25.45	70.30	-44.85	peak	
2	152.705	37.18	-11.08	26.10	70.30	-44.20	peak	
3	304.025	38.29	-10.38	27.91	70.30	-42.39	peak	
4	420.425	37.98	-7.46	30.52	70.30	-39.78	peak	
5	554.285	38.45	-4.79	33.66	70.30	-36.64	peak	
6 *	747.800	39.98	-0.89	39.09	70.30	-31.21	peak	

Test Mode : DC_2A_n41A_TX Mid CH_20MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	47.945	36.76	-11.31	25.45	70.30	-44.85	peak	
2	147.370	38.03	-11.26	26.77	70.30	-43.53	peak	
3	299.175	37.58	-10.52	27.06	70.30	-43.24	peak	
4	412.180	38.45	-7.70	30.75	70.30	-39.55	peak	
5	510.150	39.25	-5.63	33.62	70.30	-36.68	peak	
6 *	688.145	39.21	-2.55	36.66	70.30	-33.64	peak	

Test Mode : DC_2A_n41A_TX Mid CH_100MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	42.125	37.15	-11.63	25.52	70.30	-44.78	peak	
2	142.520	38.37	-11.52	26.85	70.30	-43.45	peak	
3	378.230	38.59	-8.54	30.05	70.30	-40.25	peak	
4	536.825	38.78	-5.14	33.64	70.30	-36.66	peak	
5	714.335	39.89	-2.06	37.83	70.30	-32.47	peak	
6 *	752.165	39.36	-0.82	38.54	70.30	-31.76	peak	

Test Mode : DC_2A_n41A_TX Mid CH_100MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	53.280	37.44	-11.37	26.07	70.30	-44.23	peak	
2	160.465	37.15	-11.04	26.11	70.30	-44.19	peak	
3	346.705	38.05	-9.39	28.66	70.30	-41.64	peak	
4	500.450	39.41	-5.82	33.59	70.30	-36.71	peak	
5	730.825	38.71	-1.48	37.23	70.30	-33.07	peak	
6 *	849.650	39.22	-0.49	38.73	70.30	-31.57	peak	

Test Mode : DC_30A_n66A_TX Mid CH_5MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	49.885	37.71	-11.30	26.41	55.30	-28.89	peak	
2	153.675	37.93	-11.08	26.85	55.30	-28.45	peak	
3	419.940	38.45	-7.47	30.98	55.30	-24.32	peak	
4	578.535	37.83	-4.20	33.63	55.30	-21.67	peak	
5	671.170	38.14	-2.55	35.59	55.30	-19.71	peak	
6 *	780.295	40.03	-0.85	39.18	55.30	-16.12	peak	

Test Mode : DC_30A_n66A_TX Mid CH_5MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	55.705	38.05	-11.49	26.56	55.30	-28.74	peak	
2	154.645	37.78	-11.08	26.70	55.30	-28.60	peak	
3	325.365	37.71	-9.69	28.02	55.30	-27.28	peak	
4	444.675	38.54	-6.74	31.80	55.30	-23.50	peak	
5	593.570	38.35	-3.83	34.52	55.30	-20.78	peak	
6 *	748.770	38.92	-0.86	38.06	55.30	-17.24	peak	

Test Mode : DC_30A_n66A_TX Mid CH_30MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	60.070	38.45	-11.86	26.59	55.30	-28.71	peak	
2	146.885	37.90	-11.28	26.62	55.30	-28.68	peak	
3	344.280	38.74	-9.40	29.34	55.30	-25.96	peak	
4	446.615	38.88	-6.69	32.19	55.30	-23.11	peak	
5	562.530	38.14	-4.59	33.55	55.30	-21.75	peak	
6 *	699.785	39.87	-2.55	37.32	55.30	-17.98	peak	

Test Mode : DC_30A_n66A_TX Mid CH_30MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	47.945	37.79	-11.31	26.48	55.30	-28.82	peak	
2	171.135	37.98	-11.58	26.40	55.30	-28.90	peak	
3	311.300	38.00	-10.15	27.85	55.30	-27.45	peak	
4	444.190	38.19	-6.76	31.43	55.30	-23.87	peak	
5	550.405	38.77	-4.89	33.88	55.30	-21.42	peak	
6 *	724.035	39.00	-1.72	37.28	55.30	-18.02	peak	

Test Mode : DC_66A_n71A_TX Mid CH_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	44.550	36.17	-1.45	34.72	82.30	-47.58	peak	
2	168.710	36.23	-1.42	34.81	82.30	-47.49	peak	
3	309.360	35.88	-0.22	35.66	82.30	-46.64	peak	
4	411.695	36.46	2.28	38.74	82.30	-43.56	peak	
5	539.250	36.04	4.90	40.94	82.30	-41.36	peak	
6 *	629.945	37.01	6.99	44.00	82.30	-38.30	peak	

Test Mode : DC_66A_n71A_TX Mid CH_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	49.885	35.61	-1.30	34.31	82.30	-47.99	peak	
2	158.525	35.91	-1.03	34.88	82.30	-47.42	peak	
3	327.305	36.18	0.38	36.56	82.30	-45.74	peak	
4	414.605	36.34	2.36	38.70	82.30	-43.60	peak	
5	464.560	37.79	3.64	41.43	82.30	-40.87	peak	
6 *	596.965	37.20	6.26	43.46	82.30	-38.84	peak	

Test Mode : DC_66A_n71A_TX Mid CH_20MHz


Test Mode : DC_66A_n71A_TX Mid CH_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measure-ment dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	54.735	35.36	-1.44	33.92	82.30	-48.38	peak	
2	162.405	36.23	-1.13	35.10	82.30	-47.20	peak	
3	302.570	36.66	-0.43	36.23	82.30	-46.07	peak	
4	395.205	37.38	1.85	39.23	82.30	-43.07	peak	
5	501.905	36.88	4.20	41.08	82.30	-41.22	peak	
6 *	596.480	36.93	6.24	43.17	82.30	-39.13	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measure-ment dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	56.675	35.96	-1.57	34.39	82.30	-47.91	peak	
2	147.855	35.98	-1.22	34.76	82.30	-47.54	peak	
3	334.580	36.51	0.53	37.04	82.30	-45.26	peak	
4	441.280	36.50	3.15	39.65	82.30	-42.65	peak	
5	546.525	36.18	5.04	41.22	82.30	-41.08	peak	
6 *	627.520	42.24	6.94	49.18	82.30	-33.12	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : 5G NR n7_TX Mid CH_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2503.000	48.88	-2.38	46.50	82.30	-35.80	peak	

Test Mode : 5G NR n7_TX Mid CH_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2503.000	44.24	-2.38	41.86	82.30	-40.44	peak	

Test Mode : 5G NR n7_TX Mid CH_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	24808.500	51.14	2.29	53.43	70.30	-16.87	peak	

Test Mode : 5G NR n7_TX Mid CH_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	26423.500	50.90	2.44	53.34	70.30	-16.96	peak	


Test Mode : 5G NR n7_TX Mid CH_20MHz

Vertical




Test Mode : 5G NR n7_TX Mid CH_20MHz

Horizontal



Test Mode : 5G NR n7_TX Mid CH_20MHz

Vertical




Test Mode : 5G NR n7_TX Mid CH_20MHz

Horizontal



Test Mode : 5G NR n12_TX Mid CH_5MHz

Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	4429.000	40.06	1.82	41.88	82.30	-40.42	peak	

Test Mode : 5G NR n12_TX Mid CH_5MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	3110.500	41.17	-0.48	40.69	82.30	-41.61	peak	

Test Mode : 5G NR n12_TX Mid CH_15MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	2048.500	42.92	-2.89	40.03	82.30	-42.27	peak	

Test Mode : 5G NR n12_TX Mid CH_15MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	1954.000	41.95	-3.22	38.73	82.30	-43.57	peak	

Test Mode : 5G NR n30_TX Mid CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	14899.237	41.59	9.53	51.12	55.30	-4.18	peak	

Test Mode : 5G NR n30_TX Mid CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	14404.500	41.48	11.34	52.82	55.30	-2.48	peak	

Test Mode : 5G NR n30_TX Mid CH_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	20987.750	43.62	-0.04	43.58	55.30	-11.72	peak	

Test Mode : 5G NR n30_TX Mid CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	21004.750	43.65	-0.03	43.62	55.30	-11.68	peak	

Test Mode : 5G NR n38_TX Mid CH_20MHz


Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11276.500	40.07	9.42	49.49	70.30	-20.81	peak	

Test Mode : 5G NR n38_TX Mid CH_20MHz

Horizontal



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	10775.000	40.00	9.16	49.16	70.30	-21.14	peak	

Test Mode : 5G NR n38_TX Mid CH_20MHz


Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20728.500	54.69	-0.27	54.42	70.30	-15.88	peak	

Test Mode : 5G NR n38_TX Mid CH_20MHz


Horizontal



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	25118.750	50.89	2.42	53.31	70.30	-16.99	peak	


Test Mode : 5G NR n38_TX Mid CH_40MHz

Vertical




Test Mode : 5G NR n38_TX Mid CH_40MHz

Horizontal




Test Mode : 5G NR n38_TX Mid CH_40MHz

Vertical



Test Mode : 5G NR n38_TX Mid CH_40MHz

Horizontal



Test Mode : 5G NR n41_TX Mid CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1 *	14064.500	40.00	11.89	51.89	70.30	-18.41	peak	

Test Mode : 5G NR n41_TX Mid CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1 *	13894.500	40.57	11.76	52.33	70.30	-17.97	peak	

Test Mode : 5G NR n41_TX Mid CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1 *	23333.750	51.92	1.24	53.16	70.30	-17.14	peak	

Test Mode : 5G NR n41_TX Mid CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1 *	24906.250	51.09	2.36	53.45	70.30	-16.85	peak	

Test Mode : 5G NR n41_TX Mid CH_100MHz


Vertical



No. Mk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	14217.500	40.71	11.64	52.35	70.30	-17.95	peak	

Test Mode : 5G NR n41_TX Mid CH_100MHz


Horizontal



No. Mk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	17549.500	42.66	12.84	55.50	70.30	-14.80	peak	

Test Mode : 5G NR n41_TX Mid CH_100MHz


Vertical



No. Mk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	25900.750	51.53	2.13	53.66	70.30	-16.64	peak	

Test Mode : 5G NR n41_TX Mid CH_100MHz

Horizontal




No. Mk	Freq	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	25645.750	51.83	2.34	54.17	70.30	-16.13	peak	


Test Mode : 5G NR n66_TX Mid CH_5MHz

Test Mode : 5G NR n66_TX Mid CH_5MHz

Vertical




Horizontal




Test Mode : 5G NR n66_TX Mid CH_30MHz

Test Mode : 5G NR n66_TX Mid CH_30MHz

Vertical



Horizontal



Test Mode : 5G NR n70_TX Mid CH_15MHz

Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	13656.500	38.90	11.69	50.59	82.30	-31.71	peak	

Test Mode : 5G NR n70_TX Mid CH_15MHz


Horizontal



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	14234.500	38.66	12.19	50.85	82.30	-31.45	peak	

Test Mode : 5G NR n71_TX Mid CH_5MHz


Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	1328.500	50.31	-6.84	43.47	82.30	-38.83	peak	
2	1990.000	44.73	-3.00	41.73	82.30	-40.57	peak	

Test Mode : 5G NR n71_TX Mid CH_5MHz

Horizontal



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	5540.500	39.16	4.32	43.48	82.30	-38.82	peak	