


Mode: 1M

Frequency: 2480MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	39.94	3.46	74.00	34.06	150	130	Horizontal	PASS
2	2485.70	43.24	3.49	74.00	30.76	150	190	Horizontal	PASS
3	2488.45	41.95	3.50	74.00	32.05	150	180	Horizontal	PASS
4	2491.25	41.74	3.55	74.00	32.26	150	230	Horizontal	PASS
5	2494.50	41.74	3.57	74.00	32.26	150	300	Horizontal	PASS
6	2500.00	40.08	3.50	74.00	33.92	150	290	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Frequency: 2402MHz

Test Graph



★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.00	40.18	2.67	74.00	33.82	150	180	Vertical	PASS
2	2329.37	41.90	2.82	74.00	32.10	150	10	Vertical	PASS
3	2337.17	41.45	2.81	74.00	32.55	150	170	Vertical	PASS
4	2366.81	41.58	2.99	74.00	32.42	150	60	Vertical	PASS
5	2381.76	42.84	3.03	74.00	31.16	150	120	Vertical	PASS
6	2390.00	40.09	2.95	74.00	33.91	150	150	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Frequency: 2402MHz

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.00	39.47	2.67	74.00	34.53	150	310	Horizontal	PASS
2	2337.95	41.72	2.82	74.00	32.28	150	170	Horizontal	PASS
3	2350.30	41.93	3.04	74.00	32.07	150	170	Horizontal	PASS
4	2358.49	41.08	2.95	74.00	32.92	150	40	Horizontal	PASS
5	2378.25	41.73	3.07	74.00	32.27	150	340	Horizontal	PASS
6	2390.00	41.01	2.95	74.00	32.99	150	290	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Frequency: 2480MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	41.11	3.46	74.00	32.89	150	160	Vertical	PASS
2	2485.55	42.36	3.50	74.00	31.64	150	120	Vertical	PASS
3	2490.00	43.18	3.57	74.00	30.82	150	180	Vertical	PASS
4	2491.75	42.82	3.56	74.00	31.18	150	220	Vertical	PASS
5	2500.00	40.96	3.50	74.00	33.04	150	130	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Frequency: 2480MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	40.75	3.46	74.00	33.25	150	80	Horizontal	PASS
2	2486.05	41.91	3.47	74.00	32.09	150	180	Horizontal	PASS
3	2489.30	41.55	3.56	74.00	32.45	150	10	Horizontal	PASS
4	2493.25	42.63	3.58	74.00	31.37	150	250	Horizontal	PASS
5	2497.10	42.61	3.59	74.00	31.39	150	70	Horizontal	PASS
6	2500.00	40.86	3.50	74.00	33.14	150	30	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix I: Spurious emissions


Test Result



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	82.4822	-20.02	26.26	40.00	13.74	200	92	Vertical	PASS
2	187.3497	-18.29	31.28	43.50	12.22	100	258	Vertical	PASS
3	368.8549	-14.40	34.66	46.00	11.34	200	341	Vertical	PASS
4	440.8361	-12.41	38.19	46.00	7.81	100	94	Vertical	PASS
5	528.0478	-10.75	39.59	46.00	6.41	200	108	Vertical	PASS
6	553.5614	-9.99	43.18	46.00	2.82	200	82	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	92.8623	-20.12	21.91	43.50	21.59	200	12	Horizontal	PASS
2	192.0062	-18.66	27.93	43.50	15.57	100	49	Horizontal	PASS
3	296.8737	-15.94	28.87	46.00	17.13	100	17	Horizontal	PASS
4	404.8455	-13.20	35.48	46.00	10.52	200	56	Horizontal	PASS
5	440.8361	-12.41	38.10	46.00	7.90	200	25	Horizontal	PASS
6	566.5607	-9.51	34.61	46.00	11.39	200	277	Horizontal	PASS



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1470.6000	40.13	40.04	-0.09	74.00	33.96	150	270	PK	Vertical	PASS
2	1842.0000	38.92	40.25	1.33	74.00	33.75	150	260	PK	Vertical	PASS
3	4803.5000	65.69	51.13	-14.56	74.00	22.87	150	20	PK	Vertical	PASS
4	7206.0000	62.90	53.50	-9.40	74.00	20.50	150	70	PK	Vertical	PASS
5	9608.0000	58.56	53.49	-5.07	74.00	20.51	150	80	PK	Vertical	PASS
6	12009.000	53.19	51.42	-1.77	74.00	22.58	150	210	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1305.6000	39.26	38.90	-0.36	74.00	35.10	150	40	PK	Horizontal	PASS
2	1831.2000	39.35	40.58	1.23	74.00	33.42	150	240	PK	Horizontal	PASS
3	4804.0000	66.48	51.95	-14.53	74.00	22.05	150	280	PK	Horizontal	PASS
4	7205.5000	63.03	53.59	-9.44	74.00	20.41	150	100	PK	Horizontal	PASS
5	9110.0000	52.30	46.37	-5.93	74.00	27.63	150	240	PK	Horizontal	PASS
6	10491.000	49.89	46.02	-3.87	74.00	27.98	150	200	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1364.8000	39.86	39.41	-0.45	74.00	34.59	150	160	PK	Vertical	PASS
2	1846.0000	39.07	40.38	1.31	74.00	33.62	150	320	PK	Vertical	PASS
3	4879.5000	66.53	52.44	-14.09	74.00	21.56	150	80	PK	Vertical	PASS
4	7319.0000	61.19	52.00	-9.19	74.00	22.00	150	210	PK	Vertical	PASS
5	9759.5000	57.91	53.32	-4.59	74.00	20.68	150	110	PK	Vertical	PASS
6	11907.500	48.50	46.86	-1.64	74.00	27.14	150	210	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1329.4000	40.08	39.49	-0.59	74.00	34.51	150	40	PK	Horizontal	PASS
2	1816.8000	39.01	40.13	1.12	74.00	33.87	150	310	PK	Horizontal	PASS
3	4879.5000	65.24	51.15	-14.09	74.00	22.85	150	60	PK	Horizontal	PASS
4	7320.0000	62.76	53.62	-9.14	74.00	20.38	150	30	PK	Horizontal	PASS
5	9760.0000	54.66	50.07	-4.59	74.00	23.93	150	50	PK	Horizontal	PASS
6	11770.000	48.86	47.05	-1.81	74.00	26.95	150	140	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1315.2000	40.66	40.40	-0.26	74.00	33.60	150	360	PK	Vertical	PASS
2	1895.2000	40.16	41.65	1.49	74.00	32.35	150	170	PK	Vertical	PASS
3	4960.0000	63.85	49.01	-14.84	74.00	24.99	150	120	PK	Vertical	PASS
4	6576.5000	52.18	42.13	-10.05	74.00	31.87	150	20	PK	Vertical	PASS
5	9920.0000	55.50	51.22	-4.28	74.00	22.78	150	170	PK	Vertical	PASS
6	13148.000	47.15	47.31	0.16	74.00	26.69	150	140	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1283.0000	40.96	40.56	-0.40	74.00	33.44	150	220	PK	Horizontal	PASS
2	1808.4000	39.28	40.28	1.00	74.00	33.72	150	140	PK	Horizontal	PASS
3	4960.0000	63.12	48.28	-14.84	74.00	25.72	150	170	PK	Horizontal	PASS
4	7531.5000	54.51	45.54	-8.97	74.00	28.46	150	30	PK	Horizontal	PASS
5	9920.0000	53.30	49.02	-4.28	74.00	24.98	150	260	PK	Horizontal	PASS
6	13797.500	47.04	48.19	1.15	74.00	25.81	150	140	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1616.2000	39.25	39.53	0.28	74.00	34.47	150	150	PK	Vertical	PASS
2	2108.8000	39.23	41.35	2.12	74.00	32.65	150	130	PK	Vertical	PASS
3	4804.0000	64.52	49.99	-14.53	74.00	24.01	150	100	PK	Vertical	PASS
4	7204.5000	63.25	53.73	-9.52	74.00	20.27	150	230	PK	Vertical	PASS
5	9606.0000	57.73	52.65	-5.08	74.00	21.35	150	190	PK	Vertical	PASS
6	12012.000	52.19	50.40	-1.79	74.00	23.60	150	120	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1292.8000	39.92	39.49	-0.43	74.00	34.51	150	60	PK	Horizontal	PASS
2	1781.4000	39.30	40.25	0.95	74.00	33.75	150	230	PK	Horizontal	PASS
3	4803.0000	64.92	50.34	-14.58	74.00	23.66	150	130	PK	Horizontal	PASS
4	7207.5000	63.26	53.98	-9.28	74.00	20.02	150	60	PK	Horizontal	PASS
5	9270.5000	50.56	45.46	-5.10	74.00	28.54	150	300	PK	Horizontal	PASS
6	11000.000	49.03	46.23	-2.80	74.00	27.77	150	10	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.0000	39.32	39.07	-0.25	74.00	34.93	150	360	PK	Vertical	PASS
2	2104.8000	40.07	42.24	2.17	74.00	31.76	150	30	PK	Vertical	PASS
3	4880.0000	66.21	52.14	-14.07	74.00	21.86	150	230	PK	Vertical	PASS
4	7318.5000	61.87	52.65	-9.22	74.00	21.35	150	30	PK	Vertical	PASS
5	9759.5000	57.27	52.68	-4.59	74.00	21.32	150	310	PK	Vertical	PASS
6	14642.500	50.07	51.03	0.96	74.00	22.97	150	330	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1178.6000	39.45	39.25	-0.20	74.00	34.75	150	210	PK	Horizontal	PASS
2	1760.8000	39.51	40.36	0.85	74.00	33.64	150	270	PK	Horizontal	PASS
3	4880.0000	64.30	50.23	-14.07	74.00	23.77	150	210	PK	Horizontal	PASS
4	7321.0000	63.05	53.90	-9.15	74.00	20.10	150	320	PK	Horizontal	PASS
5	9760.0000	53.81	49.22	-4.59	74.00	24.78	150	230	PK	Horizontal	PASS
6	11667.500	48.32	46.22	-2.10	74.00	27.78	150	70	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1481.8000	39.44	39.46	0.02	74.00	34.54	150	170	PK	Vertical	PASS
2	1977.4000	39.12	40.90	1.78	74.00	33.10	150	60	PK	Vertical	PASS
3	4960.0000	63.21	48.37	-14.84	74.00	25.63	150	190	PK	Vertical	PASS
4	6736.5000	53.34	43.75	-9.59	74.00	30.25	150	340	PK	Vertical	PASS
5	9920.0000	55.78	51.50	-4.28	74.00	22.50	150	190	PK	Vertical	PASS
6	14218.000	47.44	48.90	1.46	74.00	25.10	150	80	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1235.8000	39.36	38.90	-0.46	74.00	35.10	150	320	PK	Horizontal	PASS
2	1818.0000	39.15	40.29	1.14	74.00	33.71	150	110	PK	Horizontal	PASS
3	4959.0000	62.41	47.67	-14.74	74.00	26.33	150	50	PK	Horizontal	PASS
4	7441.5000	53.37	44.45	-8.92	74.00	29.55	150	130	PK	Horizontal	PASS
5	9920.0000	53.04	48.76	-4.28	74.00	25.24	150	0	PK	Horizontal	PASS
6	13903.000	48.05	48.61	0.56	74.00	25.39	150	300	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.168	10.29	52.20	65.06	12.86	39.91	55.06	15.15	L1	PASS
2	0.21	10.35	49.26	63.21	13.95	36.86	53.21	16.35	L1	PASS
3	0.291	10.32	45.78	60.50	14.72	31.52	50.50	18.98	L1	PASS
4	0.855	10.31	39.87	56.00	16.13	24.32	46.00	21.68	L1	PASS
5	1.53	10.32	35.64	56.00	20.36	22.68	46.00	23.32	L1	PASS
6	4.05	10.30	36.83	56.00	19.17	22.95	46.00	23.05	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.165	10.35	50.48	65.21	14.73	36.82	55.21	18.39	N	PASS
2	0.207	10.35	47.82	63.32	15.50	33.31	53.32	20.01	N	PASS
3	0.255	10.33	45.42	61.59	16.17	34.46	51.59	17.13	N	PASS
4	0.297	10.32	43.25	60.33	17.08	30.83	50.33	19.50	N	PASS
5	0.855	10.26	38.24	56.00	17.76	23.53	46.00	22.47	N	PASS
6	1.803	10.36	34.65	56.00	21.35	21.26	46.00	24.74	N	PASS