



Appendix E

RF Test Data for 5.8GWIFI (Conducted Measurement)

Product Name: All-In-One laptop
Test Model: A7_N6

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.5%
ATM Pressure:	100.0 kPa
Test Engineer:	Can Kun
Supervised by:	Paddi Chen





E.1 Emission Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	34.760	5727.680	5762.440	---	---
		5785	32.160	5769.880	5802.040	---	---
		5825	28.080	5811.200	5839.280	---	---
11N20SISO	Ant1	5745	35.680	5727.360	5763.040	---	---
		5785	31.920	5768.360	5800.280	---	---
		5825	29.440	5810.640	5840.080	---	---
11N40SISO	Ant1	5755	72.240	5717.160	5789.400	---	---
		5795	71.280	5757.720	5829.000	---	---
11AC20SISO	Ant1	5745	35.440	5726.280	5761.720	---	---
		5785	33.440	5768.240	5801.680	---	---
		5825	34.280	5806.960	5841.240	---	---
11AC40SISO	Ant1	5755	74.320	5715.640	5789.960	---	---
		5795	74.960	5757.720	5832.680	---	---
11AC80SISO	Ant1	5775	147.680	5701.720	5849.400	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs






11N20SISO_Ant1_5745




11N20SISO_Ant1_5785






11N20SISO_Ant1_5825




11N40SISO_Ant1_5755






11N40SISO_Ant1_5795




11AC20SISO_Ant1_5745






11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825






11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795





11AC80SISO_Ant1_5775



**Test Result**

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant2	5745	36.920	5725.320	5762.240	---	---
		5785	34.360	5767.000	5801.360	---	---
		5825	29.720	5812.360	5842.080	---	---
11N20SISO	Ant2	5745	37.680	5725.200	5762.880	---	---
		5785	32.600	5768.320	5800.920	---	---
		5825	31.280	5809.600	5840.880	---	---
11N40SISO	Ant2	5755	75.360	5716.360	5791.720	---	---
		5795	70.880	5757.000	5827.880	---	---
11AC20SISO	Ant2	5745	35.800	5727.160	5762.960	---	---
		5785	33.040	5768.480	5801.520	---	---
		5825	30.120	5810.600	5840.720	---	---
11AC40SISO	Ant2	5755	68.960	5718.280	5787.240	---	---
		5795	70.160	5757.800	5827.960	---	---
11AC80SISO	Ant2	5775	149.760	5701.080	5850.840	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant2_5745




11A_Ant2_5785




11A_Ant2_5825






11N20SISO_Ant2_5745




11N20SISO_Ant2_5785






11N20SISO_Ant2_5825




11N40SISO_Ant2_5755






11N40SISO_Ant2_5795




11AC20SISO_Ant2_5745






11AC20SISO_Ant2_5785




11AC20SISO_Ant2_5825






11AC40SISO_Ant2_5755




11AC40SISO_Ant2_5795





11AC80SISO_Ant2_5775





E.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	11.99	1.76	13.75	30	Pass
NVNT	a	5785	Ant1	11.92	2.14	14.06	30	Pass
NVNT	a	5825	Ant1	12.43	2.14	14.57	30	Pass
NVNT	n20	5745	Ant1	11.94	2.14	14.08	30	Pass
NVNT	n20	5785	Ant1	11.19	1.76	12.95	30	Pass
NVNT	n20	5825	Ant1	11.77	2.14	13.91	30	Pass
NVNT	n40	5755	Ant1	11.05	3.01	14.06	30	Pass
NVNT	n40	5795	Ant1	11.14	3.01	14.15	30	Pass
NVNT	ac20	5745	Ant1	11.30	2.00	13.30	30	Pass
NVNT	ac20	5785	Ant1	11.10	1.76	12.86	30	Pass
NVNT	ac20	5825	Ant1	11.75	2.00	13.75	30	Pass
NVNT	ac40	5755	Ant1	10.97	2.43	13.40	30	Pass
NVNT	ac40	5795	Ant1	11.13	2.43	13.56	30	Pass
NVNT	ac80	5775	Ant1	11.06	5.64	16.70	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	11.48	1.76	13.24	30	Pass
NVNT	a	5785	Ant2	11.30	1.76	13.06	30	Pass
NVNT	a	5825	Ant2	11.87	1.76	13.63	30	Pass
NVNT	n20	5745	Ant2	11.43	1.76	13.19	30	Pass
NVNT	n20	5785	Ant2	11.17	1.89	13.06	30	Pass
NVNT	n20	5825	Ant2	11.63	2.14	13.77	30	Pass
NVNT	n40	5755	Ant2	11.15	3.01	14.16	30	Pass
NVNT	n40	5795	Ant2	11.22	2.69	13.91	30	Pass
NVNT	ac20	5745	Ant2	11.43	2.00	13.43	30	Pass
NVNT	ac20	5785	Ant2	11.11	2.00	13.11	30	Pass
NVNT	ac20	5825	Ant2	11.70	1.76	13.46	30	Pass
NVNT	ac40	5755	Ant2	11.15	2.43	13.58	30	Pass
NVNT	ac40	5795	Ant2	11.26	2.43	13.69	30	Pass
NVNT	ac80	5775	Ant2	11.07	2.69	13.76	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5745	14.08	13.19	16.67	30	Pass
NVNT	n20	5785	12.95	13.06	16.02	30	Pass
NVNT	n20	5825	13.91	13.77	16.85	30	Pass
NVNT	n40	5755	14.06	14.16	17.12	30	Pass
NVNT	n40	5795	14.15	13.91	17.04	30	Pass
NVNT	ac20	5745	13.30	13.43	16.38	30	Pass
NVNT	ac20	5785	12.86	13.11	16.00	30	Pass
NVNT	ac20	5825	13.75	13.46	16.62	30	Pass
NVNT	ac40	5755	13.40	13.58	16.50	30	Pass
NVNT	ac40	5795	13.56	13.69	16.64	30	Pass
NVNT	ac80	5775	16.70	13.76	18.48	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



E.3 Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5745	-7.33	≤30.00	PASS
		5785	-7.73	≤30.00	PASS
		5825	-8.61	≤30.00	PASS
11N20SISO	Ant1	5745	-6.99	≤30.00	PASS
		5785	-8.34	≤30.00	PASS
		5825	-8.18	≤30.00	PASS
11N40SISO	Ant1	5755	-10.29	≤30.00	PASS
		5795	-10.71	≤30.00	PASS
11AC20SISO	Ant1	5745	-7.00	≤30.00	PASS
		5785	-8.45	≤30.00	PASS
		5825	-8.43	≤30.00	PASS
11AC40SISO	Ant1	5755	-10.90	≤30.00	PASS
		5795	-11.25	≤30.00	PASS
11AC80SISO	Ant1	5775	-10.14	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity

**Test Result**

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant2	5745	-6.36	≤30.00	PASS
		5785	-6.83	≤30.00	PASS
		5825	-6.90	≤30.00	PASS
11N20SISO	Ant2	5745	-5.58	≤30.00	PASS
		5785	-6.16	≤30.00	PASS
		5825	-6.05	≤30.00	PASS
11N40SISO	Ant2	5755	-7.79	≤30.00	PASS
		5795	-9.28	≤30.00	PASS
11AC20SISO	Ant2	5745	-5.02	≤30.00	PASS
		5785	-5.78	≤30.00	PASS
		5825	-6.31	≤30.00	PASS
11AC40SISO	Ant2	5755	-9.75	≤30.00	PASS
		5795	-10.60	≤30.00	PASS
11AC80SISO	Ant2	5775	-12.53	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/500KHz)			Limit (dBm/500KHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5745	-6.99	-5.58	-3.22	30	Pass
NVNT	n20	5785	-8.34	-6.16	-4.10	30	Pass
NVNT	n20	5825	-8.18	-6.05	-3.98	30	Pass
NVNT	n40	5755	-10.29	-7.79	-5.85	30	Pass
NVNT	n40	5795	-10.71	-9.28	-6.93	30	Pass
NVNT	ac20	5745	-7.00	-5.02	-2.89	30	Pass
NVNT	ac20	5785	-8.45	-5.78	-3.90	30	Pass
NVNT	ac20	5825	-8.43	-6.31	-4.23	30	Pass
NVNT	ac40	5755	-10.90	-9.75	-7.28	30	Pass
NVNT	ac40	5795	-11.25	-10.60	-7.90	30	Pass
NVNT	ac80	5775	-10.14	-12.53	-8.16	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825






11N20SISO_Ant1_5745




11N20SISO_Ant1_5785






11N20SISO_Ant1_5825




11N40SISO_Ant1_5755






11N40SISO_Ant1_5795




11AC20SISO_Ant1_5745






11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825






11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795






11AC80SISO_Ant1_5775






Test Graphs

11A_Ant2_5745




11A_Ant2_5785




11A_Ant2_5825






11N20SISO_Ant2_5745




11N20SISO_Ant2_5785






11N20SISO_Ant2_5825




11N40SISO_Ant2_5755






11N40SISO_Ant2_5795




11AC20SISO_Ant2_5745






11AC20SISO_Ant2_5785




11AC20SISO_Ant2_5825






11AC40SISO_Ant2_5755




11AC40SISO_Ant2_5795





11AC80SISO_Ant2_5775





E.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5745	Peak	5650.000	-44.063	≤-27.00	---	---	PASS
				Peak	5700.000	-44.89	≤10.00	---	---	PASS
				Peak	5720.000	-31.99	≤15.60	---	---	PASS
				Peak	5725.000	-21.65	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-39.481	≤27.00	---	---	PASS
				Peak	5855.000	-39.85	≤15.60	---	---	PASS
				Peak	5875.000	-45.19	≤10.00	---	---	PASS
				Peak	5925.000	-45.26	≤-27.00	---	---	PASS
11N20SISO	Ant1	Low	5745	Peak	5650.000	-44.99	≤-27.00	---	---	PASS
				Peak	5700.000	-42.44	≤10.00	---	---	PASS
				Peak	5720.000	-31.11	≤15.60	---	---	PASS
				Peak	5725.000	-21.48	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-33.547	≤27.00	---	---	PASS
				Peak	5855.000	-41.93	≤15.60	---	---	PASS
				Peak	5875.000	-43.44	≤10.00	---	---	PASS
				Peak	5925.000	-44.32	≤-27.00	---	---	PASS
11N40SISO	Ant1	Low	5755	Peak	5650.000	-42.817	≤-27.00	---	---	PASS
				Peak	5700.000	-36.38	≤10.00	---	---	PASS
				Peak	5720.000	-24.6	≤15.60	---	---	PASS
				Peak	5725.000	-22.29	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-39.577	≤27.00	---	---	PASS
				Peak	5855.000	-43.2	≤15.60	---	---	PASS
				Peak	5875.000	-44.58	≤10.00	---	---	PASS
				Peak	5925.000	-44.76	≤-27.00	---	---	PASS
11AC20SISO	Ant1	Low	5745	Peak	5650.000	-42.818	≤-27.00	---	---	PASS
				Peak	5700.000	-44.56	≤10.00	---	---	PASS
				Peak	5720.000	-30.26	≤15.60	---	---	PASS
				Peak	5725.000	-18.91	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-36.649	≤27.00	---	---	PASS
				Peak	5855.000	-39.66	≤15.60	---	---	PASS
				Peak	5875.000	-42.65	≤10.00	---	---	PASS
				Peak	5925.000	-44.52	≤-27.00	---	---	PASS
11AC40SISO	Ant1	Low	5755	Peak	5650.000	-44.72	≤-27.00	---	---	PASS
				Peak	5700.000	-37.83	≤10.00	---	---	PASS
				Peak	5720.000	-24.12	≤15.60	---	---	PASS
				Peak	5725.000	-21.73	≤27.00	---	---	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



		High	5795	Peak	5850.000	-38.521	≤27.00	---	---	PASS
				Peak	5855.000	-41.65	≤15.60	---	---	PASS
				Peak	5875.000	-45.66	≤10.00	---	---	PASS
				Peak	5925.000	-44.2	≤-27.00	---	---	PASS
11AC80SISO	Ant1	Low	5775	Peak	5650.000	-41.3	≤-27.00	---	---	PASS
				Peak	5700.000	-27.91	≤10.00	---	---	PASS
				Peak	5720.000	-24.1	≤15.60	---	---	PASS
				Peak	5725.000	-24.13	≤27.00	---	---	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20ISO_Ant1_Low_5745_Peak



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5755_Peak






11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5745_Peak






11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5755_Peak






11AC40SISO_Ant1_High_5795_Peak



11AC80SISO_Ant1_Low_5775_Peak





**Test Result**

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant2	Low	5745	Peak	5650.000	-44.198	≤-27.00	---	---	PASS
				Peak	5700.000	-43.23	≤10.00	---	---	PASS
				Peak	5720.000	-33.56	≤15.60	---	---	PASS
				Peak	5725.000	-22.41	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-40.411	≤27.00	---	---	PASS
				Peak	5855.000	-44.22	≤15.60	---	---	PASS
				Peak	5875.000	-45.15	≤10.00	---	---	PASS
				Peak	5925.000	-42.5	≤-27.00	---	---	PASS
11N20SISO	Ant2	Low	5745	Peak	5650.000	-43.297	≤-27.00	---	---	PASS
				Peak	5700.000	-44.39	≤10.00	---	---	PASS
				Peak	5720.000	-27.62	≤15.60	---	---	PASS
				Peak	5725.000	-22.34	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-36.417	≤27.00	---	---	PASS
				Peak	5855.000	-40.99	≤15.60	---	---	PASS
				Peak	5875.000	-45.68	≤10.00	---	---	PASS
				Peak	5925.000	-44.94	≤-27.00	---	---	PASS
11N40SISO	Ant2	Low	5755	Peak	5650.000	-45.015	≤-27.00	---	---	PASS
				Peak	5700.000	-34.48	≤10.00	---	---	PASS
				Peak	5720.000	-24.65	≤15.60	---	---	PASS
				Peak	5725.000	-22	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-40.47	≤27.00	---	---	PASS
				Peak	5855.000	-44.45	≤15.60	---	---	PASS
				Peak	5875.000	-45.88	≤10.00	---	---	PASS
				Peak	5925.000	-43.1	≤-27.00	---	---	PASS
11AC20SISO	Ant2	Low	5745	Peak	5650.000	-44.977	≤-27.00	---	---	PASS
				Peak	5700.000	-41.44	≤10.00	---	---	PASS
				Peak	5720.000	-26.98	≤15.60	---	---	PASS
				Peak	5725.000	-24.52	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-36.585	≤27.00	---	---	PASS
				Peak	5855.000	-39.08	≤15.60	---	---	PASS
				Peak	5875.000	-44.12	≤10.00	---	---	PASS
				Peak	5925.000	-43.84	≤-27.00	---	---	PASS
11AC40SISO	Ant2	Low	5755	Peak	5650.000	-44.214	≤-27.00	---	---	PASS
				Peak	5700.000	-37.77	≤10.00	---	---	PASS
				Peak	5720.000	-23.59	≤15.60	---	---	PASS
				Peak	5725.000	-23.37	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-41.175	≤27.00	---	---	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity