



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.26	0.44	0.70	11	Pass
5550	2.91	0.44	3.35	11	Pass
5670	1.16	0.44	1.65	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	3.57	10.56	0.44	11	30	Pass
5795	1.79	8.78	0.44	9.22	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	1.87	17.00	Pass
5230	4.87	17.00	Pass
5270	5.59	11.00	Pass
5310	4.52	11.00	Pass
5510	3.95	11.00	Pass
5550	6.45	11.00	Pass
5670	4.32	11.00	Pass
5755	13.62	30.00	Pass
5795	11.35	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant. 1
-----------	------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.38	0.55	-6.83	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.97	0.55	-3.42	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.32	0.55	-4.77	11	Pass
5610	-0.96	0.55	-0.41	11	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.17	1.82	0.55	2.37	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Ant. 2
-----------	------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.21	0.55	-6.66	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.90	0.55	-3.35	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.49	0.55	-4.94	11	Pass
5610	-1.21	0.55	-0.66	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.47	1.52	0.55	2.07	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	-3.73	17.00	Pass
5290	-0.37	11.00	Pass
5530	-1.84	11.00	Pass
5610	2.48	11.00	Pass
5775	5.23	30.00	Pass

Test Mode	IEEE 802.11ac (VHT160)_Ant. 1
-----------	-------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-10.44	0.43	-10.01	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-8.56	0.43	-8.13	11	Pass




Test Mode	IEEE 802.11ac (VHT160)_Ant. 2
-----------	-------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-10.80	0.43	-10.37	11	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-8.60	0.43	-8.17	11	Pass




Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5250	-7.18	11.00	Pass
5570	-5.14	11.00	Pass

Test Mode IEEE 802.11ax (HE20)_Ant. 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.96	0.41	5.37	17	Pass
5200	5.72	0.41	6.13	17	Pass
5240	8.05	0.41	8.46	17	Pass

5180 MHz




Date: 23.APR.2024 22:33:29

5200 MHz




Date: 23.APR.2024 22:36:24

5240 MHz




Date: 23.APR.2024 22:40:19

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.36	0.41	4.77	11	Pass
5300	4.59	0.41	5.00	11	Pass
5320	2.58	0.41	2.99	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.70	0.41	5.11	11	Pass
5580	5.88	0.41	6.29	11	Pass
5700	3.84	0.41	4.25	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.96	10.95	0.41	11.36	30	Pass
5785	2.65	9.64	0.41	10.05	30	Pass
5825	4.78	11.77	0.41	12.18	30	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode IEEE 802.11ax (HE20)_Ant. 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.80	0.41	5.21	17	Pass
5200	6.19	0.41	6.60	17	Pass
5240	8.00	0.41	8.41	17	Pass

5180 MHz




Date: 23.APR.2024 17:48:10

5200 MHz




Date: 23.APR.2024 17:48:55

5240 MHz




Date: 23.APR.2024 17:49:34

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	4.23	0.41	4.64	11	Pass
5300	5.47	0.41	5.88	11	Pass
5320	2.79	0.41	3.20	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	4.53	0.41	4.94	11	Pass
5580	5.71	0.41	6.12	11	Pass
5700	3.41	0.41	3.82	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.03	11.02	0.41	11.43	30	Pass
5785	3.02	10.01	0.41	10.42	30	Pass
5825	4.26	11.25	0.41	11.66	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	8.30	17.00	Pass
5200	9.38	17.00	Pass
5240	11.45	17.00	Pass
5260	7.72	11.00	Pass
5300	8.47	11.00	Pass
5320	6.11	11.00	Pass
5500	8.04	11.00	Pass
5580	9.22	11.00	Pass
5700	7.05	11.00	Pass
5745	14.41	30.00	Pass
5785	13.25	30.00	Pass
5825	14.94	30.00	Pass

Test Mode IEEE 802.11ax (HE40)_Ant. 1


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.40	0.46	0.06	17	Pass
5230	2.98	0.46	3.44	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	1.58	0.46	2.04	11	Pass
5310	0.38	0.46	0.84	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.31	0.46	0.77	11	Pass
5550	3.12	0.46	3.58	11	Pass
5670	0.37	0.46	0.83	11	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	1.93	8.92	0.46	9.38	30	Pass
5795	1.06	8.05	0.46	8.51	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ kHz} / 100\text{ kHz})$




Test Mode IEEE 802.11ax (HE40)_Ant. 2


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.87	0.46	-0.41	17	Pass
5230	2.92	0.46	3.38	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	1.27	0.46	1.73	11	Pass
5310	0.59	0.46	1.05	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.60	0.46	1.06	11	Pass
5550	2.83	0.46	3.29	11	Pass
5670	1.30	0.46	1.76	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.01	9.00	0.46	9.46	30	Pass
5795	0.55	7.54	0.46	8	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	2.84	17.00	Pass
5230	6.42	17.00	Pass
5270	4.90	11.00	Pass
5310	3.96	11.00	Pass
5510	3.93	11.00	Pass
5550	6.45	11.00	Pass
5670	4.33	11.00	Pass
5755	12.43	30.00	Pass
5795	11.27	30.00	Pass

Test Mode	IEEE 802.11ax (HE80)_Ant. 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.88	0.44	-5.44	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-4.59	0.44	-4.15	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.07	0.44	-4.63	11	Pass
5610	-0.99	0.44	-0.55	11	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.41	1.58	0.44	2.02	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$




Test Mode	IEEE 802.11ax (HE80)_Ant. 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.25	0.44	-4.81	17	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-4.70	0.44	-4.26	11	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-5.70	0.44	-5.26	11	Pass
5610	-1.18	0.44	-0.74	11	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.44	1.55	0.44	1.96	30	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log_{10}(500\text{ KHz} / 100\text{ kHz})$



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	-2.10	17.00	Pass
5290	-1.19	11.00	Pass
5530	-1.92	11.00	Pass
5610	2.37	11.00	Pass
5775	5.00	30.00	Pass

End of Test Report