


Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5200MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		15586.00	41.33	4.61	45.94	74.00	-28.06	peak		
2	*	15586.00	30.20	4.61	34.81	54.00	-19.19	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5240MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15722.00	41.88	4.77	46.65	74.00	-27.35	peak		
2	*	15722.00	29.26	4.77	34.03	54.00	-19.97	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5240MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15722.00	41.38	4.77	46.15	74.00	-27.85	peak		
2	*	15722.00	30.09	4.77	34.86	54.00	-19.14	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5260MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15790.00	34.99	4.85	39.84	74.00	-34.16	peak		
2	*	15790.00	23.81	4.85	28.66	54.00	-25.34	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5260MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		15773.00	38.70	4.83	43.53	74.00	-30.47	peak		
2	*	15773.00	26.09	4.83	30.92	54.00	-23.08	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5300MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		15892.00	36.01	4.97	40.98	74.00	-33.02	peak		
2	*	15892.00	24.96	4.97	29.93	54.00	-24.07	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5300MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15909.00	37.75	4.99	42.74	74.00	-31.26	peak		
2	*	15909.00	25.41	4.99	30.40	54.00	-23.60	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5320MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		15960.00	36.37	5.06	41.43	74.00	-32.57	peak		
2	*	15960.00	24.66	5.06	29.72	54.00	-24.28	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5320MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		15960.00	37.60	5.06	42.66	74.00	-31.34	peak		
2	*	15960.00	25.88	5.06	30.94	54.00	-23.06	AVG		

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5500MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	16504.00	38.83	1.59	40.42	68.20	-27.78	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5500MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	16487.00	39.71	1.67	41.38	68.20	-26.82	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5580MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	16740.00	35.23	2.97	38.20	68.20	-30.00	peak		Comment

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5580MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	16740.00	35.81	2.97	38.78	68.20	-29.42			peak

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5700MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	17099.00	36.21	4.62	40.83	68.20	-27.37	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5700MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17099.00	36.65	4.62	41.27	68.20	-26.93	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5745MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17235.00	45.41	4.81	50.22	68.20	-17.98	peak		Comment

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5745MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17235.00	47.34	4.81	52.15	68.20	-16.05	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5785MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17354.00	46.03	4.97	51.00	68.20	-17.20	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5785MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17354.00	48.34	4.97	53.31	68.20	-14.89	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5825MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17473.00	46.70	5.14	51.84	68.20	-16.36	peak		Comment

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2024/11/6
Test Frequency	5825MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	17473.00	48.73	5.14	53.87	68.20	-14.33	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5190MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.00	32.84	-0.57	32.27	68.20	-35.93	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5190MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10380.00	31.63	-0.57	31.06	68.20	-37.14	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5230MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10460.00	32.23	-0.49	31.74	68.20	-36.46	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5230MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10452.00	39.90	-0.50	39.40	68.20	-28.80	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5270MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10540.00	30.90	-0.44	30.46	68.20	-37.74	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5270MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10540.00	33.86	-0.44	33.42	68.20	-34.78			peak

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5310MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10622.00	36.09	-0.41	35.68	74.00	-38.32	peak		
2	*	10622.00	30.82	-0.41	30.41	54.00	-23.59	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5310MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10622.00	35.75	-0.41	35.34	74.00	-38.66	peak		
2	*	10622.00	30.72	-0.41	30.31	54.00	-23.69	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5510MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11013.00	36.23	-0.24	35.99	74.00	-38.01	peak		
2	*	11013.00	31.15	-0.24	30.91	54.00	-23.09	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5510MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11013.00	35.36	-0.24	35.12	74.00	-38.88	peak		
2	*	11013.00	30.50	-0.24	30.26	54.00	-23.74	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5550MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11098.00	36.75	-0.04	36.71	74.00	-37.29	peak		
2	*	11098.00	32.29	-0.04	32.25	54.00	-21.75	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5550MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11098.00	35.11	-0.04	35.07	74.00	-38.93	peak		
2	*	11098.00	30.76	-0.04	30.72	54.00	-23.28	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5670MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11336.00	35.23	0.47	35.70	74.00	-38.30	peak		
2	*	11336.00	29.70	0.47	30.17	54.00	-23.83	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5670MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11336.00	36.52	0.47	36.99	74.00	-37.01	peak		
2	*	11336.00	29.19	0.47	29.66	54.00	-24.34	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5755MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	17252.00	42.95	4.84	47.79	68.20	-20.41	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5755MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17286.00	44.57	4.88	49.45	68.20	-18.75	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5795MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	17388.00	45.08	5.03	50.11	68.20	-18.09	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2024/11/6
Test Frequency	5795MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	17388.00	45.06	5.03	50.09	68.20	-18.11	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5210MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.00	31.36	-0.54	30.82	68.20	-37.38	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5210MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.00	31.66	-0.54	31.12	68.20	-37.08	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5290MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.00	32.47	-0.42	32.05	68.20	-36.15	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5290MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10580.00	33.85	-0.42	33.43	68.20	-34.77	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5530MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11064.00	35.53	-0.12	35.41	74.00	-38.59	peak		
2	*	11064.00	31.27	-0.12	31.15	54.00	-22.85	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5530MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11064.00	36.00	-0.12	35.88	74.00	-38.12	peak		
2	*	11064.00	30.61	-0.12	30.49	54.00	-23.51	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5610MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11217.00	35.58	0.21	35.79	74.00	-38.21	peak		
2	*	11217.00	32.06	0.21	32.27	54.00	-21.73	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5610MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11251.00	36.43	0.29	36.72	74.00	-37.28			peak
2	*	11251.00	31.34	0.29	31.63	54.00	-22.37			AVG

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5775MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17303.00	42.12	4.90	47.02	68.20	-21.18	peak		Comment

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/6
Test Frequency	5775MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	17320.00	43.03	4.93	47.96	68.20	-20.24	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT160)	Test Date	2024/11/6
Test Frequency	5250MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10500.00	32.54	-0.45	32.09	68.20	-36.11	peak		Comment

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT160)	Test Date	2024/11/6
Test Frequency	5250MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.00	32.21	-0.45	31.76	68.20	-36.44	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT160)	Test Date	2024/11/6
Test Frequency	5570MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11132.00	34.87	0.02	34.89	74.00	-39.11	peak		
2	*	11132.00	30.71	0.02	30.73	54.00	-23.27	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT160)	Test Date	2024/11/6
Test Frequency	5570MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11132.00	34.31	0.02	34.33	74.00	-39.67	peak		
2	*	11132.00	30.39	0.02	30.41	54.00	-23.59	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/7
Test Frequency	5775MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	22000.00	30.54	-8.74	21.80	68.20	-46.40	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2024/11/7
Test Frequency	5775MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	22000.00	30.94	-8.74	22.20	68.20	-46.00	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX D BANDWIDTH


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.700	17.400
40	5200	23.649	17.400
48	5240	23.700	17.400


CH36






CH40
26 dB Bandwidth



CH48




99 % Occupied Bandwidth




Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	24.850	18.600
40	5200	24.849	18.500
48	5240	24.698	18.500


CH36






CH40
26 dB Bandwidth



CH48




99 % Occupied Bandwidth



Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	44.990	38.000
46	5230	44.900	37.800

CH38




Date: 30.OCT.2024 20:19:13

CH46
26 dB Bandwidth




Date: 30.OCT.2024 20:21:45

99 % Occupied Bandwidth



Date: 30.OCT.2024 20:18:37




Date: 30.OCT.2024 20:23:10

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	90.806	76.400

CH42 26 dB Bandwidth



Date: 30.OCT.2024 23:36:47

99 % Occupied Bandwidth




Date: 30.OCT.2024 23:36:14

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	43.508	38.800
46	5230	43.199	38.800

CH38




Date: 31.OCT.2024 00:58:52

CH46 26 dB Bandwidth




Date: 31.OCT.2024 00:58:38

99 % Occupied Bandwidth



Date: 31.OCT.2024 00:58:16




Date: 31.OCT.2024 00:58:01

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	88.400	78.000

CH42 26 dB Bandwidth



Date: 31.OCT.2024 01:40:47

99 % Occupied Bandwidth




Date: 31.OCT.2024 01:40:14

Test Mode UNII-1_TX BE(EHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	23.949	19.400
40	5200	23.690	19.400
48	5240	24.050	19.400

CH36




Date: 1.NOV.2024 18:42:47

CH40
26 dB Bandwidth




Date: 1.NOV.2024 18:44:33

CH48




Date: 1.NOV.2024 18:45:50


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:42:22



Date: 1.NOV.2024 18:44:09




Date: 1.NOV.2024 18:45:27

Test Mode	UNII-1_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	43.990	38.800
46	5230	44.400	38.800

CH38




Date: 1.NOV.2024 19:01:23

CH46
26 dB Bandwidth




Date: 1.NOV.2024 19:03:29

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:00:47




Date: 1.NOV.2024 19:02:54

Test Mode	UNII-1_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	88.400	78.000

CH42
26 dB Bandwidth



Date: 1.NOV.2024 19:17:13

99 % Occupied Bandwidth




Date: 1.NOV.2024 19:16:37

Test Mode UNII-2A_TX A Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	26.690	18.400
60	5300	24.596	18.300
64	5320	25.800	18.300

CH52




Date: 30.OCT.2024 19:12:08

CH60
26 dB Bandwidth




Date: 30.OCT.2024 19:13:42

CH64




Date: 30.OCT.2024 19:15:01


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:11:19



Date: 30.OCT.2024 19:13:17




Date: 30.OCT.2024 19:14:09


Test Mode UNII-2A_TX N(HT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	25.986	18.900
60	5300	24.989	18.800
64	5320	25.198	19.000


CH52






CH60
26 dB Bandwidth



CH64




99 % Occupied Bandwidth



Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	45.700	37.800
62	5310	44.598	37.800

CH54




Date: 30.OCT.2024 20:30:42

CH62
26 dB Bandwidth




Date: 30.OCT.2024 20:32:16

99 % Occupied Bandwidth



Date: 30.OCT.2024 20:30:08




Date: 30.OCT.2024 20:33:49

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	92.398	76.800

CH58 26 dB Bandwidth



Date: 30.OCT.2024 23:40:56

99 % Occupied Bandwidth




Date: 30.OCT.2024 23:40:22

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.389	19.300
60	5300	23.250	19.400
64	5320	23.250	19.400

CH52




Date: 31.OCT.2024 00:25:45

CH60
26 dB Bandwidth




Date: 31.OCT.2024 00:27:09

CH64




Date: 31.OCT.2024 00:31:57


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:23:19



Date: 31.OCT.2024 00:26:43




Date: 31.OCT.2024 00:31:32

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	43.500	38.800
62	5310	43.399	38.800

CH54




Date: 31-OCT-2024 01:02:56

CH62
26 dB Bandwidth




Date: 31.OCT.2024 01:09:01

99 % Occupied Bandwidth



Date: 31.OCT.2024 01:02:20




Date: 31.OCT.2024 01:08:25

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	88.800	78.000

CH58 26 dB Bandwidth



Date: 31.OCT.2024 01:47:13

99 % Occupied Bandwidth




Date: 31.OCT.2024 01:46:16

Test Mode	UNII-2A_TX BE(EHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.988	19.400
60	5300	23.549	19.300
64	5320	23.209	19.300

CH52




Date: 1.NOV.2024 18:47:31

CH60
26 dB Bandwidth




Date: 1.NOV.2024 18:48:45

CH64




Date: 1.NOV.2024 18:49:55


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:47:36



Date: 1.NOV.2024 18:48:20




Date: 1.NOV.2024 18:49:31

Test Mode	UNII-2A_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	43.588	38.800
62	5310	44.008	38.800

CH54




Date: 1.NOV.2024 19:09:10

CH62
26 dB Bandwidth




Date: 1.NOV.2024 19:06:48

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:04:41




Date: 1.NOV.2024 19:06:14

Test Mode	UNII-2A_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	87.596	78.400

CH58 26 dB Bandwidth



Date: 1.NOV.2024 19:10:51

99 % Occupied Bandwidth




Date: 1.NOV.2024 19:10:11

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	176.400	157.600

CH50
26 dB Bandwidth



Date: 30.OCT.2024 23:58:29

99 % Occupied Bandwidth




Date: 30.OCT.2024 23:57:57

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	172.000	159.200

CH50 26 dB Bandwidth



Date: 31.OCT.2024 02:05:06

99 % Occupied Bandwidth




Date: 31.OCT.2024 02:04:29

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	171.202	160.000

CH50 26 dB Bandwidth



Date: 1.NOV.2024 19:25:33

99 % Occupied Bandwidth




Date: 1.NOV.2024 19:24:56

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.199	18.200
116	5580	26.550	18.400
140	5700	25.099	18.000

CH100




Date: 30.OCT.2024 19:17:09

CH116
26 dB Bandwidth




Date: 30.OCT.2024 19:23:18

CH140




Date: 30.OCT.2024 19:24:50


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:18:26



Date: 30.OCT.2024 19:22:48




Date: 30.OCT.2024 19:24:26

Test Mode UNII-2C_TX N(HT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	30.099	18.800
116	5580	31.499	19.100
140	5700	26.850	18.900

CH100




Date: 30.OCT.2024 19:58:17

CH116
26 dB Bandwidth




Date: 30.OCT.2024 20:00:07

CH140




Date: 30.OCT.2024 20:03:19


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:57:44



Date: 30.OCT.2024 19:59:16




Date: 30.OCT.2024 20:02:56

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	44.790	38.000
110	5550	45.100	37.800
134	5670	43.990	37.800

CH102




Date: 30.OCT.2024 20:37:28

CH110
26 dB Bandwidth




Date: 30.OCT.2024 20:45:05

CH134




Date: 30.OCT.2024 20:55:24


99 % Occupied Bandwidth



Date: 30.OCT.2024 20:38:49



Date: 30.OCT.2024 20:44:30




Date: 30.OCT.2024 20:54:46

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	92.400	76.800
122	5610	92.390	76.800

CH106




Date: 30.OCT.2024 23:46:07

CH122
26 dB Bandwidth




Date: 30.OCT.2024 23:51:55

99 % Occupied Bandwidth



Date: 30.OCT.2024 23:45:53




Date: 30.OCT.2024 23:53:21

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	175.600	157.600

CH114 26 dB Bandwidth



Date: 31.OCT.2024 00:01:06

99 % Occupied Bandwidth




Date: 31.OCT.2024 00:00:55

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.600	19.200
116	5580	23.190	19.400
140	5700	22.889	19.300

CH100




Date: 31.OCT.2024 00:30:32

CH116
26 dB Bandwidth




Date: 31.OCT.2024 00:30:20

CH140




Date: 31.OCT.2024 00:44:11


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:35:08



Date: 31.OCT.2024 00:37:55




Date: 31.OCT.2024 00:43:45


Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	43.500	38.600
110	5550	43.700	38.800
134	5670	43.590	38.800


CH102






CH110
26 dB Bandwidth



CH134




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	172.400	159.200

CH114 26 dB Bandwidth



Date: 31.OCT.2024 02:06:37

99 % Occupied Bandwidth




Date: 31.OCT.2024 02:05:59

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.400	17.200	0.5	Complies
157	5785	15.798	17.200	0.5	Complies
165	5825	15.698	17.200	0.5	Complies

CH149




Date: 30.OCT.2024 19:27:01

CH157
6 dB Bandwidth




Date: 30.OCT.2024 19:28:30

CH165




Date: 30.OCT.2024 19:30:58


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:26:30



Date: 30.OCT.2024 19:28:01




Date: 30.OCT.2024 19:30:29

Test Mode UNII-3_TX N(HT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.700	18.400	0.5	Complies
157	5785	17.700	18.400	0.5	Complies
165	5825	17.350	18.400	0.5	Complies

CH149




Date: 30.OCT.2024 20:09:27

CH157
6 dB Bandwidth




Date: 30.OCT.2024 20:07:47

CH165




Date: 30.OCT.2024 20:13:22


99 % Occupied Bandwidth



Date: 30.OCT.2024 20:09:00



Date: 30.OCT.2024 20:07:20




Date: 30.OCT.2024 20:12:54

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	37.800	0.5	Complies
159	5795	36.100	37.600	0.5	Complies

CH151




Date: 30.OCT.2024 20:57:11

CH159
6 dB Bandwidth




Date: 30.OCT.2024 21:01:47

99 % Occupied Bandwidth



Date: 30.OCT.2024 20:56:35




Date: 30.OCT.2024 21:01:08

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.606	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 30.OCT.2024 23:56:35

99 % Occupied Bandwidth




Date: 30.OCT.2024 23:55:57

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.700	19.400	0.5	Complies
157	5785	19.090	19.400	0.5	Complies
165	5825	18.700	19.200	0.5	Complies

CH149




Date: 31.OCT.2024 00:48:07

CH157
6 dB Bandwidth




Date: 31.OCT.2024 00:48:00

CH165




Date: 31.OCT.2024 00:50:00


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:48:40



Date: 31.OCT.2024 00:47:36




Date: 31.OCT.2024 00:49:36

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.900	38.600	0.5	Complies
159	5795	37.790	38.800	0.5	Complies

CH151




Date: 31.OCT.2024 01:24:58

CH159
6 dB Bandwidth




Date: 31.OCT.2024 01:29:23

99 % Occupied Bandwidth



Date: 31.OCT.2024 01:24:20




Date: 31.OCT.2024 01:28:42

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.000	78.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 31.OCT.2024 02:03:20

99 % Occupied Bandwidth




Date: 31.OCT.2024 02:02:43

Test Mode UNII-2C_TX BE(EHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.890	19.200
116	5580	22.799	19.300
140	5700	22.990	19.400

CH100




Date: 1.NOV.2024 18:51:06

CH116
26 dB Bandwidth




Date: 1.NOV.2024 18:52:54

CH140




Date: 2.NOV.2024 00:33:04


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:50:41



Date: 1.NOV.2024 18:52:30




Date: 2.NOV.2024 00:32:39

Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	44.300	38.800
110	5550	43.500	38.800
134	5670	43.906	39.000

CH102




Date: 1.NOV.2024 19:09:21

CH110
26 dB Bandwidth




Date: 1.NOV.2024 19:09:45

CH134




Date: 2.NOV.2024 00:34:37


99 % Occupied Bandwidth



Date: 1.NOV.2024 19:07:45



Date: 1.NOV.2024 19:09:10




Date: 2.NOV.2024 00:34:03

Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	89.000	78.400
122	5610	89.990	78.400

CH106




Date: 1.NOV.2024 19:20:32

CH122
26 dB Bandwidth




Date: 2.NOV.2024 00:36:23

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:19:56




Date: 2.NOV.2024 00:35:44

Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	174.390	160.000

CH114 26 dB Bandwidth



Date: 1.NOV.2024 19:27:33

99 % Occupied Bandwidth




Date: 1.NOV.2024 19:28:59

Test Mode UNII-3_TX BE(EHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.050	19.300	0.5	Complies
157	5785	18.700	19.200	0.5	Complies
165	5825	18.799	19.300	0.5	Complies

CH149




Date: 1.NOV.2024 18:56:23

CH157
6 dB Bandwidth




Date: 1.NOV.2024 18:57:34

CH165




Date: 1.NOV.2024 18:58:45


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:56:56



Date: 1.NOV.2024 18:57:07




Date: 1.NOV.2024 18:58:18

Test Mode	UNII-3_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.300	39.000	0.5	Complies
159	5795	38.300	38.800	0.5	Complies

CH151




Date: 1.NOV.2024 19:13:13

CH159
6 dB Bandwidth




Date: 1.NOV.2024 19:14:40

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:12:57




Date: 1.NOV.2024 19:14:02

Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	73.590	78.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 1.NOV.2024 19:23:38

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:22:55

APPENDIX E OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.67	0.00	21.67	30.00	1.0000	Complies
40	5200	20.82	0.00	20.82	30.00	1.0000	Complies
48	5240	20.95	0.00	20.95	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.54	0.00	21.54	30.00	1.0000	Complies
40	5200	20.72	0.00	20.72	30.00	1.0000	Complies
48	5240	20.77	0.00	20.77	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.62	29.79	0.9527	Complies
40	5200	23.78	29.79	0.9527	Complies
48	5240	23.87	29.79	0.9527	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.71	0.00	21.71	30.00	1.0000	Complies
40	5200	21.68	0.00	21.68	30.00	1.0000	Complies
48	5240	21.82	0.00	21.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.57	0.00	21.57	30.00	1.0000	Complies
40	5200	21.59	0.00	21.59	30.00	1.0000	Complies
48	5240	21.67	0.00	21.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.65	29.79	0.9527	Complies
40	5200	24.65	29.79	0.9527	Complies
48	5240	24.76	29.79	0.9527	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.74	0.00	17.74	30.00	1.0000	Complies
46	5230	23.34	0.00	23.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.66	0.00	17.66	30.00	1.0000	Complies
46	5230	23.03	0.00	23.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.71	29.79	0.9527	Complies
46	5230	26.20	29.79	0.9527	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.58	0.00	21.58	30.00	1.0000	Complies
40	5200	21.68	0.00	21.68	30.00	1.0000	Complies
48	5240	20.91	0.00	20.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.54	0.00	21.54	30.00	1.0000	Complies
40	5200	21.54	0.00	21.54	30.00	1.0000	Complies
48	5240	20.75	0.00	20.75	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.57	29.79	0.9527	Complies
40	5200	24.62	29.79	0.9527	Complies
48	5240	23.84	29.79	0.9527	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.57	0.00	17.57	30.00	1.0000	Complies
46	5230	22.74	0.00	22.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.52	0.00	17.52	30.00	1.0000	Complies
46	5230	22.46	0.00	22.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.56	29.79	0.9527	Complies
46	5230	25.61	29.79	0.9527	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.82	0.00	13.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.42	0.00	13.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.63	29.79	0.9527	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.80	0.00	21.80	30.00	1.0000	Complies
40	5200	21.85	0.00	21.85	30.00	1.0000	Complies
48	5240	21.97	0.00	21.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.71	0.00	21.71	30.00	1.0000	Complies
40	5200	21.70	0.00	21.70	30.00	1.0000	Complies
48	5240	21.79	0.00	21.79	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.77	29.79	0.9527	Complies
40	5200	24.79	29.79	0.9527	Complies
48	5240	24.89	29.79	0.9527	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.02	0.00	15.02	30.00	1.0000	Complies
46	5230	23.36	0.00	23.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.88	0.00	14.88	30.00	1.0000	Complies
46	5230	23.11	0.00	23.11	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.96	29.79	0.9527	Complies
46	5230	26.25	29.79	0.9527	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.73	0.00	12.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.46	0.00	12.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.61	29.79	0.9527	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.81	0.00	21.81	30.00	1.0000	Complies
40	5200	21.76	0.00	21.76	30.00	1.0000	Complies
48	5240	21.91	0.00	21.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.69	0.00	21.69	30.00	1.0000	Complies
40	5200	21.63	0.00	21.63	30.00	1.0000	Complies
48	5240	21.73	0.00	21.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.76	29.79	0.9527	Complies
40	5200	24.71	29.79	0.9527	Complies
48	5240	24.83	29.79	0.9527	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.73	0.00	15.73	30.00	1.0000	Complies
46	5230	23.21	0.00	23.21	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.91	0.00	15.91	30.00	1.0000	Complies
46	5230	23.16	0.00	23.16	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.83	29.79	0.9527	Complies
46	5230	26.20	29.79	0.9527	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.87	0.00	13.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.43	0.00	13.43	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.67	29.79	0.9527	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.66	0.00	15.66	23.98	0.2500	Complies
60	5300	15.61	0.00	15.61	23.98	0.2500	Complies
64	5320	15.72	0.00	15.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.83	0.00	15.83	23.98	0.2500	Complies
60	5300	15.78	0.00	15.78	23.98	0.2500	Complies
64	5320	15.53	0.00	15.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.76	23.77	0.2382	Complies
60	5300	18.71	23.77	0.2382	Complies
64	5320	18.64	23.77	0.2382	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.95	0.00	16.95	23.98	0.2500	Complies
60	5300	15.69	0.00	15.69	23.98	0.2500	Complies
64	5320	15.79	0.00	15.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.42	0.00	16.42	23.98	0.2500	Complies
60	5300	15.66	0.00	15.66	23.98	0.2500	Complies
64	5320	15.42	0.00	15.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.70	23.77	0.2382	Complies
60	5300	18.69	23.77	0.2382	Complies
64	5320	18.62	23.77	0.2382	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.13	0.00	17.13	23.98	0.2500	Complies
62	5310	15.76	0.00	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.04	0.00	17.04	23.98	0.2500	Complies
62	5310	16.24	0.00	16.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.10	23.77	0.2382	Complies
62	5310	19.02	23.77	0.2382	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.64	0.00	15.64	23.98	0.2500	Complies
60	5300	15.58	0.00	15.58	23.98	0.2500	Complies
64	5320	15.76	0.00	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.74	0.00	15.74	23.98	0.2500	Complies
60	5300	15.64	0.00	15.64	23.98	0.2500	Complies
64	5320	15.46	0.00	15.46	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.70	23.77	0.2382	Complies
60	5300	18.62	23.77	0.2382	Complies
64	5320	18.62	23.77	0.2382	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.76	0.00	16.76	23.98	0.2500	Complies
62	5310	15.64	0.00	15.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.44	0.00	16.44	23.98	0.2500	Complies
62	5310	16.09	0.00	16.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.61	23.77	0.2382	Complies
62	5310	18.88	23.77	0.2382	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.65	0.00	12.65	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.67	0.00	12.67	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.67	23.77	0.2382	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.82	0.00	15.82	23.98	0.2500	Complies
60	5300	15.78	0.00	15.78	23.98	0.2500	Complies
64	5320	15.91	0.00	15.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.96	0.00	15.96	23.98	0.2500	Complies
60	5300	15.74	0.00	15.74	23.98	0.2500	Complies
64	5320	15.61	0.00	15.61	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.90	23.77	0.2382	Complies
60	5300	18.77	23.77	0.2382	Complies
64	5320	18.77	23.77	0.2382	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.26	0.00	17.26	23.98	0.2500	Complies
62	5310	13.94	0.00	13.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.11	0.00	17.11	23.98	0.2500	Complies
62	5310	14.02	0.00	14.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.20	23.77	0.2382	Complies
62	5310	16.99	23.77	0.2382	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.66	0.00	12.66	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.63	0.00	12.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.66	23.77	0.2382	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.80	0.00	15.80	23.98	0.2500	Complies
60	5300	15.74	0.00	15.74	23.98	0.2500	Complies
64	5320	15.90	0.00	15.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.96	0.00	15.96	23.98	0.2500	Complies
60	5300	15.82	0.00	15.82	23.98	0.2500	Complies
64	5320	15.52	0.00	15.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.89	23.77	0.2382	Complies
60	5300	18.79	23.77	0.2382	Complies
64	5320	18.72	23.77	0.2382	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.22	0.00	17.22	23.98	0.2500	Complies
62	5310	15.74	0.00	15.74	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.13	0.00	17.13	23.98	0.2500	Complies
62	5310	16.22	0.00	16.22	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.19	23.77	0.2382	Complies
62	5310	19.00	23.77	0.2382	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.64	0.00	10.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.39	0.00	10.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.53	23.77	0.2382	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.14	0.00	13.14	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.96	0.00	12.96	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.06	23.77	0.2382	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.09	0.00	13.09	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.92	0.00	12.92	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.02	23.77	0.2382	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.13	0.00	13.13	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.57	0.00	13.57	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.37	23.77	0.2382	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.75	0.00	15.75	23.98	0.2500	Complies
116	5580	17.31	0.00	17.31	23.98	0.2500	Complies
140	5700	17.44	0.00	17.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.83	0.00	15.83	23.98	0.2500	Complies
116	5580	17.24	0.00	17.24	23.98	0.2500	Complies
140	5700	17.18	0.00	17.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.80	23.77	0.2382	Complies
116	5580	20.29	23.77	0.2382	Complies
140	5700	20.32	23.77	0.2382	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.86	0.00	15.86	23.98	0.2500	Complies
116	5580	17.66	0.00	17.66	23.98	0.2500	Complies
140	5700	17.52	0.00	17.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.79	0.00	15.79	23.98	0.2500	Complies
116	5580	17.33	0.00	17.33	23.98	0.2500	Complies
140	5700	17.13	0.00	17.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.84	23.77	0.2382	Complies
116	5580	20.51	23.77	0.2382	Complies
140	5700	20.34	23.77	0.2382	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.01	0.00	17.01	23.98	0.2500	Complies
110	5550	17.01	0.00	17.01	23.98	0.2500	Complies
134	5670	17.38	0.00	17.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.24	0.00	17.24	23.98	0.2500	Complies
110	5550	17.13	0.00	17.13	23.98	0.2500	Complies
134	5670	17.35	0.00	17.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.14	23.77	0.2382	Complies
110	5550	20.08	23.77	0.2382	Complies
134	5670	20.38	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.90	0.00	15.90	23.98	0.2500	Complies
116	5580	17.21	0.00	17.21	23.98	0.2500	Complies
140	5700	17.16	0.00	17.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.74	0.00	15.74	23.98	0.2500	Complies
116	5580	17.40	0.00	17.40	23.98	0.2500	Complies
140	5700	17.39	0.00	17.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.83	23.77	0.2382	Complies
116	5580	20.32	23.77	0.2382	Complies
140	5700	20.29	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.24	0.00	16.24	23.98	0.2500	Complies
110	5550	16.28	0.00	16.28	23.98	0.2500	Complies
134	5670	16.43	0.00	16.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.78	0.00	16.78	23.98	0.2500	Complies
110	5550	16.75	0.00	16.75	23.98	0.2500	Complies
134	5670	16.64	0.00	16.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.53	23.77	0.2382	Complies
110	5550	19.53	23.77	0.2382	Complies
134	5670	19.55	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.61	0.00	14.61	23.98	0.2500	Complies
122	5610	17.44	0.00	17.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.92	0.00	14.92	23.98	0.2500	Complies
122	5610	17.35	0.00	17.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.78	23.77	0.2382	Complies
122	5610	20.41	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.02	0.00	14.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.24	0.00	14.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.14	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.03	0.00	17.03	23.98	0.2500	Complies
116	5580	15.81	0.00	15.81	23.98	0.2500	Complies
140	5700	16.45	0.00	16.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.32	0.00	17.32	23.98	0.2500	Complies
116	5580	15.78	0.00	15.78	23.98	0.2500	Complies
140	5700	16.23	0.00	16.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.19	23.77	0.2382	Complies
116	5580	18.81	23.77	0.2382	Complies
140	5700	19.35	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.06	0.00	17.06	23.98	0.2500	Complies
110	5550	16.95	0.00	16.95	23.98	0.2500	Complies
134	5670	17.38	0.00	17.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.29	0.00	17.29	23.98	0.2500	Complies
110	5550	17.18	0.00	17.18	23.98	0.2500	Complies
134	5670	17.31	0.00	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.19	23.77	0.2382	Complies
110	5550	20.08	23.77	0.2382	Complies
134	5670	20.36	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.54	0.00	14.54	23.98	0.2500	Complies
122	5610	17.15	0.00	17.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.83	0.00	14.83	23.98	0.2500	Complies
122	5610	17.31	0.00	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.70	23.77	0.2382	Complies
122	5610	20.24	23.77	0.2382	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.17	0.00	13.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.03	0.00	13.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.11	23.77	0.2382	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.01	0.00	17.01	23.98	0.2500	Complies
116	5580	15.75	0.00	15.75	23.98	0.2500	Complies
140	5700	15.93	0.00	15.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.32	0.00	17.32	23.98	0.2500	Complies
116	5580	15.79	0.00	15.79	23.98	0.2500	Complies
140	5700	15.59	0.00	15.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.18	23.77	0.2382	Complies
116	5580	18.78	23.77	0.2382	Complies
140	5700	18.77	23.77	0.2382	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.89	0.00	14.89	23.98	0.2500	Complies
110	5550	16.96	0.00	16.96	23.98	0.2500	Complies
134	5670	16.12	0.00	16.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.19	0.00	15.19	23.98	0.2500	Complies
110	5550	17.24	0.00	17.24	23.98	0.2500	Complies
134	5670	16.46	0.00	16.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.05	23.77	0.2382	Complies
110	5550	20.11	23.77	0.2382	Complies
134	5670	19.30	23.77	0.2382	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.79	0.00	12.79	23.98	0.2500	Complies
122	5610	17.12	0.00	17.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.68	0.00	12.68	23.98	0.2500	Complies
122	5610	17.32	0.00	17.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.75	23.77	0.2382	Complies
122	5610	20.23	23.77	0.2382	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.32	0.00	13.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.67	0.00	13.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.51	23.77	0.2382	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.30	0.00	23.30	30.00	1.0000	Complies
157	5785	23.24	0.00	23.24	30.00	1.0000	Complies
165	5825	23.02	0.00	23.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.80	0.00	22.80	30.00	1.0000	Complies
157	5785	23.09	0.00	23.09	30.00	1.0000	Complies
165	5825	23.37	0.00	23.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.07	23.77	0.2382	Complies
157	5785	26.18	23.77	0.2382	Complies
165	5825	26.21	23.77	0.2382	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.32	0.00	23.32	30.00	1.0000	Complies
157	5785	23.48	0.00	23.48	30.00	1.0000	Complies
165	5825	23.29	0.00	23.29	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.77	0.00	22.77	30.00	1.0000	Complies
157	5785	23.31	0.00	23.31	30.00	1.0000	Complies
165	5825	23.56	0.00	23.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.06	23.77	0.2382	Complies
157	5785	26.41	23.77	0.2382	Complies
165	5825	26.44	23.77	0.2382	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.48	0.00	23.48	30.00	1.0000	Complies
159	5795	23.35	0.00	23.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.05	0.00	23.05	30.00	1.0000	Complies
159	5795	23.46	0.00	23.46	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.28	23.77	0.2382	Complies
159	5795	26.42	23.77	0.2382	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.82	0.00	22.82	30.00	1.0000	Complies
157	5785	23.24	0.00	23.24	30.00	1.0000	Complies
165	5825	23.06	0.00	23.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.98	0.00	22.98	30.00	1.0000	Complies
157	5785	23.05	0.00	23.05	30.00	1.0000	Complies
165	5825	23.36	0.00	23.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.91	29.79	0.9527	Complies
157	5785	26.16	29.79	0.9527	Complies
165	5825	26.22	29.79	0.9527	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.30	0.00	23.30	30.00	1.0000	Complies
159	5795	23.36	0.00	23.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.03	0.00	23.03	30.00	1.0000	Complies
159	5795	23.34	0.00	23.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.18	29.79	0.9527	Complies
159	5795	26.36	29.79	0.9527	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.57	0.00	23.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.33	0.00	23.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.46	29.79	0.9527	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.43	0.00	23.43	30.00	1.0000	Complies
157	5785	23.32	0.00	23.32	30.00	1.0000	Complies
165	5825	23.11	0.00	23.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.95	0.00	22.95	30.00	1.0000	Complies
157	5785	23.12	0.00	23.12	30.00	1.0000	Complies
165	5825	23.51	0.00	23.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.21	29.79	0.9527	Complies
157	5785	26.23	29.79	0.9527	Complies
165	5825	26.32	29.79	0.9527	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.42	0.00	23.42	30.00	1.0000	Complies
159	5795	23.25	0.00	23.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.98	0.00	22.98	30.00	1.0000	Complies
159	5795	23.31	0.00	23.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.22	29.79	0.9527	Complies
159	5795	26.29	29.79	0.9527	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.38	0.00	23.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.33	0.00	23.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.37	29.79	0.9527	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.24	0.00	23.24	30.00	1.0000	Complies
157	5785	23.08	0.00	23.08	30.00	1.0000	Complies
165	5825	23.09	0.00	23.09	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.95	0.00	22.95	30.00	1.0000	Complies
157	5785	23.12	0.00	23.12	30.00	1.0000	Complies
165	5825	23.43	0.00	23.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.11	29.79	0.9527	Complies
157	5785	26.11	29.79	0.9527	Complies
165	5825	26.27	29.79	0.9527	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.33	0.00	23.33	30.00	1.0000	Complies
159	5795	23.21	0.00	23.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.01	0.00	23.01	30.00	1.0000	Complies
159	5795	23.35	0.00	23.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.18	29.79	0.9527	Complies
159	5795	26.29	29.79	0.9527	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.55	0.00	23.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
Test Date	2024/11/13

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.36	0.00	23.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
Test Date	2024/11/13


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.47	29.79	0.9527	Complies

Note: Output power = Measure result + Cable loss

APPENDIX F POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.99	0.00	9.99	17.00	Complies
40	5200	9.84	0.00	9.84	17.00	Complies
48	5240	9.37	0.00	9.37	17.00	Complies



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.97	0.00	7.97	17.00	Complies
40	5200	8.43	0.00	8.43	17.00	Complies
48	5240	8.41	0.00	8.41	17.00	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.11	13.78	Complies
40	5200	12.20	13.78	Complies
48	5240	11.93	13.78	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.95	0.00	9.95	17.00	Complies
40	5200	9.93	0.00	9.93	17.00	Complies
48	5240	9.65	0.00	9.65	17.00	Complies



Date: 12.NOV.2024 18:39:09




Date: 12.NOV.2024 18:41:36




Date: 12.NOV.2024 18:43:47

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.64	0.00	9.64	17.00	Complies
40	5200	9.51	0.00	9.51	17.00	Complies
48	5240	8.25	0.00	8.25	17.00	Complies



Date: 12.NOV.2024 20:16:56



Date: 12.NOV.2024 20:17:58




Date: 12.NOV.2024 20:19:00

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.81	13.78	Complies
40	5200	12.74	13.78	Complies
48	5240	12.02	13.78	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.82	0.00	9.82	17.00	Complies
46	5230	9.27	0.00	9.27	17.00	Complies




Date: 1.NOV.2024 20:45:26




Date: 1.NOV.2024 20:47:07

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.77	0.00	9.77	17.00	Complies
46	5230	8.96	0.00	8.96	17.00	Complies



Date: 1.NOV.2024 22:27:32




Date: 1.NOV.2024 22:30:23

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.81	13.78	Complies
46	5230	12.13	13.78	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.60	0.00	6.60	17.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.38	0.00	6.38	17.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.50	13.78	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.57	0.00	9.57	17.00	Complies
40	5200	9.45	0.00	9.45	17.00	Complies
48	5240	9.15	0.00	9.15	17.00	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.68	0.00	9.68	17.00	Complies
40	5200	9.52	0.00	9.52	17.00	Complies
48	5240	9.11	0.00	9.11	17.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.64	13.78	Complies
40	5200	12.50	13.78	Complies
48	5240	12.14	13.78	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.09	0.00	9.09	17.00	Complies
46	5230	8.49	0.00	8.49	17.00	Complies

CH38



Date: 1.NOV.2024 21:36:06

CH46




Date: 1.NOV.2024 21:37:00

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.22	0.00	9.22	17.00	Complies
46	5230	8.51	0.00	8.51	17.00	Complies

CH38



Date: 1.NOV.2024 23:14:43

CH46




Date: 1.NOV.2024 23:15:20

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.17	13.78	Complies
46	5230	11.51	13.78	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.47	0.00	6.47	17.00	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.15	0.00	6.15	17.00	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.32	13.78	Complies


Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.72	0.00	9.72	17.00	Complies
40	5200	9.59	0.00	9.59	17.00	Complies
48	5240	9.33	0.00	9.33	17.00	Complies



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.70	0.00	9.70	17.00	Complies
40	5200	9.56	0.00	9.56	17.00	Complies
48	5240	9.17	0.00	9.17	17.00	Complies





Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.72	13.78	Complies
40	5200	12.59	13.78	Complies
48	5240	12.26	13.78	Complies



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.30	0.00	9.30	17.00	Complies
46	5230	8.65	0.00	8.65	17.00	Complies



Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.20	0.00	9.20	17.00	Complies
46	5230	8.70	0.00	8.70	17.00	Complies




Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.26	13.78	Complies
46	5230	11.69	13.78	Complies


Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.83	0.00	5.83	17.00	Complies



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.88	0.00	5.88	17.00	Complies




Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.87	13.78	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.83	0.00	3.83	11.00	Complies
60	5300	3.98	0.00	3.98	11.00	Complies
64	5320	4.02	0.00	4.02	11.00	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.63	0.00	3.63	11.00	Complies
60	5300	3.83	0.00	3.83	11.00	Complies
64	5320	3.44	0.00	3.44	11.00	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.74	7.78	Complies
60	5300	6.92	7.78	Complies
64	5320	6.75	7.78	Complies


Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.29	0.00	4.29	11.00	Complies
60	5300	3.52	0.00	3.52	11.00	Complies
64	5320	3.62	0.00	3.62	11.00	Complies



Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.85	0.00	3.85	11.00	Complies
60	5300	3.14	0.00	3.14	11.00	Complies
64	5320	2.92	0.00	2.92	11.00	Complies




Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.09	7.78	Complies
60	5300	6.34	7.78	Complies
64	5320	6.29	7.78	Complies


Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.75	0.00	2.75	11.00	Complies
62	5310	2.73	0.00	2.73	11.00	Complies



Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.63	0.00	2.63	11.00	Complies
62	5310	2.85	0.00	2.85	11.00	Complies




Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.70	7.78	Complies
62	5310	5.80	7.78	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.38	0.00	-0.38	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.50	0.00	-0.50	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.57	7.78	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.89	0.00	2.89	11.00	Complies
60	5300	3.30	0.00	3.30	11.00	Complies
64	5320	3.45	0.00	3.45	11.00	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.06	0.00	3.06	11.00	Complies
60	5300	3.06	0.00	3.06	11.00	Complies
64	5320	2.78	0.00	2.78	11.00	Complies





Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.99	7.78	Complies
60	5300	6.19	7.78	Complies
64	5320	6.14	7.78	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.04	0.00	2.04	11.00	Complies
62	5310	2.20	0.00	2.20	11.00	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.11	0.00	2.11	11.00	Complies
62	5310	2.21	0.00	2.21	11.00	Complies




Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.09	7.78	Complies
62	5310	5.22	7.78	Complies


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.08	0.00	0.08	11.00	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.50	0.00	-0.50	11.00	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.81	7.78	Complies


Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.02	0.00	3.02	11.00	Complies
60	5300	3.32	0.00	3.32	11.00	Complies
64	5320	3.45	0.00	3.45	11.00	Complies



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.09	0.00	3.09	11.00	Complies
60	5300	3.06	0.00	3.06	11.00	Complies
64	5320	2.85	0.00	2.85	11.00	Complies




Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.07	7.78	Complies
60	5300	6.20	7.78	Complies
64	5320	6.17	7.78	Complies


Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.39	0.00	2.39	11.00	Complies
62	5310	2.29	0.00	2.29	11.00	Complies



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.53	0.00	2.53	11.00	Complies
62	5310	2.63	0.00	2.63	11.00	Complies




Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.47	7.78	Complies
62	5310	5.47	7.78	Complies


Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.70	0.00	-0.70	11.00	Complies



Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.40	0.00	-0.40	11.00	Complies




Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.46	7.78	Complies


Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.44	0.00	-2.44	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.63	0.00	-2.63	11.00	Complies




Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.48	7.78	Complies


Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.48	0.00	-2.48	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.92	0.00	-2.92	11.00	Complies




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.32	7.78	Complies


Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.41	0.00	-2.41	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.49	0.00	-2.49	11.00	Complies




Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.56	7.78	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.10	0.00	4.10	11.00	Complies
116	5580	4.19	0.00	4.19	11.00	Complies
140	5700	2.00	0.00	2.00	11.00	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.93	0.00	3.93	11.00	Complies
116	5580	4.51	0.00	4.51	11.00	Complies
140	5700	2.78	0.00	2.78	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.03	7.78	Complies
116	5580	7.36	7.78	Complies
140	5700	5.42	7.78	Complies


Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.86	0.00	3.86	11.00	Complies
116	5580	3.84	0.00	3.84	11.00	Complies
140	5700	4.39	0.00	4.39	11.00	Complies



Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.83	0.00	3.83	11.00	Complies
116	5580	4.14	0.00	4.14	11.00	Complies
140	5700	4.27	0.00	4.27	11.00	Complies




Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.86	7.78	Complies
116	5580	7.00	7.78	Complies
140	5700	7.34	7.78	Complies


Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.03	0.00	3.03	11.00	Complies
110	5550	3.23	0.00	3.23	11.00	Complies
134	5670	2.89	0.00	2.89	11.00	Complies



Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.22	0.00	3.22	11.00	Complies
110	5550	3.36	0.00	3.36	11.00	Complies
134	5670	3.13	0.00	3.13	11.00	Complies




Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.14	7.78	Complies
110	5550	6.31	7.78	Complies
134	5670	6.02	7.78	Complies


Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.03	0.00	0.03	11.00	Complies
122	5610	0.45	0.00	0.45	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.60	0.00	0.60	11.00	Complies
122	5610	0.42	0.00	0.42	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.33	7.78	Complies
122	5610	3.45	7.78	Complies


Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.25	0.00	-2.25	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.06	0.00	-2.06	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.86	7.78	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.66	0.00	3.66	11.00	Complies
116	5580	2.74	0.00	2.74	11.00	Complies
140	5700	4.46	0.00	4.46	11.00	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.72	0.00	3.72	11.00	Complies
116	5580	3.28	0.00	3.28	11.00	Complies
140	5700	4.40	0.00	4.40	11.00	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.70	7.78	Complies
116	5580	6.03	7.78	Complies
140	5700	7.44	7.78	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.82	0.00	2.82	11.00	Complies
110	5550	3.13	0.00	3.13	11.00	Complies
134	5670	3.24	0.00	3.24	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.82	0.00	2.82	11.00	Complies
110	5550	2.92	0.00	2.92	11.00	Complies
134	5670	3.26	0.00	3.26	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.83	7.78	Complies
110	5550	6.04	7.78	Complies
134	5670	6.26	7.78	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.22	0.00	0.22	11.00	Complies
122	5610	-0.08	0.00	-0.08	11.00	Complies




Date: 1.NOV.2024 21:53:36




Date: 1.NOV.2024 21:54:28

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.38	0.00	0.38	11.00	Complies
122	5610	0.67	0.00	0.67	11.00	Complies



Date: 1.NOV.2024 23:23:13




Date: 1.NOV.2024 23:24:08

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.31	7.78	Complies
122	5610	3.32	7.78	Complies


Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.75	0.00	-1.75	11.00	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.62	0.00	-1.62	11.00	Complies




Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	1.33	7.78	Complies


Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.53	0.00	4.53	11.00	Complies
116	5580	4.36	0.00	4.36	11.00	Complies
140	5700	3.28	0.00	3.28	11.00	Complies



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.72	0.00	3.72	11.00	Complies
116	5580	3.34	0.00	3.34	11.00	Complies
140	5700	1.04	0.00	1.04	11.00	Complies




Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.15	7.78	Complies
116	5580	6.89	7.78	Complies
140	5700	5.31	7.78	Complies


Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.79	0.00	2.79	11.00	Complies
110	5550	3.23	0.00	3.23	11.00	Complies
134	5670	3.08	0.00	3.08	11.00	Complies



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.12	0.00	3.12	11.00	Complies
110	5550	3.17	0.00	3.17	11.00	Complies
134	5670	2.83	0.00	2.83	11.00	Complies




Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.97	7.78	Complies
110	5550	6.21	7.78	Complies
134	5670	5.97	7.78	Complies


Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.15	0.00	0.15	11.00	Complies
122	5610	0.46	0.00	0.46	11.00	Complies



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.29	0.00	0.29	11.00	Complies
122	5610	-0.05	0.00	-0.05	11.00	Complies




Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.23	7.78	Complies
122	5610	3.22	7.78	Complies


Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.68	0.00	-2.68	11.00	Complies



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.91	0.00	-2.91	11.00	Complies




Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.22	7.78	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.69	0.00	10.69	30.00	Complies
157	5785	10.77	0.00	10.77	30.00	Complies
165	5825	10.04	0.00	10.04	30.00	Complies



Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.04	0.00	10.04	30.00	Complies
157	5785	10.76	0.00	10.76	30.00	Complies
165	5825	10.82	0.00	10.82	30.00	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.39	26.78	Complies
157	5785	13.78	26.78	Complies
165	5825	13.46	26.78	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.09	0.00	10.09	30.00	Complies
157	5785	10.20	0.00	10.20	30.00	Complies
165	5825	10.01	0.00	10.01	30.00	Complies



Date: 1.NOV.2024 20:23:50




Date: 1.NOV.2024 20:25:05




Date: 1.NOV.2024 20:26:13

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.40	0.00	10.40	30.00	Complies
157	5785	10.89	0.00	10.89	30.00	Complies
165	5825	11.17	0.00	11.17	30.00	Complies



Date: 1.NOV.2024 22:25:28



Date: 1.NOV.2024 22:25:57




Date: 1.NOV.2024 22:26:31

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.26	26.78	Complies
157	5785	13.57	26.78	Complies
165	5825	13.64	26.78	Complies


Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.06	0.00	7.06	30.00	Complies
159	5795	6.88	0.00	6.88	30.00	Complies



Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.29	0.00	7.29	30.00	Complies
159	5795	7.55	0.00	7.55	30.00	Complies




Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.19	26.78	Complies
159	5795	10.24	26.78	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.19	0.00	3.19	30.00	Complies



Date: 1.NOV.2024 21:19:29

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.03	0.00	3.03	30.00	Complies




Date: 1.NOV.2024 23:01:23

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.12	26.78	Complies


Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.24	0.00	9.24	30.00	Complies
157	5785	8.94	0.00	8.94	30.00	Complies
165	5825	8.60	0.00	8.60	30.00	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.88	0.00	8.88	30.00	Complies
157	5785	9.11	0.00	9.11	30.00	Complies
165	5825	9.54	0.00	9.54	30.00	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.07	26.78	Complies
157	5785	12.04	26.78	Complies
165	5825	12.11	26.78	Complies


Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.22	0.00	6.22	30.00	Complies
159	5795	5.82	0.00	5.82	30.00	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.07	0.00	6.07	30.00	Complies
159	5795	6.44	0.00	6.44	30.00	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.16	26.78	Complies
159	5795	9.15	26.78	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.78	0.00	2.78	30.00	Complies



Date: 1.NOV.2024 21:55:38

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.56	0.00	3.56	30.00	Complies




Date: 1.NOV.2024 23:24:47

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.20	26.78	Complies


Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.06	0.00	9.06	30.00	Complies
157	5785	8.63	0.00	8.63	30.00	Complies
165	5825	8.67	0.00	8.67	30.00	Complies



Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.42	0.00	8.42	30.00	Complies
157	5785	8.09	0.00	8.09	30.00	Complies
165	5825	7.91	0.00	7.91	30.00	Complies




Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.76	26.78	Complies
157	5785	11.38	26.78	Complies
165	5825	11.32	26.78	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.27	0.00	6.27	30.00	Complies
159	5795	5.98	0.00	5.98	30.00	Complies




Date: 1.NOV.2024 19:11:39




Date: 1.NOV.2024 19:15:02

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.48	0.00	5.48	30.00	Complies
159	5795	5.30	0.00	5.30	30.00	Complies



Date: 2.NOV.2024 00:03:21




Date: 2.NOV.2024 00:04:02

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.90	26.78	Complies
159	5795	8.66	26.78	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.14	0.00	3.14	30.00	Complies



Date: 1.NOV.2024 19:24:00

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.90	0.00	2.90	30.00	Complies



Date: 2.NOV.2024 00:07:46

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.03	26.78	Complies

End of Test Report