

Antenna manufacturer:Shenzhen Lixinhui Electronics Co. , Ltd

ADD:Zongtai Green Kaizhi Hui Yuan, Xingdong Community, 71 District, Xin'an
Street, Bao'an District, Shenzhen City, Guangdong Province, China

天线规格承认书

Antenna Specification for Approval


Product Name: 2.4G antenna with a total length of 35mm and white color

Part NO. : C10-35-2.5

梓馨·揭杆

載刺罈

罈



利達輝出了沙六有限公司

PART TITLE
鉗璃靡備

MATERIAL
罈

UNIT IN
等倉

SCALE
掀瞰

VER
吸藤

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

鉗璃靡備

Product Specification

A. Electrical Characteristics

Frequency 2400MHz ~2500MHz

VSWR <3.0

Efficiency >30%

Impedance 50 Ohm

Polarization Line

Gain 0DBi

B. Material & Mechanical Characteristics

Material of Radiator Cu

Cable Type 1.0 19P white color

Connector Type : NO

Dimension

C. Environmental

Operation Temperature - 30 °C ~ + 80 °C

Storage Temperature - 30 °C ~ + 85 °C

Test Equipment & Conditions

1. Network Analyzers :


Agilent 8753D 5071B

2. Communications Test Set:

Agilent E5515C

3. 3D Chamber Test System

Effiency &Gain



Effiency &Gain

2.40	-0.00
2.440	-0.11
2.48	-0.13

Radiation Pattern:

