





FCC ID Label

型号：SPK6.178.296
备注：按图纸用1.5mm厚的冷板加工



MAX-12MHB/MAX-12MB/MAX-15MHB/MAX-15MB/MAX-12CB/MAX-15CB
MAX-12RB/MAX-15DB/MAX-12DB通用面板




型号：6.5寸SPK6.178.370

电池带录音+话筒优先

2015.11.16


BT8.081.370.01

型号: SPK6.178.398 (2017. 3. 16)
备注: 按图纸用1.5mm厚的冷板加工





型号: SPK6.178.331(2017.3.16)
备注: 按图纸用1.5mm厚的冷板加工

同前



型号: SPK6.178.397(2017.3.16)
备注: 按图纸用1.5mm厚的冷板加工





				铁板		SPK6. 178. 377	
						图 样 标 记	
				MS-P-10MG 功放前面板		重 量 比 例	
						1:1	
						共 页	
						第 页	
						常州美硕电子有限公司	
设计	更改文件号	签字	日期				
校核							
审核							
批准							

[illegible]


						铁板	SPK6. 178. 378				
								图 样 标 记	重 量 比 例		
标记	处数	更改文件号	签 字	日期		MS-P-10MG功放侧面板					1:1
设 计							共	页		第	页
校 对							常州美硕电子有限公司				
审 核											
批 准											

铁板

MS-P-10MG功放侧面板

型号: SPK6. 178. 388 (2017. 3. 6)


备注: 按图纸用1. 5mm厚的冷板加工



MAX-10-10MB/MAX-10CHB/MAX-10CBMAX-10RB通用面板

型号: SPK6. 178. 388 (2017. 3. 6)


备注: 按图纸用1. 5mm厚的冷板加工



型号: SPK6. 178. 355 (2016. 12. 13)


备注: 按图纸用1. 5mm厚的冷板加工

型号: SPK6. 178. 354 (2016. 12. 7)
备注: 按图纸用1. 5mm厚的冷板加工




BT8.081.354.01

MAX-12Q/MAX-15Q通用面板




BT8.081.355.01




SPK6. 178. 366

BT8.081.366.01




SPK6. 178. 367


BT8.081.367.02



SPK6. 178. 366



SPK6. 178. 367



				铁板		SPK6. 178. 377	
						图样标记	
				MS-P-10MG 功放前面板		重 量 比 例	
						1:1	
						共 页	
						第 页	
标记 日期 更改文件号 签字 日期 设计 校对 审核 批准						常州美硕电子有限公司	




BT8.081.378.01

MS-P-10MG功放側面板

图 样 标 记			重 量		比 例	
					1:1	
共 页			第 页			
常州美硕电子有限公司						

型号: SPK6. 178. 388 (2017. 3. 6)

备注: 按图纸用1. 5mm厚的冷板加工




Pantone Process Cyan C


BT8.081.388.01

型号: SPK6. 178. 390 (2017. 3. 6)

备注: 按图纸用1. 5mm厚的冷板加工




PA12 PA15通用面板




PSQ-10/PRX-10H/PRX-10PRH-10V通用面板


型号: SPK6.178.398 (2017.3.16)
备注: 按图纸用1.5mm厚的冷板加工



型号：SPK6.178.296
备注：按图纸用1.5mm厚的冷板加工



PR-12V/PQ-12/RPX-12/PR-15V/PQ-15/PRX-12/PRX-15
PRH-12/PS-15V/PS-12V/通用面板



型号：6.5寸SPK6.178.370


电池带录音+话筒优先

2015.11.16


BT8.081.370.01

型号: SPK6.178.331(2017.3.16)
备注: 按图纸用1.5mm厚的冷板加工

同前




型号: SPK6.178.397(2017.3.16)
备注: 按图纸用1.5mm厚的冷板加工



型号: SPK6. 178. 355 (2016. 12. 13)


备注: 按图纸用1. 5mm厚的冷板加工

型号: SPK6. 178. 354 (2016. 12. 7)
备注: 按图纸用1. 5mm厚的冷板加工




BT8.081.354.01


PRQ-12V/PRQ-15V通用面板




BT8.081.355.01




				铁板		SPK6. 178. 377	
						图 样 标 记	
				MS-P-10MG 功放前面板		重 量 比 例	
						1:1	
						共 页	
						第 页	
						常州美硕电子有限公司	
设计	更改文件号	签字	日期				
校核							
审核							
批准							





SPK6. 178. 366

BT8.081.366.01



SPK6. 178. 367

BT8.081.367.02