







NTNV-11N40SISO-Ant1-5310




NTNV-11N40SISO-Ant1-5510




NTNV-11N40SISO-Ant1-5550




NTNV-11N40SISO-Ant1-5670




NTNV-11N40SISO-Ant1-5755




NTNV-11N40SISO-Ant1-5795




NTNV-11AC20SISO-Ant1-5180




NTNV-11AC20SISO-Ant1-5200




NTNV-11AC20SISO-Ant1-5240




NTNV-11AC20SISO-Ant1-5260




NTNV-11AC20SISO-Ant1-5280




NTNV-11AC20SISO-Ant1-5320




NTNV-11AC20SISO-Ant1-5500




NTNV-11AC20SISO-Ant1-5580




NTNV-11AC20SISO-Ant1-5700




NTNV-11AC20SISO-Ant1-5745




NTNV-11AC20SISO-Ant1-5785




NTNV-11AC20SISO-Ant1-5825




NTNV-11AC40SISO-Ant1-5190




NTNV-11AC40SISO-Ant1-5230




NTNV-11AC40SISO-Ant1-5270




NTNV-11AC40SISO-Ant1-5310




NTNV-11AC40SISO-Ant1-5510




NTNV-11AC40SISO-Ant1-5550




NTNV-11AC40SISO-Ant1-5670




NTNV-11AC40SISO-Ant1-5755




NTNV-11AC40SISO-Ant1-5795




NTNV-11AC80SISO-Ant1-5210




NTNV-11AC80SISO-Ant1-5290



NTNV-11AC80SISO-Ant1-5530



NTNV-11AC80SISO-Ant1-5610



NTNV-11AC80SISO-Ant1-5775

Appendix C: Maximum conducted output power**Test Result Channel Power**

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	14.38	85.89	0.66	15.04	≤23.98	PASS
11A	Ant1	5200	12.71	88.46	0.53	13.24	≤23.98	PASS
11A	Ant1	5240	12.58	89.10	0.50	13.08	≤23.98	PASS
11A	Ant1	5260	12.21	85.28	0.69	12.90	≤23.98	PASS
11A	Ant1	5280	12.60	87.34	0.59	13.19	≤23.98	PASS
11A	Ant1	5320	13.33	89.10	0.50	13.83	≤23.98	PASS
11A	Ant1	5500	13.73	87.90	0.56	14.29	≤23.98	PASS
11A	Ant1	5580	13.55	89.10	0.50	14.05	≤23.98	PASS
11A	Ant1	5700	11.62	84.24	0.74	12.36	≤23.98	PASS
11A	Ant1	5745	14.29	85.80	0.67	14.96	≤30.00	PASS
11A	Ant1	5785	13.94	84.76	0.72	14.66	≤30.00	PASS
11A	Ant1	5825	13.53	89.10	0.50	14.03	≤30.00	PASS
11N20SISO	Ant1	5180	12.87	82.39	0.84	13.71	≤23.98	PASS
11N20SISO	Ant1	5200	11.61	85.40	0.69	12.30	≤23.98	PASS
11N20SISO	Ant1	5240	11.38	82.98	0.81	12.19	≤23.98	PASS
11N20SISO	Ant1	5260	11.19	85.40	0.69	11.88	≤23.98	PASS
11N20SISO	Ant1	5280	11.64	87.31	0.59	12.23	≤23.98	PASS
11N20SISO	Ant1	5320	12.45	83.57	0.78	13.23	≤23.98	PASS
11N20SISO	Ant1	5500	12.98	87.97	0.56	13.54	≤23.98	PASS
11N20SISO	Ant1	5580	12.82	83.57	0.78	13.60	≤23.98	PASS
11N20SISO	Ant1	5700	10.54	88.06	0.55	11.09	≤23.98	PASS
11N20SISO	Ant1	5745	13.34	86.67	0.62	13.96	≤30.00	PASS
11N20SISO	Ant1	5785	13.34	87.97	0.56	13.90	≤30.00	PASS
11N20SISO	Ant1	5825	12.89	88.06	0.55	13.44	≤30.00	PASS
11N40SISO	Ant1	5190	12.54	68.24	1.66	14.20	≤23.98	PASS
11N40SISO	Ant1	5230	10.76	72.84	1.38	12.14	≤23.98	PASS
11N40SISO	Ant1	5270	11.26	77.33	1.12	12.38	≤23.98	PASS
11N40SISO	Ant1	5310	11.99	76.32	1.17	13.16	≤23.98	PASS
11N40SISO	Ant1	5510	12.50	78.67	1.04	13.54	≤23.98	PASS
11N40SISO	Ant1	5550	12.37	78.67	1.04	13.41	≤23.98	PASS
11N40SISO	Ant1	5670	10.83	74.36	1.29	12.12	≤23.98	PASS
11N40SISO	Ant1	5755	12.84	77.33	1.12	13.96	≤30.00	PASS
11N40SISO	Ant1	5795	12.45	71.95	1.43	13.88	≤30.00	PASS
11AC20SISO	Ant1	5180	12.68	88.06	0.55	13.23	≤23.98	PASS
11AC20SISO	Ant1	5200	11.38	85.51	0.68	12.06	≤23.98	PASS
11AC20SISO	Ant1	5240	11.04	87.41	0.58	11.62	≤23.98	PASS

11AC20SISO	Ant1	5260	11.08	87.41	0.58	11.66	≤23.98	PASS
11AC20SISO	Ant1	5280	11.37	83.80	0.77	12.14	≤23.98	PASS
11AC20SISO	Ant1	5320	12.14	88.06	0.55	12.69	≤23.98	PASS
11AC20SISO	Ant1	5500	12.61	88.06	0.55	13.16	≤23.98	PASS
11AC20SISO	Ant1	5580	12.50	87.41	0.58	13.08	≤23.98	PASS
11AC20SISO	Ant1	5700	10.72	87.41	0.58	11.30	≤23.98	PASS
11AC20SISO	Ant1	5745	13.04	84.78	0.72	13.76	≤30.00	PASS
11AC20SISO	Ant1	5785	12.66	83.69	0.77	13.43	≤30.00	PASS
11AC20SISO	Ant1	5825	12.35	87.41	0.58	12.93	≤30.00	PASS
11AC40SISO	Ant1	5190	10.26	75.64	1.21	11.47	≤23.98	PASS
11AC40SISO	Ant1	5230	9.28	75.64	1.21	10.49	≤23.98	PASS
11AC40SISO	Ant1	5270	9.52	73.75	1.32	10.84	≤23.98	PASS
11AC40SISO	Ant1	5310	10.13	69.77	1.56	11.69	≤23.98	PASS
11AC40SISO	Ant1	5510	11.01	76.62	1.16	12.17	≤23.98	PASS
11AC40SISO	Ant1	5550	10.87	77.63	1.10	11.97	≤23.98	PASS
11AC40SISO	Ant1	5670	8.82	77.63	1.10	9.92	≤23.98	PASS
11AC40SISO	Ant1	5755	11.01	78.67	1.04	12.05	≤30.00	PASS
11AC40SISO	Ant1	5795	10.83	78.67	1.04	11.87	≤30.00	PASS
11AC80SISO	Ant1	5210	8.09	60.00	2.22	10.31	≤23.98	PASS
11AC80SISO	Ant1	5290	8.35	60.42	2.19	10.54	≤23.98	PASS
11AC80SISO	Ant1	5530	9.70	53.57	2.71	12.41	≤23.98	PASS
11AC80SISO	Ant1	5610	9.28	63.04	2.00	11.28	≤23.98	PASS
11AC80SISO	Ant1	5775	10.15	54.72	2.62	12.77	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs Channel Power

