



5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:26:25

802.11a_5600MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:30:50

802.11a_5700MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:35:41

802.11a_5720MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:59:54

802.11ac20_5500MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:07:30

802.11ac20_5600MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:12:48

802.11ac20_5700MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:16:26

802.11ac20_5720MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 22:01:37

802.11ac40_5510MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:32:45

802.11ac40_5590MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:37:31

802.11ac40_5670MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:41:15

802.11ac40_5710MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 22:05:17

802.11ac80_5530MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:37:29


802.11ac80_5610MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:46:11


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:50:33

802.11a_5745MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:42:38

802.11a_5785MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:56:52

802.11a_5825MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:58:23

802.11ac20_5745MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:25:59

802.11ac20_5785MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:34:33

802.11ac20_5825MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:41:05

802.11ac40_5755MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:58:38

802.11ac40_5795MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:04:54

802.11ac80_5775MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:54:30

5.5 Maximum Conducted Output Power

Test Information:

Serial No.:	3QPO-1	Test Date:	2026/07/31
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cooper Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	59	ATM Pressure: (kPa)	100.3
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2026/05/25	2027/05/24

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5180	7.36	24	Pass
	5200	7.61	24	Pass
	5240	7.79	24	Pass
802.11ac20	5180	7.24	24	Pass
	5200	7.58	24	Pass
	5240	7.13	24	Pass
802.11ac40	5190	7.0	24	Pass
	5230	6.82	24	Pass
802.11ac80	5210	7.09	24	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5260	8.01	24	Pass
	5280	7.99	24	Pass
	5320	8.16	24	Pass
802.11ac20	5260	7.31	24	Pass
	5280	7.31	24	Pass
	5320	7.89	24	Pass
802.11ac40	5270	7.8	24	Pass
	5310	7.63	24	Pass
802.11ac80	5290	7.65	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5500	6.75	24	Pass
	5600	6.75	24	Pass
	5700	6.8	24	Pass
	5720	6.91	24	Pass
802.11ac20	5500	6.02	24	Pass
	5600	6.65	24	Pass
	5700	6.51	24	Pass
	5720	6.7	24	Pass
802.11ac40	5510	6.7	24	Pass
	5590	6.64	24	Pass
	5670	6.6	24	Pass
	5710	6.24	24	Pass
802.11ac80	5530	6.74	24	Pass
	5610	6.66	24	Pass
	5690	6.61	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5745	6.95	30	Pass
	5785	6.8	30	Pass
	5825	6.15	30	Pass
802.11ac20	5745	6.86	30	Pass
	5785	6.31	30	Pass
	5825	6.09	30	Pass
802.11ac40	5755	6.17	30	Pass
	5795	6.55	30	Pass
802.11ac80	5775	6.55	30	Pass

5.6 Power Spectral Density

Test Information:

Serial No.:	3QPO-1	Test Date:	2026/07/31
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cooper Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9	Relative Humidity: (%)	59	ATM Pressure: (kPa)	100.3
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
R&S	Spectrum Analyzer	FSV40	101589	2026/07/08	2027/07/07
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	-2.60	0	-2.60	11	Pass
	5200	-2.52	0	-2.52	11	Pass
	5240	-2.19	0	-2.19	11	Pass
802.11ac20	5180	-2.59	0	-2.59	11	Pass
	5200	-2.51	0	-2.51	11	Pass
	5240	-3.11	0	-3.11	11	Pass
802.11ac40	5190	-6.07	0	-6.07	11	Pass
	5230	-6.18	0	-6.18	11	Pass
802.11ac80	5210	-9.23	0	-9.23	11	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	-1.92	0	-1.92	11	Pass
	5280	-1.96	0	-1.96	11	Pass
	5320	-1.81	0	-1.81	11	Pass
802.11ac20	5260	-2.71	0	-2.71	11	Pass
	5280	-2.83	0	-2.83	11	Pass
	5320	-2.36	0	-2.36	11	Pass
802.11ac40	5270	-4.99	0	-4.99	11	Pass
	5310	-5.33	0	-5.33	11	Pass
802.11ac80	5290	-8.55	0	-8.55	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	-2.94	0	-2.94	11	Pass
	5600	-3.31	0	-3.31	11	Pass
	5700	-3.17	0	-3.17	11	Pass
	5720	-2.43	0	-2.43	11	Pass
802.11ac20	5500	-4.06	0	-4.06	11	Pass
	5600	-3.17	0	-3.17	11	Pass
	5700	-3.76	0	-3.76	11	Pass
	5720	-2.57	0	-2.57	11	Pass
802.11ac40	5510	-6.41	0	-6.41	11	Pass
	5590	-6.20	0	-6.20	11	Pass
	5670	-6.43	0	-6.43	11	Pass
	5710	-6.63	0	-6.63	11	Pass
802.11ac80	5530	-9.26	0	-9.26	11	Pass
	5610	-9.38	0	-9.38	11	Pass
	5690	-9.53	0	-9.53	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-5.46	0	-5.46	30	Pass
	5785	-5.91	0	-5.91	30	Pass
	5825	-6.59	0	-6.59	30	Pass
802.11ac20	5745	-6.07	0	-6.07	30	Pass
	5785	-6.89	0	-6.89	30	Pass
	5825	-6.73	0	-6.73	30	Pass
802.11ac40	5755	-9.81	0	-9.81	30	Pass
	5795	-9.53	0	-9.53	30	Pass
802.11ac80	5775	-12.77	0	-12.77	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:11:51

802.11a_5200MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:14:13

802.11a_5240MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:17:18

802.11ac20_5180MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 18:04:44

802.11ac20_5200MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 18:10:16

802.11ac20_5240MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 18:15:31

802.11ac40_5190MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:50:45


802.11ac40_5230MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:01:18


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:27:27

802.11a_5260MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:19:20

802.11a_5280MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:21:24

802.11a_5320MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:25:04

802.11ac20_5260MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 18:18:54

802.11ac20_5280MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 18:24:09

802.11ac20_5320MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 18:26:45

802.11ac40_5270MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:15:59

802.11ac40_5310MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:28:55


802.11ac80_5290MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:33:06


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:26:48

802.11a_5600MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:31:06

802.11a_5700MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:36:04

802.11a_5720MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 22:00:25

802.11ac20_5500MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:07:48

802.11ac20_5600MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:13:07

802.11ac20_5700MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
 Date: 31.JUL.2026 19:16:47

802.11ac20_5720MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
 Date: 31.JUL.2026 22:02:02

802.11ac40_5510MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
 Date: 31.JUL.2026 20:33:08

802.11ac40_5590MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
 Date: 31.JUL.2026 20:37:54

802.11ac40_5670MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
 Date: 31.JUL.2026 20:41:39

802.11ac40_5710MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
 Date: 31.JUL.2026 22:05:43

802.11ac80_5530MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:37:49


802.11ac80_5610MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:46:34


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:51:05

802.11a_5745MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:42:54

802.11a_5785MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:57:09

802.11a_5825MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 17:58:47

802.11ac20_5745MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:26:18

802.11ac20_5785MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:34:51

802.11ac20_5825MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 19:41:25

802.11ac40_5755MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 20:58:59

802.11ac40_5795MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:05:17

802.11ac80_5775MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 31.JUL.2026 21:54:56

5.7 Duty Cycle

Test Information:

Serial No.:	3QPO-1	Test Date:	2026/07/30
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cooper Zhou	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	24.2	Relative Humidity: (%)	65	ATM Pressure: (kPa)	100.4
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
HUBER+SUHNER	Coaxial Attenuator	6610_SMA-50-1	0064	2026/03/30	2027/03/29
R&S	Spectrum Analyzer	FSV40	101589	2026/07/08	2027/07/07
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A


* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	100	100	100	0	NA	0.010
802.11ac20	5200	100	100	100	0	NA	0.010
802.11ac40	5190	100	100	100	0	NA	0.010
802.11ac80	5210	100	100	100	0	NA	0.010


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 30.JUL.2026 23:40:26

802.11ac20_5200MHz




ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 30.JUL.2026 23:42:09

802.11ac40_5190MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 30.JUL.2026 23:43:26

802.11ac80_5210MHz



ProjectNo.:2602V33182E-RF Tester:Cooper Zhou
Date: 30.JUL.2026 23:45:34

EXHIBIT A - EUT PHOTOGRAPHS

Please refer to the attachment 2602V33182E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2602V33182E-RF-INP EUT INTERNAL PHOTOGRAPHS.

EXHIBIT B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2602V33182E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

******* END OF REPORT *******