


Spurious Emission at Antenna Terminals


1.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.93	-25	43.93	Pass	141
0.15	30	0.01	RMS	0.15	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	877.219	-61.26	-25	36.26	Pass	9701
1000	2486	1	RMS	2483	-48.36	-25	23.36	Pass	1487
2486	2700	1	RMS	2588	19.94	60	40.06	Pass	215
2700	3000	1	RMS	2906	-46.19	-25	21.19	Pass	301
3000	12000	1	RMS	11951	-59.97	-25	34.97	Pass	9002
12000	26500	1	RMS	25499	-50.21	-25	25.21	Pass	14502




1.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.86	-25	43.86	Pass	141
0.15	30	0.01	RMS	0.18	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	719.8	-60.49	-25	35.49	Pass	9701
1000	2486	1	RMS	2484	-48.37	-25	23.37	Pass	1487
2486	2700	1	RMS	2680	21.36	60	38.64	Pass	215
2700	3000	1	RMS	2900	-46.18	-25	21.18	Pass	301
3000	12000	1	RMS	11955	-59.97	-25	34.97	Pass	9002
12000	26500	1	RMS	25488	-50.24	-25	25.24	Pass	14502




1.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.32	-25	44.32	Pass	141
0.15	30	0.01	RMS	0.18	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	719.9	-59.45	-25	34.45	Pass	9701
1000	2486	1	RMS	2486	-48.38	-25	23.38	Pass	1487
2486	2700	1	RMS	2680	20.9	60	39.1	Pass	215
2700	3000	1	RMS	2900	-46.15	-25	21.15	Pass	301
3000	12000	1	RMS	5361	-58.99	-25	33.99	Pass	9002
12000	26500	1	RMS	25509	-50.08	-25	25.08	Pass	14502




1.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.02	-25	44.02	Pass	141
0.15	30	0.01	RMS	0.22	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	536.2	-61.05	-25	36.05	Pass	9701
1000	2486	1	RMS	2484	-35.62	-25	10.62	Pass	1487
2486	2700	1	RMS	2496	21.83	60	38.17	Pass	215
2700	3000	1	RMS	2901	-46.12	-25	21.12	Pass	301
3000	12000	1	RMS	11950	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25501	-50.18	-25	25.18	Pass	14502




**1.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.04	-25	44.04	Pass	141
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	536.1	-60.32	-25	35.32	Pass	9701
1000	2486	1	RMS	2484	-36.86	-25	11.86	Pass	1487
2486	2700	1	RMS	2496	20.76	60	39.24	Pass	215
2700	3000	1	RMS	2900	-46.12	-25	21.12	Pass	301
3000	12000	1	RMS	11957	-59.94	-25	34.94	Pass	9002
12000	26500	1	RMS	25500	-50.14	-25	25.14	Pass	14502




1.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.95	-25	43.95	Pass	141
0.15	30	0.01	RMS	0.15	-67.8	-25	42.8	Pass	2986
30	1000	0.1	RMS	990.394	-61.31	-25	36.31	Pass	9701
1000	2486	1	RMS	2479	-48.33	-25	23.33	Pass	1487
2486	2700	1	RMS	2586	19.79	60	40.21	Pass	215
2700	3000	1	RMS	2901	-46.15	-25	21.15	Pass	301
3000	12000	1	RMS	5173	-59.21	-25	34.21	Pass	9002
12000	26500	1	RMS	25500	-50.14	-25	25.14	Pass	14502




1.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.65	-25	43.65	Pass	141
0.15	30	0.01	RMS	0.15	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	954.27	-61.32	-25	36.32	Pass	9701
1000	2486	1	RMS	2485	-48.27	-25	23.27	Pass	1487
2486	2700	1	RMS	2586	19.38	60	40.62	Pass	215
2700	3000	1	RMS	2900	-46.12	-25	21.12	Pass	301
3000	12000	1	RMS	11955	-60.01	-25	35.01	Pass	9002
12000	26500	1	RMS	25501	-50.12	-25	25.12	Pass	14502




1.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.28	-25	44.28	Pass	141
0.15	30	0.01	RMS	0.22	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	715.1	-59.18	-25	34.18	Pass	9701
1000	2486	1	RMS	2484	-48.35	-25	23.35	Pass	1487
2486	2700	1	RMS	2675	21.8	60	38.2	Pass	215
2700	3000	1	RMS	2702	-38.45	-25	13.45	Pass	301
3000	12000	1	RMS	11949	-59.93	-25	34.93	Pass	9002
12000	26500	1	RMS	25503	-50.01	-25	25.01	Pass	14502




1.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.41	-25	44.41	Pass	141
0.15	30	0.01	RMS	0.15	-67.48	-25	42.48	Pass	2986
30	1000	0.1	RMS	715.1	-59.42	-25	34.42	Pass	9701
1000	2486	1	RMS	2482	-48.36	-25	23.36	Pass	1487
2486	2700	1	RMS	2675	21.31	60	38.69	Pass	215
2700	3000	1	RMS	2702	-38.88	-25	13.88	Pass	301
3000	12000	1	RMS	5352	-59.17	-25	34.17	Pass	9002
12000	26500	1	RMS	25499	-50.08	-25	25.08	Pass	14502




1.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.06	-25	44.06	Pass	141
0.15	30	0.01	RMS	0.15	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	536.4	-59.95	-25	34.95	Pass	9701
1000	2486	1	RMS	2486	-36.31	-25	11.31	Pass	1487
2486	2700	1	RMS	2496	21.34	60	38.66	Pass	215
2700	3000	1	RMS	2899	-46.18	-25	21.18	Pass	301
3000	12000	1	RMS	11952	-60.01	-25	35.01	Pass	9002
12000	26500	1	RMS	25500	-50.18	-25	25.18	Pass	14502




1.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.59	-25	43.59	Pass	141
0.15	30	0.01	RMS	0.15	-67.48	-25	42.48	Pass	2986
30	1000	0.1	RMS	536.4	-60.31	-25	35.31	Pass	9701
1000	2486	1	RMS	2479	-37.42	-25	12.42	Pass	1487
2486	2700	1	RMS	2496	19.81	60	40.19	Pass	215
2700	3000	1	RMS	2908	-46.16	-25	21.16	Pass	301
3000	12000	1	RMS	11960	-59.97	-25	34.97	Pass	9002
12000	26500	1	RMS	25521	-50.2	-25	25.2	Pass	14502




1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.39	-25	44.39	Pass	141
0.15	30	0.01	RMS	0.28	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	976.384	-61.18	-25	36.18	Pass	9701
1000	2486	1	RMS	2483	-48.37	-25	23.37	Pass	1487
2486	2700	1	RMS	2583	20.61	60	39.39	Pass	215
2700	3000	1	RMS	2904	-46.21	-25	21.21	Pass	301
3000	12000	1	RMS	11970	-59.98	-25	34.98	Pass	9002
12000	26500	1	RMS	25490	-50.18	-25	25.18	Pass	14502



1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.03	-25	44.03	Pass	141
0.15	30	0.01	RMS	0.15	-66.86	-25	41.86	Pass	2986
30	1000	0.1	RMS	974.883	-61.26	-25	36.26	Pass	9701
1000	2486	1	RMS	2486	-48.29	-25	23.29	Pass	1487
2486	2700	1	RMS	2583	19.83	60	40.17	Pass	215
2700	3000	1	RMS	2900	-46.18	-25	21.18	Pass	301
3000	12000	1	RMS	11951	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25508	-50.09	-25	25.09	Pass	14502




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.82	-25	43.82	Pass	141
0.15	30	0.01	RMS	0.21	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	710.4	-59.67	-25	34.67	Pass	9701
1000	2486	1	RMS	2485	-48.41	-25	23.41	Pass	1487
2486	2700	1	RMS	2670	21.35	60	38.65	Pass	215
2700	3000	1	RMS	2701	-37.07	-25	12.07	Pass	301
3000	12000	1	RMS	11974	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25507	-50.06	-25	25.06	Pass	14502



1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.28	-25	44.28	Pass	141
0.15	30	0.01	RMS	0.15	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	710.3	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2486	-48.39	-25	23.39	Pass	1487
2486	2700	1	RMS	2670	19.82	60	40.18	Pass	215
2700	3000	1	RMS	2701	-37.6	-25	12.6	Pass	301
3000	12000	1	RMS	11947	-60	-25	35	Pass	9002
12000	26500	1	RMS	25496	-50.19	-25	25.19	Pass	14502



2. LTE_Band38


**2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.11	-25	44.11	Pass	141
0.15	30	0.01	RMS	0.15	-67.77	-25	42.77	Pass	2986
30	1000	0.1	RMS	944.463	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2559	-45.28	-25	20.28	Pass	1561
2560	2630	1	RMS	2569.8	21.57	60	38.43	Pass	101
2630	3000	1	RMS	2902	-46.2	-25	21.2	Pass	371
3000	12000	1	RMS	11958	-49.74	-25	24.74	Pass	9002
12000	26500	1	RMS	25503	-50.91	-25	25.91	Pass	14502




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.82	-25	43.82	Pass	141
0.15	30	0.01	RMS	0.16	-67.75	-25	42.75	Pass	2986
30	1000	0.1	RMS	907.939	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2560	-45.17	-25	20.17	Pass	1561
2560	2630	1	RMS	2569.8	20.88	60	39.12	Pass	101
2630	3000	1	RMS	2898	-46.2	-25	21.2	Pass	371
3000	12000	1	RMS	11975	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25502	-50.84	-25	25.84	Pass	14502




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.01	-25	44.01	Pass	141
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	986.191	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2536	-48.24	-25	23.24	Pass	1561
2560	2630	1	RMS	2592.2	21.69	60	38.31	Pass	101
2630	3000	1	RMS	2903	-46.18	-25	21.18	Pass	371
3000	12000	1	RMS	11955	-49.76	-25	24.76	Pass	9002
12000	26500	1	RMS	25878	-50.93	-25	25.93	Pass	14502




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.06	-25	44.06	Pass	141
0.15	30	0.01	RMS	0.15	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	855.604	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2522	-48.26	-25	23.26	Pass	1561
2560	2630	1	RMS	2592.2	21.05	60	38.95	Pass	101
2630	3000	1	RMS	2900	-46.18	-25	21.18	Pass	371
3000	12000	1	RMS	11950	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25503	-50.88	-25	25.88	Pass	14502




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.99	-25	43.99	Pass	141
0.15	30	0.01	RMS	0.15	-67.44	-25	42.44	Pass	2986
30	1000	0.1	RMS	871.415	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2522	-48.23	-25	23.23	Pass	1561
2560	2630	1	RMS	2614.6	21.61	60	38.39	Pass	101
2630	3000	1	RMS	2899	-46.17	-25	21.17	Pass	371
3000	12000	1	RMS	11953	-49.68	-25	24.68	Pass	9002
12000	26500	1	RMS	25504	-50.87	-25	25.87	Pass	14502




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.13	-25	44.13	Pass	141
0.15	30	0.01	RMS	0.18	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	998.299	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2498	-48.24	-25	23.24	Pass	1561
2560	2630	1	RMS	2614.6	20.92	60	39.08	Pass	101
2630	3000	1	RMS	2901	-46.18	-25	21.18	Pass	371
3000	12000	1	RMS	11977	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25528	-50.9	-25	25.9	Pass	14502




**2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.33	-25	44.33	Pass	141
0.15	30	0.01	RMS	0.16	-67.55	-25	42.55	Pass	2986
30	1000	0.1	RMS	827.9	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2560	-41.16	-25	16.16	Pass	1561
2560	2630	1	RMS	2569.8	21.48	60	38.52	Pass	101
2630	3000	1	RMS	2901	-46.16	-25	21.16	Pass	371
3000	12000	1	RMS	11960	-49.7	-25	24.7	Pass	9002
12000	26500	1	RMS	25503	-50.85	-25	25.85	Pass	14502




2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.1	-25	44.1	Pass	141
0.15	30	0.01	RMS	0.18	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	983.789	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2560	-44.82	-25	19.82	Pass	1561
2560	2630	1	RMS	2569.8	20.81	60	39.19	Pass	101
2630	3000	1	RMS	2900	-46.14	-25	21.14	Pass	371
3000	12000	1	RMS	11951	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25503	-50.87	-25	25.87	Pass	14502




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.08	-25	44.08	Pass	141
0.15	30	0.01	RMS	0.16	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	852.602	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	2498	-48.23	-25	23.23	Pass	1561
2560	2630	1	RMS	2590.1	21.57	60	38.43	Pass	101
2630	3000	1	RMS	2900	-46.17	-25	21.17	Pass	371
3000	12000	1	RMS	11964	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25502	-50.88	-25	25.88	Pass	14502




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.14	-25	44.14	Pass	141
0.15	30	0.01	RMS	0.16	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	887.025	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2501	-48.21	-25	23.21	Pass	1561
2560	2630	1	RMS	2590.1	20.67	60	39.33	Pass	101
2630	3000	1	RMS	2905	-46.14	-25	21.14	Pass	371
3000	12000	1	RMS	11950	-49.73	-25	24.73	Pass	9002
12000	26500	1	RMS	25502	-50.87	-25	25.87	Pass	14502




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.29	-25	44.29	Pass	141
0.15	30	0.01	RMS	0.18	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	893.83	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	2500	-48.2	-25	23.2	Pass	1561
2560	2630	1	RMS	2609.7	21.13	60	38.87	Pass	101
2630	3000	1	RMS	2900	-46.16	-25	21.16	Pass	371
3000	12000	1	RMS	11971	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25496	-50.87	-25	25.87	Pass	14502




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.25	-25	44.25	Pass	141
0.15	30	0.01	RMS	0.21	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	915.644	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2513	-48.23	-25	23.23	Pass	1561
2560	2630	1	RMS	2609.7	20.44	60	39.56	Pass	101
2630	3000	1	RMS	2899	-46.14	-25	21.14	Pass	371
3000	12000	1	RMS	11955	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25498	-50.87	-25	25.87	Pass	14502




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.85	-25	44.85	Pass	141
0.15	30	0.01	RMS	0.16	-67.06	-25	42.06	Pass	2986
30	1000	0.1	RMS	888.826	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2559	-36.21	-25	11.21	Pass	1561
2560	2630	1	RMS	2570.5	20.99	60	39.01	Pass	101
2630	3000	1	RMS	2900	-46.15	-25	21.15	Pass	371
3000	12000	1	RMS	11983	-49.73	-25	24.73	Pass	9002
12000	26500	1	RMS	25504	-50.8	-25	25.8	Pass	14502




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.33	-25	44.33	Pass	141
0.15	30	0.01	RMS	0.17	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	972.582	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2559	-37.44	-25	12.44	Pass	1561
2560	2630	1	RMS	2570.5	20.2	60	39.8	Pass	101
2630	3000	1	RMS	2900	-46.12	-25	21.12	Pass	371
3000	12000	1	RMS	11956	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25899	-50.86	-25	25.86	Pass	14502




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.96	-25	43.96	Pass	141
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	984.39	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2529	-48.18	-25	23.18	Pass	1561
2560	2630	1	RMS	2588	20.99	60	39.01	Pass	101
2630	3000	1	RMS	2901	-46.13	-25	21.13	Pass	371
3000	12000	1	RMS	11952	-49.76	-25	24.76	Pass	9002
12000	26500	1	RMS	25494	-50.89	-25	25.89	Pass	14502




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.69	-25	44.69	Pass	141
0.15	30	0.01	RMS	0.15	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	988.492	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2559	-48.16	-25	23.16	Pass	1561
2560	2630	1	RMS	2588	20.08	60	39.92	Pass	101
2630	3000	1	RMS	2910	-46.18	-25	21.18	Pass	371
3000	12000	1	RMS	11951	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25891	-50.87	-25	25.87	Pass	14502




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.05	-25	44.05	Pass	141
0.15	30	0.01	RMS	0.16	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	840.5	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	2497	-48.12	-25	23.12	Pass	1561
2560	2630	1	RMS	2605.5	20.99	60	39.01	Pass	101
2630	3000	1	RMS	2632	-41.7	-25	16.7	Pass	371
3000	12000	1	RMS	11950	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25510	-50.92	-25	25.92	Pass	14502




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.17	-25	44.17	Pass	141
0.15	30	0.01	RMS	0.18	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	973.282	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2530	-48.15	-25	23.15	Pass	1561
2560	2630	1	RMS	2605.5	20.31	60	39.69	Pass	101
2630	3000	1	RMS	2632	-42.15	-25	17.15	Pass	371
3000	12000	1	RMS	11950	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25500	-50.77	-25	25.77	Pass	14502




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.29	-25	44.29	Pass	141
0.15	30	0.01	RMS	0.24	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	841.1	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2560	-36.93	-25	11.93	Pass	1561
2560	2630	1	RMS	2570.5	21.76	60	38.24	Pass	101
2630	3000	1	RMS	2900	-46.13	-25	21.13	Pass	371
3000	12000	1	RMS	11969	-49.76	-25	24.76	Pass	9002
12000	26500	1	RMS	25510	-50.88	-25	25.88	Pass	14502




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.97	-25	43.97	Pass	141
0.15	30	0.01	RMS	0.15	-67.03	-25	42.03	Pass	2986
30	1000	0.1	RMS	857.506	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2560	-37.99	-25	12.99	Pass	1561
2560	2630	1	RMS	2570.5	21.1	60	38.9	Pass	101
2630	3000	1	RMS	2903	-46.15	-25	21.15	Pass	371
3000	12000	1	RMS	11956	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25499	-50.83	-25	25.83	Pass	14502




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.43	-25	44.43	Pass	141
0.15	30	0.01	RMS	0.21	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	984.49	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2550	-46.93	-25	21.93	Pass	1561
2560	2630	1	RMS	2585.2	21.06	60	38.94	Pass	101
2630	3000	1	RMS	2899	-46.11	-25	21.11	Pass	371
3000	12000	1	RMS	11953	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25508	-50.81	-25	25.81	Pass	14502




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.94	-25	43.94	Pass	141
0.15	30	0.01	RMS	0.18	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	983.689	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2550	-47.3	-25	22.3	Pass	1561
2560	2630	1	RMS	2585.2	20.28	60	39.72	Pass	101
2630	3000	1	RMS	2901	-46.1	-25	21.1	Pass	371
3000	12000	1	RMS	11962	-49.73	-25	24.73	Pass	9002
12000	26500	1	RMS	25499	-50.86	-25	25.86	Pass	14502




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.25	-25	44.25	Pass	141
0.15	30	0.01	RMS	0.22	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	878.019	-61.29	-25	36.29	Pass	9701
1000	2560	1	RMS	2500	-48.22	-25	23.22	Pass	1561
2560	2630	1	RMS	2600.6	21.67	60	38.33	Pass	101
2630	3000	1	RMS	2631	-37.3	-25	12.3	Pass	371
3000	12000	1	RMS	11952	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25504	-50.9	-25	25.9	Pass	14502



**2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.47	-25	44.47	Pass	141
0.15	30	0.01	RMS	0.2	-68	-25	43	Pass	2986
30	1000	0.1	RMS	999.3	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2500	-48.19	-25	23.19	Pass	1561
2560	2630	1	RMS	2600.6	20.86	60	39.14	Pass	101
2630	3000	1	RMS	2631	-38.07	-25	13.07	Pass	371
3000	12000	1	RMS	11954	-49.74	-25	24.74	Pass	9002
12000	26500	1	RMS	25504	-50.86	-25	25.86	Pass	14502



3. LTE_Band2


**3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.22	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	847.5	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-52.84	-13	39.84	Pass	841
1840	1920	1	RMS	1849.6	21.54	60	38.46	Pass	101
1920	3000	1	RMS	2968	-51.32	-13	38.32	Pass	1081
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	971.781	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-52.94	-13	39.94	Pass	841
1840	1920	1	RMS	1849.6	20.77	60	39.23	Pass	101
1920	3000	1	RMS	2992	-51.31	-13	38.31	Pass	1081
3000	12000	1	RMS	11996	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13599	-39.69	-13	26.69	Pass	8001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.16	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	995.797	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1837	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1879.2	20.44	60	39.56	Pass	101
1920	3000	1	RMS	2998	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	11995	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.64	-13	26.64	Pass	8001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	60.23	Pass	141
0.15	30	0.01	RMS	0.17	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	974.883	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1839	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1879.2	19.52	60	40.48	Pass	101
1920	3000	1	RMS	2985	-51.32	-13	38.32	Pass	1081
3000	12000	1	RMS	11999	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	60.21	Pass	141
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	847.8	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1837	-53.73	-13	40.73	Pass	841
1840	1920	1	RMS	1908	21.57	60	38.43	Pass	101
1920	3000	1	RMS	2994	-51.28	-13	38.28	Pass	1081
3000	12000	1	RMS	11993	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13602	-39.7	-13	26.7	Pass	8001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	850.001	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1836	-53.7	-13	40.7	Pass	841
1840	1920	1	RMS	1908	20.69	60	39.31	Pass	101
1920	3000	1	RMS	2986	-51.28	-13	38.28	Pass	1081
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13600	-39.62	-13	26.62	Pass	8001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	863.71	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1840	-52.39	-13	39.39	Pass	841
1840	1920	1	RMS	1849.6	21.65	60	38.35	Pass	101
1920	3000	1	RMS	2996	-51.27	-13	38.27	Pass	1081
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.69	-13	26.69	Pass	8001



3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.16	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	838.2	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-52.59	-13	39.59	Pass	841
1840	1920	1	RMS	1849.6	20.94	60	39.06	Pass	101
1920	3000	1	RMS	2988	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	12000	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001



3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	846.6	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-53.7	-13	40.7	Pass	841
1840	1920	1	RMS	1878.4	20.4	60	39.6	Pass	101
1920	3000	1	RMS	2980	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11995	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001

