


Spurious Emission at Antenna Terminals


11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	814	-64.29	-13	51.29	Pass	7841
814	860	0.1	RMS	824.3	18.2	60	41.8	Pass	461
860	1000	0.1	RMS	985.2	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-49.8	-13	36.8	Pass	2001
3000	10000	1	RMS	6798	-45.56	-13	32.56	Pass	7001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	60.84	Pass	141
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	813	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	836.1	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	978.8	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1672	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-13	61.05	Pass	141
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	811.8	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	836.1	18.31	60	41.69	Pass	461
860	1000	0.1	RMS	927	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1672	-48.9	-13	35.9	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	813.5	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	847.9	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	865.7	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1695	-47.47	-13	34.47	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	812.5	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	847.9	18.33	60	41.67	Pass	461
860	1000	0.1	RMS	989.4	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1695	-48.08	-13	35.08	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.69	-13	60.69	Pass	141
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	811.3	-63.02	-13	50.02	Pass	7841
814	860	0.1	RMS	824.2	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	869.6	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-13	60.99	Pass	141
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	811.3	-63.38	-13	50.38	Pass	7841
814	860	0.1	RMS	824.2	18.52	60	41.48	Pass	461
860	1000	0.1	RMS	869.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1648	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	59	Pass	141
0.15	30	0.01	RMS	0.17	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	812.5	-65.23	-13	52.23	Pass	7841
814	860	0.1	RMS	835.2	19.47	60	40.53	Pass	461
860	1000	0.1	RMS	866.9	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1670	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.17	-72.96	-13	59.96	Pass	2986
30	814	0.1	RMS	811.9	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	835.2	18.5	60	41.5	Pass	461
860	1000	0.1	RMS	953.9	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1670	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




11.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	814	0.1	RMS	813.1	-65.4	-13	52.4	Pass	7841
814	860	0.1	RMS	846.2	19.36	60	40.64	Pass	461
860	1000	0.1	RMS	998.8	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1692	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	6803	-45.68	-13	32.68	Pass	7001




11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	59.85	Pass	141
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.4	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	846.2	18.55	60	41.45	Pass	461
860	1000	0.1	RMS	986.7	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1692	-46.48	-13	33.48	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




11.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	813.6	-64.71	-13	51.71	Pass	7841
814	860	0.1	RMS	824.3	19.82	60	40.18	Pass	461
860	1000	0.1	RMS	987.3	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




11.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.18	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.9	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	824.3	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	980.2	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-49.37	-13	36.37	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




11.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	141
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	814	0.1	RMS	812.8	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	834.3	19.87	60	40.13	Pass	461
860	1000	0.1	RMS	979.9	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1668	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




11.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813.5	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	834.3	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	979.1	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1668	-47.84	-13	34.84	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




11.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	60.34	Pass	141
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	814	0.1	RMS	811.5	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.3	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	997.2	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1688	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	6796	-45.55	-13	32.55	Pass	7001




11.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.1	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	844.3	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	976	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1688	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




11.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	814	-52.08	-13	39.08	Pass	7841
814	860	0.1	RMS	824.6	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	959.1	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1649	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




11.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.04	-13	61.04	Pass	141
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	814	-52.31	-13	39.31	Pass	7841
814	860	0.1	RMS	824.6	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	862.7	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1649	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6802	-45.56	-13	32.56	Pass	7001




11.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	60.29	Pass	141
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	814	0.1	RMS	813.7	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	832.1	20.28	60	39.72	Pass	461
860	1000	0.1	RMS	879.1	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1664	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




11.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.1	-13	60.1	Pass	141
0.15	30	0.01	RMS	0.15	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	813.9	-65.25	-13	52.25	Pass	7841
814	860	0.1	RMS	832.1	19.31	60	40.69	Pass	461
860	1000	0.1	RMS	983.7	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1664	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




11.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.91	-13	60.91	Pass	141
0.15	30	0.01	RMS	0.22	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	813.6	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	839.6	20.28	60	39.72	Pass	461
860	1000	0.1	RMS	866.2	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1679	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




11.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	60.08	Pass	141
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.2	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	839.6	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	869.6	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1679	-49.55	-13	36.55	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




11.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	811.5	-48.24	-13	35.24	Pass	7841
814	860	0.1	RMS	824.8	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	976.8	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




11.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.1	-13	60.1	Pass	141
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	811.5	-48.97	-13	35.97	Pass	7841
814	860	0.1	RMS	824.8	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	968.3	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1649	-49	-13	36	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




11.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.77	-13	60.77	Pass	141
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	813.7	-59	-13	46	Pass	7841
814	860	0.1	RMS	829.8	19.8	60	40.2	Pass	461
860	1000	0.1	RMS	934.4	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1659	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




11.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	814	-59.13	-13	46.13	Pass	7841
814	860	0.1	RMS	829.8	18.86	60	41.14	Pass	461
860	1000	0.1	RMS	878.8	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1659	-47.99	-13	34.99	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




11.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.36	-13	60.36	Pass	141
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	811.8	-54.75	-13	41.75	Pass	7841
814	860	0.1	RMS	834.8	19.75	60	40.25	Pass	461
860	1000	0.1	RMS	975.9	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1669	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6798	-45.55	-13	32.55	Pass	7001



11.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.34	-13	60.34	Pass	141
0.15	30	0.01	RMS	0.23	-72.79	-13	59.79	Pass	2986
30	814	0.1	RMS	811.8	-55.31	-13	42.31	Pass	7841
814	860	0.1	RMS	834.8	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	881.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1669	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



1. LTE_Band26(part90)


**1.1 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1,
Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.25	-13	51.25	Pass	141
0.15	30	0.01	Peak	0.21	-65.12	-13	52.12	Pass	2986
30	809	0.1	Peak	808.8	-52.81	-13	39.81	Pass	7791
809	829	0.1	Peak	814.2	25	60	35	Pass	201
829	1000	0.1	Peak	853.3	-54.6	-13	41.6	Pass	1711
1000	3000	1	Peak	1629	-37.56	-13	24.56	Pass	2001
3000	10000	1	Peak	7217	-33.11	-13	20.11	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.96	-13	52.96	Pass	141
0.15	30	0.01	Peak	0.2	-64.18	-13	51.18	Pass	2986
30	809	0.1	Peak	796	-53.84	-13	40.84	Pass	7791
809	829	0.1	Peak	814.2	25.31	60	34.69	Pass	201
829	1000	0.1	Peak	835.4	-53.34	-13	40.34	Pass	1711
1000	3000	1	Peak	1629	-36.88	-13	23.88	Pass	2001
3000	10000	1	Peak	6953	-33.84	-13	20.84	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.81	-13	53.81	Pass	141
0.15	30	0.01	Peak	0.16	-64.53	-13	51.53	Pass	2986
30	809	0.1	Peak	807.9	-54.54	-13	41.54	Pass	7791
809	829	0.1	Peak	818.6	25.75	60	34.25	Pass	201
829	1000	0.1	Peak	829.5	-49.8	-13	36.8	Pass	1711
1000	3000	1	Peak	1637	-35.92	-13	22.92	Pass	2001
3000	10000	1	Peak	7302	-33.57	-13	20.57	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.77	-13	52.77	Pass	141
0.15	30	0.01	Peak	0.15	-63.41	-13	50.41	Pass	2986
30	809	0.1	Peak	714.5	-54.16	-13	41.16	Pass	7791
809	829	0.1	Peak	818.6	25.95	60	34.05	Pass	201
829	1000	0.1	Peak	830.8	-51.35	-13	38.35	Pass	1711
1000	3000	1	Peak	1637	-35.94	-13	22.94	Pass	2001
3000	10000	1	Peak	7444	-33.71	-13	20.71	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.83	-13	53.83	Pass	141
0.15	30	0.01	Peak	0.39	-64.89	-13	51.89	Pass	2986
30	809	0.1	Peak	745.2	-53.86	-13	40.86	Pass	7791
809	829	0.1	Peak	822.9	25.12	60	34.88	Pass	201
829	1000	0.1	Peak	829.3	-47.94	-13	34.94	Pass	1711
1000	3000	1	Peak	1646	-36.48	-13	23.48	Pass	2001
3000	10000	1	Peak	6715	-33.75	-13	20.75	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.18	-13	53.18	Pass	141
0.15	30	0.01	Peak	0.16	-63.45	-13	50.45	Pass	2986
30	809	0.1	Peak	807.9	-54.96	-13	41.96	Pass	7791
809	829	0.1	Peak	822.8	25.63	60	34.37	Pass	201
829	1000	0.1	Peak	829.2	-47.59	-13	34.59	Pass	1711
1000	3000	1	Peak	1646	-37.45	-13	24.45	Pass	2001
3000	10000	1	Peak	6752	-33.32	-13	20.32	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.11	-13	53.11	Pass	141
0.15	30	0.01	Peak	0.16	-65.39	-13	52.39	Pass	2986
30	809	0.1	Peak	809	-47.27	-13	34.27	Pass	7791
809	829	0.1	Peak	814.2	24.93	60	35.07	Pass	201
829	1000	0.1	Peak	919.3	-54.38	-13	41.38	Pass	1711
1000	3000	1	Peak	1628	-37.45	-13	24.45	Pass	2001
3000	10000	1	Peak	7655	-33.51	-13	20.51	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.67	-13	51.67	Pass	141
0.15	30	0.01	Peak	0.69	-63.36	-13	50.36	Pass	2986
30	809	0.1	Peak	809	-48.98	-13	35.98	Pass	7791
809	829	0.1	Peak	814.2	25.44	60	34.56	Pass	201
829	1000	0.1	Peak	829.7	-54.32	-13	41.32	Pass	1711
1000	3000	1	Peak	1629	-36.84	-13	23.84	Pass	2001
3000	10000	1	Peak	7574	-33.82	-13	20.82	Pass	7001




**1.9 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.42	-13	52.42	Pass	141
0.15	30	0.01	Peak	0.28	-64.91	-13	51.91	Pass	2986
30	809	0.1	Peak	711.8	-54.56	-13	41.56	Pass	7791
809	829	0.1	Peak	817.8	25.53	60	34.47	Pass	201
829	1000	0.1	Peak	830.8	-47.04	-13	34.04	Pass	1711
1000	3000	1	Peak	1636	-36.78	-13	23.78	Pass	2001
3000	10000	1	Peak	7069	-32.8	-13	19.8	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.21	-13	53.21	Pass	141
0.15	30	0.01	Peak	0.16	-64.36	-13	51.36	Pass	2986
30	809	0.1	Peak	573.5	-54.74	-13	41.74	Pass	7791
809	829	0.1	Peak	817.8	25.83	60	34.17	Pass	201
829	1000	0.1	Peak	830.7	-46.42	-13	33.42	Pass	1711
1000	3000	1	Peak	1636	-37.27	-13	24.27	Pass	2001
3000	10000	1	Peak	7464	-33.85	-13	20.85	Pass	7001




**1.11 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.24	-13	52.24	Pass	141
0.15	30	0.01	Peak	0.18	-63.96	-13	50.96	Pass	2986
30	809	0.1	Peak	615.2	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	821.2	25.56	60	34.44	Pass	201
829	1000	0.1	Peak	829.2	-45.46	-13	32.46	Pass	1711
1000	3000	1	Peak	1642	-37.19	-13	24.19	Pass	2001
3000	10000	1	Peak	7255	-34.02	-13	21.02	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.57	-13	52.57	Pass	141
0.15	30	0.01	Peak	0.19	-65.11	-13	52.11	Pass	2986
30	809	0.1	Peak	803.2	-54.24	-13	41.24	Pass	7791
809	829	0.1	Peak	821.3	26.13	60	33.87	Pass	201
829	1000	0.1	Peak	829	-44.7	-13	31.7	Pass	1711
1000	3000	1	Peak	1642	-37.32	-13	24.32	Pass	2001
3000	10000	1	Peak	9544	-33.75	-13	20.75	Pass	7001




**1.13 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.33	-13	54.33	Pass	141
0.15	30	0.01	Peak	0.38	-63.77	-13	50.77	Pass	2986
30	809	0.1	Peak	809	-46.29	-13	33.29	Pass	7791
809	829	0.1	Peak	814.3	25.77	60	34.23	Pass	201
829	1000	0.1	Peak	831.4	-54.39	-13	41.39	Pass	1711
1000	3000	1	Peak	1628	-36.82	-13	23.82	Pass	2001
3000	10000	1	Peak	7952	-33.04	-13	20.04	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.45	-13	52.45	Pass	141
0.15	30	0.01	Peak	0.32	-64.6	-13	51.6	Pass	2986
30	809	0.1	Peak	809	-46.62	-13	33.62	Pass	7791
809	829	0.1	Peak	814.3	26.12	60	33.88	Pass	201
829	1000	0.1	Peak	984.6	-53.73	-13	40.73	Pass	1711
1000	3000	1	Peak	1629	-37.31	-13	24.31	Pass	2001
3000	10000	1	Peak	7662	-33.95	-13	20.95	Pass	7001




**1.15 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.38	-13	52.38	Pass	141
0.15	30	0.01	Peak	0.2	-64.11	-13	51.11	Pass	2986
30	809	0.1	Peak	808.2	-46.5	-13	33.5	Pass	7791
809	829	0.1	Peak	816.9	25.97	60	34.03	Pass	201
829	1000	0.1	Peak	829.1	-51.15	-13	38.15	Pass	1711
1000	3000	1	Peak	1634	-36.71	-13	23.71	Pass	2001
3000	10000	1	Peak	7166	-33.73	-13	20.73	Pass	7001




**1.16 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.74	-13	52.74	Pass	141
0.15	30	0.01	Peak	0.3	-63.44	-13	50.44	Pass	2986
30	809	0.1	Peak	809	-49	-13	36	Pass	7791
809	829	0.1	Peak	816.8	26.18	60	33.82	Pass	201
829	1000	0.1	Peak	829	-51.07	-13	38.07	Pass	1711
1000	3000	1	Peak	1634	-37.11	-13	24.11	Pass	2001
3000	10000	1	Peak	7253	-33.72	-13	20.72	Pass	7001




**1.17 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.28	-13	52.28	Pass	141
0.15	30	0.01	Peak	0.15	-64.93	-13	51.93	Pass	2986
30	809	0.1	Peak	744	-54.79	-13	41.79	Pass	7791
809	829	0.1	Peak	819.3	25.81	60	34.19	Pass	201
829	1000	0.1	Peak	829	-46.4	-13	33.4	Pass	1711
1000	3000	1	Peak	1638	-36.18	-13	23.18	Pass	2001
3000	10000	1	Peak	7471	-33.15	-13	20.15	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.23	-13	52.23	Pass	141
0.15	30	0.01	Peak	0.93	-64.23	-13	51.23	Pass	2986
30	809	0.1	Peak	715.8	-54.88	-13	41.88	Pass	7791
809	829	0.1	Peak	819.3	26.31	60	33.69	Pass	201
829	1000	0.1	Peak	829	-48.18	-13	35.18	Pass	1711
1000	3000	1	Peak	1639	-36.58	-13	23.58	Pass	2001
3000	10000	1	Peak	9236	-33.44	-13	20.44	Pass	7001



1.19 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.41	-13	53.41	Pass	141
0.15	30	0.01	Peak	0.24	-65.23	-13	52.23	Pass	2986
30	809	0.1	Peak	808.6	-37.72	-13	24.72	Pass	7791
809	829	0.1	Peak	814.6	25.82	60	34.18	Pass	201
829	1000	0.1	Peak	829.9	-32.32	-13	19.32	Pass	1711
1000	3000	1	Peak	1629	-36.83	-13	23.83	Pass	2001
3000	10000	1	Peak	8788	-33.35	-13	20.35	Pass	7001



1.20 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.7	-13	52.7	Pass	141
0.15	30	0.01	Peak	0.6	-64.83	-13	51.83	Pass	2986
30	809	0.1	Peak	808.6	-39.12	-13	26.12	Pass	7791
809	829	0.1	Peak	814.5	25.79	60	34.21	Pass	201
829	1000	0.1	Peak	830	-32.06	-13	19.06	Pass	1711
1000	3000	1	Peak	1629	-37	-13	24	Pass	2001
3000	10000	1	Peak	7295	-33.16	-13	20.16	Pass	7001

