


**9.12 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.26      | -13         | 60.26       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.48      | -13         | 58.48       | Pass    | 2986        |
| 30                    | 694                  | 0.1       | RMS      | 691.2           | -65.43      | -13         | 52.43       | Pass    | 6641        |
| 694                   | 726                  | 0.1       | RMS      | 706.6           | 19.42       | 60          | 40.58       | Pass    | 321         |
| 726                   | 1000                 | 0.1       | RMS      | 984.1           | -65.04      | -13         | 52.04       | Pass    | 2741        |
| 1000                  | 3000                 | 1         | RMS      | 1413            | -49.45      | -13         | 36.45       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6798            | -45.58      | -13         | 32.58       | Pass    | 7001        |



## 10. LTE\_Band66


**10.1 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.92      | -13         | 59.92       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.04      | -13         | 59.04       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 860.708         | -65.4       | -13         | 52.4        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.2       | -13         | 40.2        | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709            | 20.01       | 60          | 39.99       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2989            | -51.32      | -13         | 38.32       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6841            | -43.82      | -13         | 30.82       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.71      | -13         | 26.71       | Pass    | 8001        |




## 10.2 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.78      | -13         | 59.78       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -72.11      | -13         | 59.11       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 976.785         | -65.36      | -13         | 52.36       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.36      | -13         | 40.36       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709            | 19.18       | 60          | 40.82       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2994            | -51.38      | -13         | 38.38       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6841            | -44.01      | -13         | 31.01       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13608           | -39.81      | -13         | 26.81       | Pass    | 8001        |




### 10.3 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.61      | -13         | 59.61       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.58      | -13         | 58.58       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.1           | -65.3       | -13         | 52.3        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -53.98      | -13         | 40.98       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.1          | 20.66       | 60          | 39.34       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2990            | -51.38      | -13         | 38.38       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11998           | -44.32      | -13         | 31.32       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.78      | -13         | 26.78       | Pass    | 8001        |




**10.4 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -74.09      | -13         | 61.09       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.1       | -13         | 58.1        | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843             | -65.43      | -13         | 52.43       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1683            | -53.97      | -13         | 40.97       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.1          | 19.82       | 60          | 40.18       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 3000            | -51.43      | -13         | 38.43       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11994           | -44.28      | -13         | 31.28       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.82      | -13         | 26.82       | Pass    | 8001        |




**10.5 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.57      | -13         | 60.57       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71         | -13         | 58          | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 979.486         | -65.4       | -13         | 52.4        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1673            | -53.95      | -13         | 40.95       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.3          | 21.34       | 60          | 38.66       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2986            | -51.42      | -13         | 38.42       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11994           | -44.31      | -13         | 31.31       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13603           | -39.88      | -13         | 26.88       | Pass    | 8001        |




**10.6 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.17      | -13         | 60.17       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.42      | -13         | 59.42       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 974.483         | -65.31      | -13         | 52.31       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.97      | -13         | 40.97       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.3          | 20.4        | 60          | 39.6        | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2990            | -51.41      | -13         | 38.41       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11994           | -44.3       | -13         | 31.3        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.82      | -13         | 26.82       | Pass    | 8001        |




**10.7 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -74.22      | -13         | 61.22       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.28      | -13         | 58.28       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 970.881         | -65.37      | -13         | 52.37       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.21      | -13         | 40.21       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709            | 20.08       | 60          | 39.92       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2990            | -51.4       | -13         | 38.4        | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6841            | -43.71      | -13         | 30.71       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13595           | -39.82      | -13         | 26.82       | Pass    | 8001        |




**10.8 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.26      | -13         | 60.26       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.61      | -13         | 58.61       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 858.906         | -65.35      | -13         | 52.35       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.25      | -13         | 40.25       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709            | 19.3        | 60          | 40.7        | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2933            | -51.36      | -13         | 38.36       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6841            | -44.17      | -13         | 31.17       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13599           | -39.79      | -13         | 26.79       | Pass    | 8001        |




**10.9 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.17      | -13         | 60.17       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.89      | -13         | 58.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 836.7           | -65.31      | -13         | 52.31       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1681            | -53.99      | -13         | 40.99       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.2          | 21.23       | 60          | 38.77       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2984            | -51.38      | -13         | 38.38       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11999           | -44.27      | -13         | 31.27       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.8       | -13         | 26.8        | Pass    | 8001        |




**10.10 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.38      | -13         | 60.38       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.59      | -13         | 57.59       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 829.6           | -65.32      | -13         | 52.32       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1676            | -53.97      | -13         | 40.97       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.2          | 20.3        | 60          | 39.7        | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2995            | -51.42      | -13         | 38.42       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11999           | -44.24      | -13         | 31.24       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13598           | -39.76      | -13         | 26.76       | Pass    | 8001        |




**10.11 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.87      | -13         | 60.87       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.89      | -13         | 58.89       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.214         | -65.28      | -13         | 52.28       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1681            | -53.97      | -13         | 40.97       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1776.5          | 21.78       | 60          | 38.22       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1790            | -50.57      | -13         | 37.57       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11999           | -44.28      | -13         | 31.28       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13606           | -39.75      | -13         | 26.75       | Pass    | 8001        |




**10.12 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.5       | -13         | 60.5        | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.68      | -13         | 58.68       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 855.404         | -65.31      | -13         | 52.31       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -53.93      | -13         | 40.93       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1776.5          | 20.92       | 60          | 39.08       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1790            | -50.95      | -13         | 37.95       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11999           | -44.19      | -13         | 31.19       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13599           | -39.87      | -13         | 26.87       | Pass    | 8001        |




**10.13 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.39      | -13         | 60.39       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.02      | -13         | 58.02       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.203         | -65.29      | -13         | 52.29       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.21      | -13         | 40.21       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 20.87       | 60          | 39.13       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2960            | -51.37      | -13         | 38.37       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6841            | -43.89      | -13         | 30.89       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13604           | -39.8       | -13         | 26.8        | Pass    | 8001        |




**10.14 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.56      | -13         | 60.56       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.49      | -13         | 59.49       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.1           | -65.25      | -13         | 52.25       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.4       | -13         | 40.4        | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 20.02       | 60          | 39.98       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2930            | -51.42      | -13         | 38.42       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.24      | -13         | 31.24       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13606           | -39.73      | -13         | 26.73       | Pass    | 8001        |




**10.15 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.97      | -13         | 59.97       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.83      | -13         | 59.83       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 991.394         | -65.34      | -13         | 52.34       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.92      | -13         | 40.92       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.3          | 21.54       | 60          | 38.46       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2991            | -51.36      | -13         | 38.36       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.21      | -13         | 31.21       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.75      | -13         | 26.75       | Pass    | 8001        |




**10.16 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -73.35      | -13         | 60.35       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.92      | -13         | 57.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.1           | -65.31      | -13         | 52.31       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -53.91      | -13         | 40.91       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.3          | 20.8        | 60          | 39.2        | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2836            | -51.39      | -13         | 38.39       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11989           | -44.25      | -13         | 31.25       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.8       | -13         | 26.8        | Pass    | 8001        |




**10.17 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.24      | -13         | 60.24       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.09      | -13         | 58.09       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 834.4           | -65.3       | -13         | 52.3        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1676            | -53.94      | -13         | 40.94       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1774.7          | 21.87       | 60          | 38.13       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2983            | -51.37      | -13         | 38.37       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3551            | -43.74      | -13         | 30.74       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13598           | -39.77      | -13         | 26.77       | Pass    | 8001        |




**10.18 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.21      | -13         | 60.21       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.03      | -13         | 59.03       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.6           | -65.1       | -13         | 52.1        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1673            | -53.93      | -13         | 40.93       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1774.7          | 21.16       | 60          | 38.84       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2986            | -51.37      | -13         | 38.37       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3551            | -44         | -13         | 31          | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.81      | -13         | 26.81       | Pass    | 8001        |




**10.19 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.76      | -13         | 60.76       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.86      | -13         | 58.86       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 925.15          | -65.24      | -13         | 52.24       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -47.73      | -13         | 34.73       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 21.93       | 60          | 38.07       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 3000            | -51.32      | -13         | 38.32       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6842            | -43.71      | -13         | 30.71       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13599           | -39.76      | -13         | 26.76       | Pass    | 8001        |




**10.20 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.39      | -13         | 60.39       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.93      | -13         | 58.93       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.1           | -65.28      | -13         | 52.28       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.15      | -13         | 35.15       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 21.15       | 60          | 38.85       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2988            | -51.36      | -13         | 38.36       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11984           | -44.25      | -13         | 31.25       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.76      | -13         | 26.76       | Pass    | 8001        |




**10.21 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.57      | -13         | 60.57       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.62      | -13         | 58.62       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 857.906         | -65.25      | -13         | 52.25       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1671            | -53.89      | -13         | 40.89       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1739.6          | 21.92       | 60          | 38.08       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2987            | -51.31      | -13         | 38.31       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.19      | -13         | 31.19       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13610           | -39.76      | -13         | 26.76       | Pass    | 8001        |




**10.22 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.36      | -13         | 60.36       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.72      | -13         | 58.72       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.7           | -65.34      | -13         | 52.34       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -53.85      | -13         | 40.85       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1739.6          | 20.99       | 60          | 39.01       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2995            | -51.34      | -13         | 38.34       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11865           | -44.27      | -13         | 31.27       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.75      | -13         | 26.75       | Pass    | 8001        |




**10.23 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.94      | -13         | 60.94       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.56      | -13         | 58.56       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 852.402         | -65.23      | -13         | 52.23       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1674            | -53.93      | -13         | 40.93       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.2          | 20.76       | 60          | 39.24       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1790            | -50.84      | -13         | 37.84       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3541            | -42.74      | -13         | 29.74       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.78      | -13         | 26.78       | Pass    | 8001        |




**10.24 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.55      | -13         | 60.55       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.31      | -13         | 59.31       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 858.706         | -65.33      | -13         | 52.33       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1675            | -53.92      | -13         | 40.92       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.2          | 19.88       | 60          | 40.12       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1790            | -50.97      | -13         | 37.97       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3541            | -43.82      | -13         | 30.82       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13599           | -39.72      | -13         | 26.72       | Pass    | 8001        |




**10.25 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.39      | -13         | 60.39       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.16      | -13         | 58.16       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.201         | -65.3       | -13         | 52.3        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -37.94      | -13         | 24.94       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 21.92       | 60          | 38.08       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -51.33      | -13         | 38.33       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6843            | -43.87      | -13         | 30.87       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.67      | -13         | 26.67       | Pass    | 8001        |




**10.26 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.29      | -13         | 60.29       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.92      | -13         | 58.92       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.901         | -65.32      | -13         | 52.32       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -39.14      | -13         | 26.14       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 21.14       | 60          | 38.86       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2979            | -51.34      | -13         | 38.34       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6843            | -44.2       | -13         | 31.2        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.72      | -13         | 26.72       | Pass    | 8001        |




**10.27 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:27,  
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB  
Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.27      | -13         | 60.27       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.06      | -13         | 59.06       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 850.401         | -65.26      | -13         | 52.26       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1678            | -53.94      | -13         | 40.94       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1737.8          | 21.6        | 60          | 38.4        | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2997            | -51.39      | -13         | 38.39       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.27      | -13         | 31.27       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.73      | -13         | 26.73       | Pass    | 8001        |




**10.28 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.51      | -13         | 60.51       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.14      | -13         | 59.14       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 832.2           | -65.42      | -13         | 52.42       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1682            | -53.92      | -13         | 40.92       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1737.8          | 20.67       | 60          | 39.33       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2959            | -51.36      | -13         | 38.36       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11994           | -44.25      | -13         | 31.25       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13606           | -39.76      | -13         | 26.76       | Pass    | 8001        |




**10.29 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.65      | -13         | 60.65       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72         | -13         | 59          | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 909.04          | -65.37      | -13         | 52.37       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.96      | -13         | 40.96       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1764.8          | 21.76       | 60          | 38.24       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1792            | -35.98      | -13         | 22.98       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3532            | -43.16      | -13         | 30.16       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.76      | -13         | 26.76       | Pass    | 8001        |




**10.30 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.11      | -13         | 60.11       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.66      | -13         | 58.66       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 965.777         | -65.3       | -13         | 52.3        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1679            | -53.95      | -13         | 40.95       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1764.8          | 20.9        | 60          | 39.1        | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1792            | -36.48      | -13         | 23.48       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3532            | -44.27      | -13         | 31.27       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.75      | -13         | 26.75       | Pass    | 8001        |




**10.31 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.71      | -13         | 60.71       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.55      | -13         | 58.55       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 927.452         | -65.26      | -13         | 52.26       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -40.44      | -13         | 27.44       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 20.81       | 60          | 39.19       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2986            | -51.43      | -13         | 38.43       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6844            | -43.9       | -13         | 30.9        | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13601           | -39.73      | -13         | 26.73       | Pass    | 8001        |




**10.32 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -72.5       | -13         | 59.5        | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.28      | -13         | 59.28       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 862.109         | -65.3       | -13         | 52.3        | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -41.87      | -13         | 28.87       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1709.9          | 20.03       | 60          | 39.97       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -51.43      | -13         | 38.43       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 6844            | -44.21      | -13         | 31.21       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.69      | -13         | 26.69       | Pass    | 8001        |




**10.33 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.37      | -13         | 60.37       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.74      | -13         | 58.74       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 820.2           | -65.38      | -13         | 52.38       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.39      | -13         | 35.39       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1735.1          | 21.82       | 60          | 38.18       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -51.39      | -13         | 38.39       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11994           | -44.25      | -13         | 31.25       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13599           | -39.8       | -13         | 26.8        | Pass    | 8001        |




**10.34 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.34      | -13         | 60.34       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.75      | -13         | 59.75       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 947.665         | -65.32      | -13         | 52.32       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -48.92      | -13         | 35.92       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1735.1          | 20.89       | 60          | 39.11       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 2992            | -51.36      | -13         | 38.36       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11998           | -44.13      | -13         | 31.13       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13600           | -39.8       | -13         | 26.8        | Pass    | 8001        |




**10.35 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.5       | -13         | 60.5        | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.82      | -13         | 58.82       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 991.394         | -65.28      | -13         | 52.28       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1682            | -53.92      | -13         | 40.92       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1760.3          | 22.17       | 60          | 37.83       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1797            | -36.63      | -13         | 23.63       | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3522            | -43.24      | -13         | 30.24       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13599           | -39.71      | -13         | 26.71       | Pass    | 8001        |



**10.36 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.19      | -13         | 60.19       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.07      | -13         | 59.07       | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.1           | -65.26      | -13         | 52.26       | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.93      | -13         | 40.93       | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1760.3          | 21.17       | 60          | 38.83       | Pass    | 101         |
| 1790                  | 3000                 | 1         | RMS      | 1797            | -37.1       | -13         | 24.1        | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 3522            | -44.16      | -13         | 31.16       | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 13604           | -39.81      | -13         | 26.81       | Pass    | 8001        |



## 11. LTE\_Band26(part22)


**11.1 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.39      | -13         | 60.39       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.41      | -13         | 59.41       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -64.51      | -13         | 51.51       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 19.07       | 60          | 40.93       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 945             | -65.22      | -13         | 52.22       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -48.99      | -13         | 35.99       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6799            | -45.55      | -13         | 32.55       | Pass    | 7001        |




## 11.2 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.17      | -13         | 60.17       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.14      | -13         | 59.14       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -64.29      | -13         | 51.29       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 18.2        | 60          | 41.8        | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 985.2           | -65.26      | -13         | 52.26       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -49.8       | -13         | 36.8        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6798            | -45.56      | -13         | 32.56       | Pass    | 7001        |




### 11.3 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.84      | -13         | 60.84       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.45      | -13         | 59.45       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813             | -65.41      | -13         | 52.41       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 19.3        | 60          | 40.7        | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 978.8           | -65.37      | -13         | 52.37       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -47.91      | -13         | 34.91       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6799            | -45.56      | -13         | 32.56       | Pass    | 7001        |




# 11.4 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -74.05      | -13         | 61.05       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.48      | -13         | 59.48       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.8           | -65.38      | -13         | 52.38       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 836.1           | 18.31       | 60          | 41.69       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 927             | -65.37      | -13         | 52.37       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1672            | -48.9       | -13         | 35.9        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.5       | -13         | 32.5        | Pass    | 7001        |




**11.5 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.22      | -13         | 60.22       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.85      | -13         | 58.85       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -65.48      | -13         | 52.48       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.9           | 19.16       | 60          | 40.84       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 865.7           | -65.41      | -13         | 52.41       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -47.47      | -13         | 34.47       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6799            | -45.59      | -13         | 32.59       | Pass    | 7001        |




# 11.6 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.62      | -13         | 60.62       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.11      | -13         | 59.11       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.5           | -65.51      | -13         | 52.51       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 847.9           | 18.33       | 60          | 41.67       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 989.4           | -65.18      | -13         | 52.18       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1695            | -48.08      | -13         | 35.08       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.57      | -13         | 32.57       | Pass    | 7001        |




**11.7 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.69      | -13         | 60.69       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.61      | -13         | 59.61       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.3           | -63.02      | -13         | 50.02       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 19.4        | 60          | 40.6        | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 869.6           | -65.33      | -13         | 52.33       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -48.93      | -13         | 35.93       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.63      | -13         | 32.63       | Pass    | 7001        |




**11.8 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.99      | -13         | 60.99       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.68      | -13         | 58.68       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.3           | -63.38      | -13         | 50.38       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.2           | 18.52       | 60          | 41.48       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 869.9           | -65.3       | -13         | 52.3        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -49.66      | -13         | 36.66       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.51      | -13         | 32.51       | Pass    | 7001        |




**11.9 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72         | -13         | 59          | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.6       | -13         | 59.6        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.5           | -65.23      | -13         | 52.23       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 19.47       | 60          | 40.53       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 866.9           | -65.39      | -13         | 52.39       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -47.39      | -13         | 34.39       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6798            | -45.59      | -13         | 32.59       | Pass    | 7001        |




**11.10 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.72      | -13         | 60.72       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.96      | -13         | 59.96       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.9           | -65.5       | -13         | 52.5        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 835.2           | 18.5        | 60          | 41.5        | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 953.9           | -65.24      | -13         | 52.24       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1670            | -48.2       | -13         | 35.2        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6799            | -45.62      | -13         | 32.62       | Pass    | 7001        |




**11.11 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.59      | -13         | 60.59       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.42      | -13         | 58.42       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.1           | -65.4       | -13         | 52.4        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 19.36       | 60          | 40.64       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 998.8           | -65.34      | -13         | 52.34       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -45.71      | -13         | 32.71       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6803            | -45.68      | -13         | 32.68       | Pass    | 7001        |




**11.12 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.85      | -13         | 59.85       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.54      | -13         | 58.54       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.4           | -65.46      | -13         | 52.46       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 846.2           | 18.55       | 60          | 41.45       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 986.7           | -65.36      | -13         | 52.36       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1692            | -46.48      | -13         | 33.48       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6801            | -45.65      | -13         | 32.65       | Pass    | 7001        |




**11.13 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.73      | -13         | 60.73       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.28      | -13         | 58.28       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -64.71      | -13         | 51.71       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 19.82       | 60          | 40.18       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 987.3           | -65.33      | -13         | 52.33       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -48.35      | -13         | 35.35       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.63      | -13         | 32.63       | Pass    | 7001        |




**11.14 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.62      | -13         | 60.62       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.2       | -13         | 59.2        | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -64.92      | -13         | 51.92       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.3           | 18.85       | 60          | 41.15       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 980.2           | -65.38      | -13         | 52.38       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1648            | -49.37      | -13         | 36.37       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6802            | -45.63      | -13         | 32.63       | Pass    | 7001        |




**11.15 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.48      | -13         | 59.48       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.14      | -13         | 58.14       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 812.8           | -65.38      | -13         | 52.38       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 19.87       | 60          | 40.13       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 979.9           | -65.36      | -13         | 52.36       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -47.08      | -13         | 34.08       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.6       | -13         | 32.6        | Pass    | 7001        |




**11.16 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:16,  
Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB  
Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.57      | -13         | 60.57       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.38      | -13         | 59.38       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.5           | -65.43      | -13         | 52.43       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.3           | 19.17       | 60          | 40.83       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 979.1           | -65.35      | -13         | 52.35       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1668            | -47.84      | -13         | 34.84       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6802            | -45.59      | -13         | 32.59       | Pass    | 7001        |




**11.17 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.34      | -13         | 60.34       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.39      | -13         | 58.39       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 811.5           | -65.6       | -13         | 52.6        | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 19.84       | 60          | 40.16       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 997.2           | -65.3       | -13         | 52.3        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -46.7       | -13         | 33.7        | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6796            | -45.55      | -13         | 32.55       | Pass    | 7001        |




**11.18 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.27      | -13         | 60.27       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.69      | -13         | 58.69       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.1           | -65.55      | -13         | 52.55       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 844.3           | 19.15       | 60          | 40.85       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 976             | -65.36      | -13         | 52.36       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1688            | -47.58      | -13         | 34.58       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.55      | -13         | 32.55       | Pass    | 7001        |




**11.19 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.5       | -13         | 60.5        | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.19      | -13         | 59.19       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -52.08      | -13         | 39.08       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 20.25       | 60          | 39.75       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 959.1           | -65.34      | -13         | 52.34       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -48.73      | -13         | 35.73       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6799            | -45.63      | -13         | 32.63       | Pass    | 7001        |




**11.20 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -74.04      | -13         | 61.04       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.14      | -13         | 59.14       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -52.31      | -13         | 39.31       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.6           | 19.45       | 60          | 40.55       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862.7           | -65.42      | -13         | 52.42       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -49.39      | -13         | 36.39       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6802            | -45.56      | -13         | 32.56       | Pass    | 7001        |




**11.21 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.29      | -13         | 60.29       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.34      | -13         | 58.34       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.7           | -64.98      | -13         | 51.98       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 20.28       | 60          | 39.72       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 879.1           | -65.3       | -13         | 52.3        | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -47.18      | -13         | 34.18       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.56      | -13         | 32.56       | Pass    | 7001        |



**11.22 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.073           | -73.1       | -13         | 60.1        | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.88      | -13         | 59.88       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -65.25      | -13         | 52.25       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 832.1           | 19.31       | 60          | 40.69       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 983.7           | -65.23      | -13         | 52.23       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1664            | -48.13      | -13         | 35.13       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6798            | -45.59      | -13         | 32.59       | Pass    | 7001        |



**11.23 LTE Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Margin (dB) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -73.91      | -13         | 60.91       | Pass    | 141         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.79      | -13         | 58.79       | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -65.17      | -13         | 52.17       | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 839.6           | 20.28       | 60          | 39.72       | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 866.2           | -65.35      | -13         | 52.35       | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1679            | -48.89      | -13         | 35.89       | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6800            | -45.6       | -13         | 32.6        | Pass    | 7001        |

