TABLE OF CONTENTS

1 Conducted output power for NR FR1 2
2 Frequency stability for NR FR1 4
3 Peak-to-Average Ratio for NR FR1 6
4 Occupied bandwidth for NR FR1 88
5 Band edge for NR FR1 117
6 Out-of-band emissions for NR FR1 125

1 Conducted output power for NR FR1

Band	***SCS (kHz)***	***Bandwidth (MHz)***	***UL Channel***	***RB Allocation***	***Modulation***	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n78(3450-3550)	30	10	630334	1@1	DFT_BPSK	24.66	-2.92	21.74	30.00	Pass
n78(3450-3550)	30	10	630334	24@0	DFT_QPSK	23.72	-2.92	20.80	30.00	Pass
n78(3450-3550)	30	10	630334	12@6	DFT_QPSK	24.78	-2.92	21.86	30.00	Pass
n78(3450-3550)	30	10	630334	1@1	DFT_QPSK	23.84	-2.92	20.92	30.00	Pass
n78(3450-3550)	30	10	630334	1@22	DFT_QPSK	24.54	-2.92	21.62	30.00	Pass
n78(3450-3550)	30	10	630334	1@1	DFT_QAM16	24.02	-2.92	21.10	30.00	Pass
n78(3450-3550)	30	10	630334	1@1	DFT_QAM64	20.30	-2.92	17.38	30.00	Pass
n78(3450-3550)	30	10	630334	1@1	DFT_QAM256	20.11	-2.92	17.19	30.00	Pass
n78(3450-3550)	30	10	630334	1@1	CP_QPSK	23.37	-2.92	20.45	30.00	Pass
n78(3450-3550)	30	10	633334	1@1	DFT_BPSK	24.69	-2.92	21.77	30.00	Pass
n78(3450-3550)	30	10	633334	24@0	DFT_QPSK	23.45	-2.92	20.53	30.00	Pass
n78(3450-3550)	30	10	633334	12@6	DFT_QPSK	24.64	-2.92	21.72	30.00	Pass
n78(3450-3550)	30	10	633334	1@1	DFT_QPSK	24.74	-2.92	21.82	30.00	Pass
n78(3450-3550)	30	10	633334	1@22	DFT_QPSK	22.46	-2.92	19.54	30.00	Pass
n78(3450-3550)	30	10	633334	1@1	DFT_QAM16	23.61	-2.92	20.69	30.00	Pass
n78(3450-3550)	30	10	633334	1@1	DFT_QAM64	22.68	-2.92	19.76	30.00	Pass
n78(3450-3550)	30	10	633334	1@1	DFT_QAM256	20.17	-2.92	17.25	30.00	Pass
n78(3450-3550)	30	10	633334	1@1	CP_QPSK	23.14	-2.92	20.22	30.00	Pass
n78(3450-3550)	30	10	636332	1@1	DFT_BPSK	24.64	-2.92	21.72	30.00	Pass
n78(3450-3550)	30	10	636332	24@0	DFT_QPSK	23.59	-2.92	20.67	30.00	Pass
n78(3450-3550)	30	10	636332	12@6	DFT_QPSK	24.63	-2.92	21.71	30.00	Pass
n78(3450-3550)	30	10	636332	1@1	DFT_QPSK	23.82	-2.92	20.90	30.00	Pass
n78(3450-3550)	30	10	636332	1@22	DFT_QPSK	24.96	-2.92	22.04	30.00	Pass
n78(3450-3550)	30	10	636332	1@1	DFT_QAM16	23.91	-2.92	20.99	30.00	Pass
n78(3450-3550)	30	10	636332	1@1	DFT_QAM64	21.19	-2.92	18.27	30.00	Pass
n78(3450-3550)	30	10	636332	1@1	DFT_QAM256	20.05	-2.92	17.13	30.00	Pass
n78(3450-3550)	30	10	636332	1@1	CP_QPSK	23.10	-2.92	20.18	30.00	Pass
n78(3450-3550)	30	50	631668	1@1	DFT_BPSK	24.70	-2.92	21.78	30.00	Pass
n78(3450-3550)	30	50	631668	128@0	DFT_QPSK	23.83	-2.92	20.91	30.00	Pass
n78(3450-3550)	30	50	631668	64@32	DFT_QPSK	22.68	-2.92	19.76	30.00	Pass
n78(3450-3550)	30	50	631668	1@1	DFT_QPSK	24.65	-2.92	21.73	30.00	Pass
n78(3450-3550)	30	50	631668	1@131	DFT_QPSK	24.58	-2.92	21.66	30.00	Pass
n78(3450-3550)	30	50	631668	1@1	DFT_QAM16	22.74	-2.92	19.82	30.00	Pass
n78(3450-3550)	30	50	631668	1@1	DFT_QAM64	22.18	-2.92	19.26	30.00	Pass
n78(3450-3550)	30	50	631668	1@1	DFT_QAM256	20.46	-2.92	17.54	30.00	Pass
n78(3450-3550)	30	50	631668	1@1	CP_QPSK	23.25	-2.92	20.33	30.00	Pass
n78(3450-3550)	30	50	633334	1@1	DFT_BPSK	24.67	-2.92	21.75	30.00	Pass

n78(3450-3550)	30	50	633334	128@0	DFT_QPSK	23.77	-2.92	20.85	30.00	Pass
n78(3450-3550)	30	50	633334	64@32	DFT_QPSK	24.36	-2.92	21.44	30.00	Pass
n78(3450-3550)	30	50	633334	1@1	DFT_QPSK	24.63	-2.92	21.71	30.00	Pass
n78(3450-3550)	30	50	633334	1@131	DFT_QPSK	22.69	-2.92	19.77	30.00	Pass
n78(3450-3550)	30	50	633334	1@1	DFT_QAM16	21.42	-2.92	18.50	30.00	Pass
n78(3450-3550)	30	50	633334	1@1	DFT_QAM64	22.34	-2.92	19.42	30.00	Pass
n78(3450-3550)	30	50	633334	1@1	DFT_QAM256	20.20	-2.92	17.28	30.00	Pass
n78(3450-3550)	30	50	633334	1@1	CP_QPSK	23.29	-2.92	20.37	30.00	Pass
n78(3450-3550)	30	50	635000	1@1	DFT_BPSK	24.51	-2.92	21.59	30.00	Pass
n78(3450-3550)	30	50	635000	128@0	DFT_QPSK	23.57	-2.92	20.65	30.00	Pass
n78(3450-3550)	30	50	635000	64@32	DFT_QPSK	24.87	-2.92	21.95	30.00	Pass
n78(3450-3550)	30	50	635000	1@1	DFT_QPSK	24.57	-2.92	21.65	30.00	Pass
n78(3450-3550)	30	50	635000	1@131	DFT_QPSK	22.58	-2.92	19.66	30.00	Pass
n78(3450-3550)	30	50	635000	1@1	DFT_QAM16	23.47	-2.92	20.55	30.00	Pass
n78(3450-3550)	30	50	635000	1@1	DFT_QAM64	22.38	-2.92	19.46	30.00	Pass
n78(3450-3550)	30	50	635000	1@1	DFT_QAM256	19.99	-2.92	17.07	30.00	Pass
n78(3450-3550)	30	50	635000	1@1	CP_QPSK	23.02	-2.92	20.10	30.00	Pass
n78(3450-3550)	30	100	633334	1@1	DFT_BPSK	24.58	-2.92	21.66	30.00	Pass
n78(3450-3550)	30	100	633334	270@0	DFT_QPSK	23.77	-2.92	20.85	30.00	Pass
n78(3450-3550)	30	100	633334	135@67	DFT_QPSK	24.79	-2.92	21.87	30.00	Pass
n78(3450-3550)	30	100	633334	1@1	DFT_QPSK	24.58	-2.92	21.66	30.00	Pass
n78(3450-3550)	30	100	633334	1@271	DFT_QPSK	22.34	-2.92	19.42	30.00	Pass
n78(3450-3550)	30	100	633334	1@1	DFT_QAM16	22.13	-2.92	19.21	30.00	Pass
n78(3450-3550)	30	100	633334	1@1	DFT_QAM64	22.11	-2.92	19.19	30.00	Pass
n78(3450-3550)	30	100	633334	1@1	DFT_QAM256	20.39	-2.92	17.47	30.00	Pass
n78(3450-3550)	30	100	633334	1@1	CP_QPSK	23.02	-2.92	20.10	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3450-3550)	30	10	630334	12@6	DFT_BPSK	-10.81	-0.00313	-2.5	2.5	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_BPSK	-9.89	-0.00286	-2.5	2.5	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_BPSK	-9.97	-0.00289	-2.5	2.5	PASS
n78(3450-3550)	30	10	630334	12@6	DFT_QPSK	-8.97	-0.00260	-2.5	2.5	PASS
n78(3450-3550)	30	10	630334	1@1	DFT_QPSK	-10.58	-0.00306	-2.5	2.5	PASS
n78(3450-3550)	30	10	630334	1@22	DFT_QPSK	-10.20	-0.00295	-2.5	2.5	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_BPSK	-9.53	-0.00272	-2.5	2.5	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_BPSK	-11.05	-0.00316	-2.5	2.5	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_BPSK	-9.47	-0.00271	-2.5	2.5	PASS
n78(3450-3550)	30	10	633334	12@6	DFT_QPSK	-11.88	-0.00339	-2.5	2.5	PASS
n78(3450-3550)	30	10	633334	1@1	DFT_QPSK	-11.06	-0.00316	-2.5	2.5	PASS
n78(3450-3550)	30	10	633334	1@22	DFT_QPSK	-11.05	-0.00316	-2.5	2.5	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_BPSK	-13.51	-0.00381	-2.5	2.5	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_BPSK	-12.95	-0.00365	-2.5	2.5	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_BPSK	-11.06	-0.00312	-2.5	2.5	PASS
n78(3450-3550)	30	10	636332	12@6	DFT_QPSK	-10.67	-0.00301	-2.5	2.5	PASS
n78(3450-3550)	30	10	636332	1@1	DFT_QPSK	-13.37	-0.00377	-2.5	2.5	PASS
n78(3450-3550)	30	10	636332	1@22	DFT_QPSK	-12.17	-0.00343	-2.5	2.5	PASS
n78(3450-3550)	30	50	631668	64@32	DFT_BPSK	-12.43	-0.00358	-2.5	2.5	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_BPSK	-12.14	-0.00349	-2.5	2.5	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_BPSK	-13.00	-0.00374	-2.5	2.5	PASS
n78(3450-3550)	30	50	631668	64@32	DFT_QPSK	-10.41	-0.00300	-2.5	2.5	PASS
n78(3450-3550)	30	50	631668	1@1	DFT_QPSK	-11.30	-0.00325	-2.5	2.5	PASS
n78(3450-3550)	30	50	631668	1@131	DFT_QPSK	-12.86	-0.00370	-2.5	2.5	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_BPSK	-13.17	-0.00376	-2.5	2.5	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_BPSK	-12.29	-0.00351	-2.5	2.5	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_BPSK	-14.54	-0.00415	-2.5	2.5	PASS
n78(3450-3550)	30	50	633334	64@32	DFT_QPSK	-10.72	-0.00306	-2.5	2.5	PASS
n78(3450-3550)	30	50	633334	1@1	DFT_QPSK	-12.98	-0.00371	-2.5	2.5	PASS
n78(3450-3550)	30	50	633334	1@131	DFT_QPSK	-13.55	-0.00387	-2.5	2.5	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_BPSK	-15.38	-0.00436	-2.5	2.5	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_BPSK	-14.26	-0.00405	-2.5	2.5	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_BPSK	-14.31	-0.00406	-2.5	2.5	PASS
n78(3450-3550)	30	50	635000	64@32	DFT_QPSK	-13.33	-0.00378	-2.5	2.5	PASS
n78(3450-3550)	30	50	635000	1@1	DFT_QPSK	-12.16	-0.00345	-2.5	2.5	PASS
n78(3450-3550)	30	50	635000	1@131	DFT_QPSK	-14.11	-0.00400	-2.5	2.5	PASS
n78(3450-3550)	30	100	633334	135@67	DFT_BPSK	-13.37	-0.00382	-2.5	2.5	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_BPSK	-14.56	-0.00416	-2.5	2.5	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_BPSK	-21.97	-0.00628	-2.5	2.5	PASS

n78(3450-3550)	30	100	633334	135@67	DFT_QPSK	-15.12	-0.00432	-2.5	2.5	PASS
n78(3450-3550)	30	100	633334	1@1	DFT_QPSK	-12.06	-0.00345	-2.5	2.5	PASS
n78(3450-3550)	30	100	633334	1@271	DFT_QPSK	-12.23	-0.00349	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n78(3450-3550)	30	10	630334	24@0	DFT_BPSK	4.37	13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_QPSK	5.52	13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_QAM16	8.97	13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_QAM64	6.68	13	PASS
n78(3450-3550)	30	10	630334	24@0	DFT_QAM256	6.67	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_BPSK	4.42	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QPSK	5.76	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QAM16	6.59	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QAM64	6.50	13	PASS
n78(3450-3550)	30	10	633334	24@0	DFT_QAM256	6.87	13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_BPSK	4.30	13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_QPSK	5.53	13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_QAM16	6.27	13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_QAM64	6.64	13	PASS
n78(3450-3550)	30	10	636332	24@0	DFT_QAM256	6.84	13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_BPSK	4.54	13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_QPSK	5.69	13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_QAM16	6.48	13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_QAM64	6.65	13	PASS
n78(3450-3550)	30	15	630500	36@0	DFT_QAM256	6.68	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_BPSK	5.13	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QPSK	5.54	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QAM16	6.48	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QAM64	6.56	13	PASS
n78(3450-3550)	30	15	633334	36@0	DFT_QAM256	6.72	13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_BPSK	4.51	13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_QPSK	5.67	13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_QAM16	6.45	13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_QAM64	6.67	13	PASS
n78(3450-3550)	30	15	636166	36@0	DFT_QAM256	6.72	13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_BPSK	4.63	13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_QPSK	5.82	13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_QAM16	6.39	13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_QAM64	6.75	13	PASS
n78(3450-3550)	30	20	630668	50@0	DFT_QAM256	6.80	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_BPSK	5.37	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QPSK	5.96	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QAM16	6.59	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QAM64	6.86	13	PASS
n78(3450-3550)	30	20	633334	50@0	DFT_QAM256	6.77	13	PASS

n78(3450-3550)	30	20	636000	50@0	DFT_BPSK	4.57	13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_QPSK	5.65	13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_QAM16	6.47	13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_QAM64	6.66	13	PASS
n78(3450-3550)	30	20	636000	50@0	DFT_QAM256	6.79	13	PASS
n78(3450-3550)	30	30	631000	75@0	DFT_BPSK	4.40	13	PASS
n78(3450-3550)	30	30	631000	75@0	DFT_QPSK	5.78	13	PASS
n78(3450-3550)	30	30	631000	75@0	DFT_QAM16	6.30	13	PASS
n78(3450-3550)	30	30	631000	75@0	DFT_QAM64	6.72	13	PASS
n78(3450-3550)	30	30	631000	75@0	DFT_QAM256	6.89	13	PASS
n78(3450-3550)	30	30	633334	75@0	DFT_BPSK	4.31	13	PASS
n78(3450-3550)	30	30	633334	75@0	DFT_QPSK	5.70	13	PASS
n78(3450-3550)	30	30	633334	75@0	DFT_QAM16	6.34	13	PASS
n78(3450-3550)	30	30	633334	75@0	DFT_QAM64	6.86	13	PASS
n78(3450-3550)	30	30	633334	75@0	DFT_QAM256	6.55	13	PASS
n78(3450-3550)	30	30	635666	75@0	DFT_BPSK	4.38	13	PASS
n78(3450-3550)	30	30	635666	75@0	DFT_QPSK	6.01	13	PASS
n78(3450-3550)	30	30	635666	75@0	DFT_QAM16	6.50	13	PASS
n78(3450-3550)	30	30	635666	75@0	DFT_QAM64	6.69	13	PASS
n78(3450-3550)	30	30	635666	75@0	DFT_QAM256	6.86	13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_BPSK	4.75	13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_QPSK	5.86	13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_QAM16	6.73	13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_QAM64	6.96	13	PASS
n78(3450-3550)	30	40	631334	100@0	DFT_QAM256	6.84	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_BPSK	4.54	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QPSK	5.88	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QAM16	6.58	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QAM64	6.91	13	PASS
n78(3450-3550)	30	40	633334	100@0	DFT_QAM256	7.10	13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_BPSK	4.70	13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_QPSK	5.71	13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_QAM16	6.85	13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_QAM64	6.94	13	PASS
n78(3450-3550)	30	40	635332	100@0	DFT_QAM256	7.07	13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_BPSK	5.31	13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_QPSK	6.36	13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_QAM16	7.04	13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_QAM64	7.24	13	PASS
n78(3450-3550)	30	50	631668	128@0	DFT_QAM256	7.42	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_BPSK	4.89	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QPSK	6.42	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QAM16	7.12	13	PASS
n78(3450-3550)	30	50	633334	128@0	DFT_QAM64	7.36	13	PASS

n78(3450-3550)	30	50	633334	128@0	DFT_QAM256	7.41	13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_BPSK	5.82	13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_QPSK	6.36	13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_QAM16	7.30	13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_QAM64	7.16	13	PASS
n78(3450-3550)	30	50	635000	128@0	DFT_QAM256	7.31	13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_BPSK	6.02	13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_QPSK	6.81	13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_QAM16	7.27	13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_QAM64	7.58	13	PASS
n78(3450-3550)	30	60	632000	162@0	DFT_QAM256	7.69	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_BPSK	5.94	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QPSK	6.97	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QAM16	7.25	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QAM64	7.52	13	PASS
n78(3450-3550)	30	60	633334	162@0	DFT_QAM256	7.51	13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_BPSK	5.82	13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_QPSK	6.69	13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_QAM16	7.34	13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_QAM64	7.39	13	PASS
n78(3450-3550)	30	60	634666	162@0	DFT_QAM256	7.51	13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_BPSK	5.71	13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_QPSK	6.86	13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_QAM16	7.65	13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_QAM64	7.48	13	PASS
n78(3450-3550)	30	70	632334	180@0	DFT_QAM256	7.78	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_BPSK	5.88	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_QPSK	7.12	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_QAM16	7.40	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_QAM64	7.68	13	PASS
n78(3450-3550)	30	70	633334	180@0	DFT_QAM256	7.44	13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_BPSK	5.92	13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_QPSK	7.07	13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_QAM16	7.54	13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_QAM64	7.80	13	PASS
n78(3450-3550)	30	70	634332	180@0	DFT_QAM256	7.51	13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_BPSK	6.02	13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_QPSK	7.20	13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_QAM16	7.30	13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_QAM64	7.85	13	PASS
n78(3450-3550)	30	80	632668	216@0	DFT_QAM256	7.97	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_BPSK	6.30	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QPSK	7.37	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QAM16	7.54	13	PASS

n78(3450-3550)	30	80	633334	216@0	DFT_QAM64	7.78	13	PASS
n78(3450-3550)	30	80	633334	216@0	DFT_QAM256	7.70	13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_BPSK	6.21	13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_QPSK	7.38	13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_QAM16	7.79	13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_QAM64	7.83	13	PASS
n78(3450-3550)	30	80	634000	216@0	DFT_QAM256	7.77	13	PASS
n78(3450-3550)	30	90	633000	240@0	DFT_BPSK	6.81	13	PASS
n78(3450-3550)	30	90	633000	240@0	DFT_QPSK	7.18	13	PASS
n78(3450-3550)	30	90	633000	240@0	DFT_QAM16	7.78	13	PASS
n78(3450-3550)	30	90	633000	240@0	DFT_QAM64	7.66	13	PASS
n78(3450-3550)	30	90	633000	240@0	DFT_QAM256	7.96	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_BPSK	6.47	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QPSK	7.85	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QAM16	7.43	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QAM64	7.83	13	PASS
n78(3450-3550)	30	90	633334	240@0	DFT_QAM256	8.16	13	PASS
n78(3450-3550)	30	90	633666	240@0	DFT_BPSK	6.36	13	PASS
n78(3450-3550)	30	90	633666	240@0	DFT_QPSK	7.38	13	PASS
n78(3450-3550)	30	90	633666	240@0	DFT_QAM16	8.01	13	PASS
n78(3450-3550)	30	90	633666	240@0	DFT_QAM64	8.20	13	PASS
n78(3450-3550)	30	90	633666	240@0	DFT_QAM256	8.09	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_BPSK	6.67	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QPSK	7.52	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QAM16	7.74	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QAM64	7.79	13	PASS
n78(3450-3550)	30	100	633334	270@0	DFT_QAM256	8.06	13	PASS

n78(3450-3550) SCS=30kHz DFT_BPSK BW=100MHz Channel=633334 RB=270@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=630334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=633334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=10MHz Channel=636332 RB=24@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=630500 RB=36@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=633334 RB=36@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=15MHz Channel=636166 RB=36@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=630668 RB=50@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=633334 RB=50@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=20MHz Channel=636000 RB=50@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz Channel=631000 RB=75@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz Channel=633334 RB=75@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=30MHz Channel=635666 RB=75@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=631334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=633334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=40MHz Channel=635332 RB=100@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=631668 RB=128@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=633334 RB=128@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=50MHz Channel=635000 RB=128@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=632000 RB=162@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=633334 RB=162@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=60MHz Channel=634666 RB=162@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=632334 RB=180@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=633334 RB=180@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=70MHz Channel=634332 RB=180@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=632668 RB=216@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=633334 RB=216@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=80MHz Channel=634000 RB=216@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633000 RB=240@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633334 RB=240@0



n78(3450-3550) SCS=30kHz DFT_BPSK BW=90MHz Channel=633666 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=100MHz Channel=633334 RB=270@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=10MHz Channel=630334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=10MHz Channel=633334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=10MHz Channel=636332 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=15MHz Channel=630500 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=15MHz Channel=633334 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=15MHz Channel=636166 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=20MHz Channel=630668 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=20MHz Channel=633334 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=20MHz Channel=636000 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=30MHz Channel=631000 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=30MHz Channel=633334 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=30MHz Channel=635666 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=40MHz Channel=631334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=40MHz Channel=633334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=40MHz Channel=635332 RB=100@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=50MHz Channel=631668 RB=128@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=50MHz Channel=633334 RB=128@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=50MHz Channel=635000 RB=128@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=60MHz Channel=632000 RB=162@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=60MHz Channel=633334 RB=162@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=60MHz Channel=634666 RB=162@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=70MHz Channel=632334 RB=180@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=70MHz Channel=633334 RB=180@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=70MHz Channel=634332 RB=180@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=80MHz Channel=632668 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=80MHz Channel=633334 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=80MHz Channel=634000 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=90MHz Channel=633000 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=90MHz Channel=633334 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM16 BW=90MHz Channel=633666 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=100MHz Channel=633334 RB=270@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=10MHz Channel=630334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=10MHz Channel=633334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=10MHz Channel=636332 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=15MHz Channel=630500 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=15MHz Channel=633334 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=15MHz Channel=636166 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=20MHz Channel=630668 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=20MHz Channel=633334 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=20MHz Channel=636000 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=30MHz Channel=631000 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=30MHz Channel=633334 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=30MHz Channel=635666 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=40MHz Channel=631334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=40MHz Channel=633334 RB=100@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=40MHz Channel=635332 RB=100@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=50MHz Channel=631668 RB=128@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=50MHz Channel=633334 RB=128@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=50MHz Channel=635000 RB=128@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=60MHz Channel=632000 RB=162@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=60MHz Channel=633334 RB=162@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=60MHz Channel=634666 RB=162@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=70MHz Channel=632334 RB=180@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=70MHz Channel=633334 RB=180@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=70MHz Channel=634332 RB=180@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=80MHz Channel=632668 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=80MHz Channel=633334 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=80MHz Channel=634000 RB=216@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=90MHz Channel=633000 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=90MHz Channel=633334 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM256 BW=90MHz Channel=633666 RB=240@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=100MHz Channel=633334 RB=270@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=10MHz Channel=630334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=10MHz Channel=633334 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=10MHz Channel=636332 RB=24@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=15MHz Channel=630500 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=15MHz Channel=633334 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=15MHz Channel=636166 RB=36@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=20MHz Channel=630668 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=20MHz Channel=633334 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=20MHz Channel=636000 RB=50@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=30MHz Channel=631000 RB=75@0



n78(3450-3550) SCS=30kHz DFT_QAM64 BW=30MHz Channel=633334 RB=75@0