




For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF
UTRA BANDS
Band 2:
Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1636.8750	-66.9	24.92	-91.82	-13	-53.9	360.1	Horizontal	PK	Pass
2	2829.3750	-61.23	28	-89.23	-13	-48.23	197.8	Horizontal	PK	Pass
3	3597.5000	-46.26	28.73	-74.99	-13	-33.26	228.9	Horizontal	PK	Pass
4	7998.0000	-69.71	8.28	-77.99	-13	-56.71	206.5	Horizontal	PK	Pass
5	10987.5000	-61.89	15.54	-77.43	-13	-48.89	295	Horizontal	PK	Pass
6	14326.5000	-57.92	18.8	-76.72	-13	-44.92	175.4	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1285.0000	-67.99	24.7	-92.69	-13	-54.99	274.2	Vertical	PK	Pass
2	1783.1250	-58.44	24.99	-83.43	-13	-45.44	62.6	Vertical	PK	Pass
3	4476.2500	-54.55	30.56	-85.11	-13	-41.55	45.9	Vertical	PK	Pass
4	7677.0000	-70.24	7.96	-78.2	-13	-57.24	198.1	Vertical	PK	Pass
5	10999.5000	-62.01	15.61	-77.62	-13	-49.01	-0.1	Vertical	PK	Pass
6	14277.0000	-58.01	18.84	-76.85	-13	-45.01	135.9	Vertical	PK	Pass




Report No.: WSCT-ANAB-R&E240700032A-RF

Certificate Number: AT-3951

For Question,
Please Contact with WSCT
www.wsct-cert.com

Band 4:
Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1526.2500	-66.28	24.97	-91.25	-13	-53.28	293.4	Horizontal	PK	Pass
2	2610.6250	-60.59	27.73	-88.32	-13	-47.59	310.1	Horizontal	PK	Pass
3	3535.6250	-48.37	28.59	-76.96	-13	-35.37	1.2	Horizontal	PK	Pass
4	7692.0000	-70.06	7.96	-78.02	-13	-57.06	15.3	Horizontal	PK	Pass
5	11046.0000	-62.86	15.77	-78.63	-13	-49.86	0	Horizontal	PK	Pass
6	14067.0000	-57.58	19.06	-76.64	-13	-44.58	101.4	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1783.1250	-58.66	24.99	-83.65	-13	-45.66	218.4	Vertical	PK	Pass
2	2586.2500	-58.89	27.7	-86.59	-13	-45.89	-0.1	Vertical	PK	Pass
3	4135.0000	-56.32	29.94	-86.26	-13	-43.32	322.4	Vertical	PK	Pass
4	7650.0000	-70.25	7.96	-78.21	-13	-57.25	207.3	Vertical	PK	Pass
5	10284.0000	-64.77	13.24	-78.01	-13	-51.77	36.4	Vertical	PK	Pass
6	13620.0000	-59.02	18.03	-77.05	-13	-46.02	55.4	Vertical	PK	Pass




For Question,
Please Contact with WSCT
art.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 5:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1450.0000	-67.98	25.05	-93.03	-13	-54.98	201.8	Horizontal	PK	Pass
2	2471.2500	-65.33	27.5	-92.83	-13	-52.33	322.5	Horizontal	PK	Pass
3	3510.0000	-60.44	28.52	-88.96	-13	-47.44	40.4	Horizontal	PK	Pass
4	8128.5000	-68.4	8.56	-76.96	-13	-55.4	26.8	Horizontal	PK	Pass
5	11085.0000	-61.66	15.89	-77.55	-13	-48.66	67.4	Horizontal	PK	Pass
6	13600.5000	-57.63	17.97	-75.6	-13	-44.63	48.3	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1495.6250	-67.41	25	-92.41	-13	-54.41	231.6	Vertical	PK	Pass
2	2275.0000	-67.44	26.84	-94.28	-13	-54.44	262.7	Vertical	PK	Pass
3	4065.0000	-65.4	29.82	-95.22	-13	-52.4	122.8	Vertical	PK	Pass
4	7600.5000	-69.84	7.92	-77.76	-13	-56.84	305.3	Vertical	PK	Pass
5	10554.0000	-63.21	14.15	-77.36	-13	-50.21	208.4	Vertical	PK	Pass
6	14374.5000	-57.53	18.74	-76.27	-13	-44.53	137.9	Vertical	PK	Pass




For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

E-UTRA BANDS

Band 2:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1941.2500	-51.74	3.2	-54.94	-13	-38.74	326.2	Horizontal	PK	Pass
2	2675.0000	-61.27	7.31	-68.58	-13	-48.27	151.8	Horizontal	PK	Pass
3	3504.3750	-55.64	10.49	-66.13	-13	-42.64	227	Horizontal	PK	Pass
4	8439.0000	-68.51	37.18	-105.69	-13	-55.51	1.1	Horizontal	PK	Pass
5	10611.0000	-61.92	38.96	-100.88	-13	-48.92	360.1	Horizontal	PK	Pass
6	14079.0000	-57	41.4	-98.4	-13	-44	47.1	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1888.7500	-65.36	2.37	-67.73	-13	-52.36	296.2	Vertical	PK	Pass
2	3154.3750	-60.04	9.38	-69.42	-13	-47.04	0	Vertical	PK	Pass
3	4355.6250	-55.79	14.67	-70.46	-13	-42.79	359.6	Vertical	PK	Pass
4	8475.0000	-67.93	37.19	-105.12	-13	-54.93	146.2	Vertical	PK	Pass
5	11085.0000	-62.27	39.42	-101.69	-13	-49.27	129.4	Vertical	PK	Pass
6	13975.5000	-57.41	41.44	-98.85	-13	-44.41	298	Vertical	PK	Pass




For Question,
Please Contact with WSCT
art.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 4:

Horizontal:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1764.3750	-59.09	1.48	-60.57	-13	-46.09	239.5	Horizontal	PK	Pass
2	2761.8750	-60.23	7.79	-68.02	-13	-47.23	111.6	Horizontal	PK	Pass
3	3851.8750	-55.86	12.38	-68.24	-13	-42.86	129.5	Horizontal	PK	Pass
4	8469.0000	-68.36	37.19	-105.55	-13	-55.36	71.4	Horizontal	PK	Pass
5	11028.0000	-61.36	39.47	-100.83	-13	-48.36	155.1	Horizontal	PK	Pass
6	15148.5000	-56.89	39.74	-96.63	-13	-43.89	18.9	Horizontal	PK	Pass



Report No.: WSCT-ANAB-R&E240700032A-RF

Vertical:

Certificate Number: AT-3951

on,
with WSCT
rt.com

Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1878.7500	-64.8	1.8	-66.6	-13	-51.8	78.2	Vertical	PK	Pass
2	2663.7500	-61.02	6.56	-67.58	-13	-48.02	0.7	Vertical	PK	Pass
3	3402.5000	-42.02	9.58	-51.6	-13	-29.02	139.1	Vertical	PK	Pass
4	9252.0000	-67.38	37.58	-104.96	-13	-54.38	4.2	Vertical	PK	Pass
5	11848.5000	-60.93	38.74	-99.67	-13	-47.93	4.2	Vertical	PK	Pass
6	15108.0000	-56.45	39.87	-96.32	-13	-43.45	-0.1	Vertical	PK	Pass




For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 5:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1766.8750	-65.32	0.6	-65.92	-13	-52.32	191.8	Horizontal	PK	Pass
2	3089.3750	-68.64	8.36	-77	-13	-55.64	169	Horizontal	PK	Pass
3	3750.0000	-65.8	11.18	-76.98	-13	-52.8	337.6	Horizontal	PK	Pass
4	9772.5000	-65.77	37.94	-103.71	-13	-52.77	290.2	Horizontal	PK	Pass
5	11577.0000	-60.86	38.98	-99.84	-13	-47.86	106.1	Horizontal	PK	Pass
6	15091.5000	-57.99	39.92	-97.91	-13	-44.99	213.7	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2187.5000	-68.39	3.92	-72.31	-13	-55.39	359.9	Vertical	PK	Pass
2	3550.0000	-67.01	10.41	-77.42	-13	-54.01	296.8	Vertical	PK	Pass
3	4539.3750	-66.29	14.64	-80.93	-13	-53.29	359.9	Vertical	PK	Pass
4	9345.0000	-67.62	37.64	-105.26	-13	-54.62	77.4	Vertical	PK	Pass
5	11149.5000	-61.55	39.37	-100.92	-13	-48.55	55.8	Vertical	PK	Pass
6	14344.5000	-56.85	41.05	-97.9	-13	-43.85	-0.1	Vertical	PK	Pass




For Question,

Please Contact with WSCT
art.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 7:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1754.3750	-64.85	0.6	-65.45	-13	-51.85	12.8	Horizontal	PK	Pass
2	2516.8750	-59.86	6.06	-65.92	-13	-46.86	202.6	Horizontal	PK	Pass
3	3598.1250	-44.19	10.59	-54.78	-13	-31.19	351.2	Horizontal	PK	Pass
4	8901.0000	-68.24	37.36	-105.6	-13	-55.24	310.6	Horizontal	PK	Pass
5	11070.0000	-61.89	39.44	-101.33	-13	-48.89	353.8	Horizontal	PK	Pass
6	13695.0000	-58.5	40.71	-99.21	-13	-45.5	305.8	Horizontal	PK	Pass




Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1960.0000	-58.45	2.36	-60.81	-13	-45.45	1.1	Vertical	PK	Pass
2	2556.2500	-59.84	6.14	-65.98	-13	-46.84	243	Vertical	PK	Pass
3	3405.0000	-51.55	9.59	-61.14	-13	-38.55	4.2	Vertical	PK	Pass
4	8920.5000	-67.53	37.37	-104.9	-13	-54.53	359.3	Vertical	PK	Pass
5	10672.5000	-63.3	39.04	-102.34	-13	-50.3	131.4	Vertical	PK	Pass
6	14064.0000	-58.18	41.42	-99.6	-13	-45.18	302.3	Vertical	PK	Pass


Band 12:
Horizontal:

Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1863.7500	-67.73	1.7	-69.43	-13	-54.73	18.2	Horizontal	PK	Pass
2	2894.3750	-67.03	7.57	-74.6	-13	-54.03	122.4	Horizontal	PK	Pass
3	3819.3750	-65.16	11.46	-76.62	-13	-52.16	122.4	Horizontal	PK	Pass
4	9375.0000	-67.25	37.66	-104.91	-13	-54.25	225.7	Horizontal	PK	Pass
5	11017.5000	-61.49	39.48	-100.97	-13	-48.49	29.6	Horizontal	PK	Pass
6	13993.5000	-58.41	41.48	-99.89	-13	-45.41	29.6	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1586.8750	-67.1	0.37	-67.47	-13	-54.1	159.4	Vertical	PK	Pass
2	2683.7500	-67.08	6.66	-73.74	-13	-54.08	259.8	Vertical	PK	Pass
3	3908.7500	-64.74	11.85	-76.59	-13	-51.74	45.9	Vertical	PK	Pass
4	7753.5000	-70.07	36.63	-106.7	-13	-57.07	0	Vertical	PK	Pass
5	10611.0000	-63.3	38.96	-102.26	-13	-50.3	250.8	Vertical	PK	Pass
6	14034.0000	-57.23	41.46	-98.69	-13	-44.23	0	Vertical	PK	Pass




For Question,
Please Contact with WSCT
art.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 17:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1879.3750	-68.52	1.81	-70.33	-13	-55.52	184.6	Horizontal	PK	Pass
2	2728.1250	-66.74	6.9	-73.64	-13	-53.74	0.4	Horizontal	PK	Pass
3	3443.7500	-64.1	9.71	-73.81	-13	-51.1	16.4	Horizontal	PK	Pass
4	9603.0000	-67.06	37.82	-104.88	-13	-54.06	126.4	Horizontal	PK	Pass
5	11620.5000	-60.74	38.94	-99.68	-13	-47.74	301	Horizontal	PK	Pass
6	13888.5000	-57.63	41.21	-98.84	-13	-44.63	28.4	Horizontal	PK	Pass




Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1942.5000	-67.44	2.21	-69.65	-13	-54.44	286.2	Vertical	PK	Pass
2	2608.7500	-67.18	6.35	-73.53	-13	-54.18	355.2	Vertical	PK	Pass
3	3499.3750	-57.08	9.95	-67.03	-13	-44.08	332.8	Vertical	PK	Pass
4	9307.5000	-67.57	37.62	-105.19	-13	-54.57	83.6	Vertical	PK	Pass
5	11136.0000	-61.92	39.38	-101.3	-13	-48.92	288	Vertical	PK	Pass
6	14443.5000	-57.03	40.92	-97.95	-13	-44.03	359.1	Vertical	PK	Pass


Band 38:
Horizontal:

Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1696.8750	-62.69	0.57	-63.26	-13	-49.69	360.1	Horizontal	PK	Pass
2	2716.8750	-60.45	6.84	-67.29	-13	-47.45	203.8	Horizontal	PK	Pass
3	3678.1250	-57.01	11.1	-68.11	-13	-44.01	3.9	Horizontal	PK	Pass
4	9717.0000	-65.96	37.9	-103.86	-13	-52.96	0	Horizontal	PK	Pass
5	11500.5000	-61.69	39.05	-100.74	-13	-48.69	309.4	Horizontal	PK	Pass
6	14119.5000	-57.56	41.34	-98.9	-13	-44.56	319	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1680.6250	-61.35	0.56	-61.91	-13	-48.35	0.1	Vertical	PK	Pass
2	1958.7500	-60.21	2.34	-62.55	-13	-47.21	106.5	Vertical	PK	Pass
3	3040.0000	-60.08	8.23	-68.31	-13	-47.08	144.7	Vertical	PK	Pass
4	8641.5000	-67.73	37.26	-104.99	-13	-54.73	286.2	Vertical	PK	Pass
5	10974.0000	-61.68	39.46	-101.14	-13	-48.68	141.5	Vertical	PK	Pass
6	15118.5000	-57.81	39.83	-97.64	-13	-44.81	294.5	Vertical	PK	Pass




Report No.: WSCT-ANAB-R&E240700032A-RF

Certificate Number: AT-3951

For Question,
Please Contact with WSCT
www.wsct-cert.com

Band 41:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1726.8750	-62.28	0.58	-62.86	-13	-49.28	0	Horizontal	PK	Pass
2	2855.0000	-60.28	7.42	-67.7	-13	-47.28	72.6	Horizontal	PK	Pass
3	3769.3750	-54.24	11.17	-65.41	-13	-41.24	29.7	Horizontal	PK	Pass
4	9760.5000	-65.68	37.93	-103.61	-13	-52.68	91.4	Horizontal	PK	Pass
5	11469.0000	-61.92	39.08	-101	-13	-48.92	1.8	Horizontal	PK	Pass
6	13975.5000	-57.74	41.44	-99.18	-13	-44.74	91.4	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1696.8750	-62.5	0.57	-63.07	-13	-49.5	284.2	Vertical	PK	Pass
2	2897.5000	-58.38	7.59	-65.97	-13	-45.38	-0.1	Vertical	PK	Pass
3	3484.3750	-55.81	9.84	-65.65	-13	-42.81	269.8	Vertical	PK	Pass
4	8320.5000	-68.33	37.13	-105.46	-13	-55.33	356.6	Vertical	PK	Pass
5	11007.0000	-61.79	39.49	-101.28	-13	-48.79	0.5	Vertical	PK	Pass
6	13606.5000	-58.72	40.48	-99.2	-13	-45.72	112.9	Vertical	PK	Pass




For Question,
Please Contact with WSCT
art.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 42(3450-3550Mhz):

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1760.6250	-66.41	0.6	-67.01	-13	-53.41	43.6	Horizontal	PK	Pass
2	2508.7500	-61.12	6.06	-67.18	-13	-48.12	106.9	Horizontal	PK	Pass
3	3735.0000	-56.44	11.19	-67.63	-13	-43.44	184.6	Horizontal	PK	Pass
4	9000.0000	-67.63	37.4	-105.03	-13	-54.63	75	Horizontal	PK	Pass
5	11109.0000	-61.18	39.4	-100.58	-13	-48.18	78.6	Horizontal	PK	Pass
6	14055.0000	-57.37	41.43	-98.8	-13	-44.37	355.1	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2115.0000	-63.83	3.54	-67.37	-13	-50.83	97.3	Vertical	PK	Pass
2	3060.0000	-60.27	8.29	-68.56	-13	-47.27	145.1	Vertical	PK	Pass
3	3716.2500	-56.56	11.21	-67.77	-13	-43.56	118.8	Vertical	PK	Pass
4	8923.5000	-67.8	37.37	-105.17	-13	-54.8	88.2	Vertical	PK	Pass
5	10929.0000	-62.25	39.4	-101.65	-13	-49.25	274.6	Vertical	PK	Pass
6	13621.5000	-58.35	40.52	-98.87	-13	-45.35	224.5	Vertical	PK	Pass




For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Band 66:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1786.8750	-65.21	0.81	-66.02	-13	-52.21	360.1	Horizontal	PK	Pass
2	2323.1250	-55.41	5.14	-60.55	-13	-42.41	360.1	Horizontal	PK	Pass
3	3919.3750	-56.18	11.9	-68.08	-13	-43.18	216.9	Horizontal	PK	Pass
4	8518.5000	-66.71	37.21	-103.92	-13	-53.71	359.3	Horizontal	PK	Pass
5	11002.5000	-62.27	39.5	-101.77	-13	-49.27	359.5	Horizontal	PK	Pass
6	13614.0000	-57.76	40.5	-98.26	-13	-44.76	318.9	Horizontal	PK	Pass



Vertical:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2106.8750	-63.28	3.42	-66.7	-13	-50.28	122.4	Vertical	PK	Pass
2	2324.3750	-60.57	5.13	-65.7	-13	-47.57	360.1	Vertical	PK	Pass
3	3501.8750	-54.01	9.97	-63.98	-13	-41.01	4.6	Vertical	PK	Pass
4	7602.0000	-69.53	36.4	-105.93	-13	-56.53	260.2	Vertical	PK	Pass
5	9834.0000	-65.29	37.98	-103.27	-13	-52.29	359.5	Vertical	PK	Pass
6	13897.5000	-57.85	41.23	-99.08	-13	-44.85	355.9	Vertical	PK	Pass




For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

NR Bands

n5:

Horizontal:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1335.7500	-66.85	24.88	-91.73	-13	-53.85	269.4	Horizontal	PK	Pass
2	1929.5000	-63.2	25.58	-88.78	-13	-50.2	120	Horizontal	PK	Pass
3	2480.0000	-53.48	27.53	-81.01	-13	-40.48	250.2	Horizontal	PK	Pass
4	5085.0000	-69.03	31.67	-100.7	-13	-56.03	108.5	Horizontal	PK	Pass
5	7280.6250	-66.71	6.9	-73.61	-13	-53.71	-0.1	Horizontal	PK	Pass
6	11998.1250	-60.84	16.83	-77.67	-13	-47.84	130	Horizontal	PK	Pass



Vertical:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1695.0000	-64.97	24.95	-89.92	-13	-51.97	212.1	Vertical	PK	Pass
2	2201.5000	-61.6	26.59	-88.19	-13	-48.6	93.8	Vertical	PK	Pass
3	2478.0000	-55.62	27.53	-83.15	-13	-42.62	20.1	Vertical	PK	Pass
4	4533.7500	-70.04	30.67	-100.71	-13	-57.04	358.6	Vertical	PK	Pass
5	7636.8750	-65.1	7.96	-73.06	-13	-52.1	0	Vertical	PK	Pass
6	13651.8750	-57.13	18.12	-75.25	-13	-44.13	283	Vertical	PK	Pass



For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

n7:
Horizontal:




Susputed Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1565.6250	-66.03	0.54	-66.57	-13	-53.03	326.4	Horizontal	PK	Pass
2	2602.5000	-58.84	6.84	-65.68	-13	-45.84	357.7	Horizontal	PK	Pass
3	3498.1250	-53.98	10.18	-64.16	-13	-40.98	2.2	Horizontal	PK	Pass
4	9732.0000	-65.7	37.91	-103.61	-13	-52.7	360	Horizontal	PK	Pass
5	11062.5000	-60.93	39.44	-100.37	-13	-47.93	25.6	Horizontal	PK	Pass
6	13698.0000	-58.59	40.71	-99.3	-13	-45.59	313.7	Horizontal	PK	Pass



Report No.: WSCT-ANAB-R&E240700032A-RF

Vertical:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1770.0000	-58.65	1.35	-60	-13	-45.65	163.5	Vertical	PK	Pass
2	2496.2500	-59.51	6.32	-65.83	-13	-46.51	313	Vertical	PK	Pass
3	3405.0000	-42.27	9.79	-52.06	-13	-29.27	169.5	Vertical	PK	Pass
4	8935.5000	-68.05	37.37	-105.42	-13	-55.05	69.3	Vertical	PK	Pass
5	10579.5000	-61.97	38.91	-100.88	-13	-48.97	352	Vertical	PK	Pass
6	13609.5000	-58.61	40.48	-99.09	-13	-45.61	168.6	Vertical	PK	Pass



For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

n12:
Horizontal:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1720.6250	-65.75	1.05	-66.8	-13	-52.75	70.9	Horizontal	PK	Pass
2	2858.7500	-61.09	7.8	-68.89	-13	-48.09	1.3	Horizontal	PK	Pass
3	4303.1250	-56.18	13.89	-70.07	-13	-43.18	21	Horizontal	PK	Pass
4	8341.5000	-68.61	37.14	-105.75	-13	-55.61	40.3	Horizontal	PK	Pass
5	11070.0000	-60.56	39.44	-100	-13	-47.56	8.9	Horizontal	PK	Pass
6	13986.0000	-56.72	41.46	-98.18	-13	-43.72	8.9	Horizontal	PK	Pass



For Question,
Please Contact with WSCT
rt.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Vertical:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1671.2500	-61.99	0.79	-62.78	-13	-48.99	235.3	Vertical	PK	Pass
2	2921.8750	-60.1	8.03	-68.13	-13	-47.1	109.8	Vertical	PK	Pass
3	3644.3750	-56.74	10.95	-67.69	-13	-43.74	344.2	Vertical	PK	Pass
4	8089.5000	-67.74	37.04	-104.78	-13	-54.74	322.1	Vertical	PK	Pass
5	10962.0000	-63.12	39.45	-102.57	-13	-50.12	159.5	Vertical	PK	Pass
6	13918.5000	-58.22	41.29	-99.51	-13	-45.22	164.3	Vertical	PK	Pass



For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

n38:
Horizontal:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1695.6250	-62.68	4.83	-67.51	-13	-49.68	346.6	Horizontal	PK	Pass
2	2878.7500	-58.98	8.18	-67.16	-13	-45.98	196	Horizontal	PK	Pass
3	4413.1250	-51.52	15.11	-66.63	-13	-38.52	342	Horizontal	PK	Pass
4	8491.5000	-68.72	37.2	-105.92	-13	-55.72	269.4	Horizontal	PK	Pass
5	10744.5000	-62.19	39.14	-101.33	-13	-49.19	224	Horizontal	PK	Pass
6	14163.0000	-56.66	41.29	-97.95	-13	-43.66	360	Horizontal	PK	Pass



For Question,
Please Contact with WSCT
rt.com

Report No.: WSCT-ANAB-R&E240700032A-RF

Vertical:




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1783.1250	-60.15	2.97	-63.12	-13	-47.15	45.2	Vertical	PK	Pass
2	2661.2500	-61.06	7.42	-68.48	-13	-48.06	142	Vertical	PK	Pass
3	4659.3750	-52.61	15.83	-68.44	-13	-39.61	187.4	Vertical	PK	Pass
4	8085.0000	-69	37.03	-106.03	-13	-56	360	Vertical	PK	Pass
5	11115.0000	-61.97	39.4	-101.37	-13	-48.97	345.8	Vertical	PK	Pass
6	13600.5000	-57.97	40.46	-98.43	-13	-44.97	312.5	Vertical	PK	Pass



Report No.: WSCT-ANAB-R&E240700032A-RF


n41:
Horizontal:

Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1796.8750	-64.51	2.74	-67.25	-13	-51.51	255.5	Horizontal	PK	Pass
2	2816.8750	-59.85	7.77	-67.62	-13	-46.85	359.6	Horizontal	PK	Pass
3	3973.1250	-55.65	13.24	-68.89	-13	-42.65	298.6	Horizontal	PK	Pass
4	8481.0000	-67.67	37.19	-104.86	-13	-54.67	152.2	Horizontal	PK	Pass
5	10986.0000	-62.36	39.48	-101.84	-13	-49.36	105.7	Horizontal	PK	Pass
6	13737.0000	-58.56	40.82	-99.38	-13	-45.56	21	Horizontal	PK	Pass



Vertical:



Suspected Data List


NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1859.3750	-65.3	2.46	-67.76	-13	-52.3	-0.1	Vertical	PK	Pass
2	2477.5000	-61.88	6.57	-68.45	-13	-48.88	39.1	Vertical	PK	Pass
3	3435.6250	-46.92	10.43	-57.35	-13	-33.92	307	Vertical	PK	Pass
4	7788.0000	-69.97	36.68	-106.65	-13	-56.97	223.8	Vertical	PK	Pass
5	9853.5000	-65.83	38	-103.83	-13	-52.83	12.7	Vertical	PK	Pass
6	12891.0000	-61.84	38.87	-100.71	-13	-48.84	359.9	Vertical	PK	Pass



For Question,
Please Contact with WSCT
www.wsct-cert.com

Report No.: WSCT-ANAB-R&E240700032A-RF

n66:
Horizontal:



Suspected Data List

NO.	Freq. [MHz]	Reading [dB(m)]	Factor [dB]	Level [dB(m)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1700.6250	-55.07	24.95	-80.02	-13	-42.07	276.6	Horizontal	PK	Pass
2	2126.2500	-38.03	26.33	-64.36	-13	-25.03	328.1	Horizontal	PK	Pass
3	3613.7500	-57.84	28.77	-86.61	-13	-44.84	65	Horizontal	PK	Pass
4	8047.5000	-68.51	8.37	-76.88	-13	-55.51	-0.1	Horizontal	PK	Pass
5	11100.0000	-60.82	15.87	-76.69	-13	-47.82	6.2	Horizontal	PK	Pass
6	14394.0000	-58.22	18.73	-76.95	-13	-45.22	-0.1	Horizontal	PK	Pass