

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.52	-13	Pass	2985
30	814	0.1	RMS	801.398	-55.51	-13	Pass	7840
814	860	0.1	RMS	824.273	21.81	60	Pass	601
860	1000	0.1	RMS	998.599	-56.59	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.51	-13	Pass	2000
3000	10000	1	RMS	4121.16	-43.15	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2985
30	814	0.1	RMS	807.999	-55.43	-13	Pass	7840
814	860	0.1	RMS	825.117	21.59	60	Pass	601
860	1000	0.1	RMS	995.697	-56.6	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.48	-13	Pass	2000
3000	10000	1	RMS	4126.161	-44.32	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2985
30	814	0.1	RMS	806.799	-55.42	-13	Pass	7840
814	860	0.1	RMS	824.273	20.71	60	Pass	601
860	1000	0.1	RMS	999.9	-56.57	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.41	-13	Pass	2000
3000	10000	1	RMS	4121.16	-44.18	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2985
30	814	0.1	RMS	798.398	-55.46	-13	Pass	7840
814	860	0.1	RMS	825.117	20.63	60	Pass	601
860	1000	0.1	RMS	911.237	-56.62	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.52	-13	Pass	2000
3000	10000	1	RMS	4126.161	-44.82	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2985
30	814	0.1	RMS	810.3	-55.18	-13	Pass	7840
814	860	0.1	RMS	836.08	21.81	60	Pass	601
860	1000	0.1	RMS	991.794	-56.6	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.43	-13	Pass	2000
3000	10000	1	RMS	3344.049	-42.54	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2985
30	814	0.1	RMS	803.699	-55.26	-13	Pass	7840
814	860	0.1	RMS	836.923	21.72	60	Pass	601
860	1000	0.1	RMS	894.425	-56.53	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.53	-13	Pass	2000
3000	10000	1	RMS	3348.05	-43.14	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.57	-13	Pass	2985
30	814	0.1	RMS	800.098	-55.45	-13	Pass	7840
814	860	0.1	RMS	836.08	20.81	60	Pass	601
860	1000	0.1	RMS	888.22	-56.63	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.48	-13	Pass	2000
3000	10000	1	RMS	3344.049	-44.29	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.53	-13	Pass	601
0.15	30	0.01	RMS	0.17	-51	-13	Pass	2985
30	814	0.1	RMS	802.899	-55.6	-13	Pass	7840
814	860	0.1	RMS	836.923	20.8	60	Pass	601
860	1000	0.1	RMS	996.898	-56.53	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.48	-13	Pass	2000
3000	10000	1	RMS	3348.05	-44.26	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.56	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.21	-13	Pass	7840
814	860	0.1	RMS	847.887	21.69	60	Pass	601
860	1000	0.1	RMS	893.924	-56.57	-13	Pass	1400
1000	3000	1	RMS	2663.832	-38.51	-13	Pass	2000
3000	10000	1	RMS	3391.056	-42.79	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.1	-13	Pass	2985
30	814	0.1	RMS	792.297	-54.69	-13	Pass	7840
814	860	0.1	RMS	848.73	21.8	60	Pass	601
860	1000	0.1	RMS	980.386	-56.63	-13	Pass	1400
1000	3000	1	RMS	2664.832	-38.54	-13	Pass	2000
3000	10000	1	RMS	3395.056	-41.81	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.78	-13	Pass	2985
30	814	0.1	RMS	774.495	-55.24	-13	Pass	7840
814	860	0.1	RMS	847.887	20.55	60	Pass	601
860	1000	0.1	RMS	900.029	-56.48	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.42	-13	Pass	2000
3000	10000	1	RMS	3391.056	-43.65	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2985
30	814	0.1	RMS	782.896	-55.39	-13	Pass	7840
814	860	0.1	RMS	848.73	20.83	60	Pass	601
860	1000	0.1	RMS	993.395	-56.45	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.44	-13	Pass	2000
3000	10000	1	RMS	3395.056	-43.19	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2985
30	814	0.1	RMS	801.898	-55.43	-13	Pass	7840
814	860	0.1	RMS	824.273	21.73	60	Pass	601
860	1000	0.1	RMS	901.43	-56.4	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.37	-13	Pass	2000
3000	10000	1	RMS	4121.16	-43.08	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.13	-13	Pass	2985
30	814	0.1	RMS	806.299	-55.05	-13	Pass	7840
814	860	0.1	RMS	826.727	21.74	60	Pass	601
860	1000	0.1	RMS	896.426	-56.58	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.47	-13	Pass	2000
3000	10000	1	RMS	3307.044	-42.52	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.14	-13	Pass	2985
30	814	0.1	RMS	804.099	-55.22	-13	Pass	7840
814	860	0.1	RMS	824.273	20.95	60	Pass	601
860	1000	0.1	RMS	998.699	-56.43	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.4	-13	Pass	2000
3000	10000	1	RMS	4121.16	-43.84	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.79	-13	Pass	2985
30	814	0.1	RMS	793.797	-55.41	-13	Pass	7840
814	860	0.1	RMS	826.727	20.79	60	Pass	601
860	1000	0.1	RMS	895.225	-56.59	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.35	-13	Pass	2000
3000	10000	1	RMS	3307.044	-43.42	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2985
30	814	0.1	RMS	811.8	-55.18	-13	Pass	7840
814	860	0.1	RMS	835.237	22.05	60	Pass	601
860	1000	0.1	RMS	994.096	-56.59	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.49	-13	Pass	2000
3000	10000	1	RMS	3341.049	-42.17	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.83	-13	Pass	2985
30	814	0.1	RMS	811.1	-55.16	-13	Pass	7840
814	860	0.1	RMS	837.767	21.98	60	Pass	601
860	1000	0.1	RMS	892.924	-56.55	-13	Pass	1400
1000	3000	1	RMS	2654.827	-38.45	-13	Pass	2000
3000	10000	1	RMS	3351.05	-42.54	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2985
30	814	0.1	RMS	807.699	-55.43	-13	Pass	7840
814	860	0.1	RMS	835.237	20.91	60	Pass	601
860	1000	0.1	RMS	901.229	-56.55	-13	Pass	1400
1000	3000	1	RMS	2642.821	-38.34	-13	Pass	2000
3000	10000	1	RMS	3341.049	-43.63	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.66	-13	Pass	2985
30	814	0.1	RMS	781.696	-55.54	-13	Pass	7840
814	860	0.1	RMS	837.767	20.9	60	Pass	601
860	1000	0.1	RMS	894.725	-56.6	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.49	-13	Pass	2000
3000	10000	1	RMS	3351.05	-42.28	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.19	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.36	-13	Pass	2985
30	814	0.1	RMS	810.2	-55.27	-13	Pass	7840
814	860	0.1	RMS	846.277	21.69	60	Pass	601
860	1000	0.1	RMS	901.53	-56.49	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.38	-13	Pass	2000
3000	10000	1	RMS	3385.055	-41.14	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.16	-13	Pass	2985
30	814	0.1	RMS	793.397	-55.45	-13	Pass	7840
814	860	0.1	RMS	848.73	21.9	60	Pass	601
860	1000	0.1	RMS	895.425	-56.49	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.39	-13	Pass	2000
3000	10000	1	RMS	3395.056	-41.75	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.13	-13	Pass	2985
30	814	0.1	RMS	809.799	-55.28	-13	Pass	7840
814	860	0.1	RMS	846.277	20.86	60	Pass	601
860	1000	0.1	RMS	922.345	-56.55	-13	Pass	1400
1000	3000	1	RMS	2654.827	-38.51	-13	Pass	2000
3000	10000	1	RMS	3385.055	-42.04	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.56	-13	Pass	2985
30	814	0.1	RMS	783.696	-55.38	-13	Pass	7840
814	860	0.1	RMS	848.73	20.77	60	Pass	601
860	1000	0.1	RMS	891.122	-56.48	-13	Pass	1400
1000	3000	1	RMS	2661.831	-38.42	-13	Pass	2000
3000	10000	1	RMS	3395.056	-43.31	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2985
30	814	0.1	RMS	809.199	-55.13	-13	Pass	7840
814	860	0.1	RMS	824.35	21.67	60	Pass	601
860	1000	0.1	RMS	986.59	-56.57	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.47	-13	Pass	2000
3000	10000	1	RMS	3297.042	-44.36	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2985
30	814	0.1	RMS	807.899	-55.04	-13	Pass	7840
814	860	0.1	RMS	828.643	21.71	60	Pass	601
860	1000	0.1	RMS	987.391	-56.4	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.41	-13	Pass	2000
3000	10000	1	RMS	4143.163	-42.03	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.85	-13	Pass	2985
30	814	0.1	RMS	783.896	-55.43	-13	Pass	7840
814	860	0.1	RMS	824.35	21.02	60	Pass	601
860	1000	0.1	RMS	898.327	-56.59	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.53	-13	Pass	2000
3000	10000	1	RMS	3297.042	-45.38	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.28	-13	Pass	2985
30	814	0.1	RMS	760.393	-55.26	-13	Pass	7840
814	860	0.1	RMS	828.643	20.89	60	Pass	601
860	1000	0.1	RMS	896.526	-56.54	-13	Pass	1400
1000	3000	1	RMS	2661.831	-38.46	-13	Pass	2000
3000	10000	1	RMS	4143.163	-42.75	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2985
30	814	0.1	RMS	805.399	-55.29	-13	Pass	7840
814	860	0.1	RMS	834.317	21.73	60	Pass	601
860	1000	0.1	RMS	912.437	-56.42	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.5	-13	Pass	2000
3000	10000	1	RMS	3337.048	-43	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.94	-13	Pass	2985
30	814	0.1	RMS	774.395	-55.3	-13	Pass	7840
814	860	0.1	RMS	838.687	21.65	60	Pass	601
860	1000	0.1	RMS	889.221	-56.55	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.34	-13	Pass	2000
3000	10000	1	RMS	3355.051	-43.5	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.98	-13	Pass	2985
30	814	0.1	RMS	778.595	-55.34	-13	Pass	7840
814	860	0.1	RMS	834.317	20.93	60	Pass	601
860	1000	0.1	RMS	984.689	-56.5	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.5	-13	Pass	2000
3000	10000	1	RMS	3337.048	-43.74	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.3	-13	Pass	2985
30	814	0.1	RMS	797.698	-55.54	-13	Pass	7840
814	860	0.1	RMS	838.687	20.7	60	Pass	601
860	1000	0.1	RMS	887.82	-56.49	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.37	-13	Pass	2000
3000	10000	1	RMS	3355.051	-44.55	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.23	-13	Pass	2985
30	814	0.1	RMS	790.397	-55.29	-13	Pass	7840
814	860	0.1	RMS	844.36	21.66	60	Pass	601
860	1000	0.1	RMS	988.091	-56.5	-13	Pass	1400
1000	3000	1	RMS	2652.826	-38.51	-13	Pass	2000
3000	10000	1	RMS	3377.054	-41.99	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.26	-13	Pass	2985
30	814	0.1	RMS	807.999	-55.24	-13	Pass	7840
814	860	0.1	RMS	848.653	21.83	60	Pass	601
860	1000	0.1	RMS	898.227	-56.39	-13	Pass	1400
1000	3000	1	RMS	2662.831	-38.47	-13	Pass	2000
3000	10000	1	RMS	3395.056	-42.83	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.24	-13	Pass	2985
30	814	0.1	RMS	803.699	-55.14	-13	Pass	7840
814	860	0.1	RMS	844.36	20.92	60	Pass	601
860	1000	0.1	RMS	897.227	-56.54	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.49	-13	Pass	2000
3000	10000	1	RMS	3377.054	-42.4	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2985
30	814	0.1	RMS	796.498	-55.45	-13	Pass	7840
814	860	0.1	RMS	848.653	20.91	60	Pass	601
860	1000	0.1	RMS	887.32	-56.51	-13	Pass	1400
1000	3000	1	RMS	2657.829	-38.45	-13	Pass	2000
3000	10000	1	RMS	3395.056	-44.16	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.93	-13	Pass	2985
30	814	0.1	RMS	797.798	-55.36	-13	Pass	7840
814	860	0.1	RMS	824.58	21.96	60	Pass	601
860	1000	0.1	RMS	889.021	-56.49	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.5	-13	Pass	2000
3000	10000	1	RMS	4123.16	-43.58	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.39	-13	Pass	2985
30	814	0.1	RMS	779.596	-55.28	-13	Pass	7840
814	860	0.1	RMS	833.397	21.94	60	Pass	601
860	1000	0.1	RMS	896.626	-56.51	-13	Pass	1400
1000	3000	1	RMS	2657.829	-38.39	-13	Pass	2000
3000	10000	1	RMS	4167.167	-42.51	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2985
30	814	0.1	RMS	769.094	-55.34	-13	Pass	7840
814	860	0.1	RMS	824.58	21.13	60	Pass	601
860	1000	0.1	RMS	895.625	-56.6	-13	Pass	1400
1000	3000	1	RMS	2656.828	-38.49	-13	Pass	2000
3000	10000	1	RMS	4123.16	-44.4	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.99	-13	Pass	2985
30	814	0.1	RMS	787.897	-55.26	-13	Pass	7840
814	860	0.1	RMS	833.397	21.07	60	Pass	601
860	1000	0.1	RMS	892.623	-56.42	-13	Pass	1400
1000	3000	1	RMS	2654.827	-38.51	-13	Pass	2000
3000	10000	1	RMS	4167.167	-44.11	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.19	-13	Pass	2985
30	814	0.1	RMS	803.299	-55.65	-13	Pass	7840
814	860	0.1	RMS	832.093	22.04	60	Pass	601
860	1000	0.1	RMS	894.024	-56.42	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.47	-13	Pass	2000
3000	10000	1	RMS	3328.047	-42.57	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2985
30	814	0.1	RMS	807.399	-55.39	-13	Pass	7840
814	860	0.1	RMS	840.91	21.98	60	Pass	601
860	1000	0.1	RMS	986.19	-56.61	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.47	-13	Pass	2000
3000	10000	1	RMS	3364.052	-43.18	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2985
30	814	0.1	RMS	808.899	-55.2	-13	Pass	7840
814	860	0.1	RMS	832.093	20.93	60	Pass	601
860	1000	0.1	RMS	999.9	-56.5	-13	Pass	1400
1000	3000	1	RMS	2660.83	-38.45	-13	Pass	2000
3000	10000	1	RMS	4160.166	-43.51	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2985
30	814	0.1	RMS	775.695	-55.26	-13	Pass	7840
814	860	0.1	RMS	840.91	20.82	60	Pass	601
860	1000	0.1	RMS	994.296	-56.61	-13	Pass	1400
1000	3000	1	RMS	2658.829	-38.43	-13	Pass	2000
3000	10000	1	RMS	3364.052	-44.13	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2985
30	814	0.1	RMS	811	-55.07	-13	Pass	7840
814	860	0.1	RMS	839.607	21.82	60	Pass	601
860	1000	0.1	RMS	908.034	-56.53	-13	Pass	1400
1000	3000	1	RMS	2659.83	-38.51	-13	Pass	2000
3000	10000	1	RMS	3358.051	-42.4	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.78	-13	Pass	2985
30	814	0.1	RMS	789.597	-54.74	-13	Pass	7840
814	860	0.1	RMS	848.423	21.86	60	Pass	601
860	1000	0.1	RMS	993.295	-56.52	-13	Pass	1400
1000	3000	1	RMS	2656.828	-38.44	-13	Pass	2000
3000	10000	1	RMS	3394.056	-43.1	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2985
30	814	0.1	RMS	811.4	-55.21	-13	Pass	7840
814	860	0.1	RMS	839.607	20.97	60	Pass	601
860	1000	0.1	RMS	901.43	-56.56	-13	Pass	1400
1000	3000	1	RMS	2656.828	-38.49	-13	Pass	2000
3000	10000	1	RMS	3358.051	-43.8	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.15	-13	Pass	2985
30	814	0.1	RMS	771.095	-55.28	-13	Pass	7840
814	860	0.1	RMS	848.423	20.94	60	Pass	601
860	1000	0.1	RMS	913.138	-56.55	-13	Pass	1400
1000	3000	1	RMS	2657.829	-38.45	-13	Pass	2000
3000	10000	1	RMS	3394.056	-43.94	-13	Pass	7000



END