

Spurious Emission at Antenna Terminals


1.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	869.614	-65.65	-13	52.65	Pass	9701
1000	1840	1	RMS	1840	-52.12	-13	39.12	Pass	841
1840	1920	1	RMS	1850.4	21.47	60	38.53	Pass	401
1920	3000	1	RMS	2989	-51.78	-13	38.78	Pass	1081
3000	12000	1	RMS	3701	-41.96	-13	28.96	Pass	9002
12000	20000	1	RMS	13600	-40.15	-13	27.15	Pass	8001




1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	954.37	-65.73	-13	52.73	Pass	9701
1000	1840	1	RMS	1840	-54.14	-13	41.14	Pass	841
1840	1920	1	RMS	1875.4	22.17	60	37.83	Pass	401
1920	3000	1	RMS	2998	-51.74	-13	38.74	Pass	1081
3000	12000	1	RMS	3751	-39.26	-13	26.26	Pass	9002
12000	20000	1	RMS	13605	-40.13	-13	27.13	Pass	8001




1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	853.903	-65.69	-13	52.69	Pass	9701
1000	1840	1	RMS	1840	-54.15	-13	41.15	Pass	841
1840	1920	1	RMS	1875.6	21.67	60	38.33	Pass	401
1920	3000	1	RMS	2988	-51.74	-13	38.74	Pass	1081
3000	12000	1	RMS	3751	-39.95	-13	26.95	Pass	9002
12000	20000	1	RMS	13603	-40.11	-13	27.11	Pass	8001




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-13	59.86	Pass	2986
30	1000	0.1	RMS	988.092	-65.58	-13	52.58	Pass	9701
1000	1840	1	RMS	1839	-54.13	-13	41.13	Pass	841
1840	1920	1	RMS	1900.4	22.36	60	37.64	Pass	401
1920	3000	1	RMS	2998	-51.73	-13	38.73	Pass	1081
3000	12000	1	RMS	3801	-35.61	-13	22.61	Pass	9002
12000	20000	1	RMS	13600	-40.19	-13	27.19	Pass	8001




1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.2	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	869.213	-65.71	-13	52.71	Pass	9701
1000	1840	1	RMS	1840	-54.26	-13	41.26	Pass	841
1840	1920	1	RMS	1900.4	21.46	60	38.54	Pass	401
1920	3000	1	RMS	2983	-51.79	-13	38.79	Pass	1081
3000	12000	1	RMS	3801	-36.5	-13	23.5	Pass	9002
12000	20000	1	RMS	13600	-40.05	-13	27.05	Pass	8001




1.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	979.486	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	37.3	Pass	841
1840	1920	1	RMS	1850.8	22.26	60	37.74	Pass	401
1920	3000	1	RMS	2985	-51.74	-13	38.74	Pass	1081
3000	12000	1	RMS	3702	-41.49	-13	28.49	Pass	9002
12000	20000	1	RMS	13601	-40.09	-13	27.09	Pass	8001




1.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	927.952	-65.76	-13	52.76	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	37.41	Pass	841
1840	1920	1	RMS	1850.8	21.68	60	38.32	Pass	401
1920	3000	1	RMS	2988	-51.81	-13	38.81	Pass	1081
3000	12000	1	RMS	3702	-42.08	-13	29.08	Pass	9002
12000	20000	1	RMS	13601	-40.14	-13	27.14	Pass	8001




1.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	848.3	-65.74	-13	52.74	Pass	9701
1000	1840	1	RMS	1839	-54.23	-13	41.23	Pass	841
1840	1920	1	RMS	1873.2	22.64	60	37.36	Pass	401
1920	3000	1	RMS	2989	-51.76	-13	38.76	Pass	1081
3000	12000	1	RMS	3747	-39.9	-13	26.9	Pass	9002
12000	20000	1	RMS	13602	-40.11	-13	27.11	Pass	8001




1.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	935.958	-65.64	-13	52.64	Pass	9701
1000	1840	1	RMS	1838	-54.19	-13	41.19	Pass	841
1840	1920	1	RMS	1873.2	21.81	60	38.19	Pass	401
1920	3000	1	RMS	2987	-51.79	-13	38.79	Pass	1081
3000	12000	1	RMS	3747	-41.17	-13	28.17	Pass	9002
12000	20000	1	RMS	13596	-40.21	-13	27.21	Pass	8001




1.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	858.706	-65.64	-13	52.64	Pass	9701
1000	1840	1	RMS	1840	-54.15	-13	41.15	Pass	841
1840	1920	1	RMS	1895.8	22.48	60	37.52	Pass	401
1920	3000	1	RMS	1922	-47.66	-13	34.66	Pass	1081
3000	12000	1	RMS	3792	-35.86	-13	22.86	Pass	9002
12000	20000	1	RMS	13601	-40.2	-13	27.2	Pass	8001




1.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	980.487	-65.71	-13	52.71	Pass	9701
1000	1840	1	RMS	1840	-54.24	-13	41.24	Pass	841
1840	1920	1	RMS	1895.8	22.04	60	37.96	Pass	401
1920	3000	1	RMS	1922	-47.8	-13	34.8	Pass	1081
3000	12000	1	RMS	3792	-36.7	-13	23.7	Pass	9002
12000	20000	1	RMS	13600	-40.18	-13	27.18	Pass	8001




1.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	878.219	-65.68	-13	52.68	Pass	9701
1000	1840	1	RMS	1840	-50.76	-13	37.76	Pass	841
1840	1920	1	RMS	1851	22.56	60	37.44	Pass	401
1920	3000	1	RMS	2979	-51.77	-13	38.77	Pass	1081
3000	12000	1	RMS	3702	-40.64	-13	27.64	Pass	9002
12000	20000	1	RMS	13603	-40.22	-13	27.22	Pass	8001




1.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	985.29	-65.6	-13	52.6	Pass	9701
1000	1840	1	RMS	1840	-50.87	-13	37.87	Pass	841
1840	1920	1	RMS	1851	21.86	60	38.14	Pass	401
1920	3000	1	RMS	2991	-51.79	-13	38.79	Pass	1081
3000	12000	1	RMS	3702	-41.74	-13	28.74	Pass	9002
12000	20000	1	RMS	13601	-40.24	-13	27.24	Pass	8001




1.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	984.39	-65.76	-13	52.76	Pass	9701
1000	1840	1	RMS	1840	-54.24	-13	41.24	Pass	841
1840	1920	1	RMS	1871	22.57	60	37.43	Pass	401
1920	3000	1	RMS	2987	-51.74	-13	38.74	Pass	1081
3000	12000	1	RMS	3742	-39.49	-13	26.49	Pass	9002
12000	20000	1	RMS	13602	-40.17	-13	27.17	Pass	8001




1.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	846.2	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1840	-54.19	-13	41.19	Pass	841
1840	1920	1	RMS	1871	21.64	60	38.36	Pass	401
1920	3000	1	RMS	2999	-51.77	-13	38.77	Pass	1081
3000	12000	1	RMS	3742	-40.62	-13	27.62	Pass	9002
12000	20000	1	RMS	13603	-40.11	-13	27.11	Pass	8001




1.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.2	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	848.8	-65.66	-13	52.66	Pass	9701
1000	1840	1	RMS	1839	-54.17	-13	41.17	Pass	841
1840	1920	1	RMS	1891	22.63	60	37.37	Pass	401
1920	3000	1	RMS	2994	-51.78	-13	38.78	Pass	1081
3000	12000	1	RMS	3782	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	13601	-40.12	-13	27.12	Pass	8001



1.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	987.992	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1840	-54.27	-13	41.27	Pass	841
1840	1920	1	RMS	1891	21.74	60	38.26	Pass	401
1920	3000	1	RMS	2993	-51.79	-13	38.79	Pass	1081
3000	12000	1	RMS	3782	-37.36	-13	24.36	Pass	9002
12000	20000	1	RMS	13601	-40.12	-13	27.12	Pass	8001



2. LTE_Band4


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.18	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	852.602	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1700	-53.51	-13	40.51	Pass	701
1700	1765	1	RMS	1710.238	22.78	60	37.22	Pass	401
1765	3000	1	RMS	2997	-51.76	-13	38.76	Pass	1236
3000	12000	1	RMS	8551	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	13600	-40.22	-13	27.22	Pass	8001




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	963.876	-65.68	-13	52.68	Pass	9701
1000	1700	1	RMS	1699	-53.42	-13	40.42	Pass	701
1700	1765	1	RMS	1710.238	21.88	60	38.12	Pass	401
1765	3000	1	RMS	2986	-51.81	-13	38.81	Pass	1236
3000	12000	1	RMS	8551	-42.2	-13	29.2	Pass	9002
12000	20000	1	RMS	13601	-40.19	-13	27.19	Pass	8001




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.21	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	967.278	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1700	-54.4	-13	41.4	Pass	701
1700	1765	1	RMS	1732.013	22.9	60	37.1	Pass	401
1765	3000	1	RMS	2990	-51.76	-13	38.76	Pass	1236
3000	12000	1	RMS	8660	-41.48	-13	28.48	Pass	9002
12000	20000	1	RMS	13608	-40.12	-13	27.12	Pass	8001




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	833.8	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1698	-54.42	-13	41.42	Pass	701
1700	1765	1	RMS	1732.013	21.91	60	38.09	Pass	401
1765	3000	1	RMS	2995	-51.83	-13	38.83	Pass	1236
3000	12000	1	RMS	8660	-42.57	-13	29.57	Pass	9002
12000	20000	1	RMS	13599	-40.12	-13	27.12	Pass	8001




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	864.21	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1678	-54.42	-13	41.42	Pass	701
1700	1765	1	RMS	1753.788	23.01	60	36.99	Pass	401
1765	3000	1	RMS	2952	-51.78	-13	38.78	Pass	1236
3000	12000	1	RMS	3508	-37.21	-13	24.21	Pass	9002
12000	20000	1	RMS	13599	-40.16	-13	27.16	Pass	8001




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	840.7	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1684	-54.47	-13	41.47	Pass	701
1700	1765	1	RMS	1753.788	22.06	60	37.94	Pass	401
1765	3000	1	RMS	2987	-51.79	-13	38.79	Pass	1236
3000	12000	1	RMS	3508	-38.41	-13	25.41	Pass	9002
12000	20000	1	RMS	13603	-40.2	-13	27.2	Pass	8001




2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	969.58	-65.55	-13	52.55	Pass	9701
1000	1700	1	RMS	1700	-53.32	-13	40.32	Pass	701
1700	1765	1	RMS	1710.238	22.83	60	37.17	Pass	401
1765	3000	1	RMS	2942	-51.83	-13	38.83	Pass	1236
3000	12000	1	RMS	8551	-40.86	-13	27.86	Pass	9002
12000	20000	1	RMS	13600	-40.23	-13	27.23	Pass	8001




2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-73.32	-13	60.32	Pass	2986
30	1000	0.1	RMS	948.866	-65.63	-13	52.63	Pass	9701
1000	1700	1	RMS	1700	-53.5	-13	40.5	Pass	701
1700	1765	1	RMS	1710.238	22.02	60	37.98	Pass	401
1765	3000	1	RMS	2986	-51.82	-13	38.82	Pass	1236
3000	12000	1	RMS	8551	-41.99	-13	28.99	Pass	9002
12000	20000	1	RMS	13601	-40.21	-13	27.21	Pass	8001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	835.2	-65.77	-13	52.77	Pass	9701
1000	1700	1	RMS	1700	-54.42	-13	41.42	Pass	701
1700	1765	1	RMS	1731.2	22.98	60	37.02	Pass	401
1765	3000	1	RMS	2993	-51.76	-13	38.76	Pass	1236
3000	12000	1	RMS	8656	-41.47	-13	28.47	Pass	9002
12000	20000	1	RMS	13599	-40.11	-13	27.11	Pass	8001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	986.091	-65.7	-13	52.7	Pass	9701
1000	1700	1	RMS	1678	-54.42	-13	41.42	Pass	701
1700	1765	1	RMS	1731.2	22	60	38	Pass	401
1765	3000	1	RMS	2943	-51.85	-13	38.85	Pass	1236
3000	12000	1	RMS	8656	-42.16	-13	29.16	Pass	9002
12000	20000	1	RMS	13601	-40.22	-13	27.22	Pass	8001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	872.716	-65.69	-13	52.69	Pass	9701
1000	1700	1	RMS	1681	-54.47	-13	41.47	Pass	701
1700	1765	1	RMS	1752.163	23.06	60	36.94	Pass	401
1765	3000	1	RMS	2993	-51.8	-13	38.8	Pass	1236
3000	12000	1	RMS	3504	-39.59	-13	26.59	Pass	9002
12000	20000	1	RMS	13600	-40.11	-13	27.11	Pass	8001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	947.565	-65.7	-13	52.7	Pass	9701
1000	1700	1	RMS	1676	-54.48	-13	41.48	Pass	701
1700	1765	1	RMS	1752.163	22.18	60	37.82	Pass	401
1765	3000	1	RMS	2997	-51.81	-13	38.81	Pass	1236
3000	12000	1	RMS	8761	-40.86	-13	27.86	Pass	9002
12000	20000	1	RMS	13602	-40.24	-13	27.24	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	836.4	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1700	-53.15	-13	40.15	Pass	701
1700	1765	1	RMS	1710.238	22.77	60	37.23	Pass	401
1765	3000	1	RMS	3000	-51.76	-13	38.76	Pass	1236
3000	12000	1	RMS	8552	-41.42	-13	28.42	Pass	9002
12000	20000	1	RMS	13603	-40.18	-13	27.18	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	957.072	-65.69	-13	52.69	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	40.4	Pass	701
1700	1765	1	RMS	1710.238	21.84	60	38.16	Pass	401
1765	3000	1	RMS	2998	-51.8	-13	38.8	Pass	1236
3000	12000	1	RMS	8552	-42.6	-13	29.6	Pass	9002
12000	20000	1	RMS	13602	-40.14	-13	27.14	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	848.5	-65.62	-13	52.62	Pass	9701
1000	1700	1	RMS	1674	-54.45	-13	41.45	Pass	701
1700	1765	1	RMS	1730.225	22.83	60	37.17	Pass	401
1765	3000	1	RMS	2987	-51.8	-13	38.8	Pass	1236
3000	12000	1	RMS	8652	-41.87	-13	28.87	Pass	9002
12000	20000	1	RMS	13600	-40.09	-13	27.09	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	826.5	-65.69	-13	52.69	Pass	9701
1000	1700	1	RMS	1676	-54.45	-13	41.45	Pass	701
1700	1765	1	RMS	1730.225	22.02	60	37.98	Pass	401
1765	3000	1	RMS	2995	-51.8	-13	38.8	Pass	1236
3000	12000	1	RMS	8652	-42.78	-13	29.78	Pass	9002
12000	20000	1	RMS	13600	-40.12	-13	27.12	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	980.187	-65.71	-13	52.71	Pass	9701
1000	1700	1	RMS	1678	-54.43	-13	41.43	Pass	701
1700	1765	1	RMS	1750.213	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2979	-51.82	-13	38.82	Pass	1236
3000	12000	1	RMS	3501	-40.31	-13	27.31	Pass	9002
12000	20000	1	RMS	13606	-40.11	-13	27.11	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.25	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	971.481	-65.7	-13	52.7	Pass	9701
1000	1700	1	RMS	1676	-54.45	-13	41.45	Pass	701
1700	1765	1	RMS	1750.213	22.17	60	37.83	Pass	401
1765	3000	1	RMS	2990	-51.84	-13	38.84	Pass	1236
3000	12000	1	RMS	3501	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	13600	-40.16	-13	27.16	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	845.9	-65.56	-13	52.56	Pass	9701
1000	1700	1	RMS	1693	-46.38	-13	33.38	Pass	701
1700	1765	1	RMS	1710.563	22.85	60	37.15	Pass	401
1765	3000	1	RMS	2990	-51.83	-13	38.83	Pass	1236
3000	12000	1	RMS	8553	-40.71	-13	27.71	Pass	9002
12000	20000	1	RMS	13603	-40.18	-13	27.18	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	836.5	-65.8	-13	52.8	Pass	9701
1000	1700	1	RMS	1693	-48.08	-13	35.08	Pass	701
1700	1765	1	RMS	1710.563	22.06	60	37.94	Pass	401
1765	3000	1	RMS	2944	-51.85	-13	38.85	Pass	1236
3000	12000	1	RMS	8553	-41.77	-13	28.77	Pass	9002
12000	20000	1	RMS	13600	-40.15	-13	27.15	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.2	-72.86	-13	59.86	Pass	2986
30	1000	0.1	RMS	843.8	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1700	-54.23	-13	41.23	Pass	701
1700	1765	1	RMS	1727.95	22.92	60	37.08	Pass	401
1765	3000	1	RMS	2998	-51.75	-13	38.75	Pass	1236
3000	12000	1	RMS	3456	-41.75	-13	28.75	Pass	9002
12000	20000	1	RMS	13600	-40.09	-13	27.09	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	824.6	-65.72	-13	52.72	Pass	9701
1000	1700	1	RMS	1700	-54.34	-13	41.34	Pass	701
1700	1765	1	RMS	1727.95	21.96	60	38.04	Pass	401
1765	3000	1	RMS	2986	-51.73	-13	38.73	Pass	1236
3000	12000	1	RMS	3456	-42.57	-13	29.57	Pass	9002
12000	20000	1	RMS	13601	-40.21	-13	27.21	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	976.685	-65.52	-13	52.52	Pass	9701
1000	1700	1	RMS	1680	-54.43	-13	41.43	Pass	701
1700	1765	1	RMS	1745.5	23.04	60	36.96	Pass	401
1765	3000	1	RMS	1765	-50.22	-13	37.22	Pass	1236
3000	12000	1	RMS	8728	-39.97	-13	26.97	Pass	9002
12000	20000	1	RMS	13604	-40.25	-13	27.25	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.2	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	866.712	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1678	-54.39	-13	41.39	Pass	701
1700	1765	1	RMS	1745.5	22.22	60	37.78	Pass	401
1765	3000	1	RMS	1765	-50.87	-13	37.87	Pass	1236
3000	12000	1	RMS	8728	-40.61	-13	27.61	Pass	9002
12000	20000	1	RMS	13605	-40.25	-13	27.25	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	977.385	-65.71	-13	52.71	Pass	9701
1000	1700	1	RMS	1700	-47.93	-13	34.93	Pass	701
1700	1765	1	RMS	1710.725	22.78	60	37.22	Pass	401
1765	3000	1	RMS	3000	-51.75	-13	38.75	Pass	1236
3000	12000	1	RMS	8554	-41	-13	28	Pass	9002
12000	20000	1	RMS	13603	-40.26	-13	27.26	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-13	59.84	Pass	2986
30	1000	0.1	RMS	839.8	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1700	-48.2	-13	35.2	Pass	701
1700	1765	1	RMS	1710.725	21.96	60	38.04	Pass	401
1765	3000	1	RMS	2991	-51.79	-13	38.79	Pass	1236
3000	12000	1	RMS	8554	-41.97	-13	28.97	Pass	9002
12000	20000	1	RMS	13600	-40.21	-13	27.21	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	989.393	-65.68	-13	52.68	Pass	9701
1000	1700	1	RMS	1699	-45.54	-13	32.54	Pass	701
1700	1765	1	RMS	1725.838	22.79	60	37.21	Pass	401
1765	3000	1	RMS	2988	-51.73	-13	38.73	Pass	1236
3000	12000	1	RMS	8629	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	13604	-40.2	-13	27.2	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	853.603	-65.7	-13	52.7	Pass	9701
1000	1700	1	RMS	1699	-48.1	-13	35.1	Pass	701
1700	1765	1	RMS	1725.838	21.85	60	38.15	Pass	401
1765	3000	1	RMS	2992	-51.74	-13	38.74	Pass	1236
3000	12000	1	RMS	8629	-42.09	-13	29.09	Pass	9002
12000	20000	1	RMS	13605	-40.2	-13	27.2	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	853.703	-65.6	-13	52.6	Pass	9701
1000	1700	1	RMS	1671	-54.4	-13	41.4	Pass	701
1700	1765	1	RMS	1740.788	22.99	60	37.01	Pass	401
1765	3000	1	RMS	1767	-27.92	-13	14.92	Pass	1236
3000	12000	1	RMS	8704	-40.45	-13	27.45	Pass	9002
12000	20000	1	RMS	13599	-40.11	-13	27.11	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-13	60.19	Pass	2986
30	1000	0.1	RMS	977.685	-65.62	-13	52.62	Pass	9701
1000	1700	1	RMS	1675	-54.41	-13	41.41	Pass	701
1700	1765	1	RMS	1740.788	22.13	60	37.87	Pass	401
1765	3000	1	RMS	1767	-28.98	-13	15.98	Pass	1236
3000	12000	1	RMS	8704	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	13600	-40.15	-13	27.15	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	984.49	-65.66	-13	52.66	Pass	9701
1000	1700	1	RMS	1700	-48.68	-13	35.68	Pass	701
1700	1765	1	RMS	1711.05	22.63	60	37.37	Pass	401
1765	3000	1	RMS	3000	-51.78	-13	38.78	Pass	1236
3000	12000	1	RMS	3422	-41.61	-13	28.61	Pass	9002
12000	20000	1	RMS	13603	-40.18	-13	27.18	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	866.612	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1700	-48.9	-13	35.9	Pass	701
1700	1765	1	RMS	1711.05	21.83	60	38.17	Pass	401
1765	3000	1	RMS	2981	-51.76	-13	38.76	Pass	1236
3000	12000	1	RMS	3422	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	13603	-40.17	-13	27.17	Pass	8001



2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-73.12	-13	60.12	Pass	2986
30	1000	0.1	RMS	854.203	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1688	-52.97	-13	39.97	Pass	701
1700	1765	1	RMS	1723.563	22.69	60	37.31	Pass	401
1765	3000	1	RMS	2987	-51.81	-13	38.81	Pass	1236
3000	12000	1	RMS	8618	-41.3	-13	28.3	Pass	9002
12000	20000	1	RMS	13606	-40.17	-13	27.17	Pass	8001



2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.22	-72.78	-13	59.78	Pass	2986
30	1000	0.1	RMS	961.174	-65.6	-13	52.6	Pass	9701
1000	1700	1	RMS	1688	-53.68	-13	40.68	Pass	701
1700	1765	1	RMS	1723.563	21.78	60	38.22	Pass	401
1765	3000	1	RMS	2988	-51.75	-13	38.75	Pass	1236
3000	12000	1	RMS	8618	-42.76	-13	29.76	Pass	9002
12000	20000	1	RMS	13598	-40.15	-13	27.15	Pass	8001

