

Spurious Emission at Antenna Terminals


2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	985.29	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1700	-45.81	-13	32.81	Pass	701
1700	1765	1	RMS	1736.075	22.71	60	37.29	Pass	401
1765	3000	1	RMS	1772	-26.66	-13	13.66	Pass	1236
3000	12000	1	RMS	8680	-42.33	-13	29.33	Pass	9002
12000	20000	1	RMS	13603	-40.17	-13	27.17	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	968.179	-65.6	-13	52.6	Pass	9701
1000	1700	1	RMS	1700	-45.52	-13	32.52	Pass	701
1700	1765	1	RMS	1736.075	21.76	60	38.24	Pass	401
1765	3000	1	RMS	1772	-28.14	-13	15.14	Pass	1236
3000	12000	1	RMS	8680	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	13600	-40.15	-13	27.15	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	59.75	Pass	2986
30	814	0.1	RMS	813.6	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	824.3	19.29	60	40.71	Pass	461
860	1000	0.1	RMS	869.8	-65.73	-13	52.73	Pass	1401
1000	3000	1	RMS	1648	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	3297	-45.88	-13	32.88	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	59.73	Pass	2986
30	814	0.1	RMS	813.6	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	824.3	18.31	60	41.69	Pass	461
860	1000	0.1	RMS	966.2	-65.72	-13	52.72	Pass	1401
1000	3000	1	RMS	1648	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6799	-45.94	-13	32.94	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	807.5	-65.98	-13	52.98	Pass	7841
814	860	0.1	RMS	836.1	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	861.2	-65.6	-13	52.6	Pass	1401
1000	3000	1	RMS	1672	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	6798	-45.94	-13	32.94	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.19	-73.19	-13	60.19	Pass	2986
30	814	0.1	RMS	812.7	-65.94	-13	52.94	Pass	7841
814	860	0.1	RMS	836.1	18.34	60	41.66	Pass	461
860	1000	0.1	RMS	958.7	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1672	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6802	-45.92	-13	32.92	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.8	-65.92	-13	52.92	Pass	7841
814	860	0.1	RMS	847.9	19.31	60	40.69	Pass	461
860	1000	0.1	RMS	957	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1695	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	6799	-46.01	-13	33.01	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	814	0.1	RMS	731.1	-66.01	-13	53.01	Pass	7841
814	860	0.1	RMS	847.9	18.34	60	41.66	Pass	461
860	1000	0.1	RMS	986	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1695	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	6800	-45.94	-13	32.94	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.6	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	824.2	19.53	60	40.47	Pass	461
860	1000	0.1	RMS	869.5	-65.64	-13	52.64	Pass	1401
1000	3000	1	RMS	1648	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	3297	-45.62	-13	32.62	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.6	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	824.2	18.63	60	41.37	Pass	461
860	1000	0.1	RMS	869.2	-65.6	-13	52.6	Pass	1401
1000	3000	1	RMS	1648	-49.33	-13	36.33	Pass	2001
3000	10000	1	RMS	6801	-45.93	-13	32.93	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.21	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	813.4	-65.9	-13	52.9	Pass	7841
814	860	0.1	RMS	835.2	19.55	60	40.45	Pass	461
860	1000	0.1	RMS	996.7	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1670	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	6802	-45.96	-13	32.96	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	811.3	-66.02	-13	53.02	Pass	7841
814	860	0.1	RMS	835.2	18.55	60	41.45	Pass	461
860	1000	0.1	RMS	892	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1670	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6800	-45.96	-13	32.96	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	803.7	-66.03	-13	53.03	Pass	7841
814	860	0.1	RMS	846.2	19.47	60	40.53	Pass	461
860	1000	0.1	RMS	984.4	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1692	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6802	-45.97	-13	32.97	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.96	-13	59.96	Pass	2986
30	814	0.1	RMS	813.3	-65.96	-13	52.96	Pass	7841
814	860	0.1	RMS	846.2	18.56	60	41.44	Pass	461
860	1000	0.1	RMS	953.3	-65.58	-13	52.58	Pass	1401
1000	3000	1	RMS	1692	-48.08	-13	35.08	Pass	2001
3000	10000	1	RMS	6799	-45.95	-13	32.95	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813.6	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	824.3	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	976.6	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1648	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6800	-45.86	-13	32.86	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.6	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	824.3	18.52	60	41.48	Pass	461
860	1000	0.1	RMS	973.2	-65.72	-13	52.72	Pass	1401
1000	3000	1	RMS	1648	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	6800	-45.9	-13	32.9	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	59.78	Pass	2986
30	814	0.1	RMS	773.9	-65.92	-13	52.92	Pass	7841
814	860	0.1	RMS	834.3	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	872.3	-65.6	-13	52.6	Pass	1401
1000	3000	1	RMS	1668	-46.1	-13	33.1	Pass	2001
3000	10000	1	RMS	6799	-45.92	-13	32.92	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	800.3	-66.1	-13	53.1	Pass	7841
814	860	0.1	RMS	834.3	18.6	60	41.4	Pass	461
860	1000	0.1	RMS	915.2	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1668	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	6800	-45.89	-13	32.89	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	813.7	-65.86	-13	52.86	Pass	7841
814	860	0.1	RMS	844.3	19.46	60	40.54	Pass	461
860	1000	0.1	RMS	956.6	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1688	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6800	-45.95	-13	32.95	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	812.9	-65.88	-13	52.88	Pass	7841
814	860	0.1	RMS	844.3	18.49	60	41.51	Pass	461
860	1000	0.1	RMS	957.5	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1688	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6800	-45.92	-13	32.92	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	813.9	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	824.6	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	864.8	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1649	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6803	-45.98	-13	32.98	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.25	-73.16	-13	60.16	Pass	2986
30	814	0.1	RMS	813.9	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	824.6	19.14	60	40.86	Pass	461
860	1000	0.1	RMS	923.4	-65.63	-13	52.63	Pass	1401
1000	3000	1	RMS	1649	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	6797	-45.95	-13	32.95	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	794.5	-66.02	-13	53.02	Pass	7841
814	860	0.1	RMS	832.1	19.98	60	40.02	Pass	461
860	1000	0.1	RMS	955.2	-65.69	-13	52.69	Pass	1401
1000	3000	1	RMS	1664	-46.72	-13	33.72	Pass	2001
3000	10000	1	RMS	6801	-45.94	-13	32.94	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.9	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	832.1	19.02	60	40.98	Pass	461
860	1000	0.1	RMS	985.2	-65.75	-13	52.75	Pass	1401
1000	3000	1	RMS	1664	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	6799	-45.99	-13	32.99	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	744.2	-65.95	-13	52.95	Pass	7841
814	860	0.1	RMS	839.6	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	981.9	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1679	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	6803	-45.98	-13	32.98	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-73.2	-13	60.2	Pass	2986
30	814	0.1	RMS	798.8	-65.88	-13	52.88	Pass	7841
814	860	0.1	RMS	839.6	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	985	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1679	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	6800	-45.96	-13	32.96	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-25	47.28	Pass	401
0.15	30	0.01	RMS	0.15	-73.28	-25	48.28	Pass	2986
30	1000	0.1	RMS	539.6	-63.51	-25	38.51	Pass	9701
1000	2490	1	RMS	2490	-52.03	-25	27.03	Pass	1491
2490	2580	1	RMS	2500.125	22.44	60	37.56	Pass	401
2580	3000	1	RMS	2994	-51.75	-25	26.75	Pass	421
3000	12000	1	RMS	10001	-45.31	-25	20.31	Pass	9002
12000	26000	1	RMS	12502	-50.73	-25	25.73	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-25	47.4	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-25	48.19	Pass	2986
30	1000	0.1	RMS	539.6	-64.04	-25	39.04	Pass	9701
1000	2490	1	RMS	2490	-46.03	-25	21.03	Pass	1491
2490	2580	1	RMS	2500.125	21.51	60	38.49	Pass	401
2580	3000	1	RMS	2989	-51.73	-25	26.73	Pass	421
3000	12000	1	RMS	10001	-46.74	-25	21.74	Pass	9002
12000	26000	1	RMS	12502	-51.81	-25	26.81	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-25	48.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-25	47.3	Pass	2986
30	1000	0.1	RMS	572.1	-64.86	-25	39.86	Pass	9701
1000	2490	1	RMS	2489	-52.67	-25	27.67	Pass	1491
2490	2580	1	RMS	2532.75	22.62	60	37.38	Pass	401
2580	3000	1	RMS	2992	-51.77	-25	26.77	Pass	421
3000	12000	1	RMS	10131	-47.41	-25	22.41	Pass	9002
12000	26000	1	RMS	12664	-51.84	-25	26.84	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-25	47.89	Pass	401
0.15	30	0.01	RMS	0.27	-72.89	-25	47.89	Pass	2986
30	1000	0.1	RMS	572.1	-65.34	-25	40.34	Pass	9701
1000	2490	1	RMS	2490	-52.7	-25	27.7	Pass	1491
2490	2580	1	RMS	2532.75	21.73	60	38.27	Pass	401
2580	3000	1	RMS	2999	-51.74	-25	26.74	Pass	421
3000	12000	1	RMS	10131	-48.48	-25	23.48	Pass	9002
12000	26000	1	RMS	12664	-52.78	-25	27.78	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-25	46.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-25	47.91	Pass	2986
30	1000	0.1	RMS	604.6	-64.92	-25	39.92	Pass	9701
1000	2490	1	RMS	2490	-52.66	-25	27.66	Pass	1491
2490	2580	1	RMS	2565.15	22.6	60	37.4	Pass	401
2580	3000	1	RMS	2993	-51.78	-25	26.78	Pass	421
3000	12000	1	RMS	10261	-48.39	-25	23.39	Pass	9002
12000	26000	1	RMS	12827	-52.46	-25	27.46	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-25	47.52	Pass	2986
30	1000	0.1	RMS	604.6	-65.01	-25	40.01	Pass	9701
1000	2490	1	RMS	2490	-52.72	-25	27.72	Pass	1491
2490	2580	1	RMS	2565.15	21.83	60	38.17	Pass	401
2580	3000	1	RMS	2998	-51.79	-25	26.79	Pass	421
3000	12000	1	RMS	10261	-49.1	-25	24.1	Pass	9002
12000	26000	1	RMS	12827	-52.88	-25	27.88	Pass	14002




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.71	-25	47.71	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	539.9	-63.08	-25	38.08	Pass	9701
1000	2490	1	RMS	2483	-48.12	-25	23.12	Pass	1491
2490	2580	1	RMS	2500.575	22.55	60	37.45	Pass	401
2580	3000	1	RMS	2984	-51.76	-25	26.76	Pass	421
3000	12000	1	RMS	10002	-45.27	-25	20.27	Pass	9002
12000	26000	1	RMS	12503	-50.27	-25	25.27	Pass	14002




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-25	48.2	Pass	401
0.15	30	0.01	RMS	0.2	-72.52	-25	47.52	Pass	2986
30	1000	0.1	RMS	539.9	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2483	-49.64	-25	24.64	Pass	1491
2490	2580	1	RMS	2500.575	21.74	60	38.26	Pass	401
2580	3000	1	RMS	2991	-51.78	-25	26.78	Pass	421
3000	12000	1	RMS	10002	-46.03	-25	21.03	Pass	9002
12000	26000	1	RMS	12503	-50.61	-25	25.61	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-25	46.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	47.61	Pass	2986
30	1000	0.1	RMS	569.9	-64.48	-25	39.48	Pass	9701
1000	2490	1	RMS	2489	-52.71	-25	27.71	Pass	1491
2490	2580	1	RMS	2530.5	22.73	60	37.27	Pass	401
2580	3000	1	RMS	2995	-51.78	-25	26.78	Pass	421
3000	12000	1	RMS	10122	-47.39	-25	22.39	Pass	9002
12000	26000	1	RMS	12653	-51.06	-25	26.06	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	47.53	Pass	2986
30	1000	0.1	RMS	569.9	-65.07	-25	40.07	Pass	9701
1000	2490	1	RMS	2487	-52.73	-25	27.73	Pass	1491
2490	2580	1	RMS	2530.5	21.72	60	38.28	Pass	401
2580	3000	1	RMS	2996	-51.74	-25	26.74	Pass	421
3000	12000	1	RMS	10122	-48.35	-25	23.35	Pass	9002
12000	26000	1	RMS	12653	-52.94	-25	27.94	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.56	-25	48.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	47.78	Pass	2986
30	1000	0.1	RMS	599.9	-63.81	-25	38.81	Pass	9701
1000	2490	1	RMS	2484	-52.75	-25	27.75	Pass	1491
2490	2580	1	RMS	2560.425	22.67	60	37.33	Pass	401
2580	3000	1	RMS	2998	-51.76	-25	26.76	Pass	421
3000	12000	1	RMS	10242	-48.36	-25	23.36	Pass	9002
12000	26000	1	RMS	12803	-52.34	-25	27.34	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-25	48.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	599.9	-64.73	-25	39.73	Pass	9701
1000	2490	1	RMS	2487	-52.73	-25	27.73	Pass	1491
2490	2580	1	RMS	2560.425	21.76	60	38.24	Pass	401
2580	3000	1	RMS	2580	-51.76	-25	26.76	Pass	421
3000	12000	1	RMS	10242	-49.05	-25	24.05	Pass	9002
12000	26000	1	RMS	12803	-53.38	-25	28.38	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.4	-25	48.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-25	47.62	Pass	2986
30	1000	0.1	RMS	540.1	-63.89	-25	38.89	Pass	9701
1000	2490	1	RMS	2488	-43.53	-25	18.53	Pass	1491
2490	2580	1	RMS	2500.8	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2991	-51.75	-25	26.75	Pass	421
3000	12000	1	RMS	10003	-45.36	-25	20.36	Pass	9002
12000	26000	1	RMS	12504	-50.32	-25	25.32	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	47.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-25	47.74	Pass	2986
30	1000	0.1	RMS	540.1	-63.87	-25	38.87	Pass	9701
1000	2490	1	RMS	2488	-43.57	-25	18.57	Pass	1491
2490	2580	1	RMS	2500.8	21.73	60	38.27	Pass	401
2580	3000	1	RMS	2989	-51.72	-25	26.72	Pass	421
3000	12000	1	RMS	10003	-46.18	-25	21.18	Pass	9002
12000	26000	1	RMS	12504	-50.99	-25	25.99	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.36	-25	48.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-25	47.2	Pass	2986
30	1000	0.1	RMS	567.6	-65.19	-25	40.19	Pass	9701
1000	2490	1	RMS	2488	-52.68	-25	27.68	Pass	1491
2490	2580	1	RMS	2528.25	22.66	60	37.34	Pass	401
2580	3000	1	RMS	3000	-51.74	-25	26.74	Pass	421
3000	12000	1	RMS	10113	-46.75	-25	21.75	Pass	9002
12000	26000	1	RMS	12642	-52.06	-25	27.06	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-25	48.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	833	-65.63	-25	40.63	Pass	9701
1000	2490	1	RMS	2488	-52.69	-25	27.69	Pass	1491
2490	2580	1	RMS	2528.25	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2990	-51.8	-25	26.8	Pass	421
3000	12000	1	RMS	10113	-48.45	-25	23.45	Pass	9002
12000	26000	1	RMS	12642	-53.05	-25	28.05	Pass	14002



4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-25	47.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	595.1	-64.93	-25	39.93	Pass	9701
1000	2490	1	RMS	2484	-52.74	-25	27.74	Pass	1491
2490	2580	1	RMS	2555.7	22.62	60	37.38	Pass	401
2580	3000	1	RMS	2582	-27.63	-25	2.63	Pass*	421
3000	12000	1	RMS	10223	-48.62	-25	23.62	Pass	9002
12000	26000	1	RMS	12779	-53.1	-25	28.1	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.61	-25	46.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-25	46.57	Pass	2986
30	1000	0.1	RMS	595.2	-65.2	-25	40.2	Pass	9701
1000	2490	1	RMS	2489	-52.73	-25	27.73	Pass	1491
2490	2580	1	RMS	2555.7	21.78	60	38.22	Pass	401
2580	3000	1	RMS	2582	-29.03	-25	4.03	Pass*	421
3000	12000	1	RMS	10223	-49.38	-25	24.38	Pass	9002
12000	26000	1	RMS	12779	-53.9	-25	28.9	Pass	14002




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-25	48.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-25	46.59	Pass	2986
30	1000	0.1	RMS	540.4	-63.22	-25	38.22	Pass	9701
1000	2490	1	RMS	2483	-45.11	-25	20.11	Pass	1491
2490	2580	1	RMS	2501.025	22.38	60	37.62	Pass	401
2580	3000	1	RMS	3000	-51.77	-25	26.77	Pass	421
3000	12000	1	RMS	10004	-45.89	-25	20.89	Pass	9002
12000	26000	1	RMS	12505	-51.78	-25	26.78	Pass	14002




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.56	-25	47.56	Pass	401
0.15	30	0.01	RMS	0.18	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	540.4	-64.17	-25	39.17	Pass	9701
1000	2490	1	RMS	2483	-46.37	-25	21.37	Pass	1491
2490	2580	1	RMS	2501.025	21.51	60	38.49	Pass	401
2580	3000	1	RMS	2989	-51.8	-25	26.8	Pass	421
3000	12000	1	RMS	10004	-47.15	-25	22.15	Pass	9002
12000	26000	1	RMS	12505	-52.88	-25	27.88	Pass	14002




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.4	-25	48.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	565.4	-64.48	-25	39.48	Pass	9701
1000	2490	1	RMS	2490	-50.63	-25	25.63	Pass	1491
2490	2580	1	RMS	2526	22.45	60	37.55	Pass	401
2580	3000	1	RMS	2997	-51.77	-25	26.77	Pass	421
3000	12000	1	RMS	10104	-47.15	-25	22.15	Pass	9002
12000	26000	1	RMS	12630	-52.39	-25	27.39	Pass	14002



4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.05	-25	48.05	Pass	401
0.15	30	0.01	RMS	0.19	-72.89	-25	47.89	Pass	2986
30	1000	0.1	RMS	565.4	-65.43	-25	40.43	Pass	9701
1000	2490	1	RMS	2490	-48.6	-25	23.6	Pass	1491
2490	2580	1	RMS	2526	21.46	60	38.54	Pass	401
2580	3000	1	RMS	2992	-51.8	-25	26.8	Pass	421
3000	12000	1	RMS	10104	-48.49	-25	23.49	Pass	9002
12000	26000	1	RMS	12630	-53.79	-25	28.79	Pass	14002



4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.28	-25	48.28	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-25	47.55	Pass	2986
30	1000	0.1	RMS	590.4	-64.23	-25	39.23	Pass	9701
1000	2490	1	RMS	2488	-52.74	-25	27.74	Pass	1491
2490	2580	1	RMS	2550.975	22.41	60	37.59	Pass	401
2580	3000	1	RMS	2586	-29.05	-25	4.05	Pass*	421
3000	12000	1	RMS	10204	-48.25	-25	23.25	Pass	9002
12000	26000	1	RMS	12755	-54.05	-25	29.05	Pass	14002

