

Spurious Emission at Antenna Terminals

4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-25	47	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-25	47.32	Pass	2986
30	1000	0.1	RMS	590.4	-65.01	-25	40.01	Pass	9701
1000	2490	1	RMS	2487	-52.81	-25	27.81	Pass	1491
2490	2580	1	RMS	2550.975	21.44	60	38.56	Pass	401
2580	3000	1	RMS	2586	-30.74	-25	5.74	Pass*	421
3000	12000	1	RMS	10204	-49.45	-25	24.45	Pass	9002
12000	26000	1	RMS	12755	-54.84	-25	29.84	Pass	14002



5. LTE_Band38


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.17	-67.92	-25	42.92	Pass	2986
30	1000	0.1	RMS	820.7	-61.62	-25	36.62	Pass	9701
1000	2560	1	RMS	2559	-48.4	-25	23.4	Pass	1561
2560	2630	1	RMS	2570.325	22.85	60	37.15	Pass	401
2630	3000	1	RMS	2901.025	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11979	-50.23	-25	25.23	Pass	9002
12000	26500	1	RMS	25901	-51.26	-25	26.26	Pass	14502




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.94	-25	43.94	Pass	401
0.15	30	0.01	RMS	0.17	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	609.6	-61.7	-25	36.7	Pass	9701
1000	2560	1	RMS	2560	-48.32	-25	23.32	Pass	1561
2560	2630	1	RMS	2570.15	22.36	60	37.64	Pass	401
2630	3000	1	RMS	2899.175	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11979	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25498	-51.27	-25	26.27	Pass	14502




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	974.483	-61.75	-25	36.75	Pass	9701
1000	2560	1	RMS	2495	-48.65	-25	23.65	Pass	1561
2560	2630	1	RMS	2592.9	22.79	60	37.21	Pass	401
2630	3000	1	RMS	2900.1	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11950	-50.26	-25	25.26	Pass	9002
12000	26500	1	RMS	25503	-51.29	-25	26.29	Pass	14502




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.18	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	894.63	-61.68	-25	36.68	Pass	9701
1000	2560	1	RMS	2535	-48.63	-25	23.63	Pass	1561
2560	2630	1	RMS	2592.725	21.79	60	38.21	Pass	401
2630	3000	1	RMS	2899.175	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11959	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25511	-51.26	-25	26.26	Pass	14502




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.72	-25	43.72	Pass	401
0.15	30	0.01	RMS	0.2	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	985.991	-61.73	-25	36.73	Pass	9701
1000	2560	1	RMS	2522	-48.68	-25	23.68	Pass	1561
2560	2630	1	RMS	2615.3	23.36	60	36.64	Pass	401
2630	3000	1	RMS	2901.025	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11949	-50.28	-25	25.28	Pass	9002
12000	26500	1	RMS	25516	-51.39	-25	26.39	Pass	14502




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	980.487	-61.65	-25	36.65	Pass	9701
1000	2560	1	RMS	2530	-48.66	-25	23.66	Pass	1561
2560	2630	1	RMS	2615.3	22.45	60	37.55	Pass	401
2630	3000	1	RMS	2900.1	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	5231	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25502	-51.29	-25	26.29	Pass	14502




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	609.9	-61.72	-25	36.72	Pass	9701
1000	2560	1	RMS	2558	-44.13	-25	19.13	Pass	1561
2560	2630	1	RMS	2570.5	22.78	60	37.22	Pass	401
2630	3000	1	RMS	2901.95	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11971	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25510	-51.28	-25	26.28	Pass	14502




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	964.677	-61.85	-25	36.85	Pass	9701
1000	2560	1	RMS	2559	-41.66	-25	16.66	Pass	1561
2560	2630	1	RMS	2570.675	22.02	60	37.98	Pass	401
2630	3000	1	RMS	2902.875	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11983	-50.22	-25	25.22	Pass	9002
12000	26500	1	RMS	25501	-51.27	-25	26.27	Pass	14502




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	984.089	-61.81	-25	36.81	Pass	9701
1000	2560	1	RMS	2536	-48.55	-25	23.55	Pass	1561
2560	2630	1	RMS	2590.45	22.49	60	37.51	Pass	401
2630	3000	1	RMS	2902.875	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11950	-50.22	-25	25.22	Pass	9002
12000	26500	1	RMS	25498	-51.3	-25	26.3	Pass	14502




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.17	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	872.516	-61.69	-25	36.69	Pass	9701
1000	2560	1	RMS	2537	-48.64	-25	23.64	Pass	1561
2560	2630	1	RMS	2590.45	21.78	60	38.22	Pass	401
2630	3000	1	RMS	2901.025	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11970	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25500	-51.28	-25	26.28	Pass	14502




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.66	-25	42.66	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	871.315	-61.79	-25	36.79	Pass	9701
1000	2560	1	RMS	2534	-48.64	-25	23.64	Pass	1561
2560	2630	1	RMS	2610.4	23.13	60	36.87	Pass	401
2630	3000	1	RMS	2904.725	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11978	-50.25	-25	25.25	Pass	9002
12000	26500	1	RMS	25490	-51.26	-25	26.26	Pass	14502




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	885.124	-61.69	-25	36.69	Pass	9701
1000	2560	1	RMS	2534	-48.61	-25	23.61	Pass	1561
2560	2630	1	RMS	2610.575	21.88	60	38.12	Pass	401
2630	3000	1	RMS	2899.175	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	5221	-50.15	-25	25.15	Pass	9002
12000	26500	1	RMS	25501	-51.19	-25	26.19	Pass	14502




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-25	43.31	Pass	2986
30	1000	0.1	RMS	610.1	-61.67	-25	36.67	Pass	9701
1000	2560	1	RMS	2557	-41.04	-25	16.04	Pass	1561
2560	2630	1	RMS	2570.85	23.26	60	36.74	Pass	401
2630	3000	1	RMS	2899.175	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11950	-50.19	-25	25.19	Pass	9002
12000	26500	1	RMS	25896	-51.26	-25	26.26	Pass	14502




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.77	-25	43.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	968.379	-61.76	-25	36.76	Pass	9701
1000	2560	1	RMS	2557	-42.54	-25	17.54	Pass	1561
2560	2630	1	RMS	2570.675	22.25	60	37.75	Pass	401
2630	3000	1	RMS	2903.8	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11969	-50.23	-25	25.23	Pass	9002
12000	26500	1	RMS	25505	-51.27	-25	26.27	Pass	14502




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	867.512	-61.79	-25	36.79	Pass	9701
1000	2560	1	RMS	2526	-48.62	-25	23.62	Pass	1561
2560	2630	1	RMS	2588.35	23.25	60	36.75	Pass	401
2630	3000	1	RMS	2899.175	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11956	-50.2	-25	25.2	Pass	9002
12000	26500	1	RMS	25523	-51.25	-25	26.25	Pass	14502




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.19	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	848.9	-61.73	-25	36.73	Pass	9701
1000	2560	1	RMS	2503	-48.61	-25	23.61	Pass	1561
2560	2630	1	RMS	2588.175	22.14	60	37.86	Pass	401
2630	3000	1	RMS	2897.325	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11963	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25508	-51.2	-25	26.2	Pass	14502




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.71	-25	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	830.4	-61.69	-25	36.69	Pass	9701
1000	2560	1	RMS	2517	-48.65	-25	23.65	Pass	1561
2560	2630	1	RMS	2605.675	23.03	60	36.97	Pass	401
2630	3000	1	RMS	2631.85	-23.41	-25	-1.59	NA	401
3000	12000	1	RMS	11951	-50.25	-25	25.25	Pass	9002
12000	26500	1	RMS	25502	-51.33	-25	26.33	Pass	14502




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-25	43.75	Pass	2986
30	1000	0.1	RMS	885.424	-61.66	-25	36.66	Pass	9701
1000	2560	1	RMS	2540	-48.67	-25	23.67	Pass	1561
2560	2630	1	RMS	2605.675	22.61	60	37.39	Pass	401
2630	3000	1	RMS	2631.85	-23.75	-25	-1.25	NA	401
3000	12000	1	RMS	5212	-50.22	-25	25.22	Pass	9002
12000	26500	1	RMS	25491	-51.23	-25	26.23	Pass	14502




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	0.21	-68.92	-25	43.92	Pass	2986
30	1000	0.1	RMS	984.29	-61.78	-25	36.78	Pass	9701
1000	2560	1	RMS	2560	-42.06	-25	17.06	Pass	1561
2560	2630	1	RMS	2570.85	22.41	60	37.59	Pass	401
2630	3000	1	RMS	2901.025	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11954	-50.2	-25	25.2	Pass	9002
12000	26500	1	RMS	25498	-51.26	-25	26.26	Pass	14502




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.16	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	840.2	-61.67	-25	36.67	Pass	9701
1000	2560	1	RMS	2558	-42.67	-25	17.67	Pass	1561
2560	2630	1	RMS	2571.025	22.38	60	37.62	Pass	401
2630	3000	1	RMS	2900.1	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11976	-50.27	-25	25.27	Pass	9002
12000	26500	1	RMS	25505	-51.3	-25	26.3	Pass	14502




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	978.986	-61.78	-25	36.78	Pass	9701
1000	2560	1	RMS	2550	-48.6	-25	23.6	Pass	1561
2560	2630	1	RMS	2585.9	23.01	60	36.99	Pass	401
2630	3000	1	RMS	2901.025	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11950	-50.25	-25	25.25	Pass	9002
12000	26500	1	RMS	25878	-51.23	-25	26.23	Pass	14502




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.89	-25	42.89	Pass	401
0.15	30	0.01	RMS	0.19	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	845.1	-61.73	-25	36.73	Pass	9701
1000	2560	1	RMS	2539	-48.62	-25	23.62	Pass	1561
2560	2630	1	RMS	2585.9	21.5	60	38.5	Pass	401
2630	3000	1	RMS	2908.425	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11951	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25506	-51.22	-25	26.22	Pass	14502




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	850.701	-61.64	-25	36.64	Pass	9701
1000	2560	1	RMS	2526	-48.6	-25	23.6	Pass	1561
2560	2630	1	RMS	2601.125	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2636.475	-24.93	-25	-0.07	NA	401
3000	12000	1	RMS	11950	-50.21	-25	25.21	Pass	9002
12000	26500	1	RMS	25497	-51.21	-25	26.21	Pass	14502



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	822.7	-61.81	-25	36.81	Pass	9701
1000	2560	1	RMS	2535	-48.67	-25	23.67	Pass	1561
2560	2630	1	RMS	2600.95	22.09	60	37.91	Pass	401
2630	3000	1	RMS	2636.475	-26.45	-25	1.45	Pass*	401
3000	12000	1	RMS	11958	-50.19	-25	25.19	Pass	9002
12000	26500	1	RMS	25500	-51.22	-25	26.22	Pass	14502



6. LTE_Band41 120M


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.18	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	981.788	-61.3	-25	36.3	Pass	9701
1000	2486	1	RMS	2482	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2535.22	21.78	60	38.22	Pass	401
2700	3000	1	RMS	2901	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	5071	-52.22	-25	27.22	Pass	9002
12000	26500	1	RMS	25494	-50.26	-25	25.26	Pass	14502




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.21	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	825.5	-61.32	-25	36.32	Pass	9701
1000	2486	1	RMS	2486	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2535.22	21.44	60	38.56	Pass	401
2700	3000	1	RMS	2899.5	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5071	-53.93	-25	28.93	Pass	9002
12000	26500	1	RMS	25497	-50.17	-25	25.17	Pass	14502




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.08	-25	43.08	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	849.8	-61.41	-25	36.41	Pass	9701
1000	2486	1	RMS	2482	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2592.465	22.67	60	37.33	Pass	401
2700	3000	1	RMS	2898.75	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5186	-51.1	-25	26.1	Pass	9002
12000	26500	1	RMS	25497	-50.29	-25	25.29	Pass	14502




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	829.9	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2482	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2592.465	20.8	60	39.2	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5185	-57.26	-25	32.26	Pass	9002
12000	26500	1	RMS	25512	-50.32	-25	25.32	Pass	14502




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.16	-67.92	-25	42.92	Pass	2986
30	1000	0.1	RMS	860.708	-61.36	-25	36.36	Pass	9701
1000	2486	1	RMS	2483	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2650.245	22.3	60	37.7	Pass	401
2700	3000	1	RMS	2899.5	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5301	-59.95	-25	34.95	Pass	9002
12000	26500	1	RMS	25506	-50.23	-25	25.23	Pass	14502




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.17	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	966.378	-61.37	-25	36.37	Pass	9701
1000	2486	1	RMS	2467	-48.52	-25	23.52	Pass	1487
2486	2700	1	RMS	2650.245	22.06	60	37.94	Pass	401
2700	3000	1	RMS	2901.75	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3425	-59.34	-25	34.34	Pass	9002
12000	26500	1	RMS	25498	-50.26	-25	25.26	Pass	14502




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.77	-25	43.77	Pass	401
0.15	30	0.01	RMS	0.42	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	988.492	-61.46	-25	36.46	Pass	9701
1000	2486	1	RMS	2480	-48.54	-25	23.54	Pass	1487
2486	2700	1	RMS	2535.22	21.57	60	38.43	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5071	-56.66	-25	31.66	Pass	9002
12000	26500	1	RMS	25509	-50.25	-25	25.25	Pass	14502




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	917.745	-61.46	-25	36.46	Pass	9701
1000	2486	1	RMS	2481	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2535.22	21.97	60	38.03	Pass	401
2700	3000	1	RMS	2901.75	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	5071	-53.55	-25	28.55	Pass	9002
12000	26500	1	RMS	25494	-50.25	-25	25.25	Pass	14502




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.18	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	853.403	-61.41	-25	36.41	Pass	9701
1000	2486	1	RMS	2486	-48.38	-25	23.38	Pass	1487
2486	2700	1	RMS	2590.325	22.99	60	37.01	Pass	401
2700	3000	1	RMS	2903.25	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5181	-50.01	-25	25.01	Pass	9002
12000	26500	1	RMS	25506	-50.33	-25	25.33	Pass	14502




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.15	-67.1	-25	42.1	Pass	2986
30	1000	0.1	RMS	842.9	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2485	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2590.325	20.94	60	39.06	Pass	401
2700	3000	1	RMS	2899.5	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5181	-52.92	-25	27.92	Pass	9002
12000	26500	1	RMS	25505	-50.28	-25	25.28	Pass	14502




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	0.21	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	684.9	-61.41	-25	36.41	Pass	9701
1000	2486	1	RMS	2486	-48.55	-25	23.55	Pass	1487
2486	2700	1	RMS	2645.43	21.6	60	38.4	Pass	401
2700	3000	1	RMS	2900.25	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5292	-59.74	-25	34.74	Pass	9002
12000	26500	1	RMS	25508	-50.22	-25	25.22	Pass	14502




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.89	-25	43.89	Pass	401
0.15	30	0.01	RMS	0.17	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	856.905	-61.28	-25	36.28	Pass	9701
1000	2486	1	RMS	2480	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2645.43	21.39	60	38.61	Pass	401
2700	3000	1	RMS	2901.75	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5291	-56.99	-25	31.99	Pass	9002
12000	26500	1	RMS	25508	-50.3	-25	25.3	Pass	14502




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	847.2	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2484	-48.52	-25	23.52	Pass	1487
2486	2700	1	RMS	2535.22	21.66	60	38.34	Pass	401
2700	3000	1	RMS	2899.5	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5072	-56.69	-25	31.69	Pass	9002
12000	26500	1	RMS	25504	-50.32	-25	25.32	Pass	14502




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.19	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	911.141	-61.44	-25	36.44	Pass	9701
1000	2486	1	RMS	2484	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2535.755	21.48	60	38.52	Pass	401
2700	3000	1	RMS	2899.5	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5072	-52.73	-25	27.73	Pass	9002
12000	26500	1	RMS	25495	-50.28	-25	25.28	Pass	14502




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.22	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	872.215	-61.45	-25	36.45	Pass	9701
1000	2486	1	RMS	2469	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2588.185	22.28	60	37.72	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5176	-53.56	-25	28.56	Pass	9002
12000	26500	1	RMS	25490	-50.33	-25	25.33	Pass	14502




6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	842.4	-61.5	-25	36.5	Pass	9701
1000	2486	1	RMS	2482	-48.38	-25	23.38	Pass	1487
2486	2700	1	RMS	2588.185	21.62	60	38.38	Pass	401
2700	3000	1	RMS	2898.75	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5176	-54.9	-25	29.9	Pass	9002
12000	26500	1	RMS	25499	-50.17	-25	25.17	Pass	14502




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.22	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	965.877	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2484	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2640.615	22.9	60	37.1	Pass	401
2700	3000	1	RMS	2898.75	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5282	-57.82	-25	32.82	Pass	9002
12000	26500	1	RMS	25510	-50.21	-25	25.21	Pass	14502




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.17	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	885.924	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2483	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2640.615	21.68	60	38.32	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5281	-58.46	-25	33.46	Pass	9002
12000	26500	1	RMS	25521	-50.18	-25	25.18	Pass	14502




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.19	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	857.506	-61.48	-25	36.48	Pass	9701
1000	2486	1	RMS	2485	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2535.755	21.6	60	38.4	Pass	401
2700	3000	1	RMS	2904	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5072	-53.24	-25	28.24	Pass	9002
12000	26500	1	RMS	25502	-50.2	-25	25.2	Pass	14502




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	877.119	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2485	-48.47	-25	23.47	Pass	1487
2486	2700	1	RMS	2535.755	21.58	60	38.42	Pass	401
2700	3000	1	RMS	2899.5	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5072	-52.18	-25	27.18	Pass	9002
12000	26500	1	RMS	25502	-50.25	-25	25.25	Pass	14502




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	0.15	-67.39	-25	42.39	Pass	2986
30	1000	0.1	RMS	839.4	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2481	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2585.51	21.51	60	38.49	Pass	401
2700	3000	1	RMS	2903.25	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5173	-56.05	-25	31.05	Pass	9002
12000	26500	1	RMS	25499	-50.22	-25	25.22	Pass	14502




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.77	-25	43.77	Pass	401
0.15	30	0.01	RMS	0.27	-68.93	-25	43.93	Pass	2986
30	1000	0.1	RMS	969.18	-61.32	-25	36.32	Pass	9701
1000	2486	1	RMS	2485	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2586.045	20.41	60	39.59	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5172	-54.61	-25	29.61	Pass	9002
12000	26500	1	RMS	25505	-50.19	-25	25.19	Pass	14502




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.86	-25	42.86	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	860.107	-61.39	-25	36.39	Pass	9701
1000	2486	1	RMS	2485	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2635.8	22.99	60	37.01	Pass	401
2700	3000	1	RMS	2899.5	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5272	-55.93	-25	30.93	Pass	9002
12000	26500	1	RMS	25509	-50.19	-25	25.19	Pass	14502



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.18	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	838.3	-61.46	-25	36.46	Pass	9701
1000	2486	1	RMS	2484	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2635.8	22.14	60	37.86	Pass	401
2700	3000	1	RMS	2907.75	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5272	-57.08	-25	32.08	Pass	9002
12000	26500	1	RMS	25508	-50.31	-25	25.31	Pass	14502



--BLANK BELOW--