


10.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



11. LTE_Band41 full


11.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



11.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




11.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



11.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



11.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




11.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



11.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




11.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



11.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



11.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12. LTE_Band42 3450-3550


12.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




12.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




12.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



12.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




12.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14. LTE_Band66


14.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




14.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



14.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)



14.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



14.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




14.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




15. n5


15.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




15.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)



15.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




15.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




15.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.91	13	Pass




15.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




15.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.58	13	Pass



15.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




15.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




15.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.47	13	Pass




15.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




15.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.22	13	Pass



15.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




15.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




15.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6	13	Pass




15.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.09	13	Pass




15.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.67	13	Pass



15.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




15.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




15.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.47	13	Pass



15.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




15.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




15.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.02	13	Pass



15.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




15.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




15.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.95	13	Pass




15.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



15.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




15.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




15.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.52	13	Pass




16. n7

16.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




16.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.41	13	Pass




16.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.97	13	Pass




16.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




16.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.91	13	Pass




16.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.42	13	Pass




16.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.72	13	Pass



16.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




16.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




16.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.75	13	Pass



16.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




16.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




16.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.16	13	Pass




16.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.62	13	Pass




16.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6	13	Pass




16.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.37	13	Pass




16.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



16.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




16.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




16.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.75	13	Pass




16.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)



16.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.5	13	Pass



16.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

