



19.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	5.62	13	Pass




19.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	5.91	13	Pass




19.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




19.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.09	13	Pass




19.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.19	13	Pass




19.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	6.56	13	Pass




20. n41

20.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




20.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)



20.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	5.39	13	Pass




20.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




20.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	6.28	13	Pass




20.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




20.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	5.53	13	Pass




20.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




20.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	6.09	13	Pass




20.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	6.47	13	Pass




20.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




20.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	3.84	13	Pass



20.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	4.92	13	Pass




20.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)



20.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




20.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




20.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	5.48	13	Pass




20.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	5.77	13	Pass




20.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




20.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	6.37	13	Pass




20.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	3.98	13	Pass




20.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	3.8	13	Pass




20.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	4.73	13	Pass




20.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	4.78	13	Pass




20.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.62	13	Pass




20.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




20.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.34	13	Pass




20.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




20.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.62	13	Pass




20.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.33	13	Pass




21. n77 (3450-3550)

21.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




21.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	4.41	13	Pass




21.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




21.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)



21.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




21.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




21.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	6.61	13	Pass



21.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




21.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




21.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	6.7	13	Pass




21.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




21.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	4.41	13	Pass




21.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.14	13	Pass




21.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




21.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.75	13	Pass




21.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.23	13	Pass




21.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.61	13	Pass




21.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.56	13	Pass




21.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.47	13	Pass




21.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	6.7	13	Pass




21.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




21.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	4.36	13	Pass




21.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	6.19	13	Pass




21.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	5.58	13	Pass




21.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	6.75	13	Pass




21.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




21.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	6.61	13	Pass



21.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




21.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




21.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	6.61	13	Pass




22. n77 (3700-3980)

22.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




22.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	4.31	13	Pass




22.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	6.19	13	Pass




22.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




22.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	5.81	13	Pass




22.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




22.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	6.33	13	Pass



22.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	6.47	13	Pass




22.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	6.61	13	Pass




22.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	4.41	13	Pass




22.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	4.41	13	Pass




22.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	4.87	13	Pass




22.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




22.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	6.37	13	Pass



22.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




22.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




22.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	6.66	13	Pass




22.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	6.33	13	Pass




22.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




22.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	4.27	13	Pass




22.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	4.41	13	Pass




22.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	5.86	13	Pass



22.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	5.58	13	Pass



22.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

