

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	23.20	19.9	33.01	PASS
Band2	TestMode	9262	23.20	19.9	33.01	PASS
Band2	TestMode	9400	23.10	19.8	33.01	PASS
Band2	Voice	9400	23.11	19.81	33.01	PASS
Band2	TestMode	9538	22.92	19.62	33.01	PASS
Band2	Voice	9538	22.87	19.57	33.01	PASS
Band4	Voice	1312	22.94	19.44	30.00	PASS
Band4	TestMode	1312	23.00	19.5	30.00	PASS
Band4	TestMode	1413	23.19	19.69	30.00	PASS
Band4	Voice	1413	22.88	19.38	30.00	PASS
Band4	Voice	1513	23.25	19.75	30.00	PASS
Band4	TestMode	1513	23.30	19.8	30.00	PASS
Band5	TestMode	4132	23.73	15.29	38.45	PASS
Band5	Voice	4132	23.70	15.26	38.45	PASS
Band5	TestMode	4183	23.78	15.34	38.45	PASS
Band5	Voice	4183	23.79	15.35	38.45	PASS
Band5	Voice	4233	23.70	15.26	38.45	PASS
Band5	TestMode	4233	23.72	15.28	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.21	18.91	33.01	PASS
Band2	9262	2	21.63	18.33	33.01	PASS
Band2	9262	3	21.64	18.34	33.01	PASS
Band2	9262	4	21.62	18.32	33.01	PASS
Band2	9400	1	22.09	18.79	33.01	PASS
Band2	9400	2	21.55	18.25	33.01	PASS
Band2	9400	3	21.51	18.21	33.01	PASS
Band2	9400	4	21.50	18.2	33.01	PASS
Band2	9538	1	21.88	18.58	33.01	PASS
Band2	9538	2	21.28	17.98	33.01	PASS
Band2	9538	3	21.30	18	33.01	PASS
Band2	9538	4	21.34	18.04	33.01	PASS

Band4	1312	1	21.97	18.47	30.00	PASS
Band4	1312	2	21.41	17.91	30.00	PASS
Band4	1312	3	21.45	17.95	30.00	PASS
Band4	1312	4	21.40	17.9	30.00	PASS
Band4	1413	1	22.18	18.68	30.00	PASS
Band4	1413	2	21.62	18.12	30.00	PASS
Band4	1413	3	21.66	18.16	30.00	PASS
Band4	1413	4	21.61	18.11	30.00	PASS
Band4	1513	1	22.30	18.8	30.00	PASS
Band4	1513	2	21.78	18.28	30.00	PASS
Band4	1513	3	21.80	18.3	30.00	PASS
Band4	1513	4	21.74	18.24	30.00	PASS
Band5	4132	1	22.75	14.31	38.5	PASS
Band5	4132	2	22.16	13.72	38.5	PASS
Band5	4132	3	22.21	13.77	38.5	PASS
Band5	4132	4	22.13	13.69	38.5	PASS
Band5	4183	1	22.79	14.35	38.5	PASS
Band5	4183	2	22.23	13.79	38.5	PASS
Band5	4183	3	22.23	13.79	38.5	PASS
Band5	4183	4	22.22	13.78	38.5	PASS
Band5	4233	1	22.70	14.26	38.5	PASS
Band5	4233	2	22.14	13.7	38.5	PASS
Band5	4233	3	22.17	13.73	38.5	PASS
Band5	4233	4	22.13	13.69	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.20	17.9	33.01	PASS
Band2	9262	2	21.64	18.34	33.01	PASS
Band2	9262	3	22.20	18.9	33.01	PASS
Band2	9262	4	21.20	17.9	33.01	PASS
Band2	9262	5	23.20	19.9	33.01	PASS
Band2	9400	1	21.08	17.78	33.01	PASS
Band2	9400	2	21.56	18.26	33.01	PASS
Band2	9400	3	22.06	18.76	33.01	PASS
Band2	9400	4	21.06	17.76	33.01	PASS
Band2	9400	5	23.06	19.76	33.01	PASS
Band2	9538	1	20.83	17.53	33.01	PASS
Band2	9538	2	21.37	18.07	33.01	PASS
Band2	9538	3	21.83	18.53	33.01	PASS

Band2	9538	4	20.86	17.56	33.01	PASS
Band2	9538	5	22.84	19.54	33.01	PASS
Band4	1312	1	20.96	17.46	30.00	PASS
Band4	1312	2	21.43	17.93	30.00	PASS
Band4	1312	3	21.96	18.46	30.00	PASS
Band4	1312	4	20.95	17.45	30.00	PASS
Band4	1312	5	22.97	19.47	30.00	PASS
Band4	1413	1	21.21	17.71	30.00	PASS
Band4	1413	2	21.69	18.19	30.00	PASS
Band4	1413	3	22.16	18.66	30.00	PASS
Band4	1413	4	21.17	17.67	30.00	PASS
Band4	1413	5	23.20	19.7	30.00	PASS
Band4	1513	1	21.33	17.83	30.00	PASS
Band4	1513	2	21.79	18.29	30.00	PASS
Band4	1513	3	22.34	18.84	30.00	PASS
Band4	1513	4	21.32	17.82	30.00	PASS
Band4	1513	5	23.34	19.84	30.00	PASS
Band5	4132	1	21.74	13.3	38.5	PASS
Band5	4132	2	22.18	13.74	38.5	PASS
Band5	4132	3	22.69	14.25	38.5	PASS
Band5	4132	4	21.75	13.31	38.5	PASS
Band5	4132	5	23.73	15.29	38.5	PASS
Band5	4183	1	21.80	13.36	38.5	PASS
Band5	4183	2	22.21	13.77	38.5	PASS
Band5	4183	3	22.79	14.35	38.5	PASS
Band5	4183	4	21.80	13.36	38.5	PASS
Band5	4183	5	23.80	15.36	38.5	PASS
Band5	4233	1	21.71	13.27	38.5	PASS
Band5	4233	2	22.17	13.73	38.5	PASS
Band5	4233	3	22.68	14.24	38.5	PASS
Band5	4233	4	21.71	13.27	38.5	PASS
Band5	4233	5	23.71	15.27	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2 & 4)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.97	13	PASS
Band4	1413	2.93	13	PASS
Band5	4183	3.11	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1581	4.718	---	PASS
Band2	9400	4.1567	4.693	---	PASS
Band2	9538	4.1570	4.694	---	PASS
Band4	1312	4.1494	4.712	---	PASS
Band4	1413	4.1579	4.696	---	PASS
Band4	1513	4.1657	4.726	---	PASS
Band5	4132	4.1423	4.679	---	PASS
Band5	4183	4.1553	4.697	---	PASS
Band5	4233	4.1461	4.691	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-18.91	-13	PASS
Band2	9538	1910.00	-19.37	-13	PASS
Band4	1312	1710.00	-22.16	-13	PASS
Band4	1513	1755.00	-18.70	-13	PASS
Band5	4132	824.00	-20.01	-13	PASS
Band5	4233	849.00	-20.11	-13	PASS

Test Graphs(WCDMA)





AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-56.39	-43	PASS
Band2	9262	0.15~30MHz	0.15	-47.3	-23	PASS
Band2	9262	30~1000MHz	750.06	-46.04	-13	PASS
Band2	9262	1000~20000MHz	19901.83	-30.59	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-56.46	-43	PASS
Band2	9400	0.15~30MHz	0.15	-48.83	-23	PASS
Band2	9400	30~1000MHz	934.46	-45.67	-13	PASS
Band2	9400	1000~20000MHz	19989.87	-30.55	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-56.46	-43	PASS
Band2	9538	0.15~30MHz	0.15	-48.41	-23	PASS
Band2	9538	30~1000MHz	551.99	-45.98	-13	PASS
Band2	9538	1000~20000MHz	19946.8	-31.02	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-56.47	-43	PASS
Band4	1312	0.15~30MHz	0.16	-48.02	-23	PASS
Band4	1312	30~1000MHz	805.71	-45.56	-13	PASS
Band4	1312	1000~20000MHz	19952.5	-30.23	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-57.23	-43	PASS
Band4	1413	0.15~30MHz	0.15	-48.47	-23	PASS
Band4	1413	30~1000MHz	386.83	-46	-13	PASS
Band4	1413	1000~20000MHz	19998.1	-31.02	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-56.53	-43	PASS
Band4	1513	0.15~30MHz	0.16	-48	-23	PASS
Band4	1513	30~1000MHz	383.14	-45.82	-13	PASS
Band4	1513	1000~20000MHz	19927.17	-31.48	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-56.97	-33	PASS
Band5	4132	0.15~30MHz	0.15	-48.46	-13	PASS
Band5	4132	30~1000MHz	673.05	-55.2	-13	PASS
Band5	4132	1000~10000MHz	6049.6	-36.19	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-55.14	-33	PASS
Band5	4183	0.15~30MHz	0.15	-48.2	-13	PASS
Band5	4183	30~1000MHz	945.97	-55.38	-13	PASS
Band5	4183	1000~10000MHz	5909.2	-36.97	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-56.68	-33	PASS
Band5	4233	0.15~30MHz	0.16	-47.79	-13	PASS
Band5	4233	30~1000MHz	347.19	-54.92	-13	PASS
Band5	4233	1000~10000MHz	7375.9	-36.85	-13	PASS


Test Graphs(WCDMA)














AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.91	-30	-6.06	-0.007244	±2.5	Pass
	-20	-5.42	-0.006479		
	-10	-5.76	-0.006885		
	0	-5.02	-0.006000		
	10	-4.66	-0.005570		
	20	-4.66	-0.005570		
	30	-4.59	-0.005486		
	40	-4.51	-0.005391		
	50	-5.30	-0.006335		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-6.53	-0.007805	±2.5	Pass
	3.91	-7.60	-0.009084		
	4.50	-6.67	-0.007973		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.91	-30	-2.85	-0.001645	Within authorized band for BAND IV	Pass
	-20	-2.90	-0.001674		
	-10	-4.49	-0.002591		
	0	-1.24	-0.000716		
	10	-2.17	-0.001252		
	20	-3.84	-0.002216		
	30	-3.78	-0.002182		
	40	-1.97	-0.001137		
	50	-2.47	-0.001426		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-1.19	-0.000687	Within authorized band for BAND IV	Pass
	3.91	-0.64	-0.000369		
	4.50	-1.92	-0.001108		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.91	-30	-3.86	-0.002053	Within authorized band for BAND II	Pass
	-20	-3.12	-0.001660		
	-10	-4.10	-0.002181		
	0	-0.67	-0.000356		
	10	-0.99	-0.000527		
	20	-3.43	-0.001824		
	30	-2.11	-0.001122		
	40	0.47	0.000250		
	50	-1.19	-0.000633		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-5.76	-0.003064	Within authorized band for BAND II	Pass
	3.91	-7.80	-0.004149		
	4.50	-4.48	-0.002383		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

