TABLE OF CONTENTS

1 Conducted output power for NR FR1 2
2 Frequency stability for NR FR1 4
3 Peak-to-Average Ratio for NR FR1 6
4 Occupied bandwidth for NR FR1 88
5 Band edge for NR FR1 117
6 Out-of-band emissions for NR FR1 125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	25.56	0.42	25.98	30	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	24.74	0.42	25.16	30	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	25.73	0.42	26.15	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	25.71	0.42	26.13	30	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	25.8	0.42	26.22	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	24.63	0.42	25.05	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	23.37	0.42	23.79	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	21.13	0.42	21.55	30	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	24.34	0.42	24.76	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	25.98	0.42	26.4	30	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	25.05	0.42	25.47	30	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	26.11	0.42	26.53	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	25.95	0.42	26.37	30	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	26.04	0.42	26.46	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	24.92	0.42	25.34	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	23.51	0.42	23.93	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	21.47	0.42	21.89	30	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	24.94	0.42	25.36	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	26.01	0.42	26.43	30	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	24.81	0.42	25.23	30	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	25.89	0.42	26.31	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	26.05	0.42	26.47	30	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	26.05	0.42	26.47	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	24.79	0.42	25.21	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	23.17	0.42	23.59	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	21.16	0.42	21.58	30	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	24.31	0.42	24.73	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	25.65	0.42	26.07	30	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	25.01	0.42	25.43	30	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	26.06	0.42	26.48	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	25.63	0.42	26.05	30	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	26.08	0.42	26.5	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	24.76	0.42	25.18	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	23.29	0.42	23.71	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	21.43	0.42	21.85	30	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	24.06	0.42	24.48	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	25.9	0.42	26.32	30	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	25.08	0.42	25.5	30	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	26.14	0.42	26.56	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	25.95	0.42	26.37	30	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	25.9	0.42	26.32	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	24.89	0.42	25.31	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	23.6	0.42	24.02	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	21.54	0.42	21.96	30	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	24.53	0.42	24.95	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	26.01	0.42	26.43	30	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	25.07	0.42	25.49	30	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	26	0.42	26.42	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	25.97	0.42	26.39	30	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	25.8	0.42	26.22	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	25.22	0.42	25.64	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	23.47	0.42	23.89	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	21.59	0.42	22.01	30	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	24.49	0.42	24.91	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	25.58	0.42	26	30	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	24.96	0.42	25.38	30	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	26.04	0.42	26.46	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	25.62	0.42	26.04	30	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	25.84	0.42	26.26	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	24.73	0.42	25.15	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	23.01	0.42	23.43	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	20.91	0.42	21.33	30	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	23.89	0.42	24.31	30	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-5.46	-0.00147	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-6.59	-0.00178	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-5.40	-0.00146	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-5.60	-0.00151	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-4.88	-0.00132	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-7.47	-0.00202	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-6.60	-0.00176	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-4.97	-0.00133	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-5.42	-0.00145	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-6.69	-0.00178	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-5.63	-0.00150	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-5.21	-0.00139	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-4.05	-0.00107	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-6.38	-0.00168	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-6.01	-0.00158	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-5.70	-0.00150	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-6.13	-0.00162	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-5.89	-0.00155	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-6.01	-0.00161	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-7.13	-0.00191	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-4.77	-0.00128	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-5.69	-0.00153	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-5.52	-0.00148	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-4.96	-0.00133	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-4.78	-0.00127	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-7.93	-0.00211	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-6.17	-0.00165	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-5.31	-0.00142	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-6.95	-0.00185	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-7.31	-0.00195	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-8.02	-0.00212	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-4.45	-0.00118	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-4.72	-0.00125	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-6.79	-0.00180	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-7.23	-0.00192	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-5.26	-0.00139	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-4.21	-0.00112	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-5.11	-0.00136	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-5.48	-0.00146	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-5.23	-0.00139	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-5.41	-0.00144	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-6.26	-0.00167	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.18	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.53	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.01	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.29	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.62	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.81	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.54	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.03	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.35	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.29	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.21	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.56	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.03	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.32	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	5.99	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.17	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.71	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.10	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.09	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	6.18	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.14	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.72	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.06	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.16	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	6.25	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.19	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.45	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.38	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	5.96	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.48	13	PASS

n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.88	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.27	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.39	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	5.96	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.51	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.91	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.43	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.34	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	5.90	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.17	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.36	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.05	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.29	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.14	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.39	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.35	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	5.92	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.16	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	5.06	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.31	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.26	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.52	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.44	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.39	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.31	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.74	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.05	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.63	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.10	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.47	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.49	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.43	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.50	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	5.97	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.72	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.47	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.15	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.72	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.14	13	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.17	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.91	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.31	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.49	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.65	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.55	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.66	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.18	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.40	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.24	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.14	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.75	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.41	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.37	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	5.96	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.76	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.17	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	5.94	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.25	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.30	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.68	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.46	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	4.36	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.56	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.32	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.78	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.58	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.71	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.47	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.41	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.75	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	4.04	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.34	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	5.95	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.60	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	3.87	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.62	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.73	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	3.89	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.52	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.40	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.61	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	7.22	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.57	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.31	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.70	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.23	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.78	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	6.16	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.62	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.56	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.29	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.11	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.44	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.56	13	PASS

n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0

n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0

n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=647168 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=652666 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=650000 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=650000 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=652832 RB=36@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=652000 RB=100@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=648334 RB=128@0