TABLE OF CONTENTS

1 Conducted output power for EN-DC 2
2 Frequency stability for EN-DC 4
3 Peak-to-Average Ratio for EN-DC 6
4 Occupied bandwidth for EN-DC 46
5 Band edge for EN-DC 60
6 Out-of-band emissions for EN-DC 70

1 Conducted output power for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band5	15	5	20425	1@0	QPSK	20.07			
n66	15	5	342500	1@0	DFT_BPSK	20.51			
Sum	15					23.30	19	26	PASS
Band5	15	5	20525	8@0	QPSK	19.79			
n66	15	5	349000	12@6	DFT_BPSK	20.64			
Sum	15					23.24	19	26	PASS
Band5	15	5	20525	8@0	QPSK	19.88			
n66	15	5	349000	12@6	DFT_QPSK	20.68			
Sum	15					23.30	19	26	PASS
Band5	15	5	20625	1@17	QPSK	19.57			
n66	15	5	355500	1@24	DFT_BPSK	20.61			
Sum	15					23.13	19	26	PASS
Band5	15	5	20625	8@17	QPSK	19.77			
n66	15	5	355500	12@6	DFT_BPSK	20.65			
Sum	15					23.24	19	26	PASS
Band5	15	5	20625	1@17	QPSK	19.58			
n66	15	5	355500	1@24	DFT_QPSK	20.76			
Sum	15					23.22	19	26	PASS
Band5	15	5	20625	8@17	QPSK	19.73			
n66	15	5	355500	12@6	DFT_QPSK	20.67			
Sum	15					23.23	19	26	PASS
Band5	15	10	20450	1@0	QPSK	19.96			
n66	15	40	346000	1@0	DFT_BPSK	20.45			
Sum	15					23.22	19	26	PASS
Band5	15	10	20525	12@0	QPSK	19.81			
n66	15	40	349000	108@54	DFT_BPSK	20.65			
Sum	15					23.26	19	26	PASS
Band5	15	10	20525	12@0	QPSK	19.78			
n66	15	40	349000	108@54	DFT_QPSK	20.69			
Sum	15					23.26	19	26	PASS
Band5	15	10	20600	1@38	QPSK	19.95			
n66	15	40	352000	1@215	DFT_BPSK	20.65			
Sum	15					23.32	19	26	PASS
Band5	15	10	20600	12@38	QPSK	19.68			
n66	15	40	352000	108@54	DFT_BPSK	20.77			
Sum	15					23.26	19	26	PASS
Band5	15	10	20600	1@38	QPSK	19.95			
n66	15	40	352000	1@215	DFT_QPSK	20.54			

Sum	15					23.26	19	26	PASS
Band5	15	10	20600	12@38	QPSK	19.71			
n66	15	40	352000	108@54	DFT_QPSK	20.74			
Sum	15					23.26	19	26	PASS

2 Frequency stability for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n66	15	5	342500	12@6	DFT_BPSK	-4.91	-0.00287	-2.5	2.5	PASS
n66	15	5	342500	1@1	DFT_BPSK	-3.98	-0.00232	-2.5	2.5	PASS
n66	15	5	342500	1@23	DFT_BPSK	-3.76	-0.00220	-2.5	2.5	PASS
n66	15	5	342500	12@6	DFT_QPSK	-2.22	-0.00130	-2.5	2.5	PASS
n66	15	5	342500	1@1	DFT_QPSK	-0.97	-0.00057	-2.5	2.5	PASS
n66	15	5	342500	1@23	DFT_QPSK	-0.71	-0.00041	-2.5	2.5	PASS
n66	15	5	349000	12@6	DFT_BPSK	-4.04	-0.00232	-2.5	2.5	PASS
n66	15	5	349000	1@1	DFT_BPSK	-3.47	-0.00199	-2.5	2.5	PASS
n66	15	5	349000	1@23	DFT_BPSK	-3.09	-0.00177	-2.5	2.5	PASS
n66	15	5	349000	12@6	DFT_QPSK	-0.18	-0.00010	-2.5	2.5	PASS
n66	15	5	349000	1@1	DFT_QPSK	-0.07	-0.00004	-2.5	2.5	PASS
n66	15	5	349000	1@23	DFT_QPSK	0.09	0.00005	-2.5	2.5	PASS
n66	15	5	355500	12@6	DFT_BPSK	-1.98	-0.00111	-2.5	2.5	PASS
n66	15	5	355500	1@1	DFT_BPSK	-2.57	-0.00145	-2.5	2.5	PASS
n66	15	5	355500	1@23	DFT_BPSK	-1.10	-0.00062	-2.5	2.5	PASS
n66	15	5	355500	12@6	DFT_QPSK	-2.39	-0.00134	-2.5	2.5	PASS
n66	15	5	355500	1@1	DFT_QPSK	-2.73	-0.00154	-2.5	2.5	PASS
n66	15	5	355500	1@23	DFT_QPSK	-1.54	-0.00087	-2.5	2.5	PASS
n66	15	20	344000	50@25	DFT_BPSK	-3.69	-0.00215	-2.5	2.5	PASS
n66	15	20	344000	1@1	DFT_BPSK	-3.65	-0.00212	-2.5	2.5	PASS
n66	15	20	344000	1@104	DFT_BPSK	-2.68	-0.00156	-2.5	2.5	PASS
n66	15	20	344000	50@25	DFT_QPSK	-3.98	-0.00231	-2.5	2.5	PASS
n66	15	20	344000	1@1	DFT_QPSK	-4.68	-0.00272	-2.5	2.5	PASS
n66	15	20	344000	1@104	DFT_QPSK	-4.46	-0.00259	-2.5	2.5	PASS
n66	15	20	349000	50@25	DFT_BPSK	-0.88	-0.00050	-2.5	2.5	PASS
n66	15	20	349000	1@1	DFT_BPSK	-1.28	-0.00073	-2.5	2.5	PASS
n66	15	20	349000	1@104	DFT_BPSK	-1.71	-0.00098	-2.5	2.5	PASS
n66	15	20	349000	50@25	DFT_QPSK	0.55	0.00032	-2.5	2.5	PASS
n66	15	20	349000	1@1	DFT_QPSK	-0.52	-0.00030	-2.5	2.5	PASS
n66	15	20	349000	1@104	DFT_QPSK	0.50	0.00029	-2.5	2.5	PASS
n66	15	20	354000	50@25	DFT_BPSK	-1.48	-0.00084	-2.5	2.5	PASS
n66	15	20	354000	1@1	DFT_BPSK	-2.87	-0.00162	-2.5	2.5	PASS
n66	15	20	354000	1@104	DFT_BPSK	-1.84	-0.00104	-2.5	2.5	PASS
n66	15	20	354000	50@25	DFT_QPSK	-3.25	-0.00184	-2.5	2.5	PASS
n66	15	20	354000	1@1	DFT_QPSK	-3.43	-0.00194	-2.5	2.5	PASS
n66	15	20	354000	1@104	DFT_QPSK	-2.77	-0.00156	-2.5	2.5	PASS
n66	15	40	346000	108@54	DFT_BPSK	-1.80	-0.00104	-2.5	2.5	PASS
n66	15	40	346000	1@1	DFT_BPSK	-0.85	-0.00049	-2.5	2.5	PASS
n66	15	40	346000	1@214	DFT_BPSK	-1.78	-0.00103	-2.5	2.5	PASS

n66	15	40	346000	108@54	DFT_QPSK	-2.22	-0.00128	-2.5	2.5	PASS
n66	15	40	346000	1@1	DFT_QPSK	-3.85	-0.00223	-2.5	2.5	PASS
n66	15	40	346000	1@214	DFT_QPSK	-3.54	-0.00205	-2.5	2.5	PASS
n66	15	40	349000	108@54	DFT_BPSK	-1.94	-0.00111	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_BPSK	-0.91	-0.00052	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_BPSK	-3.14	-0.00180	-2.5	2.5	PASS
n66	15	40	349000	108@54	DFT_QPSK	-0.11	-0.00006	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_QPSK	-0.68	-0.00039	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_QPSK	-0.87	-0.00050	-2.5	2.5	PASS
n66	15	40	352000	108@54	DFT_BPSK	-1.06	-0.00060	-2.5	2.5	PASS
n66	15	40	352000	1@1	DFT_BPSK	-2.08	-0.00118	-2.5	2.5	PASS
n66	15	40	352000	1@214	DFT_BPSK	-2.24	-0.00127	-2.5	2.5	PASS
n66	15	40	352000	108@54	DFT_QPSK	-1.77	-0.00101	-2.5	2.5	PASS
n66	15	40	352000	1@1	DFT_QPSK	-3.32	-0.00189	-2.5	2.5	PASS
n66	15	40	352000	1@214	DFT_QPSK	-4.04	-0.00230	-2.5	2.5	PASS

3 Peak-to-Average Ratio for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	4.63	13	PASS
n66	15	5	342500	25@0	DFT_QPSK	5.96	13	PASS
n66	15	5	342500	25@0	DFT_QAM16	6.47	13	PASS
n66	15	5	342500	25@0	DFT_QAM64	6.86	13	PASS
n66	15	5	342500	25@0	DFT_QAM256	6.90	13	PASS
n66	15	5	349000	25@0	DFT_BPSK	5.00	13	PASS
n66	15	5	349000	25@0	DFT_QPSK	5.78	13	PASS
n66	15	5	349000	25@0	DFT_QAM16	6.14	13	PASS
n66	15	5	349000	25@0	DFT_QAM64	6.44	13	PASS
n66	15	5	349000	25@0	DFT_QAM256	6.52	13	PASS
n66	15	5	355500	25@0	DFT_BPSK	4.65	13	PASS
n66	15	5	355500	25@0	DFT_QPSK	5.93	13	PASS
n66	15	5	355500	25@0	DFT_QAM16	6.74	13	PASS
n66	15	5	355500	25@0	DFT_QAM64	6.82	13	PASS
n66	15	5	355500	25@0	DFT_QAM256	6.63	13	PASS
n66	15	10	343000	50@0	DFT_BPSK	4.58	13	PASS
n66	15	10	343000	50@0	DFT_QPSK	5.81	13	PASS
n66	15	10	343000	50@0	DFT_QAM16	6.53	13	PASS
n66	15	10	343000	50@0	DFT_QAM64	6.65	13	PASS
n66	15	10	343000	50@0	DFT_QAM256	6.67	13	PASS
n66	15	10	349000	50@0	DFT_BPSK	5.60	13	PASS
n66	15	10	349000	50@0	DFT_QPSK	5.83	13	PASS
n66	15	10	349000	50@0	DFT_QAM16	6.45	13	PASS
n66	15	10	349000	50@0	DFT_QAM64	6.67	13	PASS
n66	15	10	349000	50@0	DFT_QAM256	6.56	13	PASS
n66	15	10	355000	50@0	DFT_BPSK	4.78	13	PASS
n66	15	10	355000	50@0	DFT_QPSK	5.62	13	PASS
n66	15	10	355000	50@0	DFT_QAM16	6.57	13	PASS
n66	15	10	355000	50@0	DFT_QAM64	6.81	13	PASS
n66	15	10	355000	50@0	DFT_QAM256	6.83	13	PASS
n66	15	15	343500	75@0	DFT_BPSK	4.71	13	PASS
n66	15	15	343500	75@0	DFT_QPSK	5.89	13	PASS
n66	15	15	343500	75@0	DFT_QAM16	6.71	13	PASS
n66	15	15	343500	75@0	DFT_QAM64	6.87	13	PASS
n66	15	15	343500	75@0	DFT_QAM256	6.78	13	PASS
n66	15	15	349000	75@0	DFT_BPSK	4.59	13	PASS
n66	15	15	349000	75@0	DFT_QPSK	5.69	13	PASS
n66	15	15	349000	75@0	DFT_QAM16	6.44	13	PASS
n66	15	15	349000	75@0	DFT_QAM64	6.54	13	PASS

n66	15	15	349000	75@0	DFT_QAM256	6.51	13	PASS
n66	15	15	354500	75@0	DFT_BPSK	4.61	13	PASS
n66	15	15	354500	75@0	DFT_QPSK	5.84	13	PASS
n66	15	15	354500	75@0	DFT_QAM16	6.63	13	PASS
n66	15	15	354500	75@0	DFT_QAM64	6.72	13	PASS
n66	15	15	354500	75@0	DFT_QAM256	6.74	13	PASS
n66	15	20	344000	100@0	DFT_BPSK	4.70	13	PASS
n66	15	20	344000	100@0	DFT_QPSK	5.81	13	PASS
n66	15	20	344000	100@0	DFT_QAM16	6.43	13	PASS
n66	15	20	344000	100@0	DFT_QAM64	6.64	13	PASS
n66	15	20	344000	100@0	DFT_QAM256	6.65	13	PASS
n66	15	20	349000	100@0	DFT_BPSK	5.94	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	6.09	13	PASS
n66	15	20	349000	100@0	DFT_QAM16	6.61	13	PASS
n66	15	20	349000	100@0	DFT_QAM64	6.65	13	PASS
n66	15	20	349000	100@0	DFT_QAM256	6.67	13	PASS
n66	15	20	354000	100@0	DFT_BPSK	5.06	13	PASS
n66	15	20	354000	100@0	DFT_QPSK	5.84	13	PASS
n66	15	20	354000	100@0	DFT_QAM16	6.27	13	PASS
n66	15	20	354000	100@0	DFT_QAM64	6.56	13	PASS
n66	15	20	354000	100@0	DFT_QAM256	6.64	13	PASS
n66	15	40	346000	216@0	DFT_BPSK	4.57	13	PASS
n66	15	40	346000	216@0	DFT_QPSK	5.71	13	PASS
n66	15	40	346000	216@0	DFT_QAM16	6.46	13	PASS
n66	15	40	346000	216@0	DFT_QAM64	6.64	13	PASS
n66	15	40	346000	216@0	DFT_QAM256	6.61	13	PASS
n66	15	40	349000	216@0	DFT_BPSK	4.50	13	PASS
n66	15	40	349000	216@0	DFT_QPSK	5.66	13	PASS
n66	15	40	349000	216@0	DFT_QAM16	6.42	13	PASS
n66	15	40	349000	216@0	DFT_QAM64	6.58	13	PASS
n66	15	40	349000	216@0	DFT_QAM256	6.58	13	PASS
n66	15	40	352000	216@0	DFT_BPSK	5.25	13	PASS
n66	15	40	352000	216@0	DFT_QPSK	5.79	13	PASS
n66	15	40	352000	216@0	DFT_QAM16	6.59	13	PASS
n66	15	40	352000	216@0	DFT_QAM64	6.69	13	PASS
n66	15	40	352000	216@0	DFT_QAM256	6.60	13	PASS

n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=354500 RB=75@0



n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=344000 RB=100@0



n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=343500 RB=75@0



n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=355000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=354000 RB=100@0



n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=346000 RB=216@0



n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=352000 RB=216@0



n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=343500 RB=75@0



n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=355000 RB=50@0



n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=344000 RB=100@0



n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=354500 RB=75@0



n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=346000 RB=216@0



n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=354000 RB=100@0



n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=352000 RB=216@0



n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=344000 RB=100@0



n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=354000 RB=100@0



n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=354500 RB=75@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=355000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=343500 RB=75@0



n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=355000 RB=50@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=346000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=352000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=346000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=354000 RB=100@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=352000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=343500 RB=75@0



n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=344000 RB=100@0



n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=354500 RB=75@0



n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=355000 RB=50@0



n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=343500 RB=75@0



n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=352000 RB=216@0



n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=346000 RB=216@0



n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=344000 RB=100@0



n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=354500 RB=75@0



n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=354000 RB=100@0



n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=355500 RB=25@0


Transceiver A
5G NR 1
Power Stat CCDF
KEYSIGHT
Input: RFIO1
Output: RFIO1
Coupling: AC
Corr CCorr
Range: -50 dBm
Trig: Video
#Center Freq: 1.777500000 GHz
Counts: 1.00 M/1.00 Mpt
CC Info: DL, 1 CC
1 Metrics
Average Power
20.68 dBm
45.82 % at 0 dB
10.0 % 2.30 dB
1.0 % 4.52 dB
0.1 % 5.93 dB
0.01 % 6.87 dB
0.001 % 7.13 dB
0.0001 % 7.20 dB
Peak 7.20 dB
27.88 dBm
2 Graph
Gaussian
100 %
10 %
1 %
0.1 %
0.01 %
0.001 %
0.0001 %
0.00 dB
20.00 dB
#Info BW 5.0000 MHz
Jun 12, 2025
12:15:41 PM

4 Occupied bandwidth for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.460	4.660	PASS
n66	15	5	349000	25@0	DFT_QPSK	4.460	4.690	PASS
n66	15	5	349000	25@0	DFT_QAM16	4.450	4.620	PASS
n66	15	5	349000	25@0	DFT_QAM64	4.450	4.670	PASS
n66	15	5	349000	25@0	DFT_QAM256	4.460	4.590	PASS
n66	15	10	349000	50@0	DFT_BPSK	9.260	9.140	PASS
n66	15	10	349000	50@0	DFT_QPSK	9.240	9.180	PASS
n66	15	10	349000	50@0	DFT_QAM16	9.220	9.130	PASS
n66	15	10	349000	50@0	DFT_QAM64	9.190	9.100	PASS
n66	15	10	349000	50@0	DFT_QAM256	9.200	9.120	PASS
n66	15	15	349000	75@0	DFT_BPSK	13.970	13.670	PASS
n66	15	15	349000	75@0	DFT_QPSK	13.980	13.620	PASS
n66	15	15	349000	75@0	DFT_QAM16	13.940	13.630	PASS
n66	15	15	349000	75@0	DFT_QAM64	13.970	13.590	PASS
n66	15	15	349000	75@0	DFT_QAM256	13.920	13.620	PASS
n66	15	20	349000	100@0	DFT_BPSK	18.670	18.150	PASS
n66	15	20	349000	100@0	DFT_QPSK	18.700	18.120	PASS
n66	15	20	349000	100@0	DFT_QAM16	18.700	18.170	PASS
n66	15	20	349000	100@0	DFT_QAM64	18.760	18.160	PASS
n66	15	20	349000	100@0	DFT_QAM256	18.700	18.150	PASS
n66	15	40	349000	216@0	DFT_BPSK	38.400	38.980	PASS
n66	15	40	349000	216@0	DFT_QPSK	38.460	39.020	PASS
n66	15	40	349000	216@0	DFT_QAM16	38.470	39.030	PASS
n66	15	40	349000	216@0	DFT_QAM64	38.480	39.090	PASS
n66	15	40	349000	216@0	DFT_QAM256	38.480	39.110	PASS

n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0

n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0

n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0

n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0

n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0

n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0

n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0

n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0

n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0

n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0

n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0

n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0

n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0