

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	88
5 Band edge for NR FR1	117
6 Out-of-band emissions for NR FR1	125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	22.14	-3.88	18.26	30.00	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	20.90	-3.88	17.02	30.00	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	21.92	-3.88	18.04	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	22.04	-3.88	18.16	30.00	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	21.91	-3.88	18.03	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	21.04	-3.88	17.16	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	19.63	-3.88	15.75	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	17.61	-3.88	13.73	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	20.58	-3.88	16.70	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	21.92	-3.88	18.04	30.00	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	20.90	-3.88	17.02	30.00	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	21.86	-3.88	17.98	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	21.89	-3.88	18.01	30.00	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	21.92	-3.88	18.04	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	20.32	-3.88	16.44	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	19.48	-3.88	15.60	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	17.52	-3.88	13.64	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	20.86	-3.88	16.98	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	21.67	-3.88	17.79	30.00	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	20.73	-3.88	16.85	30.00	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	21.73	-3.88	17.85	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	21.74	-3.88	17.86	30.00	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	21.69	-3.88	17.81	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	20.73	-3.88	16.85	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	19.34	-3.88	15.46	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	17.19	-3.88	13.31	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	20.21	-3.88	16.33	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	21.69	-3.88	17.81	30.00	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	20.88	-3.88	17.00	30.00	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	21.89	-3.88	18.01	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	21.69	-3.88	17.81	30.00	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	21.79	-3.88	17.91	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	20.80	-3.88	16.92	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	19.11	-3.88	15.23	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	17.25	-3.88	13.37	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	20.44	-3.88	16.56	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	21.70	-3.88	17.82	30.00	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	20.95	-3.88	17.07	30.00	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	21.89	-3.88	18.01	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	21.68	-3.88	17.80	30.00	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	21.66	-3.88	17.78	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	20.51	-3.88	16.63	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	19.12	-3.88	15.24	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	17.06	-3.88	13.18	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	20.09	-3.88	16.21	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	21.87	-3.88	17.99	30.00	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	20.81	-3.88	16.93	30.00	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	21.82	-3.88	17.94	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	21.82	-3.88	17.94	30.00	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	21.60	-3.88	17.72	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	20.94	-3.88	17.06	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	19.46	-3.88	15.58	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	17.54	-3.88	13.66	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	20.12	-3.88	16.24	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	21.74	-3.88	17.86	30.00	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	20.79	-3.88	16.91	30.00	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	21.87	-3.88	17.99	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	21.71	-3.88	17.83	30.00	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	21.66	-3.88	17.78	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	20.64	-3.88	16.76	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	19.26	-3.88	15.38	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	17.28	-3.88	13.40	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	20.19	-3.88	16.31	30.00	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-3.11	-0.00084	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-3.06	-0.00083	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	0.95	0.00026	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-3.61	-0.00097	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-5.44	-0.00147	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-1.26	-0.00034	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-12.85	-0.00343	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-12.75	-0.00340	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-15.07	-0.00402	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-16.39	-0.00437	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-14.00	-0.00373	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-9.92	-0.00265	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-7.24	-0.00191	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-10.30	-0.00271	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-7.72	-0.00203	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-10.73	-0.00283	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-11.35	-0.00299	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-11.21	-0.00295	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-15.40	-0.00413	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-13.38	-0.00359	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-11.34	-0.00304	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-14.73	-0.00395	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-9.66	-0.00259	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-11.85	-0.00318	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-11.74	-0.00313	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-12.24	-0.00326	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-8.27	-0.00221	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-8.06	-0.00215	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-11.62	-0.00310	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-9.20	-0.00245	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-8.17	-0.00216	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-11.39	-0.00302	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-13.04	-0.00345	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-11.15	-0.00295	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-7.36	-0.00195	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-11.28	-0.00299	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-6.24	-0.00166	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-12.55	-0.00335	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-9.66	-0.00258	-2.5	2.5	PASS

X6877 WSCT-ANAB-R&E260100001A

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-10.12	-0.00270	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-10.36	-0.00276	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-7.05	-0.00188	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.54	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.40	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.19	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.37	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.19	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.03	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.42	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.20	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	5.86	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.41	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.07	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.19	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	5.91	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.03	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.11	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	5.82	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.09	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.58	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.06	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.18	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	5.89	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.06	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.49	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.22	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	5.74	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.11	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.70	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.27	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.24	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	5.83	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.06	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.64	13	PASS

n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.15	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.13	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	5.76	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.05	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.21	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.20	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.10	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.10	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.43	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.13	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	5.92	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.16	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.56	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.19	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.18	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	5.95	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.29	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.62	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.07	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.28	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.86	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.19	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.21	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.13	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.24	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.00	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.22	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.65	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.23	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	5.94	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.12	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.68	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.41	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.22	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.21	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.26	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.06	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.16	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.68	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.38	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.25	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	5.93	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.27	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.76	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.80	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.31	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	5.97	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.27	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.95	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.44	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.19	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.30	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.81	13	PASS
n78(3700-3800)	30	70	649000		DFT_BPSK	4.52	13	PASS
n78(3700-3800)	30	70	649000		DFT_QPSK	5.57	13	PASS
n78(3700-3800)	30	70	649000		DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	70	649000		DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	70	649000		DFT_QAM256	6.86	13	PASS
n78(3700-3800)	30	70	650000		DFT_BPSK	4.36	13	PASS
n78(3700-3800)	30	70	650000		DFT_QPSK	5.48	13	PASS
n78(3700-3800)	30	70	650000		DFT_QAM16	6.12	13	PASS
n78(3700-3800)	30	70	650000		DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	70	650000		DFT_QAM256	6.84	13	PASS
n78(3700-3800)	30	70	651000		DFT_BPSK	7.21	13	PASS
n78(3700-3800)	30	70	651000		DFT_QPSK	5.79	13	PASS
n78(3700-3800)	30	70	651000		DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	70	651000		DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	70	651000		DFT_QAM256	6.86	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.54	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.01	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.28	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.89	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	4.35	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.27	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.04	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.30	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.85	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	4.38	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.01	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	4.27	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.40	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.01	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	7.14	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.07	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.85	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.41	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.39	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.24	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.87	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.37	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.05	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.23	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.92	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=652666 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=650000 RB=75@0