

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	80
5 Band edge for NR FR1	107
6 Out-of-band emissions for NR FR1	115

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	25.30	-1.6	23.7	30	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	24.46	-1.6	22.86	30	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	25.50	-1.6	23.9	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	25.42	-1.6	23.82	30	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	25.48	-1.6	23.88	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	24.03	-1.6	22.43	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	23.26	-1.6	21.66	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	20.59	-1.6	18.99	30	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	24.00	-1.6	22.4	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	25.72	-1.6	24.12	30	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	24.83	-1.6	23.23	30	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	25.82	-1.6	24.22	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	25.70	-1.6	24.1	30	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	25.82	-1.6	24.22	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	24.73	-1.6	23.13	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	23.33	-1.6	21.73	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	21.56	-1.6	19.96	30	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	24.48	-1.6	22.88	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	25.91	-1.6	24.31	30	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	24.86	-1.6	23.26	30	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	25.70	-1.6	24.1	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	25.84	-1.6	24.24	30	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	25.92	-1.6	24.32	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	24.84	-1.6	23.24	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	23.58	-1.6	21.98	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	21.07	-1.6	19.47	30	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	24.17	-1.6	22.57	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	25.41	-1.6	23.81	30	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	24.48	-1.6	22.88	30	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	25.62	-1.6	24.02	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	25.27	-1.6	23.67	30	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	25.57	-1.6	23.97	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	24.38	-1.6	22.78	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	23.02	-1.6	21.42	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	20.92	-1.6	19.32	30	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	23.67	-1.6	22.07	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	25.63	-1.6	24.03	30	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	24.65	-1.6	23.05	30	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	25.65	-1.6	24.05	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	25.61	-1.6	24.01	30	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	25.66	-1.6	24.06	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	24.66	-1.6	23.06	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	23.14	-1.6	21.54	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	21.25	-1.6	19.65	30	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	24.25	-1.6	22.65	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	25.81	-1.6	24.21	30	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	24.69	-1.6	23.09	30	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	25.77	-1.6	24.17	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	25.87	-1.6	24.27	30	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	25.71	-1.6	24.11	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	24.66	-1.6	23.06	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	23.20	-1.6	21.6	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	21.13	-1.6	19.53	30	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	24.21	-1.6	22.61	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	25.26	-1.6	23.66	30	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	24.69	-1.6	23.09	30	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	25.74	-1.6	24.14	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	25.22	-1.6	23.62	30	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	25.68	-1.6	24.08	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	24.34	-1.6	22.74	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	22.19	-1.6	20.59	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	20.48	-1.6	18.88	30	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	23.52	-1.6	21.92	30	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	0.22	0.00006	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-2.66	-0.00072	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-4.91	-0.00133	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-2.21	-0.00060	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-0.67	-0.00018	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	0.94	0.00025	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-4.84	-0.00129	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-4.22	-0.00113	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-6.51	-0.00174	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-5.32	-0.00142	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-1.36	-0.00036	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-5.52	-0.00147	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-5.58	-0.00147	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-8.22	-0.00217	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	0.08	0.00002	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-4.26	-0.00112	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-2.49	-0.00066	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-3.10	-0.00082	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-5.06	-0.00136	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-4.04	-0.00108	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-1.94	-0.00052	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-4.39	-0.00118	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-0.70	-0.00019	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-3.55	-0.00095	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-3.01	-0.00080	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-4.02	-0.00107	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-6.42	-0.00171	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-4.76	-0.00127	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-6.52	-0.00174	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-5.05	-0.00135	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-7.12	-0.00189	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-3.36	-0.00089	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-7.90	-0.00209	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-5.18	-0.00137	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-4.28	-0.00113	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-5.98	-0.00158	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-3.55	-0.00095	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-7.64	-0.00204	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-4.87	-0.00130	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	1.48	0.00039	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-4.70	-0.00125	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-3.39	-0.00090	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.11	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.56	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.13	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.22	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.81	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.10	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.33	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.02	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.59	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.54	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.04	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.42	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.21	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.16	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.38	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.58	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.50	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.49	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.06	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.99	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.40	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.03	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.54	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	7.18	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.47	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.25	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	5.95	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.46	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.51	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.12	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.24	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.03	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.14	13	PASS

n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.73	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.47	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.21	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	5.97	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.08	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.38	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.22	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.67	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.79	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.72	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.53	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.20	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.43	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.93	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.04	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.67	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.11	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.29	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.90	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.67	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.30	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	6.25	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.11	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	7.09	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.40	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.67	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.15	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.24	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.31	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.31	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.49	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.73	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.50	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.63	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.69	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.21	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.21	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.42	13	PASS


n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.12	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	7.24	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.66	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.40	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.47	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	7.29	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.32	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	5.37	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.86	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.32	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.61	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.04	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	4.17	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.62	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.44	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.37	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.30	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.19	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.69	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	4.08	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.58	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.51	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	7.24	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	4.79	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.48	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.46	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.63	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	3.93	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.37	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.07	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.58	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.01	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.97	13	PASS

n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	5.96	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.92	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.23	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.68	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	5.97	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.20	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.40	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.61	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.03	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	7.13	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.72	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=70MHz Channel=650000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=70MHz Channel=651000 RB=180@0