

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR188

5 Band edge for NR FR1 117

6 Out-of-band emissions for NR FR1125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	25.54	-1.6	23.94	30	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	24.47	-1.6	22.87	30	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	25.49	-1.6	23.89	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	25.30	-1.6	23.7	30	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	25.79	-1.6	24.19	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	24.45	-1.6	22.85	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	22.73	-1.6	21.13	30	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	21.12	-1.6	19.52	30	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	23.89	-1.6	22.29	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	25.55	-1.6	23.95	30	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	24.62	-1.6	23.02	30	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	25.71	-1.6	24.11	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	25.80	-1.6	24.2	30	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	25.86	-1.6	24.26	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	24.78	-1.6	23.18	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	23.39	-1.6	21.79	30	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	21.15	-1.6	19.55	30	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	24.15	-1.6	22.55	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	25.81	-1.6	24.21	30	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	24.80	-1.6	23.2	30	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	25.83	-1.6	24.23	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	25.80	-1.6	24.2	30	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	25.92	-1.6	24.32	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	25.19	-1.6	23.59	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	22.89	-1.6	21.29	30	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	21.56	-1.6	19.96	30	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	24.49	-1.6	22.89	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	25.61	-1.6	24.01	30	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	24.73	-1.6	23.13	30	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	25.77	-1.6	24.17	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	25.64	-1.6	24.04	30	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	25.81	-1.6	24.21	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	24.68	-1.6	23.08	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	23.02	-1.6	21.42	30	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	20.87	-1.6	19.27	30	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	23.98	-1.6	22.38	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	25.73	-1.6	24.13	30	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	24.90	-1.6	23.3	30	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	25.81	-1.6	24.21	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	25.68	-1.6	24.08	30	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	25.81	-1.6	24.21	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	24.65	-1.6	23.05	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	23.23	-1.6	21.63	30	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	21.38	-1.6	19.78	30	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	24.28	-1.6	22.68	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	25.73	-1.6	24.13	30	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	24.86	-1.6	23.26	30	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	25.84	-1.6	24.24	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	25.67	-1.6	24.07	30	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	25.85	-1.6	24.25	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	24.59	-1.6	22.99	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	23.19	-1.6	21.59	30	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	21.14	-1.6	19.54	30	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	24.15	-1.6	22.55	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	25.39	-1.6	23.79	30	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	24.72	-1.6	23.12	30	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	25.76	-1.6	24.16	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	25.39	-1.6	23.79	30	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	25.86	-1.6	24.26	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	24.53	-1.6	22.93	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	22.89	-1.6	21.29	30	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	20.98	-1.6	19.38	30	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	23.68	-1.6	22.08	30	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-11.06	-0.00299	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-5.88	-0.00159	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-11.14	-0.00301	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-5.08	-0.00137	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-12.93	-0.00349	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-21.38	-0.00577	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-4.05	-0.00108	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-17.89	-0.00477	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-10.48	-0.00279	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-18.47	-0.00493	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-5.22	-0.00139	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-6.28	-0.00167	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-5.54	-0.00146	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-9.59	-0.00253	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-6.12	-0.00161	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-7.66	-0.00202	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-21.75	-0.00573	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-26.33	-0.00694	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-21.76	-0.00584	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-21.30	-0.00572	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-12.45	-0.00334	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-14.44	-0.00388	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-9.82	-0.00264	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-3.68	-0.00099	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-4.57	-0.00122	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-0.20	-0.00005	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-1.69	-0.00045	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-7.20	-0.00192	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-20.89	-0.00557	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-5.66	-0.00151	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-6.88	-0.00182	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-16.25	-0.00430	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-14.26	-0.00378	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-5.48	-0.00145	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-4.22	-0.00112	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-7.23	-0.00192	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-18.32	-0.00489	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-1.04	-0.00028	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-16.64	-0.00444	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-21.01	-0.00560	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-13.59	-0.00362	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-16.02	-0.00427	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.11	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.15	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.05	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.54	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.44	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.13	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.10	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.66	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.06	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	5.88	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.80	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.06	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.16	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	5.91	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.14	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.52	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.27	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.26	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	5.99	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	7.00	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.35	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.25	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	6.15	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.12	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.66	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.11	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.02	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.56	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.73	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.21	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	5.83	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.41	13	PASS

n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.49	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.41	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.57	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.63	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.31	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.31	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.00	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.46	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.50	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.01	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.51	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.09	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.67	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.84	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.12	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.56	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.72	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.06	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.31	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.08	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.13	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.19	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.05	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.23	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.76	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.83	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.09	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.34	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	5.83	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.60	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.43	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.36	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.24	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.90	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.65	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.48	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.01	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.23	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.43	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.07	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.25	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.09	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.33	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.63	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.36	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.60	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.31	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.50	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.07	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.91	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	6.11	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.56	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.49	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	5.98	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.40	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.52	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.46	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.40	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.55	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.51	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.70	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	4.58	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.65	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.29	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.64	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	3.92	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.41	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	5.97	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.76	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.46	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	3.91	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.40	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.01	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.29	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.25	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.22	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	3.86	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.79	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.32	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.44	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.75	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.13	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.34	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	5.92	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.13	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	7.03	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.05	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.39	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	5.92	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.18	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.78	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.06	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.76	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.56	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.48	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.81	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0