


## Peak to Average Ratio


**6.14 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 5         | 5.09     | 13               | Pass    |




**6.15 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 5         | 5.31     | 13               | Pass    |




**6.16 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 5         | 5.82     | 13               | Pass    |




**6.17 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 5         | 5.59     | 13               | Pass    |




**6.18 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 5         | 6.21     | 13               | Pass    |




**6.19 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 5         | 6.63     | 13               | Pass    |




**6.20 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 5         | 6.69     | 13               | Pass    |




6.21 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 3.34     | 13               | Pass    |




**6.22 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 4.05     | 13               | Pass    |




**6.23 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 4.15     | 13               | Pass    |




**6.24 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 5.14     | 13               | Pass    |




**6.25 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 5.33     | 13               | Pass    |




**6.26 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 5.84     | 13               | Pass    |




**6.27 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 5.57     | 13               | Pass    |




**6.28 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 6.19     | 13               | Pass    |




**6.29 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 6.68     | 13               | Pass    |




**6.30 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 713.5                  | 0.1             | 5         | 6.63     | 13               | Pass    |




**6.31 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 3.42     | 13               | Pass    |




**6.32 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 4.16     | 13               | Pass    |




**6.33 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 4.33     | 13               | Pass    |




**6.34 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 5.15     | 13               | Pass    |




**6.35 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 5.49     | 13               | Pass    |




**6.36 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 704                   | 0.1             | 10        | 5.87     | 13               | Pass    |




**6.37 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 5.65     | 13               | Pass    |




**6.38 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 6.2      | 13               | Pass    |




**6.39 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 6.63     | 13               | Pass    |




**6.40 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 704                    | 0.1             | 10        | 6.51     | 13               | Pass    |




**6.41 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 3.41     | 13               | Pass    |




**6.42 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 4.07     | 13               | Pass    |




**6.43 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 4.21     | 13               | Pass    |




**6.44 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 5.1      | 13               | Pass    |




**6.45 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 5.42     | 13               | Pass    |




**6.46 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 5.84     | 13               | Pass    |




**6.47 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 10        | 5.52     | 13               | Pass    |




**6.48 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 6.16     | 13               | Pass    |




**6.49 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 6.64     | 13               | Pass    |




**6.50 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                  | 0.1             | 10        | 6.42     | 13               | Pass    |




**6.51 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 3.44     | 13               | Pass    |




**6.52 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 4.04     | 13               | Pass    |




**6.53 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 4.35     | 13               | Pass    |




**6.54 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 5.08     | 13               | Pass    |




**6.55 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 5.49     | 13               | Pass    |




**6.56 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 5.78     | 13               | Pass    |




**6.57 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 5.62     | 13               | Pass    |




**6.58 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 6.14     | 13               | Pass    |




**6.59 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 711                   | 0.1             | 10        | 6.68     | 13               | Pass    |




**6.60 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 711                    | 0.1             | 10        | 6.39     | 13               | Pass    |




**6.61 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                  | 0.1             | 15        | 3.6      | 13               | Pass    |




**6.62 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 4.06     | 13               | Pass    |




**6.63 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 4.51     | 13               | Pass    |




**6.64 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 5        | 13               | Pass    |




**6.65 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                  | 0.1             | 15        | 5.43     | 13               | Pass    |




**6.66 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 15        | 5.8      | 13               | Pass    |



**6.67 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                  | 0.1             | 15        | 5.6      | 13               | Pass    |



**6.68 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                  | 0.1             | 15        | 6.13     | 13               | Pass    |

