


## Peak to Average Ratio


**7.34 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                 | 0.1             | 15        | 5.15     | 13               | Pass    |




**7.35 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 15        | 5.21     | 13               | Pass    |




**7.36 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                 | 0.1             | 15        | 5.93     | 13               | Pass    |




**7.37 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 15        | 5.44     | 13               | Pass    |




**7.38 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                 | 0.1             | 15        | 6.12     | 13               | Pass    |




**7.39 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 15        | 6.52     | 13               | Pass    |




**7.40 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                 | 0.1             | 15        | 6.65     | 13               | Pass    |




**7.41 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 3.56     | 13               | Pass    |




**7.42 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 4.01     | 13               | Pass    |




**7.43 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 15        | 4.52     | 13               | Pass    |




**7.44 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 5.11     | 13               | Pass    |




**7.45 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 15        | 5.27     | 13               | Pass    |




**7.46 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 5.83     | 13               | Pass    |




**7.47 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 15        | 5.49     | 13               | Pass    |




**7.48 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 6.11     | 13               | Pass    |




**7.49 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 6.61     | 13               | Pass    |




**7.50 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 15        | 6.62     | 13               | Pass    |




**7.51 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 3.56     | 13               | Pass    |




**7.52 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 4.07     | 13               | Pass    |




**7.53 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 4.53     | 13               | Pass    |




**7.54 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 5.12     | 13               | Pass    |




**7.55 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 5.35     | 13               | Pass    |




**7.56 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 5.89     | 13               | Pass    |




**7.57 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 5.5      | 13               | Pass    |




**7.58 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 6.16     | 13               | Pass    |




**7.59 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 6.6      | 13               | Pass    |




**7.60 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2562.5                 | 0.1             | 15        | 6.61     | 13               | Pass    |




**7.61 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 3.47     | 13               | Pass    |




**7.62 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 4.1      | 13               | Pass    |




**7.63 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 4.38     | 13               | Pass    |




**7.64 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 5.17     | 13               | Pass    |




**7.65 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.32     | 13               | Pass    |




**7.66 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.75     | 13               | Pass    |




**7.67 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.46     | 13               | Pass    |




**7.68 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 6.49     | 13               | Pass    |




**7.69 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 6.56     | 13               | Pass    |




**7.70 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2510                   | 0.1             | 20        | 6.67     | 13               | Pass    |




**7.71 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 3.51     | 13               | Pass    |




**7.72 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 4.07     | 13               | Pass    |




**7.73 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 4.46     | 13               | Pass    |




**7.74 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 5.19     | 13               | Pass    |




**7.75 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 5.39     | 13               | Pass    |




**7.76 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 5.7      | 13               | Pass    |




**7.77 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 5.47     | 13               | Pass    |




**7.78 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 6.48     | 13               | Pass    |




**7.79 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 6.6      | 13               | Pass    |




**7.80 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 20        | 6.65     | 13               | Pass    |




**7.81 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 3.54     | 13               | Pass    |




**7.82 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 4.1      | 13               | Pass    |




**7.83 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 4.44     | 13               | Pass    |




**7.84 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 5.2      | 13               | Pass    |




**7.85 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 5.38     | 13               | Pass    |




**7.86 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 5.76     | 13               | Pass    |



**7.87 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 5.47     | 13               | Pass    |



**7.88 Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2560                   | 0.1             | 20        | 6.45     | 13               | Pass    |

