


Peak to Average Ratio


9.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.71	13	Pass




9.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10	6.66	13	Pass




9.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	3.57	13	Pass




9.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	4.22	13	Pass




9.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	4.49	13	Pass




9.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	5.29	13	Pass




9.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	5.47	13	Pass




9.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	5.83	13	Pass




9.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	5.75	13	Pass




9.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.31	13	Pass




9.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.7	13	Pass




9.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	10	6.71	13	Pass




9.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	3.84	13	Pass




9.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	4	13	Pass




9.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	4.77	13	Pass




9.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	5.17	13	Pass




9.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	5.5	13	Pass




9.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	5.85	13	Pass




9.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	5.73	13	Pass




9.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	6.06	13	Pass




9.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	6.73	13	Pass




9.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	15	6.71	13	Pass




9.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	3.78	13	Pass




9.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	4	13	Pass




9.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	4.76	13	Pass




9.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	5.17	13	Pass




9.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	5.51	13	Pass




9.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	5.87	13	Pass




9.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	5.71	13	Pass




9.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	6.09	13	Pass




9.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	6.68	13	Pass




9.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	15	6.7	13	Pass




9.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	3.8	13	Pass




9.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	4.05	13	Pass




9.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	4.77	13	Pass




9.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	5.14	13	Pass




9.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	5.46	13	Pass




9.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	5.84	13	Pass




9.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	5.74	13	Pass




9.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	6.11	13	Pass




9.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	6.71	13	Pass




9.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2612.5	0.1	15	6.62	13	Pass




9.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	3.78	13	Pass




9.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.13	13	Pass




9.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.7	13	Pass




9.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.2	13	Pass




9.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.55	13	Pass




9.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.84	13	Pass




9.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.7	13	Pass




9.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.09	13	Pass




9.69 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.71	13	Pass




9.70 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.59	13	Pass




9.71 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	3.76	13	Pass



9.72 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.03	13	Pass



9.73 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.73	13	Pass

