


Peak to Average Ratio


9.74 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.15	13	Pass




9.75 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.53	13	Pass




9.76 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.79	13	Pass




9.77 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.7	13	Pass




9.78 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.02	13	Pass




9.79 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.69	13	Pass




9.80 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.5	13	Pass




9.81 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	3.73	13	Pass




9.82 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.06	13	Pass




9.83 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.69	13	Pass




9.84 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.14	13	Pass




9.85 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.57	13	Pass




9.86 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.79	13	Pass




9.87 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.7	13	Pass




9.88 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6	13	Pass




9.89 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.67	13	Pass




9.90 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.56	13	Pass




10. n41

10.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




10.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	4.13	13	Pass




10.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	4.42	13	Pass




10.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	5.32	13	Pass




10.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	5.43	13	Pass




10.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	5.87	13	Pass




10.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	5.65	13	Pass




10.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	6.3	13	Pass




10.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	6.63	13	Pass




10.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2501.01	0.1	10	6.67	13	Pass




10.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	3.55	13	Pass




10.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	4.12	13	Pass




10.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	4.5	13	Pass




10.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	5.32	13	Pass




10.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	5.51	13	Pass




10.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	5.88	13	Pass




10.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	5.75	13	Pass




10.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	6.29	13	Pass




10.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	6.71	13	Pass




10.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	10	6.7	13	Pass




10.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	3.56	13	Pass




10.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	4.12	13	Pass




10.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	4.52	13	Pass




10.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	5.26	13	Pass




10.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	5.57	13	Pass




10.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	5.87	13	Pass




10.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	5.78	13	Pass




10.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	6.33	13	Pass




10.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	6.77	13	Pass




10.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2685	0.1	10	6.63	13	Pass




10.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	3.63	13	Pass




10.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	4.68	13	Pass




10.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	4.58	13	Pass




10.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	5.31	13	Pass




10.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	5.34	13	Pass




10.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	5.91	13	Pass



10.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	5.64	13	Pass



10.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.12	13	Pass

