


Peak to Average Ratio


10.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.64	13	Pass




10.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.67	13	Pass




10.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	3.76	13	Pass




10.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.3	13	Pass




10.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.71	13	Pass




10.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.23	13	Pass




10.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.48	13	Pass




10.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.88	13	Pass




10.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.72	13	Pass




10.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.06	13	Pass




10.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.73	13	Pass




10.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.63	13	Pass




10.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	3.79	13	Pass




10.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	4.24	13	Pass




10.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	4.69	13	Pass




10.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.25	13	Pass




10.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.42	13	Pass




10.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.96	13	Pass




10.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.7	13	Pass




10.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.08	13	Pass




10.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.74	13	Pass




10.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.56	13	Pass




10.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	3.63	13	Pass




10.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	4.17	13	Pass




10.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	4.58	13	Pass




10.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.46	13	Pass




10.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.48	13	Pass




10.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.12	13	Pass




10.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.57	13	Pass




10.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.32	13	Pass




10.69 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.63	13	Pass




10.70 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.62	13	Pass




10.71 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	3.67	13	Pass




10.72 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	4.2	13	Pass




10.73 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	4.68	13	Pass




10.74 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.25	13	Pass




10.75 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.65	13	Pass




10.76 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.07	13	Pass




10.77 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.78	13	Pass




10.78 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.24	13	Pass




10.79 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.75	13	Pass




10.80 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.52	13	Pass




10.81 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	3.72	13	Pass




10.82 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	4.66	13	Pass




10.83 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	4.71	13	Pass




10.84 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




10.85 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.61	13	Pass




10.86 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.07	13	Pass




10.87 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.7	13	Pass




10.88 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.26	13	Pass




10.89 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.75	13	Pass



10.90 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.56	13	Pass



--BLANK BELOW--