


Occupied Bandwidth


2.8 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)



2.9 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)



2.10 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	8.55	9.02	10	Pass



2.11 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.56	9.04	10	Pass



2.12 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)



2.13 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:500202, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	8.56	9.01	10	Pass




2.14 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)



2.15 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)



2.16 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30,


OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)



2.17 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30,


OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)



2.18 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30,


OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)



2.19 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.02	99	26	1	Peak	47.57	50.32	50	Pass




2.20 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.21 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.22 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.23 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.24 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.25 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.26 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.27 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.28 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.29 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.30 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)



2.31 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:273, RB Position:0)



2.32 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30,


OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:273, RB Position:0)



2.33 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30,

OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:273, RB Position:0)




2.34 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




2.35 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




2.36 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




2.37 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




2.38 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




2.39 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




2.40 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




2.41 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




2.42 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




2.43 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




2.44 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)



2.45 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)



3. n77 30kHz(3450-3550)

3.1 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)



3.2 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30,

OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)



3.3 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)



3.4 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3455.01	99	26	0.03	Peak	8.57	9.11	10	Pass




3.5 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



3.6 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



3.7 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3455.01	99	26	0.03	Peak	8.57	9.11	10	Pass



3.8 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)



3.9 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3544.98	99	26	0.03	Peak	8.56	9.07	10	Pass




3.10 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




3.11 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)



3.12 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)



3.13 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:630334, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3455.01	99	26	0.03	Peak	8.56	9.01	10	Pass




3.14 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)



3.15 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)



3.16 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30,


OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)



3.17 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30,


OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)



3.18 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30,

OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




3.19 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




3.20 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




3.21 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




3.22 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




3.23 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




3.24 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




3.25 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




3.26 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




3.27 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




3.28 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)



3.29 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)



3.30 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.58	50.27	50	Pass



3.31 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.35	100.67	100	Pass



3.32 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.47	100.75	100	Pass

