


Occupied Bandwidth

7.8 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)



7.9 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.91	5	Pass



7.10 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.93	5	Pass



7.11 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.48	4.9	5	Pass



7.12 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.93	5	Pass



7.13 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	5.64	5	Pass



7.14 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	5.1	5	Pass



7.15 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.5	5.39	5	Pass



7.16 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.55	15	Pass



7.17 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.06	14.56	15	Pass



7.18 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.51	15	Pass



7.19 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.5	15	Pass



7.20 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.54	15	Pass



7.21 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.1	14.53	15	Pass



7.22 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.53	15	Pass



7.23 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.51	15	Pass



7.24 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.09	14.49	15	Pass



7.25 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.44	15	Pass



7.26 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.06	14.46	15	Pass



7.27 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.07	14.47	15	Pass



7.28 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.05	14.48	15	Pass



7.29 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.03	14.49	15	Pass



7.30 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.04	14.47	15	Pass



7.31 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.86	19.46	20	Pass



7.32 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.85	19.41	20	Pass



7.33 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.86	19.44	20	Pass



7.34 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.86	19.4	20	Pass



7.35 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.86	19.42	20	Pass



7.36 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.87	19.34	20	Pass



7.37 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.88	19.39	20	Pass



7.38 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.39	20	Pass



7.39 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.88	19.39	20	Pass



7.40 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.89	19.39	20	Pass



7.41 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.32	20	Pass



7.42 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.89	19.41	20	Pass



7.43 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.86	19.37	20	Pass



7.44 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.87	19.39	20	Pass



7.45 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.86	19.41	20	Pass



8. n12 15kHz

8.1 Occupied Bandwidth for SA Support PI2


BPSK_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)



8.2 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.47	4.95	5	Pass



8.3 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.48	4.92	5	Pass



8.4 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.49	4.95	5	Pass



8.5 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.49	4.93	5	Pass



8.6 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.49	4.92	5	Pass



8.7 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.48	4.9	5	Pass



8.8 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.48	4.9	5	Pass



8.9 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	4.94	5	Pass



8.10 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.48	4.9	5	Pass



8.11 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.48	4.91	5	Pass



8.12 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.49	4.93	5	Pass



8.13 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.5	5.43	5	Pass



8.14 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.5	4.91	5	Pass



8.15 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142700, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	4.88	5	Pass



8.16 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.26	9.62	10	Pass



8.17 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.26	9.65	10	Pass



8.18 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.25	9.56	10	Pass



8.19 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.27	9.63	10	Pass



8.20 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.6	10	Pass



8.21 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.58	10	Pass



8.22 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.28	9.67	10	Pass



8.23 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.68	10	Pass



8.24 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.63	10	Pass



8.25 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.25	9.58	10	Pass



8.26 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.25	9.56	10	Pass



8.27 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.24	9.59	10	Pass



8.28 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.27	9.63	10	Pass



8.29 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.62	10	Pass



8.30 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.62	10	Pass



8.31 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.08	14.55	15	Pass



8.32 Occupied Bandwidth for SA Support PI2

BPSK_Part22-24-27(NTNV)(Channel:141500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.08	14.52	15	Pass

