


Spurious Emission at Antenna Terminals

1.22 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.55	-25	39.55	Pass	401
0.15	30	0.01	RMS	0.15	-63.09	-25	38.09	Pass	2986
30	1000	0.1	RMS	831.1	-56.32	-25	31.32	Pass	9701
1000	2550	1	RMS	2550	-45.35	-25	20.35	Pass	1551
2550	2640	1	RMS	2586.9	9.05	60	50.95	Pass	401
2640	3000	1	RMS	2951.4	-43.29	-25	18.29	Pass	401
3000	7000	1	RMS	6974	-59.66	-25	34.66	Pass	4001
7000	26500	1	RMS	25522	-43.25	-25	18.25	Pass	19503




**1.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.4	-25	40.4	Pass	401
0.15	30	0.01	RMS	0.15	-62.76	-25	37.76	Pass	2986
30	1000	0.1	RMS	997.498	-56.65	-25	31.65	Pass	9701
1000	2550	1	RMS	2518	-45.38	-25	20.38	Pass	1551
2550	2640	1	RMS	2586	21.19	60	38.81	Pass	401
2640	3000	1	RMS	2953.2	-43.29	-25	18.29	Pass	401
3000	7000	1	RMS	5172	-54.66	-25	29.66	Pass	4001
7000	26500	1	RMS	25503	-43.61	-25	18.61	Pass	19503




**1.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.12	-25	39.12	Pass	401
0.15	30	0.01	RMS	0.18	-63.01	-25	38.01	Pass	2986
30	1000	0.1	RMS	764	-55.8	-25	30.8	Pass	9701
1000	2550	1	RMS	2496	-45.52	-25	20.52	Pass	1551
2550	2640	1	RMS	2604	21.09	60	38.91	Pass	401
2640	3000	1	RMS	2933.4	-43.26	-25	18.26	Pass	401
3000	7000	1	RMS	5208	-55	-25	30	Pass	4001
7000	26500	1	RMS	25526	-43.17	-25	18.17	Pass	19503




**1.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.88	-25	38.88	Pass	401
0.15	30	0.01	RMS	0.16	-63.68	-25	38.68	Pass	2986
30	1000	0.1	RMS	914.143	-56.03	-25	31.03	Pass	9701
1000	2550	1	RMS	2525	-45.55	-25	20.55	Pass	1551
2550	2640	1	RMS	2601.975	8.95	60	51.05	Pass	401
2640	3000	1	RMS	2640	-41.14	-25	16.14	Pass	401
3000	7000	1	RMS	6962	-59.73	-25	34.73	Pass	4001
7000	26500	1	RMS	25541	-43.34	-25	18.34	Pass	19503




**1.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.05	-25	40.05	Pass	401
0.15	30	0.01	RMS	0.21	-62.61	-25	37.61	Pass	2986
30	1000	0.1	RMS	954.77	-56.32	-25	31.32	Pass	9701
1000	2550	1	RMS	2493	-45.52	-25	20.52	Pass	1551
2550	2640	1	RMS	2601.075	21	60	39	Pass	401
2640	3000	1	RMS	2935.2	-43.25	-25	18.25	Pass	401
3000	7000	1	RMS	5202	-55.08	-25	30.08	Pass	4001
7000	26500	1	RMS	25499	-43.29	-25	18.29	Pass	19503



**1.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.69	-25	39.69	Pass	401
0.15	30	0.01	RMS	0.32	-63.14	-25	38.14	Pass	2986
30	1000	0.1	RMS	968.579	-56.11	-25	31.11	Pass	9701
1000	2550	1	RMS	2501	-45.51	-25	20.51	Pass	1551
2550	2640	1	RMS	2619.075	20.8	60	39.2	Pass	401
2640	3000	1	RMS	2929.8	-43.31	-25	18.31	Pass	401
3000	7000	1	RMS	5238	-56.02	-25	31.02	Pass	4001
7000	26500	1	RMS	25495	-42.94	-25	17.94	Pass	19503



2. n41


2.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.23	-25	41.23	Pass	401
0.15	30	0.01	RMS	0.16	-64.72	-25	39.72	Pass	2986
30	1000	0.1	RMS	838.9	-58.77	-25	33.77	Pass	9701
1000	2486	1	RMS	2486	-43.17	-25	18.17	Pass	1487
2486	2700	1	RMS	2497.77	11.95	60	48.05	Pass	401
2700	3000	1	RMS	2940.75	-43.35	-25	18.35	Pass	401
3000	7000	1	RMS	6973	-59.98	-25	34.98	Pass	4001
7000	26500	1	RMS	25508	-44.2	-25	19.2	Pass	19503




2.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.36	-25	40.36	Pass	401
0.15	30	0.01	RMS	0.15	-65.27	-25	40.27	Pass	2986
30	1000	0.1	RMS	936.558	-58.73	-25	33.73	Pass	9701
1000	2486	1	RMS	2486	-45.53	-25	20.53	Pass	1487
2486	2700	1	RMS	2496.7	20.45	60	39.55	Pass	401
2700	3000	1	RMS	2934.75	-43.31	-25	18.31	Pass	401
3000	7000	1	RMS	6978	-59.87	-25	34.87	Pass	4001
7000	26500	1	RMS	25494	-44.12	-25	19.12	Pass	19503




2.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.46	-25	40.46	Pass	401
0.15	30	0.01	RMS	0.15	-65.45	-25	40.45	Pass	2986
30	1000	0.1	RMS	946.765	-58.69	-25	33.69	Pass	9701
1000	2486	1	RMS	2486	-45.6	-25	20.6	Pass	1487
2486	2700	1	RMS	2504.725	20.51	60	39.49	Pass	401
2700	3000	1	RMS	2932.5	-43.35	-25	18.35	Pass	401
3000	7000	1	RMS	5010	-57.07	-25	32.07	Pass	4001
7000	26500	1	RMS	25498	-44.22	-25	19.22	Pass	19503




2.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.93	-25	40.93	Pass	401
0.15	30	0.01	RMS	0.17	-65.84	-25	40.84	Pass	2986
30	1000	0.1	RMS	974.783	-58.77	-25	33.77	Pass	9701
1000	2486	1	RMS	2481	-45.83	-25	20.83	Pass	1487
2486	2700	1	RMS	2589.79	12.06	60	47.94	Pass	401
2700	3000	1	RMS	2938.5	-43.26	-25	18.26	Pass	401
3000	7000	1	RMS	6976	-59.88	-25	34.88	Pass	4001
7000	26500	1	RMS	25501	-44.12	-25	19.12	Pass	19503




2.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.49	-25	41.49	Pass	401
0.15	30	0.01	RMS	0.18	-66.39	-25	41.39	Pass	2986
30	1000	0.1	RMS	920.848	-58.83	-25	33.83	Pass	9701
1000	2486	1	RMS	2486	-45.9	-25	20.9	Pass	1487
2486	2700	1	RMS	2588.72	20.7	60	39.3	Pass	401
2700	3000	1	RMS	2937.75	-43.3	-25	18.3	Pass	401
3000	7000	1	RMS	5178	-55.97	-25	30.97	Pass	4001
7000	26500	1	RMS	25501	-44.26	-25	19.26	Pass	19503




2.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.12	-25	41.12	Pass	401
0.15	30	0.01	RMS	0.16	-66.19	-25	41.19	Pass	2986
30	1000	0.1	RMS	961.074	-58.91	-25	33.91	Pass	9701
1000	2486	1	RMS	2482	-45.84	-25	20.84	Pass	1487
2486	2700	1	RMS	2596.745	20.83	60	39.17	Pass	401
2700	3000	1	RMS	2934	-43.26	-25	18.26	Pass	401
3000	7000	1	RMS	5194	-54.95	-25	29.95	Pass	4001
7000	26500	1	RMS	25500	-44.09	-25	19.09	Pass	19503




2.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.14	-25	41.14	Pass	401
0.15	30	0.01	RMS	0.17	-65.81	-25	40.81	Pass	2986
30	1000	0.1	RMS	947.765	-58.84	-25	33.84	Pass	9701
1000	2486	1	RMS	2479	-45.92	-25	20.92	Pass	1487
2486	2700	1	RMS	2687.695	11.72	60	48.28	Pass	401
2700	3000	1	RMS	2700	-41.48	-25	16.48	Pass	401
3000	7000	1	RMS	6970	-59.92	-25	34.92	Pass	4001
7000	26500	1	RMS	25503	-44.25	-25	19.25	Pass	19503




2.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.1	-25	41.1	Pass	401
0.15	30	0.01	RMS	0.24	-65.25	-25	40.25	Pass	2986
30	1000	0.1	RMS	838.2	-58.81	-25	33.81	Pass	9701
1000	2486	1	RMS	2481	-45.83	-25	20.83	Pass	1487
2486	2700	1	RMS	2680.74	20.24	60	39.76	Pass	401
2700	3000	1	RMS	2934	-43.26	-25	18.26	Pass	401
3000	7000	1	RMS	5362	-53.85	-25	28.85	Pass	4001
7000	26500	1	RMS	25497	-44.2	-25	19.2	Pass	19503




2.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.48	-25	41.48	Pass	401
0.15	30	0.01	RMS	0.17	-65.53	-25	40.53	Pass	2986
30	1000	0.1	RMS	917.645	-58.77	-25	33.77	Pass	9701
1000	2486	1	RMS	2484	-45.83	-25	20.83	Pass	1487
2486	2700	1	RMS	2688.765	20.42	60	39.58	Pass	401
2700	3000	1	RMS	2942.25	-43.35	-25	18.35	Pass	401
3000	7000	1	RMS	5378	-53.15	-25	28.15	Pass	4001
7000	26500	1	RMS	25496	-44.24	-25	19.24	Pass	19503




2.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.34	-25	41.34	Pass	401
0.15	30	0.01	RMS	0.44	-65.99	-25	40.99	Pass	2986
30	1000	0.1	RMS	982.588	-58.86	-25	33.86	Pass	9701
1000	2446	1	RMS	2433	-46.23	-25	21.23	Pass	1447
2446	2740	1	RMS	2501.125	4.77	60	55.23	Pass	401
2740	3000	1	RMS	2938.25	-43.29	-25	18.29	Pass	401
3000	7000	1	RMS	6978	-59.89	-25	34.89	Pass	4001
7000	26500	1	RMS	25498	-44.09	-25	19.09	Pass	19503




2.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.76	-25	40.76	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-25	40.73	Pass	2986
30	1000	0.1	RMS	864.61	-58.83	-25	33.83	Pass	9701
1000	2446	1	RMS	2432	-46.2	-25	21.2	Pass	1447
2446	2740	1	RMS	2496.715	20.15	60	39.85	Pass	401
2740	3000	1	RMS	2938.25	-43.32	-25	18.32	Pass	401
3000	7000	1	RMS	6976	-59.88	-25	34.88	Pass	4001
7000	26500	1	RMS	25505	-44.15	-25	19.15	Pass	19503




2.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.35	-25	40.35	Pass	401
0.15	30	0.01	RMS	0.18	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	842.3	-58.83	-25	33.83	Pass	9701
1000	2446	1	RMS	2446	-46.18	-25	21.18	Pass	1447
2446	2740	1	RMS	2544.49	20.34	60	39.66	Pass	401
2740	3000	1	RMS	2936.95	-43.25	-25	18.25	Pass	401
3000	7000	1	RMS	5090	-53.73	-25	28.73	Pass	4001
7000	26500	1	RMS	25493	-44.15	-25	19.15	Pass	19503




2.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.55	-25	40.55	Pass	401
0.15	30	0.01	RMS	0.16	-66.06	-25	41.06	Pass	2986
30	1000	0.1	RMS	982.588	-58.73	-25	33.73	Pass	9701
1000	2446	1	RMS	2426	-46.22	-25	21.22	Pass	1447
2446	2740	1	RMS	2573.155	5.09	60	54.91	Pass	401
2740	3000	1	RMS	2948.65	-43.29	-25	18.29	Pass	401
3000	7000	1	RMS	6971	-59.89	-25	34.89	Pass	4001
7000	26500	1	RMS	25496	-44.21	-25	19.21	Pass	19503




2.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.05	-25	41.05	Pass	401
0.15	30	0.01	RMS	0.24	-65.79	-25	40.79	Pass	2986
30	1000	0.1	RMS	937.358	-58.76	-25	33.76	Pass	9701
1000	2446	1	RMS	2439	-46.19	-25	21.19	Pass	1447
2446	2740	1	RMS	2568.745	20.51	60	39.49	Pass	401
2740	3000	1	RMS	2936.95	-43.25	-25	18.25	Pass	401
3000	7000	1	RMS	5138	-54.77	-25	29.77	Pass	4001
7000	26500	1	RMS	25504	-44.16	-25	19.16	Pass	19503




2.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.96	-25	40.96	Pass	401
0.15	30	0.01	RMS	0.16	-65.58	-25	40.58	Pass	2986
30	1000	0.1	RMS	975.083	-58.72	-25	33.72	Pass	9701
1000	2446	1	RMS	2432	-46.18	-25	21.18	Pass	1447
2446	2740	1	RMS	2616.52	20.29	60	39.71	Pass	401
2740	3000	1	RMS	2942.8	-43.3	-25	18.3	Pass	401
3000	7000	1	RMS	5233	-56.74	-25	31.74	Pass	4001
7000	26500	1	RMS	25500	-44.2	-25	19.2	Pass	19503




2.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.03	-25	40.03	Pass	401
0.15	30	0.01	RMS	0.18	-65.8	-25	40.8	Pass	2986
30	1000	0.1	RMS	952.569	-58.8	-25	33.8	Pass	9701
1000	2446	1	RMS	2436	-46.22	-25	21.22	Pass	1447
2446	2740	1	RMS	2687.08	4.82	60	55.18	Pass	401
2740	3000	1	RMS	2936.3	-43.24	-25	18.24	Pass	401
3000	7000	1	RMS	6975	-59.88	-25	34.88	Pass	4001
7000	26500	1	RMS	25501	-44.14	-25	19.14	Pass	19503




2.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.24	-25	41.24	Pass	401
0.15	30	0.01	RMS	0.15	-65.71	-25	40.71	Pass	2986
30	1000	0.1	RMS	926.051	-58.91	-25	33.91	Pass	9701
1000	2446	1	RMS	2420	-46.22	-25	21.22	Pass	1447
2446	2740	1	RMS	2640.775	20.33	60	39.67	Pass	401
2740	3000	1	RMS	2930.45	-43.27	-25	18.27	Pass	401
3000	7000	1	RMS	5282	-57.03	-25	32.03	Pass	4001
7000	26500	1	RMS	25499	-44.19	-25	19.19	Pass	19503




2.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.54	-25	40.54	Pass	401
0.15	30	0.01	RMS	0.15	-65.74	-25	40.74	Pass	2986
30	1000	0.1	RMS	880.821	-58.79	-25	33.79	Pass	9701
1000	2446	1	RMS	2439	-46.12	-25	21.12	Pass	1447
2446	2740	1	RMS	2688.55	20.01	60	39.99	Pass	401
2740	3000	1	RMS	2933.7	-43.25	-25	18.25	Pass	401
3000	7000	1	RMS	5377	-54.07	-25	29.07	Pass	4001
7000	26500	1	RMS	25501	-44.16	-25	19.16	Pass	19503




2.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.55	-25	41.55	Pass	401
0.15	30	0.01	RMS	0.15	-65.7	-25	40.7	Pass	2986
30	1000	0.1	RMS	850.201	-58.73	-25	33.73	Pass	9701
1000	2396	1	RMS	2181	-46.35	-25	21.35	Pass	1397
2396	2790	1	RMS	2575.27	1.68	60	58.32	Pass	401
2790	3000	1	RMS	2937	-43.21	-25	18.21	Pass	401
3000	7000	1	RMS	6977	-59.88	-25	34.88	Pass	4001
7000	26500	1	RMS	25506	-44.11	-25	19.11	Pass	19503




2.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.69	-25	40.69	Pass	401
0.15	30	0.01	RMS	0.16	-65.31	-25	40.31	Pass	2986
30	1000	0.1	RMS	997.298	-58.82	-25	33.82	Pass	9701
1000	2396	1	RMS	2184	-46.35	-25	21.35	Pass	1397
2396	2790	1	RMS	2496.47	19.81	60	40.19	Pass	401
2790	3000	1	RMS	2930.175	-43.28	-25	18.28	Pass	401
3000	7000	1	RMS	6978	-59.94	-25	34.94	Pass	4001
7000	26500	1	RMS	25492	-44.13	-25	19.13	Pass	19503




2.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66	-25	41	Pass	401
0.15	30	0.01	RMS	0.15	-64.8	-25	39.8	Pass	2986
30	1000	0.1	RMS	980.387	-58.76	-25	33.76	Pass	9701
1000	2396	1	RMS	2182	-46.32	-25	21.32	Pass	1397
2396	2790	1	RMS	2593.985	18.57	60	41.43	Pass	401
2790	3000	1	RMS	2936.475	-43.25	-25	18.25	Pass	401
3000	7000	1	RMS	5190	-54.78	-25	29.78	Pass	4001
7000	26500	1	RMS	25494	-44.12	-25	19.12	Pass	19503




2.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.12	-25	41.12	Pass	401
0.15	30	0.01	RMS	0.16	-65.75	-25	40.75	Pass	2986
30	1000	0.1	RMS	975.284	-58.75	-25	33.75	Pass	9701
1000	2396	1	RMS	2190	-46.29	-25	21.29	Pass	1397
2396	2790	1	RMS	2568.375	1.72	60	58.28	Pass	401
2790	3000	1	RMS	2935.95	-43.26	-25	18.26	Pass	401
3000	7000	1	RMS	6969	-59.85	-25	34.85	Pass	4001
7000	26500	1	RMS	25494	-44.1	-25	19.1	Pass	19503




2.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.36	-25	40.36	Pass	401
0.15	30	0.01	RMS	0.18	-65.44	-25	40.44	Pass	2986
30	1000	0.1	RMS	964.777	-58.64	-25	33.64	Pass	9701
1000	2396	1	RMS	2182	-46.33	-25	21.33	Pass	1397
2396	2790	1	RMS	2543.75	19.55	60	40.45	Pass	401
2790	3000	1	RMS	2932.8	-43.24	-25	18.24	Pass	401
3000	7000	1	RMS	5088	-52.41	-25	27.41	Pass	4001
7000	26500	1	RMS	25507	-44.13	-25	19.13	Pass	19503




2.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.65	-25	40.65	Pass	401
0.15	30	0.01	RMS	0.27	-65.94	-25	40.94	Pass	2986
30	1000	0.1	RMS	927.252	-58.86	-25	33.86	Pass	9701
1000	2396	1	RMS	2186	-46.32	-25	21.32	Pass	1397
2396	2790	1	RMS	2641.265	19.83	60	40.17	Pass	401
2790	3000	1	RMS	2931.75	-43.24	-25	18.24	Pass	401
3000	7000	1	RMS	5284	-56.05	-25	31.05	Pass	4001
7000	26500	1	RMS	25494	-44.09	-25	19.09	Pass	19503




2.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.33	-25	41.33	Pass	401
0.15	30	0.01	RMS	0.16	-64.88	-25	39.88	Pass	2986
30	1000	0.1	RMS	928.753	-58.74	-25	33.74	Pass	9701
1000	2396	1	RMS	2189	-46.35	-25	21.35	Pass	1397
2396	2790	1	RMS	2592.015	1.95	60	58.05	Pass	401
2790	3000	1	RMS	2942.775	-43.27	-25	18.27	Pass	401
3000	7000	1	RMS	6981	-59.88	-25	34.88	Pass	4001
7000	26500	1	RMS	25484	-44.23	-25	19.23	Pass	19503




2.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.89	-25	40.89	Pass	401
0.15	30	0.01	RMS	0.15	-65.74	-25	40.74	Pass	2986
30	1000	0.1	RMS	932.355	-58.74	-25	33.74	Pass	9701
1000	2396	1	RMS	2195	-46.33	-25	21.33	Pass	1397
2396	2790	1	RMS	2590.045	18.44	60	41.56	Pass	401
2790	3000	1	RMS	2931.225	-43.23	-25	18.23	Pass	401
3000	7000	1	RMS	5182	-54.71	-25	29.71	Pass	4001
7000	26500	1	RMS	25501	-44.02	-25	19.02	Pass	19503



2.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.1	-25	41.1	Pass	401
0.15	30	0.01	RMS	0.17	-65.86	-25	40.86	Pass	2986
30	1000	0.1	RMS	978.286	-58.83	-25	33.83	Pass	9701
1000	2396	1	RMS	2186	-46.32	-25	21.32	Pass	1397
2396	2790	1	RMS	2688.545	19.77	60	40.23	Pass	401
2790	3000	1	RMS	2932.8	-43.29	-25	18.29	Pass	401
3000	7000	1	RMS	5378	-52.92	-25	27.92	Pass	4001
7000	26500	1	RMS	25505	-44.09	-25	19.09	Pass	19503



3. n77 30kHz(3450-3550)


3.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.51	-13	51.51	Pass	401
0.15	30	0.01	RMS	0.24	-64.44	-13	51.44	Pass	2986
30	1000	0.1	RMS	898.032	-56.17	-13	43.17	Pass	9701
1000	3000	1	RMS	2930	-42.92	-13	29.92	Pass	2001
3000	3440	1	RMS	3440	-38.05	-13	25.05	Pass	441
3440	3560	1	RMS	3458	11.97	60	48.03	Pass	401
3560	7000	1	RMS	6911	-54.2	-13	41.2	Pass	3441
7000	26500	1	RMS	25505	-43.28	-13	30.28	Pass	19503




3.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.43	-13	50.43	Pass	401
0.15	30	0.01	RMS	0.28	-64.03	-13	51.03	Pass	2986
30	1000	0.1	RMS	860.908	-56	-13	43	Pass	9701
1000	3000	1	RMS	2940	-42.7	-13	29.7	Pass	2001
3000	3440	1	RMS	3157	-43.55	-13	30.55	Pass	441
3440	3560	1	RMS	3450.8	20.17	60	39.83	Pass	401
3560	7000	1	RMS	6902	-47.07	-13	34.07	Pass	3441
7000	26500	1	RMS	25476	-43.43	-13	30.43	Pass	19503




3.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.58	-13	51.58	Pass	401
0.15	30	0.01	RMS	0.89	-63.93	-13	50.93	Pass	2986
30	1000	0.1	RMS	858.506	-56.09	-13	43.09	Pass	9701
1000	3000	1	RMS	2937	-42.96	-13	29.96	Pass	2001
3000	3440	1	RMS	3157	-43.61	-13	30.61	Pass	441
3440	3560	1	RMS	3459.2	20.31	60	39.69	Pass	401
3560	7000	1	RMS	6918	-47.15	-13	34.15	Pass	3441
7000	26500	1	RMS	25461	-43.35	-13	30.35	Pass	19503




3.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.4	-13	52.4	Pass	401
0.15	30	0.01	RMS	0.37	-63.02	-13	50.02	Pass	2986
30	1000	0.1	RMS	957.072	-56.02	-13	43.02	Pass	9701
1000	3000	1	RMS	2938	-42.91	-13	29.91	Pass	2001
3000	3440	1	RMS	3158	-43.49	-13	30.49	Pass	441
3440	3560	1	RMS	3503	11.98	60	48.02	Pass	401
3560	7000	1	RMS	6999	-54.16	-13	41.16	Pass	3441
7000	26500	1	RMS	25536	-43.33	-13	30.33	Pass	19503




3.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.16	-13	52.16	Pass	401
0.15	30	0.01	RMS	0.21	-65.18	-13	52.18	Pass	2986
30	1000	0.1	RMS	599.3	-56.01	-13	43.01	Pass	9701
1000	3000	1	RMS	2918	-43.04	-13	30.04	Pass	2001
3000	3440	1	RMS	3164	-43.56	-13	30.56	Pass	441
3440	3560	1	RMS	3495.8	20.27	60	39.73	Pass	401
3560	7000	1	RMS	6992	-48.72	-13	35.72	Pass	3441
7000	26500	1	RMS	25513	-43.25	-13	30.25	Pass	19503




3.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.77	-13	51.77	Pass	401
0.15	30	0.01	RMS	0.44	-64.22	-13	51.22	Pass	2986
30	1000	0.1	RMS	834	-56.46	-13	43.46	Pass	9701
1000	3000	1	RMS	2937	-43.06	-13	30.06	Pass	2001
3000	3440	1	RMS	3162	-43.56	-13	30.56	Pass	441
3440	3560	1	RMS	3504.2	20.25	60	39.75	Pass	401
3560	7000	1	RMS	6962	-59.71	-13	46.71	Pass	3441
7000	26500	1	RMS	25821	-43.12	-13	30.12	Pass	19503




3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.44	-13	51.44	Pass	401
0.15	30	0.01	RMS	0.21	-64.1	-13	51.1	Pass	2986
30	1000	0.1	RMS	964.977	-56.3	-13	43.3	Pass	9701
1000	3000	1	RMS	2935	-43.07	-13	30.07	Pass	2001
3000	3440	1	RMS	3162	-43.54	-13	30.54	Pass	441
3440	3560	1	RMS	3547.7	12.05	60	47.95	Pass	401
3560	7000	1	RMS	3560	-43.92	-13	30.92	Pass	3441
7000	26500	1	RMS	25522	-43.22	-13	30.22	Pass	19503




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.28	-13	52.28	Pass	401
0.15	30	0.01	RMS	0.38	-64.06	-13	51.06	Pass	2986
30	1000	0.1	RMS	835.4	-55.86	-13	42.86	Pass	9701
1000	3000	1	RMS	2942	-43	-13	30	Pass	2001
3000	3440	1	RMS	3159	-43.55	-13	30.55	Pass	441
3440	3560	1	RMS	3540.8	20.35	60	39.65	Pass	401
3560	7000	1	RMS	3560	-53.27	-13	40.27	Pass	3441
7000	26500	1	RMS	25505	-43.09	-13	30.09	Pass	19503




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.48	-13	52.48	Pass	401
0.15	30	0.01	RMS	0.19	-61.26	-13	48.26	Pass	2986
30	1000	0.1	RMS	881.521	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2936	-42.98	-13	29.98	Pass	2001
3000	3440	1	RMS	3160	-43.64	-13	30.64	Pass	441
3440	3560	1	RMS	3549.2	20.34	60	39.66	Pass	401
3560	7000	1	RMS	3560	-52.49	-13	39.49	Pass	3441
7000	26500	1	RMS	25909	-42.85	-13	29.85	Pass	19503




3.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.26	-13	51.26	Pass	401
0.15	30	0.01	RMS	0.15	-63.71	-13	50.71	Pass	2986
30	1000	0.1	RMS	924.45	-55.81	-13	42.81	Pass	9701
1000	3000	1	RMS	2928	-43.08	-13	30.08	Pass	2001
3000	3440	1	RMS	3409	-37.91	-13	24.91	Pass	441
3440	3560	1	RMS	3497.6	4.65	60	55.35	Pass	401
3560	7000	1	RMS	3560	-46.76	-13	33.76	Pass	3441
7000	26500	1	RMS	25546	-43.31	-13	30.31	Pass	19503




3.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.43	-13	51.43	Pass	401
0.15	30	0.01	RMS	0.18	-63.57	-13	50.57	Pass	2986
30	1000	0.1	RMS	891.328	-56.34	-13	43.34	Pass	9701
1000	3000	1	RMS	2948	-43.01	-13	30.01	Pass	2001
3000	3440	1	RMS	3161	-43.5	-13	30.5	Pass	441
3440	3560	1	RMS	3451.1	19.91	60	40.09	Pass	401
3560	7000	1	RMS	6902	-48.52	-13	35.52	Pass	3441
7000	26500	1	RMS	25891	-43.2	-13	30.2	Pass	19503




3.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.69	-13	51.69	Pass	401
0.15	30	0.01	RMS	0.17	-63.35	-13	50.35	Pass	2986
30	1000	0.1	RMS	844.3	-56.45	-13	43.45	Pass	9701
1000	3000	1	RMS	2929	-42.95	-13	29.95	Pass	2001
3000	3440	1	RMS	3440	-42.25	-13	29.25	Pass	441
3440	3560	1	RMS	3498.8	20.42	60	39.58	Pass	401
3560	7000	1	RMS	6998	-48.79	-13	35.79	Pass	3441
7000	26500	1	RMS	25880	-43.15	-13	30.15	Pass	19503




3.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.01	-13	53.01	Pass	401
0.15	30	0.01	RMS	0.2	-64.31	-13	51.31	Pass	2986
30	1000	0.1	RMS	964.176	-56.2	-13	43.2	Pass	9701
1000	3000	1	RMS	2933	-43.13	-13	30.13	Pass	2001
3000	3440	1	RMS	3434	-38.74	-13	25.74	Pass	441
3440	3560	1	RMS	3519.5	4.66	60	55.34	Pass	401
3560	7000	1	RMS	3561	-39.77	-13	26.77	Pass	3441
7000	26500	1	RMS	25922	-43.19	-13	30.19	Pass	19503




3.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.69	-13	51.69	Pass	401
0.15	30	0.01	RMS	0.15	-62.29	-13	49.29	Pass	2986
30	1000	0.1	RMS	939.76	-56.3	-13	43.3	Pass	9701
1000	3000	1	RMS	2930	-42.73	-13	29.73	Pass	2001
3000	3440	1	RMS	3161	-43.48	-13	30.48	Pass	441
3440	3560	1	RMS	3476.3	19.97	60	40.03	Pass	401
3560	7000	1	RMS	6952	-48.36	-13	35.36	Pass	3441
7000	26500	1	RMS	25850	-43.2	-13	30.2	Pass	19503




3.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.67	-13	51.67	Pass	401
0.15	30	0.01	RMS	0.37	-63.8	-13	50.8	Pass	2986
30	1000	0.1	RMS	885.924	-56.23	-13	43.23	Pass	9701
1000	3000	1	RMS	2947	-42.96	-13	29.96	Pass	2001
3000	3440	1	RMS	3161	-43.53	-13	30.53	Pass	441
3440	3560	1	RMS	3523.7	20.41	60	39.59	Pass	401
3560	7000	1	RMS	3560	-55.46	-13	42.46	Pass	3441
7000	26500	1	RMS	25906	-43.43	-13	30.43	Pass	19503




3.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.47	-13	51.47	Pass	401
0.15	30	0.01	RMS	0.28	-64.19	-13	51.19	Pass	2986
30	1000	0.1	RMS	971.981	-56.09	-13	43.09	Pass	9701
1000	3000	1	RMS	2962	-42.95	-13	29.95	Pass	2001
3000	3440	1	RMS	3440	-42.42	-13	29.42	Pass	441
3440	3560	1	RMS	3505.7	4.79	60	55.21	Pass	401
3560	7000	1	RMS	3572	-39.69	-13	26.69	Pass	3441
7000	26500	1	RMS	25911	-43.27	-13	30.27	Pass	19503




3.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.5	-13	50.5	Pass	401
0.15	30	0.01	RMS	0.15	-62.61	-13	49.61	Pass	2986
30	1000	0.1	RMS	879.52	-56.41	-13	43.41	Pass	9701
1000	3000	1	RMS	2935	-42.95	-13	29.95	Pass	2001
3000	3440	1	RMS	3160	-43.52	-13	30.52	Pass	441
3440	3560	1	RMS	3501.2	20.38	60	39.62	Pass	401
3560	7000	1	RMS	3560	-47.74	-13	34.74	Pass	3441
7000	26500	1	RMS	25876	-43.26	-13	30.26	Pass	19503




3.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.15	-13	53.15	Pass	401
0.15	30	0.01	RMS	0.19	-62.88	-13	49.88	Pass	2986
30	1000	0.1	RMS	764.6	-56.02	-13	43.02	Pass	9701
1000	3000	1	RMS	2962	-42.92	-13	29.92	Pass	2001
3000	3440	1	RMS	3159	-43.49	-13	30.49	Pass	441
3440	3560	1	RMS	3548.6	20.29	60	39.71	Pass	401
3560	7000	1	RMS	3572	-47.41	-13	34.41	Pass	3441
7000	26500	1	RMS	7097	-42.99	-13	29.99	Pass	19503




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.04	-13	53.04	Pass	401
0.15	30	0.01	RMS	0.8	-63.76	-13	50.76	Pass	2986
30	1000	0.1	RMS	965.077	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2934	-42.92	-13	29.92	Pass	2001
3000	3440	1	RMS	3440	-38.77	-13	25.77	Pass	441
3440	3560	1	RMS	3460.7	1.51	60	58.49	Pass	401
3560	7000	1	RMS	3618	-41.51	-13	28.51	Pass	3441
7000	26500	1	RMS	25407	-43.29	-13	30.29	Pass	19503




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.62	-13	51.62	Pass	401
0.15	30	0.01	RMS	0.17	-63.86	-13	50.86	Pass	2986
30	1000	0.1	RMS	928.753	-55.83	-13	42.83	Pass	9701
1000	3000	1	RMS	2953	-42.87	-13	29.87	Pass	2001
3000	3440	1	RMS	3402	-43.43	-13	30.43	Pass	441
3440	3560	1	RMS	3451.1	19.93	60	40.07	Pass	401
3560	7000	1	RMS	6902	-46.9	-13	33.9	Pass	3441
7000	26500	1	RMS	25890	-43.06	-13	30.06	Pass	19503



3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.38	-13	52.38	Pass	401
0.15	30	0.01	RMS	0.15	-62.26	-13	49.26	Pass	2986
30	1000	0.1	RMS	950.367	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2925	-42.77	-13	29.77	Pass	2001
3000	3440	1	RMS	3432	-41.52	-13	28.52	Pass	441
3440	3560	1	RMS	3548.9	20.39	60	39.61	Pass	401
3560	7000	1	RMS	3598	-47.25	-13	34.25	Pass	3441
7000	26500	1	RMS	25512	-43.31	-13	30.31	Pass	19503



4. n78 30kHz(3450-3550)


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.25	-13	50.25	Pass	401
0.15	30	0.01	RMS	0.37	-64.52	-13	51.52	Pass	2986
30	1000	0.1	RMS	849	-55.95	-13	42.95	Pass	9701
1000	3000	1	RMS	2934	-43.06	-13	30.06	Pass	2001
3000	3440	1	RMS	3440	-39.28	-13	26.28	Pass	441
3440	3560	1	RMS	3456.8	12.1	60	47.9	Pass	401
3560	7000	1	RMS	6910	-55.09	-13	42.09	Pass	3441
7000	26500	1	RMS	25892	-43.51	-13	30.51	Pass	19503




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.44	-13	51.44	Pass	401
0.15	30	0.01	RMS	0.4	-63.92	-13	50.92	Pass	2986
30	1000	0.1	RMS	998.199	-55.44	-13	42.44	Pass	9701
1000	3000	1	RMS	2967	-43.12	-13	30.12	Pass	2001
3000	3440	1	RMS	3161	-43.64	-13	30.64	Pass	441
3440	3560	1	RMS	3450.8	20.25	60	39.75	Pass	401
3560	7000	1	RMS	6902	-48.4	-13	35.4	Pass	3441
7000	26500	1	RMS	25498	-43.11	-13	30.11	Pass	19503




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.73	-13	51.73	Pass	401
0.15	30	0.01	RMS	1.32	-62.58	-13	49.58	Pass	2986
30	1000	0.1	RMS	972.582	-56.41	-13	43.41	Pass	9701
1000	3000	1	RMS	2938	-43.04	-13	30.04	Pass	2001
3000	3440	1	RMS	3159	-43.59	-13	30.59	Pass	441
3440	3560	1	RMS	3459.2	20.47	60	39.53	Pass	401
3560	7000	1	RMS	6918	-48.33	-13	35.33	Pass	3441
7000	26500	1	RMS	25877	-43.17	-13	30.17	Pass	19503




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.96	-13	51.96	Pass	401
0.15	30	0.01	RMS	1.16	-63.94	-13	50.94	Pass	2986
30	1000	0.1	RMS	848.2	-56.32	-13	43.32	Pass	9701
1000	3000	1	RMS	2952	-43.02	-13	30.02	Pass	2001
3000	3440	1	RMS	3160	-43.65	-13	30.65	Pass	441
3440	3560	1	RMS	3502.7	12.18	60	47.82	Pass	401
3560	7000	1	RMS	7000	-54.84	-13	41.84	Pass	3441
7000	26500	1	RMS	25884	-43.26	-13	30.26	Pass	19503




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.22	-13	51.22	Pass	401
0.15	30	0.01	RMS	0.43	-64.33	-13	51.33	Pass	2986
30	1000	0.1	RMS	463.5	-56.28	-13	43.28	Pass	9701
1000	3000	1	RMS	2948	-43.05	-13	30.05	Pass	2001
3000	3440	1	RMS	3158	-43.6	-13	30.6	Pass	441
3440	3560	1	RMS	3495.8	20.53	60	39.47	Pass	401
3560	7000	1	RMS	6992	-49.3	-13	36.3	Pass	3441
7000	26500	1	RMS	25912	-43.37	-13	30.37	Pass	19503




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.16	-13	51.16	Pass	401
0.15	30	0.01	RMS	0.15	-63.71	-13	50.71	Pass	2986
30	1000	0.1	RMS	877.919	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2949	-43.09	-13	30.09	Pass	2001
3000	3440	1	RMS	3161	-43.57	-13	30.57	Pass	441
3440	3560	1	RMS	3504.2	20.5	60	39.5	Pass	401
3560	7000	1	RMS	6982	-59.74	-13	46.74	Pass	3441
7000	26500	1	RMS	25509	-43.31	-13	30.31	Pass	19503




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.12	-13	51.12	Pass	401
0.15	30	0.01	RMS	0.19	-64.58	-13	51.58	Pass	2986
30	1000	0.1	RMS	971.881	-56.26	-13	43.26	Pass	9701
1000	3000	1	RMS	2960	-43.04	-13	30.04	Pass	2001
3000	3440	1	RMS	3159	-43.53	-13	30.53	Pass	441
3440	3560	1	RMS	3547.7	12.1	60	47.9	Pass	401
3560	7000	1	RMS	3560	-42.37	-13	29.37	Pass	3441
7000	26500	1	RMS	25891	-43.35	-13	30.35	Pass	19503




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.88	-13	48.88	Pass	401
0.15	30	0.01	RMS	0.24	-62.97	-13	49.97	Pass	2986
30	1000	0.1	RMS	940.761	-56.23	-13	43.23	Pass	9701
1000	3000	1	RMS	2929	-43.12	-13	30.12	Pass	2001
3000	3440	1	RMS	3160	-43.57	-13	30.57	Pass	441
3440	3560	1	RMS	3540.8	20.38	60	39.62	Pass	401
3560	7000	1	RMS	3560	-52.69	-13	39.69	Pass	3441
7000	26500	1	RMS	25512	-42.81	-13	29.81	Pass	19503




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.32	-13	52.32	Pass	401
0.15	30	0.01	RMS	0.19	-62.79	-13	49.79	Pass	2986
30	1000	0.1	RMS	893.529	-55.94	-13	42.94	Pass	9701
1000	3000	1	RMS	2942	-42.99	-13	29.99	Pass	2001
3000	3440	1	RMS	3161	-43.6	-13	30.6	Pass	441
3440	3560	1	RMS	3549.2	20.38	60	39.62	Pass	401
3560	7000	1	RMS	3560	-52.86	-13	39.86	Pass	3441
7000	26500	1	RMS	7098	-42.99	-13	29.99	Pass	19503




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.28	-13	52.28	Pass	401
0.15	30	0.01	RMS	0.35	-63.62	-13	50.62	Pass	2986
30	1000	0.1	RMS	761.7	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2953	-42.89	-13	29.89	Pass	2001
3000	3440	1	RMS	3440	-37.34	-13	24.34	Pass	441
3440	3560	1	RMS	3497.3	4.87	60	55.13	Pass	401
3560	7000	1	RMS	3560	-48.58	-13	35.58	Pass	3441
7000	26500	1	RMS	25516	-43.23	-13	30.23	Pass	19503




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.81	-13	51.81	Pass	401
0.15	30	0.01	RMS	0.15	-63.82	-13	50.82	Pass	2986
30	1000	0.1	RMS	892.529	-56.05	-13	43.05	Pass	9701
1000	3000	1	RMS	2953	-43.03	-13	30.03	Pass	2001
3000	3440	1	RMS	3427	-43.29	-13	30.29	Pass	441
3440	3560	1	RMS	3451.1	19.96	60	40.04	Pass	401
3560	7000	1	RMS	6902	-49.36	-13	36.36	Pass	3441
7000	26500	1	RMS	25512	-43.13	-13	30.13	Pass	19503




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.14	-13	52.14	Pass	401
0.15	30	0.01	RMS	0.15	-64.25	-13	51.25	Pass	2986
30	1000	0.1	RMS	402	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2949	-43.09	-13	30.09	Pass	2001
3000	3440	1	RMS	3440	-42.49	-13	29.49	Pass	441
3440	3560	1	RMS	3498.8	20.62	60	39.38	Pass	401
3560	7000	1	RMS	6998	-49.56	-13	36.56	Pass	3441
7000	26500	1	RMS	25511	-42.89	-13	29.89	Pass	19503




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.22	-63.63	-13	50.63	Pass	2986
30	1000	0.1	RMS	854.203	-56.35	-13	43.35	Pass	9701
1000	3000	1	RMS	2954	-43.11	-13	30.11	Pass	2001
3000	3440	1	RMS	3433	-39.6	-13	26.6	Pass	441
3440	3560	1	RMS	3521.9	4.88	60	55.12	Pass	401
3560	7000	1	RMS	3561	-41.03	-13	28.03	Pass	3441
7000	26500	1	RMS	25481	-43.14	-13	30.14	Pass	19503




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.12	-13	52.12	Pass	401
0.15	30	0.01	RMS	0.15	-64.61	-13	51.61	Pass	2986
30	1000	0.1	RMS	905.237	-55.69	-13	42.69	Pass	9701
1000	3000	1	RMS	2937	-43.03	-13	30.03	Pass	2001
3000	3440	1	RMS	3163	-43.6	-13	30.6	Pass	441
3440	3560	1	RMS	3476.3	20.11	60	39.89	Pass	401
3560	7000	1	RMS	6952	-49.39	-13	36.39	Pass	3441
7000	26500	1	RMS	25906	-43.56	-13	30.56	Pass	19503



4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.24	-13	51.24	Pass	401
0.15	30	0.01	RMS	0.82	-64.13	-13	51.13	Pass	2986
30	1000	0.1	RMS	983.589	-56.18	-13	43.18	Pass	9701
1000	3000	1	RMS	2967	-43.15	-13	30.15	Pass	2001
3000	3440	1	RMS	3159	-43.57	-13	30.57	Pass	441
3440	3560	1	RMS	3523.7	20.61	60	39.39	Pass	401
3560	7000	1	RMS	3560	-57.59	-13	44.59	Pass	3441
7000	26500	1	RMS	25894	-43.3	-13	30.3	Pass	19503



4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.79	-13	51.79	Pass	401
0.15	30	0.01	RMS	0.42	-63.55	-13	50.55	Pass	2986
30	1000	0.1	RMS	974.983	-56.03	-13	43.03	Pass	9701
1000	3000	1	RMS	2943	-42.99	-13	29.99	Pass	2001
3000	3440	1	RMS	3440	-42.47	-13	29.47	Pass	441
3440	3560	1	RMS	3504.5	4.9	60	55.1	Pass	401
3560	7000	1	RMS	3566	-39.67	-13	26.67	Pass	3441
7000	26500	1	RMS	25517	-42.83	-13	29.83	Pass	19503

