

Transmitter Radiated Power (EIRP/ERP)

GSM Mode Test Data

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
GSM850	LCH	24.28	-4.5	-6.65	25.63	0.366	7.000	Pass
	MCH	24.42	-4.5	-6.65	25.77	0.378	7.000	Pass
	HCH	24.38	-4.5	-6.65	25.73	0.374	7.000	Pass
GPRS850	LCH	24.24	-4.5	-6.65	25.59	0.362	7.000	Pass
	MCH	24.40	-4.5	-6.65	25.75	0.376	7.000	Pass
	HCH	24.36	-4.5	-6.65	25.71	0.372	7.000	Pass
EGPRS850	LCH	18.21	-4.5	-6.65	19.56	0.090	7.000	Pass
	MCH	18.26	-4.5	-6.65	19.61	0.091	7.000	Pass
	HCH	18.24	-4.5	-6.65	19.59	0.091	7.000	Pass

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
GSM1900	LCH	20.9	-1.9	27.00	0.501	2.000	Pass
	MCH	20.99	-1.9	27.09	0.512	2.000	Pass
	HCH	20.96	-1.9	27.06	0.508	2.000	Pass
GPRS1900	LCH	20.85	-1.9	26.95	0.495	2.000	Pass
	MCH	20.95	-1.9	27.05	0.507	2.000	Pass
	HCH	20.91	-1.9	27.01	0.502	2.000	Pass
EGPRS1900	LCH	16.96	-1.9	23.06	0.202	2.000	Pass
	MCH	16.92	-1.9	23.02	0.200	2.000	Pass
	HCH	16.91	-1.9	23.01	0.200	2.000	Pass

GPRS Conducted Output Power

Test Band	Test CH	GPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
GPRS850	LCH	24.24	1.67	31.20	1.32	29.23	0.84	27.92	0.62	Pass
	MCH	24.40	1.74	31.35	1.36	29.39	0.87	28.09	0.64	Pass
	HCH	24.36	1.72	31.32	1.36	29.37	0.87	28.05	0.64	Pass
GPRS1900	LCH	20.85	0.77	27.92	0.62	26.01	0.40	24.73	0.30	Pass
	MCH	20.95	0.79	28.00	0.63	26.07	0.40	24.80	0.30	Pass
	HCH	20.91	0.78	27.97	0.63	26.03	0.40	24.73	0.30	Pass

EGPRS Conducted Output Power

Test Band	Test CH	EGPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
EGPRS850	LCH	18.21	0.42	24.03	0.25	22.15	0.16	21.06	0.13	Pass
	MCH	18.26	0.42	24.11	0.26	22.96	0.20	21.73	0.15	Pass
	HCH	18.24	0.42	24.14	0.26	22.95	0.20	21.68	0.15	Pass
EGPRS1900	LCH	16.96	0.31	22.96	0.20	21.41	0.14	20.18	0.10	Pass
	MCH	16.92	0.31	22.71	0.19	21.32	0.14	20.04	0.10	Pass
	HCH	16.91	0.31	22.81	0.19	20.81	0.12	19.93	0.10	Pass

WCDMA Mode Test Data

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B2	LCH	14.43	-1.9	12.53	0.018	2.000	Pass
	MCH	14.43	-1.9	12.53	0.018	2.000	Pass
	HCH	14.52	-1.9	12.62	0.018	2.000	Pass
HSDPA B2	LCH	15.56	-1.9	13.66	0.023	2.000	Pass
	MCH	15.88	-1.9	13.98	0.025	2.000	Pass
	HCH	15.98	-1.9	14.08	0.026	2.000	Pass
HSUPA B2	LCH	15.63	-1.9	13.73	0.024	2.000	Pass
	MCH	15.99	-1.9	14.09	0.026	2.000	Pass
	HCH	16.08	-1.9	14.18	0.026	2.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B4	LCH	14.49	-2.3	12.19	0.017	1.000	Pass
	MCH	14.51	-2.3	12.21	0.017	1.000	Pass
	HCH	14.46	-2.3	12.16	0.016	1.000	Pass
HSDPA B4	LCH	15.40	-2.3	13.10	0.020	1.000	Pass
	MCH	15.94	-2.3	13.64	0.023	1.000	Pass
	HCH	16.27	-2.3	13.97	0.025	1.000	Pass
HSUPA B4	LCH	15.43	-2.3	13.13	0.021	1.000	Pass
	MCH	16.02	-2.3	13.72	0.024	1.000	Pass
	HCH	16.38	-2.3	14.08	0.026	1.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
WCDMA B5	LCH	14.51	-4.5	-6.65	7.86	0.006	7.000	Pass
	MCH	14.54	-4.5	-6.65	7.89	0.006	7.000	Pass
	HCH	14.56	-4.5	-6.65	7.91	0.006	7.000	Pass
HSDPA B5	LCH	15.74	-4.5	-6.65	9.09	0.008	7.000	Pass
	MCH	15.75	-4.5	-6.65	9.10	0.008	7.000	Pass
	HCH	15.73	-4.5	-6.65	9.08	0.008	7.000	Pass
HSUPA B5	LCH	15.74	-4.5	-6.65	9.09	0.008	7.000	Pass
	MCH	15.80	-4.5	-6.65	9.15	0.008	7.000	Pass
	HCH	15.74	-4.5	-6.65	9.09	0.008	7.000	Pass

HSDPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B2	Subtest 1	15.56	15.86	15.96	0.036	0.039	0.039	Pass
	Subtest 2	15.4	15.88	15.98	0.035	0.039	0.040	Pass
	Subtest 3	14.89	15.35	15.47	0.031	0.034	0.035	Pass
	Subtest 4	14.85	15.36	15.51	0.031	0.034	0.036	Pass
HSDPA B4	Subtest 1	15.39	15.94	16.27	0.035	0.039	0.042	Pass
	Subtest 2	15.4	15.93	16.27	0.035	0.039	0.042	Pass
	Subtest 3	14.91	15.48	15.79	0.031	0.035	0.038	Pass
	Subtest 4	14.88	15.43	15.77	0.031	0.035	0.038	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B5	Subtest 1	15.71	15.73	15.72	0.037	0.037	0.037	Pass
	Subtest 2	15.74	15.75	15.73	0.037	0.038	0.037	Pass
	Subtest 3	15.23	15.23	15.21	0.033	0.033	0.033	Pass
	Subtest 4	15.19	15.26	15.18	0.033	0.034	0.033	Pass

HSUPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B2	Subtest 1	15.61	15.9	16.08	0.036	0.039	0.041	Pass
	Subtest 2	13.67	14	14.08	0.023	0.025	0.026	Pass
	Subtest 3	14.6	14.95	15.11	0.029	0.031	0.032	Pass
	Subtest 4	13.56	13.92	14.11	0.023	0.025	0.026	Pass
	Subtest 5	15.63	15.99	16.06	0.037	0.040	0.040	Pass
HSUPA B4	Subtest 1	15.39	16.02	16.31	0.035	0.040	0.043	Pass
	Subtest 2	13.42	14.02	14.4	0.022	0.025	0.028	Pass
	Subtest 3	14.41	14.98	15.42	0.028	0.031	0.035	Pass
	Subtest 4	13.47	13.95	14.44	0.022	0.025	0.028	Pass
	Subtest 5	15.43	15.98	16.38	0.035	0.040	0.043	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B5	Subtest 1	15.74	15.8	15.74	0.037	0.038	0.037	Pass
	Subtest 2	13.68	13.77	13.7	0.023	0.024	0.023	Pass
	Subtest 3	14.79	14.78	14.71	0.030	0.030	0.030	Pass
	Subtest 4	13.67	13.73	13.76	0.023	0.024	0.024	Pass
	Subtest 5	15.7	15.76	15.74	0.037	0.038	0.037	Pass

LTE Mode Test Data

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
1.4	LCH	QPSK	1	Low	15.16	-1.9	13.26	0.021	2.000	Pass
			1	Mid	15.11	-1.9	13.21	0.021	2.000	Pass
			1	High	15.23	-1.9	13.33	0.022	2.000	Pass
			3	Low	14.92	-1.9	13.02	0.020	2.000	Pass
			3	Mid	14.89	-1.9	12.99	0.020	2.000	Pass
			3	High	14.9	-1.9	13.00	0.020	2.000	Pass
			6	Low	13.96	-1.9	12.06	0.016	2.000	Pass
		Q16	1	Low	14.07	-1.9	12.17	0.016	2.000	Pass
			1	Mid	14	-1.9	12.10	0.016	2.000	Pass
			1	High	14.09	-1.9	12.19	0.017	2.000	Pass
			3	Low	13.97	-1.9	12.07	0.016	2.000	Pass
			3	Mid	13.95	-1.9	12.05	0.016	2.000	Pass
			3	High	13.97	-1.9	12.07	0.016	2.000	Pass
			6	Low	13.08	-1.9	11.18	0.013	2.000	Pass
		Q64	1	Low	13.39	-1.9	11.49	0.014	2.000	Pass
			1	Mid	13.45	-1.9	11.55	0.014	2.000	Pass
			1	High	13.43	-1.9	11.53	0.014	2.000	Pass
			3	Low	13.3	-1.9	11.40	0.014	2.000	Pass
			3	Mid	13.3	-1.9	11.40	0.014	2.000	Pass
			3	High	13.29	-1.9	11.39	0.014	2.000	Pass
			6	Low	11.96	-1.9	10.06	0.010	2.000	Pass
		Q256	1	Low	10.29	-1.9	8.39	0.007	2.000	Pass
			1	Mid	10.3	-1.9	8.40	0.007	2.000	Pass
			1	High	10.28	-1.9	8.38	0.007	2.000	Pass
			3	Low	10.26	-1.9	8.36	0.007	2.000	Pass
			3	Mid	10.25	-1.9	8.35	0.007	2.000	Pass
			3	High	10.23	-1.9	8.33	0.007	2.000	Pass
			6	Low	10.23	-1.9	8.33	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.16	-1.9	13.26	0.021	2.000	Pass
			1	Mid	15.16	-1.9	13.26	0.021	2.000	Pass
			1	High	15.18	-1.9	13.28	0.021	2.000	Pass
			3	Low	15.1	-1.9	13.20	0.021	2.000	Pass
			3	Mid	15.08	-1.9	13.18	0.021	2.000	Pass
			3	High	15.09	-1.9	13.19	0.021	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	6	Low	14.12	-1.9	12.22	0.017	2.000	Pass
			1	Low	14.54	-1.9	12.64	0.018	2.000	Pass
			1	Mid	14.45	-1.9	12.55	0.018	2.000	Pass
			1	High	14.54	-1.9	12.64	0.018	2.000	Pass
			3	Low	14.26	-1.9	12.36	0.017	2.000	Pass
			3	Mid	14.26	-1.9	12.36	0.017	2.000	Pass
			3	High	14.23	-1.9	12.33	0.017	2.000	Pass
			6	Low	13.01	-1.9	11.11	0.013	2.000	Pass
		Q64	1	Low	13.31	-1.9	11.41	0.014	2.000	Pass
			1	Mid	13.3	-1.9	11.40	0.014	2.000	Pass
			1	High	13.3	-1.9	11.40	0.014	2.000	Pass
			3	Low	13.24	-1.9	11.34	0.014	2.000	Pass
			3	Mid	13.24	-1.9	11.34	0.014	2.000	Pass
			3	High	13.25	-1.9	11.35	0.014	2.000	Pass
			6	Low	12.39	-1.9	10.49	0.011	2.000	Pass
		Q256	1	Low	10.1	-1.9	8.20	0.007	2.000	Pass
			1	Mid	10.03	-1.9	8.13	0.007	2.000	Pass
			1	High	10.1	-1.9	8.20	0.007	2.000	Pass
			3	Low	10.22	-1.9	8.32	0.007	2.000	Pass
			3	Mid	10.23	-1.9	8.33	0.007	2.000	Pass
			3	High	10.2	-1.9	8.30	0.007	2.000	Pass
			6	Low	10.16	-1.9	8.26	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.11	-1.9	13.21	0.021	2.000	Pass
			1	Mid	15.07	-1.9	13.17	0.021	2.000	Pass
			1	High	15.14	-1.9	13.24	0.021	2.000	Pass
			3	Low	15.08	-1.9	13.18	0.021	2.000	Pass
			3	Mid	15.06	-1.9	13.16	0.021	2.000	Pass
			3	High	15.12	-1.9	13.22	0.021	2.000	Pass
			6	Low	14.11	-1.9	12.21	0.017	2.000	Pass
		Q16	1	Low	14.15	-1.9	12.25	0.017	2.000	Pass
			1	Mid	14.07	-1.9	12.17	0.016	2.000	Pass
			1	High	14.2	-1.9	12.30	0.017	2.000	Pass
			3	Low	14.25	-1.9	12.35	0.017	2.000	Pass
			3	Mid	14.24	-1.9	12.34	0.017	2.000	Pass
			3	High	14.28	-1.9	12.38	0.017	2.000	Pass
			6	Low	13.29	-1.9	11.39	0.014	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q64 QPSK	1	Low	13.31	-1.9	11.41	0.014	2.000	Pass
			1	Mid	13.27	-1.9	11.37	0.014	2.000	Pass
			1	High	13.39	-1.9	11.49	0.014	2.000	Pass
			3	Low	13.07	-1.9	11.17	0.013	2.000	Pass
			3	Mid	13.04	-1.9	11.14	0.013	2.000	Pass
			3	High	13.1	-1.9	11.20	0.013	2.000	Pass
			6	Low	12.25	-1.9	10.35	0.011	2.000	Pass
		Q256	1	Low	10.15	-1.9	8.25	0.007	2.000	Pass
			1	Mid	10.13	-1.9	8.23	0.007	2.000	Pass
			1	High	10.15	-1.9	8.25	0.007	2.000	Pass
			3	Low	10.31	-1.9	8.41	0.007	2.000	Pass
			3	Mid	10.28	-1.9	8.38	0.007	2.000	Pass
			3	High	10.29	-1.9	8.39	0.007	2.000	Pass
			6	Low	10.3	-1.9	8.40	0.007	2.000	Pass
3	LCH	QPSK	1	Low	15.08	-1.9	13.18	0.021	2.000	Pass
			1	Mid	15.13	-1.9	13.23	0.021	2.000	Pass
			1	High	15.1	-1.9	13.20	0.021	2.000	Pass
			8	Low	14.04	-1.9	12.14	0.016	2.000	Pass
			8	Mid	14.03	-1.9	12.13	0.016	2.000	Pass
			8	High	14.09	-1.9	12.19	0.017	2.000	Pass
			15	Low	14.04	-1.9	12.14	0.016	2.000	Pass
		Q16	1	Low	13.9	-1.9	12.00	0.016	2.000	Pass
			1	Mid	13.91	-1.9	12.01	0.016	2.000	Pass
			1	High	13.9	-1.9	12.00	0.016	2.000	Pass
			8	Low	13.13	-1.9	11.23	0.013	2.000	Pass
			8	Mid	13.13	-1.9	11.23	0.013	2.000	Pass
			8	High	13.16	-1.9	11.26	0.013	2.000	Pass
			15	Low	13.08	-1.9	11.18	0.013	2.000	Pass
		Q64	1	Low	13.36	-1.9	11.46	0.014	2.000	Pass
			1	Mid	13.4	-1.9	11.50	0.014	2.000	Pass
			1	High	13.41	-1.9	11.51	0.014	2.000	Pass
			8	Low	12.14	-1.9	10.24	0.011	2.000	Pass
			8	Mid	12.13	-1.9	10.23	0.011	2.000	Pass
			8	High	12.18	-1.9	10.28	0.011	2.000	Pass
			15	Low	12.03	-1.9	10.13	0.010	2.000	Pass
		Q256	1	Low	10.81	-1.9	8.91	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	10.8	-1.9	8.90	0.008	2.000	Pass
			1	High	10.78	-1.9	8.88	0.008	2.000	Pass
			8	Low	10.34	-1.9	8.44	0.007	2.000	Pass
			8	Mid	10.32	-1.9	8.42	0.007	2.000	Pass
			8	High	10.32	-1.9	8.42	0.007	2.000	Pass
			15	Low	10.27	-1.9	8.37	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.22	-1.9	13.32	0.021	2.000	Pass
			1	Mid	15.26	-1.9	13.36	0.022	2.000	Pass
			1	High	15.16	-1.9	13.26	0.021	2.000	Pass
			8	Low	14.16	-1.9	12.26	0.017	2.000	Pass
			8	Mid	14.18	-1.9	12.28	0.017	2.000	Pass
			8	High	14.17	-1.9	12.27	0.017	2.000	Pass
			15	Low	14.13	-1.9	12.23	0.017	2.000	Pass
		Q16	1	Low	14.57	-1.9	12.67	0.018	2.000	Pass
			1	Mid	14.56	-1.9	12.66	0.018	2.000	Pass
			1	High	14.52	-1.9	12.62	0.018	2.000	Pass
			8	Low	13.28	-1.9	11.38	0.014	2.000	Pass
			8	Mid	13.26	-1.9	11.36	0.014	2.000	Pass
			8	High	13.25	-1.9	11.35	0.014	2.000	Pass
			15	Low	13.22	-1.9	11.32	0.014	2.000	Pass
		Q64	1	Low	13.3	-1.9	11.40	0.014	2.000	Pass
			1	Mid	13.34	-1.9	11.44	0.014	2.000	Pass
			1	High	13.3	-1.9	11.40	0.014	2.000	Pass
			8	Low	12.27	-1.9	10.37	0.011	2.000	Pass
			8	Mid	12.23	-1.9	10.33	0.011	2.000	Pass
			8	High	12.23	-1.9	10.33	0.011	2.000	Pass
			15	Low	12.21	-1.9	10.31	0.011	2.000	Pass
		Q256	1	Low	10.11	-1.9	8.21	0.007	2.000	Pass
			1	Mid	10.1	-1.9	8.20	0.007	2.000	Pass
			1	High	10.09	-1.9	8.19	0.007	2.000	Pass
			8	Low	10.23	-1.9	8.33	0.007	2.000	Pass
			8	Mid	10.21	-1.9	8.31	0.007	2.000	Pass
			8	High	10.2	-1.9	8.30	0.007	2.000	Pass
			15	Low	10.29	-1.9	8.39	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.14	-1.9	13.24	0.021	2.000	Pass
			1	Mid	15.15	-1.9	13.25	0.021	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	High	15.17	-1.9	13.27	0.021	2.000	Pass
			8	Low	14.21	-1.9	12.31	0.017	2.000	Pass
			8	Mid	14.18	-1.9	12.28	0.017	2.000	Pass
			8	High	14.2	-1.9	12.30	0.017	2.000	Pass
			15	Low	14.2	-1.9	12.30	0.017	2.000	Pass
		Q16	1	Low	14.18	-1.9	12.28	0.017	2.000	Pass
			1	Mid	14.17	-1.9	12.27	0.017	2.000	Pass
			1	High	14.21	-1.9	12.31	0.017	2.000	Pass
			8	Low	13.29	-1.9	11.39	0.014	2.000	Pass
			8	Mid	13.27	-1.9	11.37	0.014	2.000	Pass
			8	High	13.29	-1.9	11.39	0.014	2.000	Pass
			15	Low	13.19	-1.9	11.29	0.013	2.000	Pass
		Q64	1	Low	13.39	-1.9	11.49	0.014	2.000	Pass
			1	Mid	13.38	-1.9	11.48	0.014	2.000	Pass
			1	High	13.33	-1.9	11.43	0.014	2.000	Pass
			8	Low	12.17	-1.9	10.27	0.011	2.000	Pass
			8	Mid	12.16	-1.9	10.26	0.011	2.000	Pass
			8	High	12.19	-1.9	10.29	0.011	2.000	Pass
			15	Low	12.3	-1.9	10.40	0.011	2.000	Pass
		Q256	1	Low	10.12	-1.9	8.22	0.007	2.000	Pass
			1	Mid	10.14	-1.9	8.24	0.007	2.000	Pass
			1	High	10.17	-1.9	8.27	0.007	2.000	Pass
			8	Low	10.38	-1.9	8.48	0.007	2.000	Pass
			8	Mid	10.38	-1.9	8.48	0.007	2.000	Pass
			8	High	10.38	-1.9	8.48	0.007	2.000	Pass
			15	Low	10.35	-1.9	8.45	0.007	2.000	Pass
5	LCH	QPSK	1	Low	15.13	-1.9	13.23	0.021	2.000	Pass
			1	Mid	15.17	-1.9	13.27	0.021	2.000	Pass
			1	High	15.2	-1.9	13.30	0.021	2.000	Pass
			12	Low	14.06	-1.9	12.16	0.016	2.000	Pass
			12	Mid	14.09	-1.9	12.19	0.017	2.000	Pass
			12	High	14.09	-1.9	12.19	0.017	2.000	Pass
			25	Low	14.12	-1.9	12.22	0.017	2.000	Pass
		Q16	1	Low	14.25	-1.9	12.35	0.017	2.000	Pass
			1	Mid	14.29	-1.9	12.39	0.017	2.000	Pass
			1	High	14.36	-1.9	12.46	0.018	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	Low	13.12	-1.9	11.22	0.013	2.000	Pass
			12	Mid	13.14	-1.9	11.24	0.013	2.000	Pass
			12	High	13.15	-1.9	11.25	0.013	2.000	Pass
			25	Low	13.13	-1.9	11.23	0.013	2.000	Pass
		Q64	1	Low	12.96	-1.9	11.06	0.013	2.000	Pass
			1	Mid	12.99	-1.9	11.09	0.013	2.000	Pass
			1	High	13.05	-1.9	11.15	0.013	2.000	Pass
			12	Low	12.13	-1.9	10.23	0.011	2.000	Pass
			12	Mid	12.14	-1.9	10.24	0.011	2.000	Pass
			12	High	12.15	-1.9	10.25	0.011	2.000	Pass
			25	Low	12.1	-1.9	10.20	0.010	2.000	Pass
		Q256	1	Low	9.91	-1.9	8.01	0.006	2.000	Pass
			1	Mid	9.95	-1.9	8.05	0.006	2.000	Pass
			1	High	9.91	-1.9	8.01	0.006	2.000	Pass
			12	Low	10.26	-1.9	8.36	0.007	2.000	Pass
			12	Mid	10.25	-1.9	8.35	0.007	2.000	Pass
			12	High	10.25	-1.9	8.35	0.007	2.000	Pass
			25	Low	10.29	-1.9	8.39	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.21	-1.9	13.31	0.021	2.000	Pass
			1	Mid	15.25	-1.9	13.35	0.022	2.000	Pass
			1	High	15.18	-1.9	13.28	0.021	2.000	Pass
			12	Low	14.22	-1.9	12.32	0.017	2.000	Pass
			12	Mid	14.18	-1.9	12.28	0.017	2.000	Pass
			12	High	14.18	-1.9	12.28	0.017	2.000	Pass
			25	Low	14.2	-1.9	12.30	0.017	2.000	Pass
		Q16	1	Low	14.77	-1.9	12.87	0.019	2.000	Pass
			1	Mid	14.79	-1.9	12.89	0.019	2.000	Pass
			1	High	14.76	-1.9	12.86	0.019	2.000	Pass
			12	Low	13.35	-1.9	11.45	0.014	2.000	Pass
			12	Mid	13.31	-1.9	11.41	0.014	2.000	Pass
			12	High	13.33	-1.9	11.43	0.014	2.000	Pass
			25	Low	13.27	-1.9	11.37	0.014	2.000	Pass
		Q64	1	Low	13.51	-1.9	11.61	0.014	2.000	Pass
			1	Mid	13.57	-1.9	11.67	0.015	2.000	Pass
			1	High	13.46	-1.9	11.56	0.014	2.000	Pass
			12	Low	12.19	-1.9	10.29	0.011	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	Mid	12.15	-1.9	10.25	0.011	2.000	Pass
			12	High	12.14	-1.9	10.24	0.011	2.000	Pass
			25	Low	12.18	-1.9	10.28	0.011	2.000	Pass
		Q256	1	Low	10.46	-1.9	8.56	0.007	2.000	Pass
			1	Mid	10.45	-1.9	8.55	0.007	2.000	Pass
			1	High	10.43	-1.9	8.53	0.007	2.000	Pass
			12	Low	10.34	-1.9	8.44	0.007	2.000	Pass
			12	Mid	10.31	-1.9	8.41	0.007	2.000	Pass
			12	High	10.31	-1.9	8.41	0.007	2.000	Pass
			25	Low	10.29	-1.9	8.39	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.24	-1.9	13.34	0.022	2.000	Pass
			1	Mid	15.31	-1.9	13.41	0.022	2.000	Pass
			1	High	15.33	-1.9	13.43	0.022	2.000	Pass
			12	Low	14.21	-1.9	12.31	0.017	2.000	Pass
			12	Mid	14.23	-1.9	12.33	0.017	2.000	Pass
			12	High	14.22	-1.9	12.32	0.017	2.000	Pass
			25	Low	14.24	-1.9	12.34	0.017	2.000	Pass
		Q16	1	Low	14.22	-1.9	12.32	0.017	2.000	Pass
			1	Mid	14.28	-1.9	12.38	0.017	2.000	Pass
			1	High	14.32	-1.9	12.42	0.017	2.000	Pass
			12	Low	13.29	-1.9	11.39	0.014	2.000	Pass
			12	Mid	13.28	-1.9	11.38	0.014	2.000	Pass
			12	High	13.26	-1.9	11.36	0.014	2.000	Pass
			25	Low	13.18	-1.9	11.28	0.013	2.000	Pass
		Q64	1	Low	13.39	-1.9	11.49	0.014	2.000	Pass
			1	Mid	13.44	-1.9	11.54	0.014	2.000	Pass
			1	High	13.48	-1.9	11.58	0.014	2.000	Pass
			12	Low	12.29	-1.9	10.39	0.011	2.000	Pass
			12	Mid	12.27	-1.9	10.37	0.011	2.000	Pass
			12	High	12.27	-1.9	10.37	0.011	2.000	Pass
			25	Low	12.27	-1.9	10.37	0.011	2.000	Pass
		Q256	1	Low	10.23	-1.9	8.33	0.007	2.000	Pass
			1	Mid	10.26	-1.9	8.36	0.007	2.000	Pass
			1	High	10.28	-1.9	8.38	0.007	2.000	Pass
			12	Low	10.39	-1.9	8.49	0.007	2.000	Pass
			12	Mid	10.37	-1.9	8.47	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
10	LCH		12	High	10.39	-1.9	8.49	0.007	2.000	Pass
			25	Low	10.36	-1.9	8.46	0.007	2.000	Pass
		QPSK	1	Low	15.09	-1.9	13.19	0.021	2.000	Pass
			1	Mid	15.12	-1.9	13.22	0.021	2.000	Pass
			1	High	15.19	-1.9	13.29	0.021	2.000	Pass
			25	Low	14.08	-1.9	12.18	0.017	2.000	Pass
			25	Mid	14.08	-1.9	12.18	0.017	2.000	Pass
			25	High	14.11	-1.9	12.21	0.017	2.000	Pass
			50	Low	14.13	-1.9	12.23	0.017	2.000	Pass
		Q16	1	Low	13.93	-1.9	12.03	0.016	2.000	Pass
			1	Mid	13.97	-1.9	12.07	0.016	2.000	Pass
			1	High	14.06	-1.9	12.16	0.016	2.000	Pass
			25	Low	13.08	-1.9	11.18	0.013	2.000	Pass
			25	Mid	13.09	-1.9	11.19	0.013	2.000	Pass
			25	High	13.13	-1.9	11.23	0.013	2.000	Pass
			50	Low	13.08	-1.9	11.18	0.013	2.000	Pass
		Q64	1	Low	13.36	-1.9	11.46	0.014	2.000	Pass
			1	Mid	13.43	-1.9	11.53	0.014	2.000	Pass
			1	High	13.47	-1.9	11.57	0.014	2.000	Pass
			25	Low	12.12	-1.9	10.22	0.011	2.000	Pass
			25	Mid	12.15	-1.9	10.25	0.011	2.000	Pass
			25	High	12.17	-1.9	10.27	0.011	2.000	Pass
			50	Low	12.12	-1.9	10.22	0.011	2.000	Pass
		Q256	1	Low	10.86	-1.9	8.96	0.008	2.000	Pass
			1	Mid	10.79	-1.9	8.89	0.008	2.000	Pass
			1	High	10.85	-1.9	8.95	0.008	2.000	Pass
			25	Low	10.26	-1.9	8.36	0.007	2.000	Pass
			25	Mid	10.26	-1.9	8.36	0.007	2.000	Pass
			25	High	10.27	-1.9	8.37	0.007	2.000	Pass
			50	Low	10.27	-1.9	8.37	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.24	-1.9	13.34	0.022	2.000	Pass
			1	Mid	15.2	-1.9	13.30	0.021	2.000	Pass
			1	High	15.15	-1.9	13.25	0.021	2.000	Pass
			25	Low	14.22	-1.9	12.32	0.017	2.000	Pass
			25	Mid	14.2	-1.9	12.30	0.017	2.000	Pass
			25	High	14.17	-1.9	12.27	0.017	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	50	Low	14.18	-1.9	12.28	0.017	2.000	Pass
			1	Low	14.6	-1.9	12.70	0.019	2.000	Pass
			1	Mid	14.55	-1.9	12.65	0.018	2.000	Pass
			1	High	14.51	-1.9	12.61	0.018	2.000	Pass
			25	Low	13.22	-1.9	11.32	0.014	2.000	Pass
			25	Mid	13.21	-1.9	11.31	0.014	2.000	Pass
			25	High	13.19	-1.9	11.29	0.013	2.000	Pass
			50	Low	13.17	-1.9	11.27	0.013	2.000	Pass
		Q64	1	Low	13.4	-1.9	11.50	0.014	2.000	Pass
			1	Mid	13.37	-1.9	11.47	0.014	2.000	Pass
			1	High	13.33	-1.9	11.43	0.014	2.000	Pass
			25	Low	12.28	-1.9	10.38	0.011	2.000	Pass
			25	Mid	12.27	-1.9	10.37	0.011	2.000	Pass
			25	High	12.24	-1.9	10.34	0.011	2.000	Pass
			50	Low	12.21	-1.9	10.31	0.011	2.000	Pass
		Q256	1	Low	10.15	-1.9	8.25	0.007	2.000	Pass
			1	Mid	10.11	-1.9	8.21	0.007	2.000	Pass
			1	High	10.15	-1.9	8.25	0.007	2.000	Pass
			25	Low	10.29	-1.9	8.39	0.007	2.000	Pass
			25	Mid	10.27	-1.9	8.37	0.007	2.000	Pass
			25	High	10.26	-1.9	8.36	0.007	2.000	Pass
			50	Low	10.23	-1.9	8.33	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.11	-1.9	13.21	0.021	2.000	Pass
			1	Mid	15.09	-1.9	13.19	0.021	2.000	Pass
			1	High	15.19	-1.9	13.29	0.021	2.000	Pass
			25	Low	14.19	-1.9	12.29	0.017	2.000	Pass
			25	Mid	14.2	-1.9	12.30	0.017	2.000	Pass
			25	High	14.21	-1.9	12.31	0.017	2.000	Pass
			50	Low	14.19	-1.9	12.29	0.017	2.000	Pass
		Q16	1	Low	14.15	-1.9	12.25	0.017	2.000	Pass
			1	Mid	14.09	-1.9	12.19	0.017	2.000	Pass
			1	High	14.25	-1.9	12.35	0.017	2.000	Pass
			25	Low	13.27	-1.9	11.37	0.014	2.000	Pass
			25	Mid	13.27	-1.9	11.37	0.014	2.000	Pass
			25	High	13.28	-1.9	11.38	0.014	2.000	Pass
			50	Low	13.2	-1.9	11.30	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q64	1	Low	13.32	-1.9	11.42	0.014	2.000	Pass
			1	Mid	13.26	-1.9	11.36	0.014	2.000	Pass
			1	High	13.38	-1.9	11.48	0.014	2.000	Pass
			25	Low	12.28	-1.9	10.38	0.011	2.000	Pass
			25	Mid	12.27	-1.9	10.37	0.011	2.000	Pass
			25	High	12.3	-1.9	10.40	0.011	2.000	Pass
			50	Low	12.18	-1.9	10.28	0.011	2.000	Pass
		Q256	1	Low	10.18	-1.9	8.28	0.007	2.000	Pass
			1	Mid	10.14	-1.9	8.24	0.007	2.000	Pass
			1	High	10.24	-1.9	8.34	0.007	2.000	Pass
			25	Low	10.4	-1.9	8.50	0.007	2.000	Pass
			25	Mid	10.37	-1.9	8.47	0.007	2.000	Pass
			25	High	10.37	-1.9	8.47	0.007	2.000	Pass
			50	Low	10.29	-1.9	8.39	0.007	2.000	Pass
15	LCH	QPSK	1	Low	15.05	-1.9	13.15	0.021	2.000	Pass
			1	Mid	15.22	-1.9	13.32	0.021	2.000	Pass
			1	High	15.19	-1.9	13.29	0.021	2.000	Pass
			36	Low	14.09	-1.9	12.19	0.017	2.000	Pass
			36	Mid	14.12	-1.9	12.22	0.017	2.000	Pass
			36	High	14.14	-1.9	12.24	0.017	2.000	Pass
			75	Low	14.14	-1.9	12.24	0.017	2.000	Pass
		Q16	1	Low	13.93	-1.9	12.03	0.016	2.000	Pass
			1	Mid	14.07	-1.9	12.17	0.016	2.000	Pass
			1	High	14.08	-1.9	12.18	0.017	2.000	Pass
			36	Low	13.11	-1.9	11.21	0.013	2.000	Pass
			36	Mid	13.15	-1.9	11.25	0.013	2.000	Pass
			36	High	13.17	-1.9	11.27	0.013	2.000	Pass
			75	Low	13.15	-1.9	11.25	0.013	2.000	Pass
		Q64	1	Low	13.39	-1.9	11.49	0.014	2.000	Pass
			1	Mid	13.53	-1.9	11.63	0.015	2.000	Pass
			1	High	13.49	-1.9	11.59	0.014	2.000	Pass
			36	Low	12.16	-1.9	10.26	0.011	2.000	Pass
			36	Mid	12.19	-1.9	10.29	0.011	2.000	Pass
			36	High	12.19	-1.9	10.29	0.011	2.000	Pass
			75	Low	12.16	-1.9	10.26	0.011	2.000	Pass
		Q256	1	Low	10.83	-1.9	8.93	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	10.85	-1.9	8.95	0.008	2.000	Pass
			1	High	10.83	-1.9	8.93	0.008	2.000	Pass
			36	Low	10.26	-1.9	8.36	0.007	2.000	Pass
			36	Mid	10.27	-1.9	8.37	0.007	2.000	Pass
			36	High	10.25	-1.9	8.35	0.007	2.000	Pass
			75	Low	10.27	-1.9	8.37	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.24	-1.9	13.34	0.022	2.000	Pass
			1	Mid	15.31	-1.9	13.41	0.022	2.000	Pass
			1	High	15.21	-1.9	13.31	0.021	2.000	Pass
			36	Low	14.23	-1.9	12.33	0.017	2.000	Pass
			36	Mid	14.19	-1.9	12.29	0.017	2.000	Pass
			36	High	14.2	-1.9	12.30	0.017	2.000	Pass
			75	Low	14.21	-1.9	12.31	0.017	2.000	Pass
		Q16	1	Low	14.59	-1.9	12.69	0.019	2.000	Pass
			1	Mid	14.67	-1.9	12.77	0.019	2.000	Pass
			1	High	14.57	-1.9	12.67	0.018	2.000	Pass
			36	Low	13.29	-1.9	11.39	0.014	2.000	Pass
			36	Mid	13.27	-1.9	11.37	0.014	2.000	Pass
			36	High	13.25	-1.9	11.35	0.014	2.000	Pass
			75	Low	13.23	-1.9	11.33	0.014	2.000	Pass
		Q64	1	Low	13.4	-1.9	11.50	0.014	2.000	Pass
			1	Mid	13.46	-1.9	11.56	0.014	2.000	Pass
			1	High	13.35	-1.9	11.45	0.014	2.000	Pass
			36	Low	12.31	-1.9	10.41	0.011	2.000	Pass
			36	Mid	12.3	-1.9	10.40	0.011	2.000	Pass
			36	High	12.28	-1.9	10.38	0.011	2.000	Pass
			75	Low	12.22	-1.9	10.32	0.011	2.000	Pass
		Q256	1	Low	10.15	-1.9	8.25	0.007	2.000	Pass
			1	Mid	10.18	-1.9	8.28	0.007	2.000	Pass
			1	High	10.14	-1.9	8.24	0.007	2.000	Pass
			36	Low	10.26	-1.9	8.36	0.007	2.000	Pass
			36	Mid	10.27	-1.9	8.37	0.007	2.000	Pass
			36	High	10.24	-1.9	8.34	0.007	2.000	Pass
			75	Low	10.25	-1.9	8.35	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.25	-1.9	13.35	0.022	2.000	Pass
			1	Mid	15.19	-1.9	13.29	0.021	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	High	15.28	-1.9	13.38	0.022	2.000	Pass
			36	Low	14.15	-1.9	12.25	0.017	2.000	Pass
			36	Mid	14.15	-1.9	12.25	0.017	2.000	Pass
			36	High	14.2	-1.9	12.30	0.017	2.000	Pass
			75	Low	14.18	-1.9	12.28	0.017	2.000	Pass
		Q16	1	Low	14.48	-1.9	12.58	0.018	2.000	Pass
			1	Mid	14.41	-1.9	12.51	0.018	2.000	Pass
			1	High	14.49	-1.9	12.59	0.018	2.000	Pass
			36	Low	13.16	-1.9	11.26	0.013	2.000	Pass
			36	Mid	13.15	-1.9	11.25	0.013	2.000	Pass
			36	High	13.21	-1.9	11.31	0.014	2.000	Pass
			75	Low	13.16	-1.9	11.26	0.013	2.000	Pass
		Q64	1	Low	13.76	-1.9	11.86	0.015	2.000	Pass
			1	Mid	13.73	-1.9	11.83	0.015	2.000	Pass
			1	High	13.8	-1.9	11.90	0.015	2.000	Pass
			36	Low	12.2	-1.9	10.30	0.011	2.000	Pass
			36	Mid	12.18	-1.9	10.28	0.011	2.000	Pass
			36	High	12.23	-1.9	10.33	0.011	2.000	Pass
			75	Low	12.25	-1.9	10.35	0.011	2.000	Pass
		Q256	1	Low	10.62	-1.9	8.72	0.007	2.000	Pass
			1	Mid	10.67	-1.9	8.77	0.008	2.000	Pass
			1	High	10.69	-1.9	8.79	0.008	2.000	Pass
			36	Low	10.3	-1.9	8.40	0.007	2.000	Pass
			36	Mid	10.33	-1.9	8.43	0.007	2.000	Pass
			36	High	10.31	-1.9	8.41	0.007	2.000	Pass
			75	Low	10.29	-1.9	8.39	0.007	2.000	Pass
20	LCH	QPSK	1	Low	14.94	-1.9	13.04	0.020	2.000	Pass
			1	Mid	15.07	-1.9	13.17	0.021	2.000	Pass
			1	High	15.09	-1.9	13.19	0.021	2.000	Pass
			50	Low	14.17	-1.9	12.27	0.017	2.000	Pass
			50	Mid	14.17	-1.9	12.27	0.017	2.000	Pass
			50	High	14.17	-1.9	12.27	0.017	2.000	Pass
			100	Low	14.17	-1.9	12.27	0.017	2.000	Pass
		Q16	1	Low	14.63	-1.9	12.73	0.019	2.000	Pass
			1	Mid	14.77	-1.9	12.87	0.019	2.000	Pass
			1	High	14.82	-1.9	12.92	0.020	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	Low	13.2	-1.9	11.30	0.013	2.000	Pass
			50	Mid	13.22	-1.9	11.32	0.014	2.000	Pass
			50	High	13.23	-1.9	11.33	0.014	2.000	Pass
			100	Low	13.22	-1.9	11.32	0.014	2.000	Pass
		Q64	1	Low	13.37	-1.9	11.47	0.014	2.000	Pass
			1	Mid	13.53	-1.9	11.63	0.015	2.000	Pass
			1	High	13.52	-1.9	11.62	0.015	2.000	Pass
			50	Low	12.25	-1.9	10.35	0.011	2.000	Pass
			50	Mid	12.26	-1.9	10.36	0.011	2.000	Pass
			50	High	12.27	-1.9	10.37	0.011	2.000	Pass
			100	Low	12.22	-1.9	10.32	0.011	2.000	Pass
		Q256	1	Low	10.49	-1.9	8.59	0.007	2.000	Pass
			1	Mid	10.49	-1.9	8.59	0.007	2.000	Pass
			1	High	10.47	-1.9	8.57	0.007	2.000	Pass
			50	Low	10.27	-1.9	8.37	0.007	2.000	Pass
			50	Mid	10.3	-1.9	8.40	0.007	2.000	Pass
			50	High	10.27	-1.9	8.37	0.007	2.000	Pass
			100	Low	10.24	-1.9	8.34	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.23	-1.9	13.33	0.022	2.000	Pass
			1	Mid	15.3	-1.9	13.40	0.022	2.000	Pass
			1	High	15.25	-1.9	13.35	0.022	2.000	Pass
			50	Low	14.25	-1.9	12.35	0.017	2.000	Pass
			50	Mid	14.23	-1.9	12.33	0.017	2.000	Pass
			50	High	14.23	-1.9	12.33	0.017	2.000	Pass
			100	Low	14.26	-1.9	12.36	0.017	2.000	Pass
		Q16	1	Low	14.57	-1.9	12.67	0.018	2.000	Pass
			1	Mid	14.66	-1.9	12.76	0.019	2.000	Pass
			1	High	14.61	-1.9	12.71	0.019	2.000	Pass
			50	Low	13.28	-1.9	11.38	0.014	2.000	Pass
			50	Mid	13.25	-1.9	11.35	0.014	2.000	Pass
			50	High	13.25	-1.9	11.35	0.014	2.000	Pass
			100	Low	13.28	-1.9	11.38	0.014	2.000	Pass
		Q64	1	Low	13.8	-1.9	11.90	0.015	2.000	Pass
			1	Mid	13.9	-1.9	12.00	0.016	2.000	Pass
			1	High	13.83	-1.9	11.93	0.016	2.000	Pass
			50	Low	12.31	-1.9	10.41	0.011	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	Mid	12.3	-1.9	10.40	0.011	2.000	Pass
			50	High	12.27	-1.9	10.37	0.011	2.000	Pass
			100	Low	12.26	-1.9	10.36	0.011	2.000	Pass
		Q256	1	Low	10.42	-1.9	8.52	0.007	2.000	Pass
			1	Mid	10.47	-1.9	8.57	0.007	2.000	Pass
			1	High	10.43	-1.9	8.53	0.007	2.000	Pass
			50	Low	10.32	-1.9	8.42	0.007	2.000	Pass
			50	Mid	10.32	-1.9	8.42	0.007	2.000	Pass
			50	High	10.29	-1.9	8.39	0.007	2.000	Pass
			100	Low	10.28	-1.9	8.38	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.23	-1.9	13.33	0.022	2.000	Pass
			1	Mid	15.23	-1.9	13.33	0.022	2.000	Pass
			1	High	15.25	-1.9	13.35	0.022	2.000	Pass
			50	Low	14.23	-1.9	12.33	0.017	2.000	Pass
			50	Mid	14.24	-1.9	12.34	0.017	2.000	Pass
			50	High	14.19	-1.9	12.29	0.017	2.000	Pass
			100	Low	14.23	-1.9	12.33	0.017	2.000	Pass
		Q16	1	Low	14.61	-1.9	12.71	0.019	2.000	Pass
			1	Mid	14.6	-1.9	12.70	0.019	2.000	Pass
			1	High	14.65	-1.9	12.75	0.019	2.000	Pass
			50	Low	13.22	-1.9	11.32	0.014	2.000	Pass
			50	Mid	13.22	-1.9	11.32	0.014	2.000	Pass
			50	High	13.19	-1.9	11.29	0.013	2.000	Pass
			100	Low	13.24	-1.9	11.34	0.014	2.000	Pass
		Q64	1	Low	13.4	-1.9	11.50	0.014	2.000	Pass
			1	Mid	13.35	-1.9	11.45	0.014	2.000	Pass
			1	High	13.39	-1.9	11.49	0.014	2.000	Pass
			50	Low	12.28	-1.9	10.38	0.011	2.000	Pass
			50	Mid	12.29	-1.9	10.39	0.011	2.000	Pass
			50	High	12.25	-1.9	10.35	0.011	2.000	Pass
			100	Low	12.27	-1.9	10.37	0.011	2.000	Pass
		Q256	1	Low	10.26	-1.9	8.36	0.007	2.000	Pass
			1	Mid	10.28	-1.9	8.38	0.007	2.000	Pass
			1	High	10.34	-1.9	8.44	0.007	2.000	Pass
			50	Low	10.3	-1.9	8.40	0.007	2.000	Pass
			50	Mid	10.34	-1.9	8.44	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	High	10.29	-1.9	8.39	0.007	2.000	Pass
			100	Low	10.31	-1.9	8.41	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
1.4	LCH	QPSK	1	Low	15.46	-2.3	13.16	0.021	1.000	Pass
			1	Mid	15.43	-2.3	13.13	0.021	1.000	Pass
			1	High	15.47	-2.3	13.17	0.021	1.000	Pass
			3	Low	15.44	-2.3	13.14	0.021	1.000	Pass
			3	Mid	15.42	-2.3	13.12	0.021	1.000	Pass
			3	High	15.46	-2.3	13.16	0.021	1.000	Pass
			6	Low	14.45	-2.3	12.15	0.016	1.000	Pass
		Q16	1	Low	14.5	-2.3	12.20	0.017	1.000	Pass
			1	Mid	14.4	-2.3	12.10	0.016	1.000	Pass
			1	High	14.54	-2.3	12.24	0.017	1.000	Pass
			3	Low	14.61	-2.3	12.31	0.017	1.000	Pass
			3	Mid	14.61	-2.3	12.31	0.017	1.000	Pass
			3	High	14.59	-2.3	12.29	0.017	1.000	Pass
			6	Low	13.61	-2.3	11.31	0.014	1.000	Pass
		Q64	1	Low	13.68	-2.3	11.38	0.014	1.000	Pass
			1	Mid	13.62	-2.3	11.32	0.014	1.000	Pass
			1	High	13.72	-2.3	11.42	0.014	1.000	Pass
			3	Low	13.44	-2.3	11.14	0.013	1.000	Pass
			3	Mid	13.4	-2.3	11.10	0.013	1.000	Pass
			3	High	13.41	-2.3	11.11	0.013	1.000	Pass
			6	Low	12.59	-2.3	10.29	0.011	1.000	Pass
		Q256	1	Low	10.45	-2.3	8.15	0.007	1.000	Pass
			1	Mid	10.4	-2.3	8.10	0.006	1.000	Pass
			1	High	10.42	-2.3	8.12	0.006	1.000	Pass
			3	Low	10.6	-2.3	8.30	0.007	1.000	Pass
			3	Mid	10.59	-2.3	8.29	0.007	1.000	Pass
			3	High	10.6	-2.3	8.30	0.007	1.000	Pass
			6	Low	10.59	-2.3	8.29	0.007	1.000	Pass
	MCH	QPSK	1	Low	15.54	-2.3	13.24	0.021	1.000	Pass
			1	Mid	15.46	-2.3	13.16	0.021	1.000	Pass
			1	High	15.51	-2.3	13.21	0.021	1.000	Pass
			3	Low	15.23	-2.3	12.93	0.020	1.000	Pass
			3	Mid	15.24	-2.3	12.94	0.020	1.000	Pass
			3	High	15.26	-2.3	12.96	0.020	1.000	Pass
			6	Low	14.31	-2.3	12.01	0.016	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	14.46	-2.3	12.16	0.016	1.000	Pass
			1	Mid	14.41	-2.3	12.11	0.016	1.000	Pass
			1	High	14.46	-2.3	12.16	0.016	1.000	Pass
			3	Low	14.32	-2.3	12.02	0.016	1.000	Pass
			3	Mid	14.31	-2.3	12.01	0.016	1.000	Pass
			3	High	14.34	-2.3	12.04	0.016	1.000	Pass
			6	Low	13.45	-2.3	11.15	0.013	1.000	Pass
		Q64	1	Low	13.8	-2.3	11.50	0.014	1.000	Pass
			1	Mid	13.85	-2.3	11.55	0.014	1.000	Pass
			1	High	13.8	-2.3	11.50	0.014	1.000	Pass
			3	Low	13.7	-2.3	11.40	0.014	1.000	Pass
			3	Mid	13.7	-2.3	11.40	0.014	1.000	Pass
			3	High	13.68	-2.3	11.38	0.014	1.000	Pass
			6	Low	12.37	-2.3	10.07	0.010	1.000	Pass
		Q256	1	Low	10.66	-2.3	8.36	0.007	1.000	Pass
			1	Mid	10.66	-2.3	8.36	0.007	1.000	Pass
			1	High	10.63	-2.3	8.33	0.007	1.000	Pass
			3	Low	10.59	-2.3	8.29	0.007	1.000	Pass
			3	Mid	10.58	-2.3	8.28	0.007	1.000	Pass
			3	High	10.54	-2.3	8.24	0.007	1.000	Pass
			6	Low	10.54	-2.3	8.24	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.42	-2.3	13.12	0.021	1.000	Pass
			1	Mid	15.41	-2.3	13.11	0.020	1.000	Pass
			1	High	15.43	-2.3	13.13	0.021	1.000	Pass
			3	Low	15.38	-2.3	13.08	0.020	1.000	Pass
			3	Mid	15.38	-2.3	13.08	0.020	1.000	Pass
			3	High	15.39	-2.3	13.09	0.020	1.000	Pass
			6	Low	14.42	-2.3	12.12	0.016	1.000	Pass
		Q16	1	Low	14.8	-2.3	12.50	0.018	1.000	Pass
			1	Mid	14.73	-2.3	12.43	0.017	1.000	Pass
			1	High	14.81	-2.3	12.51	0.018	1.000	Pass
			3	Low	14.56	-2.3	12.26	0.017	1.000	Pass
			3	Mid	14.54	-2.3	12.24	0.017	1.000	Pass
			3	High	14.54	-2.3	12.24	0.017	1.000	Pass
			6	Low	13.32	-2.3	11.02	0.013	1.000	Pass
		Q64	1	Low	13.55	-2.3	11.25	0.013	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		QPSK	1	Mid	13.55	-2.3	11.25	0.013	1.000	Pass
			1	High	13.55	-2.3	11.25	0.013	1.000	Pass
			3	Low	13.53	-2.3	11.23	0.013	1.000	Pass
			3	Mid	13.53	-2.3	11.23	0.013	1.000	Pass
			3	High	13.56	-2.3	11.26	0.013	1.000	Pass
			6	Low	12.71	-2.3	10.41	0.011	1.000	Pass
		Q256	1	Low	10.37	-2.3	8.07	0.006	1.000	Pass
			1	Mid	10.36	-2.3	8.06	0.006	1.000	Pass
			1	High	10.42	-2.3	8.12	0.006	1.000	Pass
			3	Low	10.59	-2.3	8.29	0.007	1.000	Pass
			3	Mid	10.56	-2.3	8.26	0.007	1.000	Pass
			3	High	10.56	-2.3	8.26	0.007	1.000	Pass
			6	Low	10.52	-2.3	8.22	0.007	1.000	Pass
3	LCH	QPSK	1	Low	15.5	-2.3	13.20	0.021	1.000	Pass
			1	Mid	15.53	-2.3	13.23	0.021	1.000	Pass
			1	High	15.57	-2.3	13.27	0.021	1.000	Pass
			8	Low	14.55	-2.3	12.25	0.017	1.000	Pass
			8	Mid	14.56	-2.3	12.26	0.017	1.000	Pass
			8	High	14.56	-2.3	12.26	0.017	1.000	Pass
			15	Low	14.56	-2.3	12.26	0.017	1.000	Pass
		Q16	1	Low	14.41	-2.3	12.11	0.016	1.000	Pass
			1	Mid	14.38	-2.3	12.08	0.016	1.000	Pass
			1	High	14.39	-2.3	12.09	0.016	1.000	Pass
			8	Low	13.67	-2.3	11.37	0.014	1.000	Pass
			8	Mid	13.64	-2.3	11.34	0.014	1.000	Pass
			8	High	13.68	-2.3	11.38	0.014	1.000	Pass
			15	Low	13.59	-2.3	11.29	0.013	1.000	Pass
		Q64	1	Low	13.89	-2.3	11.59	0.014	1.000	Pass
			1	Mid	13.89	-2.3	11.59	0.014	1.000	Pass
			1	High	13.86	-2.3	11.56	0.014	1.000	Pass
			8	Low	12.66	-2.3	10.36	0.011	1.000	Pass
			8	Mid	12.63	-2.3	10.33	0.011	1.000	Pass
			8	High	12.64	-2.3	10.34	0.011	1.000	Pass
			15	Low	12.55	-2.3	10.25	0.011	1.000	Pass
		Q256	1	Low	11.16	-2.3	8.86	0.008	1.000	Pass
			1	Mid	11.14	-2.3	8.84	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		1	High	11.13	-2.3	8.83	0.008	1.000	Pass
			8	Low	10.69	-2.3	8.39	0.007	1.000	Pass
			8	Mid	10.71	-2.3	8.41	0.007	1.000	Pass
			8	High	10.7	-2.3	8.40	0.007	1.000	Pass
			15	Low	10.64	-2.3	8.34	0.007	1.000	Pass
		QPSK	1	Low	15.45	-2.3	13.15	0.021	1.000	Pass
			1	Mid	15.44	-2.3	13.14	0.021	1.000	Pass
			1	High	15.42	-2.3	13.12	0.021	1.000	Pass
			8	Low	14.41	-2.3	12.11	0.016	1.000	Pass
			8	Mid	14.4	-2.3	12.10	0.016	1.000	Pass
			8	High	14.42	-2.3	12.12	0.016	1.000	Pass
			15	Low	14.39	-2.3	12.09	0.016	1.000	Pass
		Q16	1	Low	14.81	-2.3	12.51	0.018	1.000	Pass
			1	Mid	14.8	-2.3	12.50	0.018	1.000	Pass
			1	High	14.79	-2.3	12.49	0.018	1.000	Pass
			8	Low	13.52	-2.3	11.22	0.013	1.000	Pass
			8	Mid	13.49	-2.3	11.19	0.013	1.000	Pass
			8	High	13.51	-2.3	11.21	0.013	1.000	Pass
			15	Low	13.47	-2.3	11.17	0.013	1.000	Pass
		Q64	1	Low	13.55	-2.3	11.25	0.013	1.000	Pass
			1	Mid	13.61	-2.3	11.31	0.014	1.000	Pass
			1	High	13.59	-2.3	11.29	0.013	1.000	Pass
			8	Low	12.49	-2.3	10.19	0.010	1.000	Pass
			8	Mid	12.48	-2.3	10.18	0.010	1.000	Pass
			8	High	12.47	-2.3	10.17	0.010	1.000	Pass
			15	Low	12.46	-2.3	10.16	0.010	1.000	Pass
		Q256	1	Low	10.47	-2.3	8.17	0.007	1.000	Pass
			1	Mid	10.44	-2.3	8.14	0.007	1.000	Pass
			1	High	10.45	-2.3	8.15	0.007	1.000	Pass
			8	Low	10.56	-2.3	8.26	0.007	1.000	Pass
			8	Mid	10.56	-2.3	8.26	0.007	1.000	Pass
			8	High	10.54	-2.3	8.24	0.007	1.000	Pass
			15	Low	10.63	-2.3	8.33	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.38	-2.3	13.08	0.020	1.000	Pass
			1	Mid	15.41	-2.3	13.11	0.020	1.000	Pass
			1	High	15.39	-2.3	13.09	0.020	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			8	Low	14.45	-2.3	12.15	0.016	1.000	Pass
			8	Mid	14.44	-2.3	12.14	0.016	1.000	Pass
			8	High	14.46	-2.3	12.16	0.016	1.000	Pass
			15	Low	14.44	-2.3	12.14	0.016	1.000	Pass
		Q16	1	Low	14.42	-2.3	12.12	0.016	1.000	Pass
			1	Mid	14.37	-2.3	12.07	0.016	1.000	Pass
			1	High	14.44	-2.3	12.14	0.016	1.000	Pass
			8	Low	13.52	-2.3	11.22	0.013	1.000	Pass
			8	Mid	13.53	-2.3	11.23	0.013	1.000	Pass
			8	High	13.52	-2.3	11.22	0.013	1.000	Pass
			15	Low	13.43	-2.3	11.13	0.013	1.000	Pass
		Q64	1	Low	13.64	-2.3	11.34	0.014	1.000	Pass
			1	Mid	13.62	-2.3	11.32	0.014	1.000	Pass
			1	High	13.65	-2.3	11.35	0.014	1.000	Pass
			8	Low	12.41	-2.3	10.11	0.010	1.000	Pass
			8	Mid	12.42	-2.3	10.12	0.010	1.000	Pass
			8	High	12.44	-2.3	10.14	0.010	1.000	Pass
			15	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.37	-2.3	8.07	0.006	1.000	Pass
			1	Mid	10.39	-2.3	8.09	0.006	1.000	Pass
			1	High	10.43	-2.3	8.13	0.007	1.000	Pass
			8	Low	10.64	-2.3	8.34	0.007	1.000	Pass
			8	Mid	10.63	-2.3	8.33	0.007	1.000	Pass
			8	High	10.65	-2.3	8.35	0.007	1.000	Pass
			15	Low	10.6	-2.3	8.30	0.007	1.000	Pass
5	LCH	QPSK	1	Low	15.66	-2.3	13.36	0.022	1.000	Pass
			1	Mid	15.67	-2.3	13.37	0.022	1.000	Pass
			1	High	15.61	-2.3	13.31	0.021	1.000	Pass
			12	Low	14.57	-2.3	12.27	0.017	1.000	Pass
			12	Mid	14.56	-2.3	12.26	0.017	1.000	Pass
			12	High	14.56	-2.3	12.26	0.017	1.000	Pass
			25	Low	14.61	-2.3	12.31	0.017	1.000	Pass
		Q16	1	Low	14.77	-2.3	12.47	0.018	1.000	Pass
			1	Mid	14.73	-2.3	12.43	0.017	1.000	Pass
			1	High	14.74	-2.3	12.44	0.018	1.000	Pass
			12	Low	13.63	-2.3	11.33	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	Mid	13.64	-2.3	11.34	0.014	1.000	Pass
			12	High	13.64	-2.3	11.34	0.014	1.000	Pass
			25	Low	13.6	-2.3	11.30	0.013	1.000	Pass
		Q64	1	Low	13.48	-2.3	11.18	0.013	1.000	Pass
			1	Mid	13.48	-2.3	11.18	0.013	1.000	Pass
			1	High	13.44	-2.3	11.14	0.013	1.000	Pass
			12	Low	12.62	-2.3	10.32	0.011	1.000	Pass
			12	Mid	12.62	-2.3	10.32	0.011	1.000	Pass
			12	High	12.61	-2.3	10.31	0.011	1.000	Pass
			25	Low	12.57	-2.3	10.27	0.011	1.000	Pass
		Q256	1	Low	10.26	-2.3	7.96	0.006	1.000	Pass
			1	Mid	10.28	-2.3	7.98	0.006	1.000	Pass
			1	High	10.24	-2.3	7.94	0.006	1.000	Pass
			12	Low	10.61	-2.3	8.31	0.007	1.000	Pass
			12	Mid	10.6	-2.3	8.30	0.007	1.000	Pass
			12	High	10.6	-2.3	8.30	0.007	1.000	Pass
			25	Low	10.64	-2.3	8.34	0.007	1.000	Pass
	MCH	QPSK	1	Low	15.49	-2.3	13.19	0.021	1.000	Pass
			1	Mid	15.47	-2.3	13.17	0.021	1.000	Pass
			1	High	15.44	-2.3	13.14	0.021	1.000	Pass
			12	Low	14.45	-2.3	12.15	0.016	1.000	Pass
			12	Mid	14.43	-2.3	12.13	0.016	1.000	Pass
			12	High	14.42	-2.3	12.12	0.016	1.000	Pass
			25	Low	14.48	-2.3	12.18	0.017	1.000	Pass
		Q16	1	Low	14.99	-2.3	12.69	0.019	1.000	Pass
			1	Mid	15.03	-2.3	12.73	0.019	1.000	Pass
			1	High	14.96	-2.3	12.66	0.018	1.000	Pass
			12	Low	13.6	-2.3	11.30	0.013	1.000	Pass
			12	Mid	13.57	-2.3	11.27	0.013	1.000	Pass
			12	High	13.57	-2.3	11.27	0.013	1.000	Pass
			25	Low	13.52	-2.3	11.22	0.013	1.000	Pass
		Q64	1	Low	13.78	-2.3	11.48	0.014	1.000	Pass
			1	Mid	13.78	-2.3	11.48	0.014	1.000	Pass
			1	High	13.72	-2.3	11.42	0.014	1.000	Pass
			12	Low	12.42	-2.3	10.12	0.010	1.000	Pass
			12	Mid	12.4	-2.3	10.10	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	High	12.4	-2.3	10.10	0.010	1.000	Pass
			25	Low	12.44	-2.3	10.14	0.010	1.000	Pass
		Q256	1	Low	10.82	-2.3	8.52	0.007	1.000	Pass
			1	Mid	10.84	-2.3	8.54	0.007	1.000	Pass
			1	High	10.78	-2.3	8.48	0.007	1.000	Pass
			12	Low	10.67	-2.3	8.37	0.007	1.000	Pass
			12	Mid	10.64	-2.3	8.34	0.007	1.000	Pass
			12	High	10.65	-2.3	8.35	0.007	1.000	Pass
			25	Low	10.63	-2.3	8.33	0.007	1.000	Pass
		QPSK	1	Low	15.5	-2.3	13.20	0.021	1.000	Pass
			1	Mid	15.6	-2.3	13.30	0.021	1.000	Pass
			1	High	15.58	-2.3	13.28	0.021	1.000	Pass
			12	Low	14.46	-2.3	12.16	0.016	1.000	Pass
			12	Mid	14.48	-2.3	12.18	0.017	1.000	Pass
			12	High	14.51	-2.3	12.21	0.017	1.000	Pass
			25	Low	14.52	-2.3	12.22	0.017	1.000	Pass
	HCH	Q16	1	Low	14.49	-2.3	12.19	0.017	1.000	Pass
			1	Mid	14.54	-2.3	12.24	0.017	1.000	Pass
			1	High	14.55	-2.3	12.25	0.017	1.000	Pass
			12	Low	13.53	-2.3	11.23	0.013	1.000	Pass
			12	Mid	13.52	-2.3	11.22	0.013	1.000	Pass
			12	High	13.56	-2.3	11.26	0.013	1.000	Pass
			25	Low	13.44	-2.3	11.14	0.013	1.000	Pass
		Q64	1	Low	13.65	-2.3	11.35	0.014	1.000	Pass
			1	Mid	13.73	-2.3	11.43	0.014	1.000	Pass
			1	High	13.72	-2.3	11.42	0.014	1.000	Pass
			12	Low	12.52	-2.3	10.22	0.011	1.000	Pass
			12	Mid	12.54	-2.3	10.24	0.011	1.000	Pass
			12	High	12.55	-2.3	10.25	0.011	1.000	Pass
			25	Low	12.53	-2.3	10.23	0.011	1.000	Pass
		Q256	1	Low	10.54	-2.3	8.24	0.007	1.000	Pass
			1	Mid	10.53	-2.3	8.23	0.007	1.000	Pass
			1	High	10.53	-2.3	8.23	0.007	1.000	Pass
			12	Low	10.63	-2.3	8.33	0.007	1.000	Pass
			12	Mid	10.67	-2.3	8.37	0.007	1.000	Pass
			12	High	10.68	-2.3	8.38	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
10	LCH	QPSK	25	Low	10.62	-2.3	8.32	0.007	1.000	Pass
			1	Low	15.61	-2.3	13.31	0.021	1.000	Pass
			1	Mid	15.52	-2.3	13.22	0.021	1.000	Pass
			1	High	15.61	-2.3	13.31	0.021	1.000	Pass
			25	Low	14.58	-2.3	12.28	0.017	1.000	Pass
			25	Mid	14.56	-2.3	12.26	0.017	1.000	Pass
			25	High	14.59	-2.3	12.29	0.017	1.000	Pass
		Q16	50	Low	14.56	-2.3	12.26	0.017	1.000	Pass
			1	Low	14.48	-2.3	12.18	0.017	1.000	Pass
			1	Mid	14.4	-2.3	12.10	0.016	1.000	Pass
			1	High	14.51	-2.3	12.21	0.017	1.000	Pass
			25	Low	13.57	-2.3	11.27	0.013	1.000	Pass
			25	Mid	13.56	-2.3	11.26	0.013	1.000	Pass
			25	High	13.59	-2.3	11.29	0.013	1.000	Pass
		Q64	50	Low	13.53	-2.3	11.23	0.013	1.000	Pass
			1	Low	13.9	-2.3	11.60	0.014	1.000	Pass
			1	Mid	13.85	-2.3	11.55	0.014	1.000	Pass
			1	High	13.92	-2.3	11.62	0.015	1.000	Pass
			25	Low	12.61	-2.3	10.31	0.011	1.000	Pass
			25	Mid	12.6	-2.3	10.30	0.011	1.000	Pass
			25	High	12.63	-2.3	10.33	0.011	1.000	Pass
		Q256	50	Low	12.55	-2.3	10.25	0.011	1.000	Pass
			1	Low	11.22	-2.3	8.92	0.008	1.000	Pass
			1	Mid	11.16	-2.3	8.86	0.008	1.000	Pass
			1	High	11.19	-2.3	8.89	0.008	1.000	Pass
			25	Low	10.65	-2.3	8.35	0.007	1.000	Pass
			25	Mid	10.65	-2.3	8.35	0.007	1.000	Pass
			25	High	10.65	-2.3	8.35	0.007	1.000	Pass
	MCH	QPSK	50	Low	10.65	-2.3	8.35	0.007	1.000	Pass
			1	Low	15.53	-2.3	13.23	0.021	1.000	Pass
			1	Mid	15.42	-2.3	13.12	0.021	1.000	Pass
			1	High	15.41	-2.3	13.11	0.020	1.000	Pass
			25	Low	14.44	-2.3	12.14	0.016	1.000	Pass
			25	Mid	14.43	-2.3	12.13	0.016	1.000	Pass
			25	High	14.4	-2.3	12.10	0.016	1.000	Pass
			50	Low	14.42	-2.3	12.12	0.016	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	14.9	-2.3	12.60	0.018	1.000	Pass
			1	Mid	14.79	-2.3	12.49	0.018	1.000	Pass
			1	High	14.78	-2.3	12.48	0.018	1.000	Pass
			25	Low	13.48	-2.3	11.18	0.013	1.000	Pass
			25	Mid	13.44	-2.3	11.14	0.013	1.000	Pass
			25	High	13.44	-2.3	11.14	0.013	1.000	Pass
			50	Low	13.44	-2.3	11.14	0.013	1.000	Pass
		Q64	1	Low	13.67	-2.3	11.37	0.014	1.000	Pass
			1	Mid	13.58	-2.3	11.28	0.013	1.000	Pass
			1	High	13.58	-2.3	11.28	0.013	1.000	Pass
			25	Low	12.53	-2.3	10.23	0.011	1.000	Pass
			25	Mid	12.51	-2.3	10.21	0.010	1.000	Pass
			25	High	12.51	-2.3	10.21	0.010	1.000	Pass
			50	Low	12.46	-2.3	10.16	0.010	1.000	Pass
		Q256	1	Low	10.51	-2.3	8.21	0.007	1.000	Pass
			1	Mid	10.43	-2.3	8.13	0.007	1.000	Pass
			1	High	10.45	-2.3	8.15	0.007	1.000	Pass
			25	Low	10.62	-2.3	8.32	0.007	1.000	Pass
			25	Mid	10.6	-2.3	8.30	0.007	1.000	Pass
			25	High	10.6	-2.3	8.30	0.007	1.000	Pass
			50	Low	10.56	-2.3	8.26	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.44	-2.3	13.14	0.021	1.000	Pass
			1	Mid	15.35	-2.3	13.05	0.020	1.000	Pass
			1	High	15.44	-2.3	13.14	0.021	1.000	Pass
			25	Low	14.42	-2.3	12.12	0.016	1.000	Pass
			25	Mid	14.41	-2.3	12.11	0.016	1.000	Pass
			25	High	14.46	-2.3	12.16	0.016	1.000	Pass
			50	Low	14.47	-2.3	12.17	0.016	1.000	Pass
		Q16	1	Low	14.48	-2.3	12.18	0.017	1.000	Pass
			1	Mid	14.36	-2.3	12.06	0.016	1.000	Pass
			1	High	14.5	-2.3	12.20	0.017	1.000	Pass
			25	Low	13.52	-2.3	11.22	0.013	1.000	Pass
			25	Mid	13.49	-2.3	11.19	0.013	1.000	Pass
			25	High	13.55	-2.3	11.25	0.013	1.000	Pass
			50	Low	13.48	-2.3	11.18	0.013	1.000	Pass
		Q64	1	Low	13.66	-2.3	11.36	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	13.54	-2.3	11.24	0.013	1.000	Pass
			1	High	13.67	-2.3	11.37	0.014	1.000	Pass
			25	Low	12.49	-2.3	10.19	0.010	1.000	Pass
			25	Mid	12.47	-2.3	10.17	0.010	1.000	Pass
			25	High	12.54	-2.3	10.24	0.011	1.000	Pass
			50	Low	12.44	-2.3	10.14	0.010	1.000	Pass
		Q256	1	Low	10.45	-2.3	8.15	0.007	1.000	Pass
			1	Mid	10.4	-2.3	8.10	0.006	1.000	Pass
			1	High	10.45	-2.3	8.15	0.007	1.000	Pass
			25	Low	10.62	-2.3	8.32	0.007	1.000	Pass
			25	Mid	10.61	-2.3	8.31	0.007	1.000	Pass
			25	High	10.62	-2.3	8.32	0.007	1.000	Pass
			50	Low	10.52	-2.3	8.22	0.007	1.000	Pass
15	LCH	QPSK	1	Low	15.56	-2.3	13.26	0.021	1.000	Pass
			1	Mid	15.6	-2.3	13.30	0.021	1.000	Pass
			1	High	15.48	-2.3	13.18	0.021	1.000	Pass
			36	Low	14.57	-2.3	12.27	0.017	1.000	Pass
			36	Mid	14.58	-2.3	12.28	0.017	1.000	Pass
			36	High	14.56	-2.3	12.26	0.017	1.000	Pass
			75	Low	14.57	-2.3	12.27	0.017	1.000	Pass
		Q16	1	Low	14.47	-2.3	12.17	0.016	1.000	Pass
			1	Mid	14.51	-2.3	12.21	0.017	1.000	Pass
			1	High	14.36	-2.3	12.06	0.016	1.000	Pass
			36	Low	13.6	-2.3	11.30	0.013	1.000	Pass
			36	Mid	13.61	-2.3	11.31	0.014	1.000	Pass
			36	High	13.57	-2.3	11.27	0.013	1.000	Pass
			75	Low	13.57	-2.3	11.27	0.013	1.000	Pass
		Q64	1	Low	13.91	-2.3	11.61	0.014	1.000	Pass
			1	Mid	13.94	-2.3	11.64	0.015	1.000	Pass
			1	High	13.81	-2.3	11.51	0.014	1.000	Pass
			36	Low	12.63	-2.3	10.33	0.011	1.000	Pass
			36	Mid	12.67	-2.3	10.37	0.011	1.000	Pass
			36	High	12.61	-2.3	10.31	0.011	1.000	Pass
			75	Low	12.6	-2.3	10.30	0.011	1.000	Pass
		Q256	1	Low	11.19	-2.3	8.89	0.008	1.000	Pass
			1	Mid	11.22	-2.3	8.92	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		1	High	11.18	-2.3	8.88	0.008	1.000	Pass
			36	Low	10.65	-2.3	8.35	0.007	1.000	Pass
			36	Mid	10.66	-2.3	8.36	0.007	1.000	Pass
			36	High	10.62	-2.3	8.32	0.007	1.000	Pass
			75	Low	10.65	-2.3	8.35	0.007	1.000	Pass
		QPSK	1	Low	15.56	-2.3	13.26	0.021	1.000	Pass
			1	Mid	15.5	-2.3	13.20	0.021	1.000	Pass
			1	High	15.41	-2.3	13.11	0.020	1.000	Pass
			36	Low	14.47	-2.3	12.17	0.016	1.000	Pass
			36	Mid	14.47	-2.3	12.17	0.016	1.000	Pass
			36	High	14.41	-2.3	12.11	0.016	1.000	Pass
			75	Low	14.46	-2.3	12.16	0.016	1.000	Pass
		Q16	1	Low	14.92	-2.3	12.62	0.018	1.000	Pass
			1	Mid	14.87	-2.3	12.57	0.018	1.000	Pass
			1	High	14.78	-2.3	12.48	0.018	1.000	Pass
			36	Low	13.56	-2.3	11.26	0.013	1.000	Pass
			36	Mid	13.54	-2.3	11.24	0.013	1.000	Pass
			36	High	13.47	-2.3	11.17	0.013	1.000	Pass
			75	Low	13.48	-2.3	11.18	0.013	1.000	Pass
		Q64	1	Low	13.75	-2.3	11.45	0.014	1.000	Pass
			1	Mid	13.66	-2.3	11.36	0.014	1.000	Pass
			1	High	13.55	-2.3	11.25	0.013	1.000	Pass
			36	Low	12.57	-2.3	10.27	0.011	1.000	Pass
			36	Mid	12.55	-2.3	10.25	0.011	1.000	Pass
			36	High	12.51	-2.3	10.21	0.010	1.000	Pass
			75	Low	12.5	-2.3	10.20	0.010	1.000	Pass
		Q256	1	Low	10.54	-2.3	8.24	0.007	1.000	Pass
			1	Mid	10.52	-2.3	8.22	0.007	1.000	Pass
			1	High	10.46	-2.3	8.16	0.007	1.000	Pass
			36	Low	10.59	-2.3	8.29	0.007	1.000	Pass
			36	Mid	10.6	-2.3	8.30	0.007	1.000	Pass
			36	High	10.56	-2.3	8.26	0.007	1.000	Pass
			75	Low	10.58	-2.3	8.28	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.47	-2.3	13.17	0.021	1.000	Pass
			1	Mid	15.52	-2.3	13.22	0.021	1.000	Pass
			1	High	15.53	-2.3	13.23	0.021	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			36	Low	14.48	-2.3	12.18	0.017	1.000	Pass
			36	Mid	14.46	-2.3	12.16	0.016	1.000	Pass
			36	High	14.45	-2.3	12.15	0.016	1.000	Pass
			75	Low	14.46	-2.3	12.16	0.016	1.000	Pass
		Q16	1	Low	14.71	-2.3	12.41	0.017	1.000	Pass
			1	Mid	14.76	-2.3	12.46	0.018	1.000	Pass
			1	High	14.8	-2.3	12.50	0.018	1.000	Pass
			36	Low	13.48	-2.3	11.18	0.013	1.000	Pass
			36	Mid	13.45	-2.3	11.15	0.013	1.000	Pass
			36	High	13.47	-2.3	11.17	0.013	1.000	Pass
			75	Low	13.46	-2.3	11.16	0.013	1.000	Pass
		Q64	1	Low	13.99	-2.3	11.69	0.015	1.000	Pass
			1	Mid	14.05	-2.3	11.75	0.015	1.000	Pass
			1	High	14.06	-2.3	11.76	0.015	1.000	Pass
			36	Low	12.51	-2.3	10.21	0.010	1.000	Pass
			36	Mid	12.49	-2.3	10.19	0.010	1.000	Pass
			36	High	12.48	-2.3	10.18	0.010	1.000	Pass
			75	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.98	-2.3	8.68	0.007	1.000	Pass
			1	Mid	10.97	-2.3	8.67	0.007	1.000	Pass
			1	High	10.94	-2.3	8.64	0.007	1.000	Pass
			36	Low	10.59	-2.3	8.29	0.007	1.000	Pass
			36	Mid	10.57	-2.3	8.27	0.007	1.000	Pass
			36	High	10.55	-2.3	8.25	0.007	1.000	Pass
			75	Low	10.56	-2.3	8.26	0.007	1.000	Pass
20	LCH	QPSK	1	Low	15.6	-2.3	13.30	0.021	1.000	Pass
			1	Mid	15.7	-2.3	13.40	0.022	1.000	Pass
			1	High	15.52	-2.3	13.22	0.021	1.000	Pass
			50	Low	14.61	-2.3	12.31	0.017	1.000	Pass
			50	Mid	14.62	-2.3	12.32	0.017	1.000	Pass
			50	High	14.56	-2.3	12.26	0.017	1.000	Pass
			100	Low	14.61	-2.3	12.31	0.017	1.000	Pass
		Q16	1	Low	15.22	-2.3	12.92	0.020	1.000	Pass
			1	Mid	15.26	-2.3	12.96	0.020	1.000	Pass
			1	High	15.11	-2.3	12.81	0.019	1.000	Pass
			50	Low	13.64	-2.3	11.34	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	Mid	13.64	-2.3	11.34	0.014	1.000	Pass
			50	High	13.58	-2.3	11.28	0.013	1.000	Pass
			100	Low	13.65	-2.3	11.35	0.014	1.000	Pass
		Q64	1	Low	13.91	-2.3	11.61	0.014	1.000	Pass
			1	Mid	14.01	-2.3	11.71	0.015	1.000	Pass
			1	High	13.83	-2.3	11.53	0.014	1.000	Pass
			50	Low	12.69	-2.3	10.39	0.011	1.000	Pass
			50	Mid	12.71	-2.3	10.41	0.011	1.000	Pass
			50	High	12.65	-2.3	10.35	0.011	1.000	Pass
			100	Low	12.64	-2.3	10.34	0.011	1.000	Pass
		Q256	1	Low	10.87	-2.3	8.57	0.007	1.000	Pass
			1	Mid	10.87	-2.3	8.57	0.007	1.000	Pass
			1	High	10.88	-2.3	8.58	0.007	1.000	Pass
			50	Low	10.67	-2.3	8.37	0.007	1.000	Pass
			50	Mid	10.66	-2.3	8.36	0.007	1.000	Pass
			50	High	10.66	-2.3	8.36	0.007	1.000	Pass
			100	Low	10.65	-2.3	8.35	0.007	1.000	Pass
	MCH	QPSK	1	Low	15.5	-2.3	13.20	0.021	1.000	Pass
			1	Mid	15.53	-2.3	13.23	0.021	1.000	Pass
			1	High	15.43	-2.3	13.13	0.021	1.000	Pass
			50	Low	14.53	-2.3	12.23	0.017	1.000	Pass
			50	Mid	14.51	-2.3	12.21	0.017	1.000	Pass
			50	High	14.46	-2.3	12.16	0.016	1.000	Pass
			100	Low	14.49	-2.3	12.19	0.017	1.000	Pass
		Q16	1	Low	14.86	-2.3	12.56	0.018	1.000	Pass
			1	Mid	14.87	-2.3	12.57	0.018	1.000	Pass
			1	High	14.75	-2.3	12.45	0.018	1.000	Pass
			50	Low	13.57	-2.3	11.27	0.013	1.000	Pass
			50	Mid	13.53	-2.3	11.23	0.013	1.000	Pass
			50	High	13.49	-2.3	11.19	0.013	1.000	Pass
			100	Low	13.51	-2.3	11.21	0.013	1.000	Pass
		Q64	1	Low	14.11	-2.3	11.81	0.015	1.000	Pass
			1	Mid	14.13	-2.3	11.83	0.015	1.000	Pass
			1	High	14	-2.3	11.70	0.015	1.000	Pass
			50	Low	12.59	-2.3	10.29	0.011	1.000	Pass
			50	Mid	12.57	-2.3	10.27	0.011	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	High	12.52	-2.3	10.22	0.011	1.000	Pass
			100	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.76	-2.3	8.46	0.007	1.000	Pass
			1	Mid	10.8	-2.3	8.50	0.007	1.000	Pass
			1	High	10.73	-2.3	8.43	0.007	1.000	Pass
			50	Low	10.68	-2.3	8.38	0.007	1.000	Pass
			50	Mid	10.65	-2.3	8.35	0.007	1.000	Pass
			50	High	10.64	-2.3	8.34	0.007	1.000	Pass
			100	Low	10.63	-2.3	8.33	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.45	-2.3	13.15	0.021	1.000	Pass
			1	Mid	15.55	-2.3	13.25	0.021	1.000	Pass
			1	High	15.44	-2.3	13.14	0.021	1.000	Pass
			50	Low	14.46	-2.3	12.16	0.016	1.000	Pass
			50	Mid	14.52	-2.3	12.22	0.017	1.000	Pass
			50	High	14.49	-2.3	12.19	0.017	1.000	Pass
			100	Low	14.46	-2.3	12.16	0.016	1.000	Pass
		Q16	1	Low	14.86	-2.3	12.56	0.018	1.000	Pass
			1	Mid	14.9	-2.3	12.60	0.018	1.000	Pass
			1	High	14.85	-2.3	12.55	0.018	1.000	Pass
			50	Low	13.44	-2.3	11.14	0.013	1.000	Pass
			50	Mid	13.49	-2.3	11.19	0.013	1.000	Pass
			50	High	13.48	-2.3	11.18	0.013	1.000	Pass
			100	Low	13.46	-2.3	11.16	0.013	1.000	Pass
		Q64	1	Low	13.62	-2.3	11.32	0.014	1.000	Pass
			1	Mid	13.67	-2.3	11.37	0.014	1.000	Pass
			1	High	13.59	-2.3	11.29	0.013	1.000	Pass
			50	Low	12.52	-2.3	10.22	0.011	1.000	Pass
			50	Mid	12.57	-2.3	10.27	0.011	1.000	Pass
			50	High	12.56	-2.3	10.26	0.011	1.000	Pass
			100	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.59	-2.3	8.29	0.007	1.000	Pass
			1	Mid	10.61	-2.3	8.31	0.007	1.000	Pass
			1	High	10.52	-2.3	8.22	0.007	1.000	Pass
			50	Low	10.62	-2.3	8.32	0.007	1.000	Pass
			50	Mid	10.62	-2.3	8.32	0.007	1.000	Pass
			50	High	10.59	-2.3	8.29	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			100	Low	10.61	-2.3	8.31	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
1.4	LCH	QPSK	1	Low	15.92	-4.5	-6.65	9.27	0.008	7.000	Pass
			1	Mid	15.82	-4.5	-6.65	9.17	0.008	7.000	Pass
			1	High	15.95	-4.5	-6.65	9.30	0.009	7.000	Pass
			3	Low	15.7	-4.5	-6.65	9.05	0.008	7.000	Pass
			3	Mid	15.67	-4.5	-6.65	9.02	0.008	7.000	Pass
			3	High	15.73	-4.5	-6.65	9.08	0.008	7.000	Pass
		Q16	6	Low	14.7	-4.5	-6.65	8.05	0.006	7.000	Pass
			1	Low	14.77	-4.5	-6.65	8.12	0.006	7.000	Pass
			1	Mid	14.68	-4.5	-6.65	8.03	0.006	7.000	Pass
			1	High	14.8	-4.5	-6.65	8.15	0.007	7.000	Pass
			3	Low	14.85	-4.5	-6.65	8.20	0.007	7.000	Pass
			3	Mid	14.84	-4.5	-6.65	8.19	0.007	7.000	Pass
			3	High	14.88	-4.5	-6.65	8.23	0.007	7.000	Pass
		Q64	6	Low	13.86	-4.5	-6.65	7.21	0.005	7.000	Pass
			1	Low	14.15	-4.5	-6.65	7.50	0.006	7.000	Pass
			1	Mid	14.2	-4.5	-6.65	7.55	0.006	7.000	Pass
			1	High	14.16	-4.5	-6.65	7.51	0.006	7.000	Pass
			3	Low	14.05	-4.5	-6.65	7.40	0.005	7.000	Pass
			3	Mid	14.06	-4.5	-6.65	7.41	0.006	7.000	Pass
			3	High	14.07	-4.5	-6.65	7.42	0.006	7.000	Pass
		Q256	6	Low	12.71	-4.5	-6.65	6.06	0.004	7.000	Pass
			1	Low	10.9	-4.5	-6.65	4.25	0.003	7.000	Pass
			1	Mid	10.9	-4.5	-6.65	4.25	0.003	7.000	Pass
			1	High	10.9	-4.5	-6.65	4.25	0.003	7.000	Pass
			3	Low	10.84	-4.5	-6.65	4.19	0.003	7.000	Pass
			3	Mid	10.83	-4.5	-6.65	4.18	0.003	7.000	Pass
			3	High	10.83	-4.5	-6.65	4.18	0.003	7.000	Pass
			6	Low	10.8	-4.5	-6.65	4.15	0.003	7.000	Pass
	MCH	QPSK	1	Low	15.89	-4.5	-6.65	9.24	0.008	7.000	Pass
			1	Mid	15.91	-4.5	-6.65	9.26	0.008	7.000	Pass
			1	High	15.93	-4.5	-6.65	9.28	0.008	7.000	Pass
			3	Low	15.83	-4.5	-6.65	9.18	0.008	7.000	Pass
			3	Mid	15.84	-4.5	-6.65	9.19	0.008	7.000	Pass
			3	High	15.84	-4.5	-6.65	9.19	0.008	7.000	Pass
			6	Low	14.85	-4.5	-6.65	8.20	0.007	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	15.27	-4.5	-6.65	8.62	0.007	7.000	Pass
			1	Mid	15.21	-4.5	-6.65	8.56	0.007	7.000	Pass
			1	High	15.3	-4.5	-6.65	8.65	0.007	7.000	Pass
			3	Low	15	-4.5	-6.65	8.35	0.007	7.000	Pass
			3	Mid	15.03	-4.5	-6.65	8.38	0.007	7.000	Pass
			3	High	15.01	-4.5	-6.65	8.36	0.007	7.000	Pass
			6	Low	13.76	-4.5	-6.65	7.11	0.005	7.000	Pass
		Q64	1	Low	14.03	-4.5	-6.65	7.38	0.005	7.000	Pass
			1	Mid	14.08	-4.5	-6.65	7.43	0.006	7.000	Pass
			1	High	14.06	-4.5	-6.65	7.41	0.006	7.000	Pass
			3	Low	13.99	-4.5	-6.65	7.34	0.005	7.000	Pass
			3	Mid	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			3	High	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			6	Low	13.14	-4.5	-6.65	6.49	0.004	7.000	Pass
		Q256	1	Low	10.78	-4.5	-6.65	4.13	0.003	7.000	Pass
			1	Mid	10.81	-4.5	-6.65	4.16	0.003	7.000	Pass
			1	High	10.86	-4.5	-6.65	4.21	0.003	7.000	Pass
			3	Low	10.94	-4.5	-6.65	4.29	0.003	7.000	Pass
			3	Mid	10.97	-4.5	-6.65	4.32	0.003	7.000	Pass
			3	High	10.97	-4.5	-6.65	4.32	0.003	7.000	Pass
			6	Low	10.9	-4.5	-6.65	4.25	0.003	7.000	Pass
	HCH	QPSK	1	Low	15.89	-4.5	-6.65	9.24	0.008	7.000	Pass
			1	Mid	15.88	-4.5	-6.65	9.23	0.008	7.000	Pass
			1	High	15.93	-4.5	-6.65	9.28	0.008	7.000	Pass
			3	Low	15.85	-4.5	-6.65	9.20	0.008	7.000	Pass
			3	Mid	15.83	-4.5	-6.65	9.18	0.008	7.000	Pass
			3	High	15.88	-4.5	-6.65	9.23	0.008	7.000	Pass
			6	Low	14.86	-4.5	-6.65	8.21	0.007	7.000	Pass
		Q16	1	Low	14.96	-4.5	-6.65	8.31	0.007	7.000	Pass
			1	Mid	14.88	-4.5	-6.65	8.23	0.007	7.000	Pass
			1	High	14.99	-4.5	-6.65	8.34	0.007	7.000	Pass
			3	Low	15.01	-4.5	-6.65	8.36	0.007	7.000	Pass
			3	Mid	15.01	-4.5	-6.65	8.36	0.007	7.000	Pass
			3	High	15.03	-4.5	-6.65	8.38	0.007	7.000	Pass
			6	Low	14.03	-4.5	-6.65	7.38	0.005	7.000	Pass
		Q64	1	Low	14.14	-4.5	-6.65	7.49	0.006	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		QPSK	1	Mid	14.09	-4.5	-6.65	7.44	0.006	7.000	Pass
			1	High	14.18	-4.5	-6.65	7.53	0.006	7.000	Pass
			3	Low	13.85	-4.5	-6.65	7.20	0.005	7.000	Pass
			3	Mid	13.84	-4.5	-6.65	7.19	0.005	7.000	Pass
			3	High	13.85	-4.5	-6.65	7.20	0.005	7.000	Pass
			6	Low	12.99	-4.5	-6.65	6.34	0.004	7.000	Pass
		Q256	1	Low	10.83	-4.5	-6.65	4.18	0.003	7.000	Pass
			1	Mid	10.82	-4.5	-6.65	4.17	0.003	7.000	Pass
			1	High	10.84	-4.5	-6.65	4.19	0.003	7.000	Pass
			3	Low	10.98	-4.5	-6.65	4.33	0.003	7.000	Pass
			3	Mid	10.98	-4.5	-6.65	4.33	0.003	7.000	Pass
			3	High	10.98	-4.5	-6.65	4.33	0.003	7.000	Pass
			6	Low	11	-4.5	-6.65	4.35	0.003	7.000	Pass
3	LCH	QPSK	1	Low	15.79	-4.5	-6.65	9.14	0.008	7.000	Pass
			1	Mid	15.85	-4.5	-6.65	9.20	0.008	7.000	Pass
			1	High	15.82	-4.5	-6.65	9.17	0.008	7.000	Pass
			8	Low	14.8	-4.5	-6.65	8.15	0.007	7.000	Pass
			8	Mid	14.78	-4.5	-6.65	8.13	0.007	7.000	Pass
			8	High	14.8	-4.5	-6.65	8.15	0.007	7.000	Pass
			15	Low	14.76	-4.5	-6.65	8.11	0.006	7.000	Pass
		Q16	1	Low	14.63	-4.5	-6.65	7.98	0.006	7.000	Pass
			1	Mid	14.65	-4.5	-6.65	8.00	0.006	7.000	Pass
			1	High	14.65	-4.5	-6.65	8.00	0.006	7.000	Pass
			8	Low	13.91	-4.5	-6.65	7.26	0.005	7.000	Pass
			8	Mid	13.88	-4.5	-6.65	7.23	0.005	7.000	Pass
			8	High	13.92	-4.5	-6.65	7.27	0.005	7.000	Pass
			15	Low	13.85	-4.5	-6.65	7.20	0.005	7.000	Pass
		Q64	1	Low	14.09	-4.5	-6.65	7.44	0.006	7.000	Pass
			1	Mid	14.11	-4.5	-6.65	7.46	0.006	7.000	Pass
			1	High	14.14	-4.5	-6.65	7.49	0.006	7.000	Pass
			8	Low	12.89	-4.5	-6.65	6.24	0.004	7.000	Pass
			8	Mid	12.86	-4.5	-6.65	6.21	0.004	7.000	Pass
			8	High	12.91	-4.5	-6.65	6.26	0.004	7.000	Pass
			15	Low	12.8	-4.5	-6.65	6.15	0.004	7.000	Pass
		Q256	1	Low	11.39	-4.5	-6.65	4.74	0.003	7.000	Pass
			1	Mid	11.45	-4.5	-6.65	4.80	0.003	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
	MCH		1	High	11.41	-4.5	-6.65	4.76	0.003	7.000	Pass
			8	Low	10.93	-4.5	-6.65	4.28	0.003	7.000	Pass
			8	Mid	10.91	-4.5	-6.65	4.26	0.003	7.000	Pass
			8	High	10.94	-4.5	-6.65	4.29	0.003	7.000	Pass
			15	Low	10.86	-4.5	-6.65	4.21	0.003	7.000	Pass
		QPSK	1	Low	15.92	-4.5	-6.65	9.27	0.008	7.000	Pass
			1	Mid	15.98	-4.5	-6.65	9.33	0.009	7.000	Pass
			1	High	15.96	-4.5	-6.65	9.31	0.009	7.000	Pass
			8	Low	14.9	-4.5	-6.65	8.25	0.007	7.000	Pass
			8	Mid	14.89	-4.5	-6.65	8.24	0.007	7.000	Pass
			8	High	14.93	-4.5	-6.65	8.28	0.007	7.000	Pass
			15	Low	14.95	-4.5	-6.65	8.30	0.007	7.000	Pass
		Q16	1	Low	15.27	-4.5	-6.65	8.62	0.007	7.000	Pass
			1	Mid	15.31	-4.5	-6.65	8.66	0.007	7.000	Pass
			1	High	15.3	-4.5	-6.65	8.65	0.007	7.000	Pass
			8	Low	14.01	-4.5	-6.65	7.36	0.005	7.000	Pass
			8	Mid	13.97	-4.5	-6.65	7.32	0.005	7.000	Pass
			8	High	14.03	-4.5	-6.65	7.38	0.005	7.000	Pass
			15	Low	14.01	-4.5	-6.65	7.36	0.005	7.000	Pass
		Q64	1	Low	14.04	-4.5	-6.65	7.39	0.005	7.000	Pass
			1	Mid	14.1	-4.5	-6.65	7.45	0.006	7.000	Pass
			1	High	14.1	-4.5	-6.65	7.45	0.006	7.000	Pass
			8	Low	13.01	-4.5	-6.65	6.36	0.004	7.000	Pass
			8	Mid	12.99	-4.5	-6.65	6.34	0.004	7.000	Pass
			8	High	13.01	-4.5	-6.65	6.36	0.004	7.000	Pass
			15	Low	12.97	-4.5	-6.65	6.32	0.004	7.000	Pass
		Q256	1	Low	10.83	-4.5	-6.65	4.18	0.003	7.000	Pass
			1	Mid	10.84	-4.5	-6.65	4.19	0.003	7.000	Pass
			1	High	10.81	-4.5	-6.65	4.16	0.003	7.000	Pass
			8	Low	10.93	-4.5	-6.65	4.28	0.003	7.000	Pass
			8	Mid	10.92	-4.5	-6.65	4.27	0.003	7.000	Pass
			8	High	10.95	-4.5	-6.65	4.30	0.003	7.000	Pass
			15	Low	11.03	-4.5	-6.65	4.38	0.003	7.000	Pass
	HCH	QPSK	1	Low	15.91	-4.5	-6.65	9.26	0.008	7.000	Pass
			1	Mid	15.95	-4.5	-6.65	9.30	0.009	7.000	Pass
			1	High	15.93	-4.5	-6.65	9.28	0.008	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			8	Low	14.98	-4.5	-6.65	8.33	0.007	7.000	Pass
			8	Mid	14.9	-4.5	-6.65	8.25	0.007	7.000	Pass
			8	High	14.9	-4.5	-6.65	8.25	0.007	7.000	Pass
			15	Low	14.95	-4.5	-6.65	8.30	0.007	7.000	Pass
		Q16	1	Low	14.99	-4.5	-6.65	8.34	0.007	7.000	Pass
			1	Mid	14.95	-4.5	-6.65	8.30	0.007	7.000	Pass
			1	High	14.97	-4.5	-6.65	8.32	0.007	7.000	Pass
			8	Low	14.06	-4.5	-6.65	7.41	0.006	7.000	Pass
			8	Mid	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			8	High	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			15	Low	13.92	-4.5	-6.65	7.27	0.005	7.000	Pass
		Q64	1	Low	14.16	-4.5	-6.65	7.51	0.006	7.000	Pass
			1	Mid	14.17	-4.5	-6.65	7.52	0.006	7.000	Pass
			1	High	14.14	-4.5	-6.65	7.49	0.006	7.000	Pass
			8	Low	12.91	-4.5	-6.65	6.26	0.004	7.000	Pass
			8	Mid	12.85	-4.5	-6.65	6.20	0.004	7.000	Pass
			8	High	12.88	-4.5	-6.65	6.23	0.004	7.000	Pass
			15	Low	13	-4.5	-6.65	6.35	0.004	7.000	Pass
		Q256	1	Low	10.81	-4.5	-6.65	4.16	0.003	7.000	Pass
			1	Mid	10.82	-4.5	-6.65	4.17	0.003	7.000	Pass
			1	High	10.84	-4.5	-6.65	4.19	0.003	7.000	Pass
			8	Low	11.09	-4.5	-6.65	4.44	0.003	7.000	Pass
			8	Mid	11.02	-4.5	-6.65	4.37	0.003	7.000	Pass
			8	High	11.01	-4.5	-6.65	4.36	0.003	7.000	Pass
			15	Low	11	-4.5	-6.65	4.35	0.003	7.000	Pass
5	LCH	QPSK	1	Low	15.86	-4.5	-6.65	9.21	0.008	7.000	Pass
			1	Mid	15.92	-4.5	-6.65	9.27	0.008	7.000	Pass
			1	High	15.92	-4.5	-6.65	9.27	0.008	7.000	Pass
			12	Low	14.82	-4.5	-6.65	8.17	0.007	7.000	Pass
			12	Mid	14.85	-4.5	-6.65	8.20	0.007	7.000	Pass
			12	High	14.84	-4.5	-6.65	8.19	0.007	7.000	Pass
			25	Low	14.87	-4.5	-6.65	8.22	0.007	7.000	Pass
		Q16	1	Low	15	-4.5	-6.65	8.35	0.007	7.000	Pass
			1	Mid	15.03	-4.5	-6.65	8.38	0.007	7.000	Pass
			1	High	15.1	-4.5	-6.65	8.45	0.007	7.000	Pass
			12	Low	13.89	-4.5	-6.65	7.24	0.005	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	Mid	13.92	-4.5	-6.65	7.27	0.005	7.000	Pass
			12	High	13.94	-4.5	-6.65	7.29	0.005	7.000	Pass
			25	Low	13.89	-4.5	-6.65	7.24	0.005	7.000	Pass
		Q64	1	Low	13.74	-4.5	-6.65	7.09	0.005	7.000	Pass
			1	Mid	13.79	-4.5	-6.65	7.14	0.005	7.000	Pass
			1	High	13.78	-4.5	-6.65	7.13	0.005	7.000	Pass
			12	Low	12.88	-4.5	-6.65	6.23	0.004	7.000	Pass
			12	Mid	12.91	-4.5	-6.65	6.26	0.004	7.000	Pass
			12	High	12.91	-4.5	-6.65	6.26	0.004	7.000	Pass
			25	Low	12.85	-4.5	-6.65	6.20	0.004	7.000	Pass
		Q256	1	Low	10.46	-4.5	-6.65	3.81	0.002	7.000	Pass
			1	Mid	10.54	-4.5	-6.65	3.89	0.002	7.000	Pass
			1	High	10.52	-4.5	-6.65	3.87	0.002	7.000	Pass
			12	Low	10.84	-4.5	-6.65	4.19	0.003	7.000	Pass
			12	Mid	10.88	-4.5	-6.65	4.23	0.003	7.000	Pass
			12	High	10.88	-4.5	-6.65	4.23	0.003	7.000	Pass
			25	Low	10.92	-4.5	-6.65	4.27	0.003	7.000	Pass
	MCH	QPSK	1	Low	15.93	-4.5	-6.65	9.28	0.008	7.000	Pass
			1	Mid	15.98	-4.5	-6.65	9.33	0.009	7.000	Pass
			1	High	15.96	-4.5	-6.65	9.31	0.009	7.000	Pass
			12	Low	14.94	-4.5	-6.65	8.29	0.007	7.000	Pass
			12	Mid	14.92	-4.5	-6.65	8.27	0.007	7.000	Pass
			12	High	14.95	-4.5	-6.65	8.30	0.007	7.000	Pass
			25	Low	14.99	-4.5	-6.65	8.34	0.007	7.000	Pass
		Q16	1	Low	15.46	-4.5	-6.65	8.81	0.008	7.000	Pass
			1	Mid	15.53	-4.5	-6.65	8.88	0.008	7.000	Pass
			1	High	15.53	-4.5	-6.65	8.88	0.008	7.000	Pass
			12	Low	14.09	-4.5	-6.65	7.44	0.006	7.000	Pass
			12	Mid	14.07	-4.5	-6.65	7.42	0.006	7.000	Pass
			12	High	14.08	-4.5	-6.65	7.43	0.006	7.000	Pass
			25	Low	14.04	-4.5	-6.65	7.39	0.005	7.000	Pass
		Q64	1	Low	14.21	-4.5	-6.65	7.56	0.006	7.000	Pass
			1	Mid	14.34	-4.5	-6.65	7.69	0.006	7.000	Pass
			1	High	14.27	-4.5	-6.65	7.62	0.006	7.000	Pass
			12	Low	12.92	-4.5	-6.65	6.27	0.004	7.000	Pass
			12	Mid	12.89	-4.5	-6.65	6.24	0.004	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	High	12.9	-4.5	-6.65	6.25	0.004	7.000	Pass
			25	Low	12.96	-4.5	-6.65	6.31	0.004	7.000	Pass
		Q256	1	Low	11.17	-4.5	-6.65	4.52	0.003	7.000	Pass
			1	Mid	11.21	-4.5	-6.65	4.56	0.003	7.000	Pass
			1	High	11.18	-4.5	-6.65	4.53	0.003	7.000	Pass
			12	Low	11.03	-4.5	-6.65	4.38	0.003	7.000	Pass
			12	Mid	11.01	-4.5	-6.65	4.36	0.003	7.000	Pass
			12	High	11.03	-4.5	-6.65	4.38	0.003	7.000	Pass
			25	Low	11	-4.5	-6.65	4.35	0.003	7.000	Pass
	HCH	QPSK	1	Low	16.04	-4.5	-6.65	9.39	0.009	7.000	Pass
			1	Mid	16.11	-4.5	-6.65	9.46	0.009	7.000	Pass
			1	High	16.09	-4.5	-6.65	9.44	0.009	7.000	Pass
			12	Low	15.04	-4.5	-6.65	8.39	0.007	7.000	Pass
			12	Mid	14.98	-4.5	-6.65	8.33	0.007	7.000	Pass
			12	High	14.94	-4.5	-6.65	8.29	0.007	7.000	Pass
			25	Low	15.01	-4.5	-6.65	8.36	0.007	7.000	Pass
		Q16	1	Low	15.04	-4.5	-6.65	8.39	0.007	7.000	Pass
			1	Mid	15.04	-4.5	-6.65	8.39	0.007	7.000	Pass
			1	High	15.08	-4.5	-6.65	8.43	0.007	7.000	Pass
			12	Low	14.11	-4.5	-6.65	7.46	0.006	7.000	Pass
			12	Mid	14.04	-4.5	-6.65	7.39	0.005	7.000	Pass
			12	High	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			25	Low	13.94	-4.5	-6.65	7.29	0.005	7.000	Pass
		Q64	1	Low	14.19	-4.5	-6.65	7.54	0.006	7.000	Pass
			1	Mid	14.19	-4.5	-6.65	7.54	0.006	7.000	Pass
			1	High	14.23	-4.5	-6.65	7.58	0.006	7.000	Pass
			12	Low	13.09	-4.5	-6.65	6.44	0.004	7.000	Pass
			12	Mid	13.04	-4.5	-6.65	6.39	0.004	7.000	Pass
			12	High	13	-4.5	-6.65	6.35	0.004	7.000	Pass
			25	Low	13.03	-4.5	-6.65	6.38	0.004	7.000	Pass
		Q256	1	Low	10.93	-4.5	-6.65	4.28	0.003	7.000	Pass
			1	Mid	10.98	-4.5	-6.65	4.33	0.003	7.000	Pass
			1	High	10.97	-4.5	-6.65	4.32	0.003	7.000	Pass
			12	Low	11.13	-4.5	-6.65	4.48	0.003	7.000	Pass
			12	Mid	11.1	-4.5	-6.65	4.45	0.003	7.000	Pass
			12	High	11.05	-4.5	-6.65	4.40	0.003	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
10	LCH	QPSK	25	Low	11.07	-4.5	-6.65	4.42	0.003	7.000	Pass
			1	Low	15.85	-4.5	-6.65	9.20	0.008	7.000	Pass
			1	Mid	15.84	-4.5	-6.65	9.19	0.008	7.000	Pass
			1	High	15.89	-4.5	-6.65	9.24	0.008	7.000	Pass
			25	Low	14.8	-4.5	-6.65	8.15	0.007	7.000	Pass
			25	Mid	14.83	-4.5	-6.65	8.18	0.007	7.000	Pass
			25	High	14.87	-4.5	-6.65	8.22	0.007	7.000	Pass
			50	Low	14.84	-4.5	-6.65	8.19	0.007	7.000	Pass
		Q16	1	Low	14.7	-4.5	-6.65	8.05	0.006	7.000	Pass
			1	Mid	14.65	-4.5	-6.65	8.00	0.006	7.000	Pass
			1	High	14.75	-4.5	-6.65	8.10	0.006	7.000	Pass
			25	Low	13.85	-4.5	-6.65	7.20	0.005	7.000	Pass
			25	Mid	13.84	-4.5	-6.65	7.19	0.005	7.000	Pass
			25	High	13.88	-4.5	-6.65	7.23	0.005	7.000	Pass
			50	Low	13.82	-4.5	-6.65	7.17	0.005	7.000	Pass
		Q64	1	Low	14.11	-4.5	-6.65	7.46	0.006	7.000	Pass
			1	Mid	14.1	-4.5	-6.65	7.45	0.006	7.000	Pass
			1	High	14.19	-4.5	-6.65	7.54	0.006	7.000	Pass
			25	Low	12.85	-4.5	-6.65	6.20	0.004	7.000	Pass
			25	Mid	12.87	-4.5	-6.65	6.22	0.004	7.000	Pass
			25	High	12.92	-4.5	-6.65	6.27	0.004	7.000	Pass
			50	Low	12.85	-4.5	-6.65	6.20	0.004	7.000	Pass
		Q256	1	Low	11.42	-4.5	-6.65	4.77	0.003	7.000	Pass
			1	Mid	11.47	-4.5	-6.65	4.82	0.003	7.000	Pass
			1	High	11.46	-4.5	-6.65	4.81	0.003	7.000	Pass
			25	Low	10.92	-4.5	-6.65	4.27	0.003	7.000	Pass
			25	Mid	10.93	-4.5	-6.65	4.28	0.003	7.000	Pass
			25	High	10.94	-4.5	-6.65	4.29	0.003	7.000	Pass
			50	Low	10.92	-4.5	-6.65	4.27	0.003	7.000	Pass
	MCH	QPSK	1	Low	15.85	-4.5	-6.65	9.20	0.008	7.000	Pass
			1	Mid	15.89	-4.5	-6.65	9.24	0.008	7.000	Pass
			1	High	15.95	-4.5	-6.65	9.30	0.009	7.000	Pass
			25	Low	14.84	-4.5	-6.65	8.19	0.007	7.000	Pass
			25	Mid	14.85	-4.5	-6.65	8.20	0.007	7.000	Pass
			25	High	14.94	-4.5	-6.65	8.29	0.007	7.000	Pass
			50	Low	14.9	-4.5	-6.65	8.25	0.007	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	15.21	-4.5	-6.65	8.56	0.007	7.000	Pass
			1	Mid	15.23	-4.5	-6.65	8.58	0.007	7.000	Pass
			1	High	15.35	-4.5	-6.65	8.70	0.007	7.000	Pass
			25	Low	13.87	-4.5	-6.65	7.22	0.005	7.000	Pass
			25	Mid	13.9	-4.5	-6.65	7.25	0.005	7.000	Pass
			25	High	13.96	-4.5	-6.65	7.31	0.005	7.000	Pass
			50	Low	13.89	-4.5	-6.65	7.24	0.005	7.000	Pass
		Q64	1	Low	14.03	-4.5	-6.65	7.38	0.005	7.000	Pass
			1	Mid	14.08	-4.5	-6.65	7.43	0.006	7.000	Pass
			1	High	14.18	-4.5	-6.65	7.53	0.006	7.000	Pass
			25	Low	12.92	-4.5	-6.65	6.27	0.004	7.000	Pass
			25	Mid	12.95	-4.5	-6.65	6.30	0.004	7.000	Pass
			25	High	13.02	-4.5	-6.65	6.37	0.004	7.000	Pass
			50	Low	12.91	-4.5	-6.65	6.26	0.004	7.000	Pass
		Q256	1	Low	10.73	-4.5	-6.65	4.08	0.003	7.000	Pass
			1	Mid	10.83	-4.5	-6.65	4.18	0.003	7.000	Pass
			1	High	10.85	-4.5	-6.65	4.20	0.003	7.000	Pass
			25	Low	10.9	-4.5	-6.65	4.25	0.003	7.000	Pass
			25	Mid	10.96	-4.5	-6.65	4.31	0.003	7.000	Pass
			25	High	11	-4.5	-6.65	4.35	0.003	7.000	Pass
			50	Low	10.92	-4.5	-6.65	4.27	0.003	7.000	Pass
	HCH	QPSK	1	Low	15.93	-4.5	-6.65	9.28	0.008	7.000	Pass
			1	Mid	15.83	-4.5	-6.65	9.18	0.008	7.000	Pass
			1	High	15.94	-4.5	-6.65	9.29	0.008	7.000	Pass
			25	Low	14.94	-4.5	-6.65	8.29	0.007	7.000	Pass
			25	Mid	14.92	-4.5	-6.65	8.27	0.007	7.000	Pass
			25	High	14.93	-4.5	-6.65	8.28	0.007	7.000	Pass
			50	Low	14.94	-4.5	-6.65	8.29	0.007	7.000	Pass
		Q16	1	Low	15.01	-4.5	-6.65	8.36	0.007	7.000	Pass
			1	Mid	14.88	-4.5	-6.65	8.23	0.007	7.000	Pass
			1	High	15	-4.5	-6.65	8.35	0.007	7.000	Pass
			25	Low	14.02	-4.5	-6.65	7.37	0.005	7.000	Pass
			25	Mid	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			25	High	14	-4.5	-6.65	7.35	0.005	7.000	Pass
			50	Low	13.94	-4.5	-6.65	7.29	0.005	7.000	Pass
		Q64	1	Low	14.17	-4.5	-6.65	7.52	0.006	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	14.06	-4.5	-6.65	7.41	0.006	7.000	Pass
			1	High	14.14	-4.5	-6.65	7.49	0.006	7.000	Pass
			25	Low	13.01	-4.5	-6.65	6.36	0.004	7.000	Pass
			25	Mid	12.98	-4.5	-6.65	6.33	0.004	7.000	Pass
			25	High	12.99	-4.5	-6.65	6.34	0.004	7.000	Pass
			50	Low	12.93	-4.5	-6.65	6.28	0.004	7.000	Pass
		Q256	1	Low	10.82	-4.5	-6.65	4.17	0.003	7.000	Pass
			1	Mid	10.8	-4.5	-6.65	4.15	0.003	7.000	Pass
			1	High	10.85	-4.5	-6.65	4.20	0.003	7.000	Pass
			25	Low	11.05	-4.5	-6.65	4.40	0.003	7.000	Pass
			25	Mid	11.05	-4.5	-6.65	4.40	0.003	7.000	Pass
			25	High	11.04	-4.5	-6.65	4.39	0.003	7.000	Pass
			50	Low	10.97	-4.5	-6.65	4.32	0.003	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
5	LCH	QPSK	1	Low	15.3	-1.7	13.60	0.023	2.000	Pass
			1	Mid	15.34	-1.7	13.64	0.023	2.000	Pass
			1	High	15.35	-1.7	13.65	0.023	2.000	Pass
			12	Low	14.21	-1.7	12.51	0.018	2.000	Pass
			12	Mid	14.21	-1.7	12.51	0.018	2.000	Pass
			12	High	14.21	-1.7	12.51	0.018	2.000	Pass
			25	Low	14.27	-1.7	12.57	0.018	2.000	Pass
		Q16	1	Low	14.38	-1.7	12.68	0.019	2.000	Pass
			1	Mid	14.42	-1.7	12.72	0.019	2.000	Pass
			1	High	14.45	-1.7	12.75	0.019	2.000	Pass
			12	Low	13.26	-1.7	11.56	0.014	2.000	Pass
			12	Mid	13.25	-1.7	11.55	0.014	2.000	Pass
			12	High	13.29	-1.7	11.59	0.014	2.000	Pass
			25	Low	13.24	-1.7	11.54	0.014	2.000	Pass
		Q64	1	Low	13.1	-1.7	11.40	0.014	2.000	Pass
			1	Mid	13.11	-1.7	11.41	0.014	2.000	Pass
			1	High	13.12	-1.7	11.42	0.014	2.000	Pass
			12	Low	12.26	-1.7	10.56	0.011	2.000	Pass
			12	Mid	12.26	-1.7	10.56	0.011	2.000	Pass
			12	High	12.25	-1.7	10.55	0.011	2.000	Pass
			25	Low	12.2	-1.7	10.50	0.011	2.000	Pass
		Q256	1	Low	9.85	-1.7	8.15	0.007	2.000	Pass
			1	Mid	9.89	-1.7	8.19	0.007	2.000	Pass
			1	High	9.89	-1.7	8.19	0.007	2.000	Pass
			12	Low	10.19	-1.7	8.49	0.007	2.000	Pass
			12	Mid	10.2	-1.7	8.50	0.007	2.000	Pass
			12	High	10.18	-1.7	8.48	0.007	2.000	Pass
			25	Low	10.22	-1.7	8.52	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.33	-1.7	13.63	0.023	2.000	Pass
			1	Mid	15.38	-1.7	13.68	0.023	2.000	Pass
			1	High	15.38	-1.7	13.68	0.023	2.000	Pass
			12	Low	14.4	-1.7	12.70	0.019	2.000	Pass
			12	Mid	14.42	-1.7	12.72	0.019	2.000	Pass
			12	High	14.41	-1.7	12.71	0.019	2.000	Pass
			25	Low	14.45	-1.7	12.75	0.019	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	14.88	-1.7	13.18	0.021	2.000	Pass
			1	Mid	14.92	-1.7	13.22	0.021	2.000	Pass
			1	High	14.92	-1.7	13.22	0.021	2.000	Pass
			12	Low	13.54	-1.7	11.84	0.015	2.000	Pass
			12	Mid	13.56	-1.7	11.86	0.015	2.000	Pass
			12	High	13.54	-1.7	11.84	0.015	2.000	Pass
			25	Low	13.5	-1.7	11.80	0.015	2.000	Pass
		Q64	1	Low	13.64	-1.7	11.94	0.016	2.000	Pass
			1	Mid	13.69	-1.7	11.99	0.016	2.000	Pass
			1	High	13.69	-1.7	11.99	0.016	2.000	Pass
			12	Low	12.36	-1.7	10.66	0.012	2.000	Pass
			12	Mid	12.38	-1.7	10.68	0.012	2.000	Pass
			12	High	12.37	-1.7	10.67	0.012	2.000	Pass
			25	Low	12.41	-1.7	10.71	0.012	2.000	Pass
		Q256	1	Low	10.59	-1.7	8.89	0.008	2.000	Pass
			1	Mid	10.66	-1.7	8.96	0.008	2.000	Pass
			1	High	10.63	-1.7	8.93	0.008	2.000	Pass
			12	Low	10.46	-1.7	8.76	0.008	2.000	Pass
			12	Mid	10.48	-1.7	8.78	0.008	2.000	Pass
			12	High	10.47	-1.7	8.77	0.008	2.000	Pass
			25	Low	10.48	-1.7	8.78	0.008	2.000	Pass
	HCH	QPSK	1	Low	15.34	-1.7	13.64	0.023	2.000	Pass
			1	Mid	15.34	-1.7	13.64	0.023	2.000	Pass
			1	High	15.34	-1.7	13.64	0.023	2.000	Pass
			12	Low	14.28	-1.7	12.58	0.018	2.000	Pass
			12	Mid	14.27	-1.7	12.57	0.018	2.000	Pass
			12	High	14.23	-1.7	12.53	0.018	2.000	Pass
			25	Low	14.28	-1.7	12.58	0.018	2.000	Pass
		Q16	1	Low	14.33	-1.7	12.63	0.018	2.000	Pass
			1	Mid	14.3	-1.7	12.60	0.018	2.000	Pass
			1	High	14.32	-1.7	12.62	0.018	2.000	Pass
			12	Low	13.36	-1.7	11.66	0.015	2.000	Pass
			12	Mid	13.3	-1.7	11.60	0.014	2.000	Pass
			12	High	13.3	-1.7	11.60	0.014	2.000	Pass
			25	Low	13.22	-1.7	11.52	0.014	2.000	Pass
		Q64	1	Low	13.46	-1.7	11.76	0.015	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	13.46	-1.7	11.76	0.015	2.000	Pass
			1	High	13.51	-1.7	11.81	0.015	2.000	Pass
			12	Low	12.35	-1.7	10.65	0.012	2.000	Pass
			12	Mid	12.34	-1.7	10.64	0.012	2.000	Pass
			12	High	12.29	-1.7	10.59	0.011	2.000	Pass
			25	Low	12.31	-1.7	10.61	0.012	2.000	Pass
		Q256	1	Low	10.25	-1.7	8.55	0.007	2.000	Pass
			1	Mid	10.24	-1.7	8.54	0.007	2.000	Pass
			1	High	10.21	-1.7	8.51	0.007	2.000	Pass
			12	Low	10.39	-1.7	8.69	0.007	2.000	Pass
			12	Mid	10.37	-1.7	8.67	0.007	2.000	Pass
			12	High	10.34	-1.7	8.64	0.007	2.000	Pass
			25	Low	10.35	-1.7	8.65	0.007	2.000	Pass
10	LCH	QPSK	1	Low	15.29	-1.7	13.59	0.023	2.000	Pass
			1	Mid	15.27	-1.7	13.57	0.023	2.000	Pass
			1	High	15.38	-1.7	13.68	0.023	2.000	Pass
			25	Low	14.23	-1.7	12.53	0.018	2.000	Pass
			25	Mid	14.24	-1.7	12.54	0.018	2.000	Pass
			25	High	14.28	-1.7	12.58	0.018	2.000	Pass
			50	Low	14.26	-1.7	12.56	0.018	2.000	Pass
		Q16	1	Low	14.17	-1.7	12.47	0.018	2.000	Pass
			1	Mid	14.11	-1.7	12.41	0.017	2.000	Pass
			1	High	14.2	-1.7	12.50	0.018	2.000	Pass
			25	Low	13.23	-1.7	11.53	0.014	2.000	Pass
			25	Mid	13.24	-1.7	11.54	0.014	2.000	Pass
			25	High	13.27	-1.7	11.57	0.014	2.000	Pass
			50	Low	13.21	-1.7	11.51	0.014	2.000	Pass
		Q64	1	Low	13.57	-1.7	11.87	0.015	2.000	Pass
			1	Mid	13.55	-1.7	11.85	0.015	2.000	Pass
			1	High	13.63	-1.7	11.93	0.016	2.000	Pass
			25	Low	12.27	-1.7	10.57	0.011	2.000	Pass
			25	Mid	12.27	-1.7	10.57	0.011	2.000	Pass
			25	High	12.31	-1.7	10.61	0.012	2.000	Pass
			50	Low	12.24	-1.7	10.54	0.011	2.000	Pass
		Q256	1	Low	10.82	-1.7	9.12	0.008	2.000	Pass
			1	Mid	10.77	-1.7	9.07	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
	MCH		1	High	10.85	-1.7	9.15	0.008	2.000	Pass
			25	Low	10.25	-1.7	8.55	0.007	2.000	Pass
			25	Mid	10.24	-1.7	8.54	0.007	2.000	Pass
			25	High	10.27	-1.7	8.57	0.007	2.000	Pass
			50	Low	10.27	-1.7	8.57	0.007	2.000	Pass
		QPSK	1	Low	15.39	-1.7	13.69	0.023	2.000	Pass
			1	Mid	15.41	-1.7	13.71	0.023	2.000	Pass
			1	High	15.4	-1.7	13.70	0.023	2.000	Pass
			25	Low	14.4	-1.7	12.70	0.019	2.000	Pass
			25	Mid	14.38	-1.7	12.68	0.019	2.000	Pass
			25	High	14.4	-1.7	12.70	0.019	2.000	Pass
			50	Low	14.38	-1.7	12.68	0.019	2.000	Pass
		Q16	1	Low	14.72	-1.7	13.02	0.020	2.000	Pass
			1	Mid	14.72	-1.7	13.02	0.020	2.000	Pass
			1	High	14.77	-1.7	13.07	0.020	2.000	Pass
			25	Low	13.42	-1.7	11.72	0.015	2.000	Pass
			25	Mid	13.4	-1.7	11.70	0.015	2.000	Pass
			25	High	13.43	-1.7	11.73	0.015	2.000	Pass
			50	Low	13.38	-1.7	11.68	0.015	2.000	Pass
		Q64	1	Low	13.51	-1.7	11.81	0.015	2.000	Pass
			1	Mid	13.56	-1.7	11.86	0.015	2.000	Pass
			1	High	13.56	-1.7	11.86	0.015	2.000	Pass
			25	Low	12.48	-1.7	10.78	0.012	2.000	Pass
			25	Mid	12.46	-1.7	10.76	0.012	2.000	Pass
			25	High	12.48	-1.7	10.78	0.012	2.000	Pass
			50	Low	12.42	-1.7	10.72	0.012	2.000	Pass
		Q256	1	Low	10.23	-1.7	8.53	0.007	2.000	Pass
			1	Mid	10.28	-1.7	8.58	0.007	2.000	Pass
			1	High	10.29	-1.7	8.59	0.007	2.000	Pass
			25	Low	10.43	-1.7	8.73	0.007	2.000	Pass
			25	Mid	10.42	-1.7	8.72	0.007	2.000	Pass
			25	High	10.45	-1.7	8.75	0.007	2.000	Pass
			50	Low	10.37	-1.7	8.67	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.25	-1.7	13.55	0.023	2.000	Pass
			1	Mid	15.19	-1.7	13.49	0.022	2.000	Pass
			1	High	15.23	-1.7	13.53	0.023	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			25	Low	14.26	-1.7	12.56	0.018	2.000	Pass
			25	Mid	14.28	-1.7	12.58	0.018	2.000	Pass
			25	High	14.24	-1.7	12.54	0.018	2.000	Pass
			50	Low	14.26	-1.7	12.56	0.018	2.000	Pass
		Q16	1	Low	14.2	-1.7	12.50	0.018	2.000	Pass
			1	Mid	14.17	-1.7	12.47	0.018	2.000	Pass
			1	High	14.26	-1.7	12.56	0.018	2.000	Pass
			25	Low	13.36	-1.7	11.66	0.015	2.000	Pass
			25	Mid	13.35	-1.7	11.65	0.015	2.000	Pass
			25	High	13.32	-1.7	11.62	0.015	2.000	Pass
			50	Low	13.28	-1.7	11.58	0.014	2.000	Pass
		Q64	1	Low	13.41	-1.7	11.71	0.015	2.000	Pass
			1	Mid	13.39	-1.7	11.69	0.015	2.000	Pass
			1	High	13.41	-1.7	11.71	0.015	2.000	Pass
			25	Low	12.36	-1.7	10.66	0.012	2.000	Pass
			25	Mid	12.33	-1.7	10.63	0.012	2.000	Pass
			25	High	12.32	-1.7	10.62	0.012	2.000	Pass
			50	Low	12.27	-1.7	10.57	0.011	2.000	Pass
		Q256	1	Low	10.21	-1.7	8.51	0.007	2.000	Pass
			1	Mid	10.14	-1.7	8.44	0.007	2.000	Pass
			1	High	10.14	-1.7	8.44	0.007	2.000	Pass
			25	Low	10.38	-1.7	8.68	0.007	2.000	Pass
			25	Mid	10.38	-1.7	8.68	0.007	2.000	Pass
			25	High	10.35	-1.7	8.65	0.007	2.000	Pass
			50	Low	10.28	-1.7	8.58	0.007	2.000	Pass
15	LCH	QPSK	1	Low	15.3	-1.7	13.60	0.023	2.000	Pass
			1	Mid	15.35	-1.7	13.65	0.023	2.000	Pass
			1	High	15.27	-1.7	13.57	0.023	2.000	Pass
			36	Low	14.26	-1.7	12.56	0.018	2.000	Pass
			36	Mid	14.29	-1.7	12.59	0.018	2.000	Pass
			36	High	14.27	-1.7	12.57	0.018	2.000	Pass
			75	Low	14.29	-1.7	12.59	0.018	2.000	Pass
		Q16	1	Low	14.16	-1.7	12.46	0.018	2.000	Pass
			1	Mid	14.24	-1.7	12.54	0.018	2.000	Pass
			1	High	14.2	-1.7	12.50	0.018	2.000	Pass
			36	Low	13.28	-1.7	11.58	0.014	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	Mid	13.32	-1.7	11.62	0.015	2.000	Pass
			36	High	13.32	-1.7	11.62	0.015	2.000	Pass
			75	Low	13.31	-1.7	11.61	0.014	2.000	Pass
		Q64	1	Low	13.61	-1.7	11.91	0.016	2.000	Pass
			1	Mid	13.69	-1.7	11.99	0.016	2.000	Pass
			1	High	13.65	-1.7	11.95	0.016	2.000	Pass
			36	Low	12.3	-1.7	10.60	0.011	2.000	Pass
			36	Mid	12.32	-1.7	10.62	0.012	2.000	Pass
			36	High	12.31	-1.7	10.61	0.012	2.000	Pass
			75	Low	12.29	-1.7	10.59	0.011	2.000	Pass
		Q256	1	Low	10.8	-1.7	9.10	0.008	2.000	Pass
			1	Mid	10.89	-1.7	9.19	0.008	2.000	Pass
			1	High	10.82	-1.7	9.12	0.008	2.000	Pass
			36	Low	10.28	-1.7	8.58	0.007	2.000	Pass
			36	Mid	10.3	-1.7	8.60	0.007	2.000	Pass
			36	High	10.29	-1.7	8.59	0.007	2.000	Pass
			75	Low	10.3	-1.7	8.60	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.38	-1.7	13.68	0.023	2.000	Pass
			1	Mid	15.5	-1.7	13.80	0.024	2.000	Pass
			1	High	15.39	-1.7	13.69	0.023	2.000	Pass
			36	Low	14.38	-1.7	12.68	0.019	2.000	Pass
			36	Mid	14.39	-1.7	12.69	0.019	2.000	Pass
			36	High	14.38	-1.7	12.68	0.019	2.000	Pass
			75	Low	14.38	-1.7	12.68	0.019	2.000	Pass
		Q16	1	Low	14.73	-1.7	13.03	0.020	2.000	Pass
			1	Mid	14.79	-1.7	13.09	0.020	2.000	Pass
			1	High	14.74	-1.7	13.04	0.020	2.000	Pass
			36	Low	13.47	-1.7	11.77	0.015	2.000	Pass
			36	Mid	13.45	-1.7	11.75	0.015	2.000	Pass
			36	High	13.45	-1.7	11.75	0.015	2.000	Pass
			75	Low	13.41	-1.7	11.71	0.015	2.000	Pass
		Q64	1	Low	13.5	-1.7	11.80	0.015	2.000	Pass
			1	Mid	13.62	-1.7	11.92	0.016	2.000	Pass
			1	High	13.55	-1.7	11.85	0.015	2.000	Pass
			36	Low	12.48	-1.7	10.78	0.012	2.000	Pass
			36	Mid	12.47	-1.7	10.77	0.012	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	High	12.49	-1.7	10.79	0.012	2.000	Pass
			75	Low	12.4	-1.7	10.70	0.012	2.000	Pass
		Q256	1	Low	10.24	-1.7	8.54	0.007	2.000	Pass
			1	Mid	10.37	-1.7	8.67	0.007	2.000	Pass
			1	High	10.3	-1.7	8.60	0.007	2.000	Pass
			36	Low	10.41	-1.7	8.71	0.007	2.000	Pass
			36	Mid	10.42	-1.7	8.72	0.007	2.000	Pass
			36	High	10.42	-1.7	8.72	0.007	2.000	Pass
			75	Low	10.41	-1.7	8.71	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.3	-1.7	13.60	0.023	2.000	Pass
			1	Mid	15.31	-1.7	13.61	0.023	2.000	Pass
			1	High	15.33	-1.7	13.63	0.023	2.000	Pass
			36	Low	14.26	-1.7	12.56	0.018	2.000	Pass
			36	Mid	14.29	-1.7	12.59	0.018	2.000	Pass
			36	High	14.25	-1.7	12.55	0.018	2.000	Pass
			75	Low	14.27	-1.7	12.57	0.018	2.000	Pass
		Q16	1	Low	14.53	-1.7	12.83	0.019	2.000	Pass
			1	Mid	14.53	-1.7	12.83	0.019	2.000	Pass
			1	High	14.55	-1.7	12.85	0.019	2.000	Pass
			36	Low	13.28	-1.7	11.58	0.014	2.000	Pass
			36	Mid	13.28	-1.7	11.58	0.014	2.000	Pass
			36	High	13.27	-1.7	11.57	0.014	2.000	Pass
			75	Low	13.3	-1.7	11.60	0.014	2.000	Pass
		Q64	1	Low	13.81	-1.7	12.11	0.016	2.000	Pass
			1	Mid	13.81	-1.7	12.11	0.016	2.000	Pass
			1	High	13.84	-1.7	12.14	0.016	2.000	Pass
			36	Low	12.31	-1.7	10.61	0.012	2.000	Pass
			36	Mid	12.33	-1.7	10.63	0.012	2.000	Pass
			36	High	12.28	-1.7	10.58	0.011	2.000	Pass
			75	Low	12.34	-1.7	10.64	0.012	2.000	Pass
		Q256	1	Low	10.71	-1.7	9.01	0.008	2.000	Pass
			1	Mid	10.71	-1.7	9.01	0.008	2.000	Pass
			1	High	10.66	-1.7	8.96	0.008	2.000	Pass
			36	Low	10.36	-1.7	8.66	0.007	2.000	Pass
			36	Mid	10.36	-1.7	8.66	0.007	2.000	Pass
			36	High	10.32	-1.7	8.62	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
20	LCH	QPSK	75	Low	10.35	-1.7	8.65	0.007	2.000	Pass
			1	Low	15.28	-1.7	13.58	0.023	2.000	Pass
			1	Mid	15.36	-1.7	13.66	0.023	2.000	Pass
			1	High	15.32	-1.7	13.62	0.023	2.000	Pass
			50	Low	14.28	-1.7	12.58	0.018	2.000	Pass
			50	Mid	14.31	-1.7	12.61	0.018	2.000	Pass
			50	High	14.32	-1.7	12.62	0.018	2.000	Pass
			100	Low	14.3	-1.7	12.60	0.018	2.000	Pass
		Q16	1	Low	14.91	-1.7	13.21	0.021	2.000	Pass
			1	Mid	14.86	-1.7	13.16	0.021	2.000	Pass
			1	High	14.87	-1.7	13.17	0.021	2.000	Pass
			50	Low	13.31	-1.7	11.61	0.014	2.000	Pass
			50	Mid	13.33	-1.7	11.63	0.015	2.000	Pass
			50	High	13.35	-1.7	11.65	0.015	2.000	Pass
			100	Low	13.33	-1.7	11.63	0.015	2.000	Pass
		Q64	1	Low	13.53	-1.7	11.83	0.015	2.000	Pass
			1	Mid	13.61	-1.7	11.91	0.016	2.000	Pass
			1	High	13.54	-1.7	11.84	0.015	2.000	Pass
			50	Low	12.33	-1.7	10.63	0.012	2.000	Pass
			50	Mid	12.36	-1.7	10.66	0.012	2.000	Pass
			50	High	12.38	-1.7	10.68	0.012	2.000	Pass
			100	Low	12.32	-1.7	10.62	0.012	2.000	Pass
		Q256	1	Low	10.5	-1.7	8.80	0.008	2.000	Pass
			1	Mid	10.55	-1.7	8.85	0.008	2.000	Pass
			1	High	10.51	-1.7	8.81	0.008	2.000	Pass
			50	Low	10.27	-1.7	8.57	0.007	2.000	Pass
			50	Mid	10.3	-1.7	8.60	0.007	2.000	Pass
			50	High	10.32	-1.7	8.62	0.007	2.000	Pass
			100	Low	10.26	-1.7	8.56	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.39	-1.7	13.69	0.023	2.000	Pass
			1	Mid	15.46	-1.7	13.76	0.024	2.000	Pass
			1	High	15.39	-1.7	13.69	0.023	2.000	Pass
			50	Low	14.42	-1.7	12.72	0.019	2.000	Pass
			50	Mid	14.42	-1.7	12.72	0.019	2.000	Pass
			50	High	14.41	-1.7	12.71	0.019	2.000	Pass
			100	Low	14.39	-1.7	12.69	0.019	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	14.67	-1.7	12.97	0.020	2.000	Pass
			1	Mid	14.76	-1.7	13.06	0.020	2.000	Pass
			1	High	14.7	-1.7	13.00	0.020	2.000	Pass
			50	Low	13.46	-1.7	11.76	0.015	2.000	Pass
			50	Mid	13.45	-1.7	11.75	0.015	2.000	Pass
			50	High	13.44	-1.7	11.74	0.015	2.000	Pass
			100	Low	13.42	-1.7	11.72	0.015	2.000	Pass
		Q64	1	Low	13.89	-1.7	12.19	0.017	2.000	Pass
			1	Mid	14.01	-1.7	12.31	0.017	2.000	Pass
			1	High	13.92	-1.7	12.22	0.017	2.000	Pass
			50	Low	12.46	-1.7	10.76	0.012	2.000	Pass
			50	Mid	12.48	-1.7	10.78	0.012	2.000	Pass
			50	High	12.46	-1.7	10.76	0.012	2.000	Pass
			100	Low	12.41	-1.7	10.71	0.012	2.000	Pass
		Q256	1	Low	10.51	-1.7	8.81	0.008	2.000	Pass
			1	Mid	10.67	-1.7	8.97	0.008	2.000	Pass
			1	High	10.56	-1.7	8.86	0.008	2.000	Pass
			50	Low	10.46	-1.7	8.76	0.008	2.000	Pass
			50	Mid	10.47	-1.7	8.77	0.008	2.000	Pass
			50	High	10.45	-1.7	8.75	0.007	2.000	Pass
			100	Low	10.43	-1.7	8.73	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.26	-1.7	13.56	0.023	2.000	Pass
			1	Mid	15.3	-1.7	13.60	0.023	2.000	Pass
			1	High	15.29	-1.7	13.59	0.023	2.000	Pass
			50	Low	14.28	-1.7	12.58	0.018	2.000	Pass
			50	Mid	14.3	-1.7	12.60	0.018	2.000	Pass
			50	High	14.27	-1.7	12.57	0.018	2.000	Pass
			100	Low	14.28	-1.7	12.58	0.018	2.000	Pass
		Q16	1	Low	14.6	-1.7	12.90	0.019	2.000	Pass
			1	Mid	14.67	-1.7	12.97	0.020	2.000	Pass
			1	High	14.65	-1.7	12.95	0.020	2.000	Pass
			50	Low	13.26	-1.7	11.56	0.014	2.000	Pass
			50	Mid	13.28	-1.7	11.58	0.014	2.000	Pass
			50	High	13.27	-1.7	11.57	0.014	2.000	Pass
			100	Low	13.29	-1.7	11.59	0.014	2.000	Pass
		Q64	1	Low	13.39	-1.7	11.69	0.015	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	13.42	-1.7	11.72	0.015	2.000	Pass
			1	High	13.38	-1.7	11.68	0.015	2.000	Pass
			50	Low	12.34	-1.7	10.64	0.012	2.000	Pass
			50	Mid	12.37	-1.7	10.67	0.012	2.000	Pass
			50	High	12.34	-1.7	10.64	0.012	2.000	Pass
			100	Low	12.34	-1.7	10.64	0.012	2.000	Pass
		Q256	1	Low	10.29	-1.7	8.59	0.007	2.000	Pass
			1	Mid	10.38	-1.7	8.68	0.007	2.000	Pass
			1	High	10.27	-1.7	8.57	0.007	2.000	Pass
			50	Low	10.36	-1.7	8.66	0.007	2.000	Pass
			50	Mid	10.38	-1.7	8.68	0.007	2.000	Pass
			50	High	10.36	-1.7	8.66	0.007	2.000	Pass
			100	Low	10.36	-1.7	8.66	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
1.4	LCH	QPSK	1	Low	15.67	-3.5	-5.65	10.02	0.010	3.000	Pass
			1	Mid	15.66	-3.5	-5.65	10.01	0.010	3.000	Pass
			1	High	15.74	-3.5	-5.65	10.09	0.010	3.000	Pass
			3	Low	15.41	-3.5	-5.65	9.76	0.009	3.000	Pass
			3	Mid	15.42	-3.5	-5.65	9.77	0.009	3.000	Pass
			3	High	15.47	-3.5	-5.65	9.82	0.010	3.000	Pass
		Q16	6	Low	14.51	-3.5	-5.65	8.86	0.008	3.000	Pass
			1	Low	14.61	-3.5	-5.65	8.96	0.008	3.000	Pass
			1	Mid	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			1	High	14.64	-3.5	-5.65	8.99	0.008	3.000	Pass
			3	Low	14.51	-3.5	-5.65	8.86	0.008	3.000	Pass
			3	Mid	14.5	-3.5	-5.65	8.85	0.008	3.000	Pass
			3	High	14.54	-3.5	-5.65	8.89	0.008	3.000	Pass
			6	Low	13.63	-3.5	-5.65	7.98	0.006	3.000	Pass
		Q64	1	Low	13.93	-3.5	-5.65	8.28	0.007	3.000	Pass
			1	Mid	13.98	-3.5	-5.65	8.33	0.007	3.000	Pass
			1	High	13.95	-3.5	-5.65	8.30	0.007	3.000	Pass
			3	Low	13.85	-3.5	-5.65	8.20	0.007	3.000	Pass
			3	Mid	13.84	-3.5	-5.65	8.19	0.007	3.000	Pass
			3	High	13.84	-3.5	-5.65	8.19	0.007	3.000	Pass
			6	Low	12.54	-3.5	-5.65	6.89	0.005	3.000	Pass
		Q256	1	Low	10.66	-3.5	-5.65	5.01	0.003	3.000	Pass
			1	Mid	10.72	-3.5	-5.65	5.07	0.003	3.000	Pass
			1	High	10.68	-3.5	-5.65	5.03	0.003	3.000	Pass
			3	Low	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			3	Mid	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass
			3	High	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
	MCH	QPSK	6	Low	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
			1	Low	15.55	-3.5	-5.65	9.90	0.010	3.000	Pass
			1	Mid	15.59	-3.5	-5.65	9.94	0.010	3.000	Pass
			1	High	15.58	-3.5	-5.65	9.93	0.010	3.000	Pass
			3	Low	15.48	-3.5	-5.65	9.83	0.010	3.000	Pass
			3	Mid	15.47	-3.5	-5.65	9.82	0.010	3.000	Pass
			3	High	15.5	-3.5	-5.65	9.85	0.010	3.000	Pass
			6	Low	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	14.94	-3.5	-5.65	9.29	0.008	3.000	Pass
			1	Mid	14.89	-3.5	-5.65	9.24	0.008	3.000	Pass
			1	High	14.95	-3.5	-5.65	9.30	0.009	3.000	Pass
			3	Low	14.68	-3.5	-5.65	9.03	0.008	3.000	Pass
			3	Mid	14.67	-3.5	-5.65	9.02	0.008	3.000	Pass
			3	High	14.67	-3.5	-5.65	9.02	0.008	3.000	Pass
			6	Low	13.41	-3.5	-5.65	7.76	0.006	3.000	Pass
		Q64	1	Low	13.74	-3.5	-5.65	8.09	0.006	3.000	Pass
			1	Mid	13.78	-3.5	-5.65	8.13	0.007	3.000	Pass
			1	High	13.76	-3.5	-5.65	8.11	0.006	3.000	Pass
			3	Low	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass
			3	Mid	13.66	-3.5	-5.65	8.01	0.006	3.000	Pass
			3	High	13.69	-3.5	-5.65	8.04	0.006	3.000	Pass
			6	Low	12.84	-3.5	-5.65	7.19	0.005	3.000	Pass
		Q256	1	Low	10.48	-3.5	-5.65	4.83	0.003	3.000	Pass
			1	Mid	10.47	-3.5	-5.65	4.82	0.003	3.000	Pass
			1	High	10.52	-3.5	-5.65	4.87	0.003	3.000	Pass
			3	Low	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			3	Mid	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
			3	High	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			6	Low	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
	HCH	QPSK	1	Low	15.45	-3.5	-5.65	9.80	0.010	3.000	Pass
			1	Mid	15.46	-3.5	-5.65	9.81	0.010	3.000	Pass
			1	High	15.5	-3.5	-5.65	9.85	0.010	3.000	Pass
			3	Low	15.46	-3.5	-5.65	9.81	0.010	3.000	Pass
			3	Mid	15.46	-3.5	-5.65	9.81	0.010	3.000	Pass
			3	High	15.5	-3.5	-5.65	9.85	0.010	3.000	Pass
			6	Low	14.48	-3.5	-5.65	8.83	0.008	3.000	Pass
		Q16	1	Low	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			1	Mid	14.42	-3.5	-5.65	8.77	0.008	3.000	Pass
			1	High	14.56	-3.5	-5.65	8.91	0.008	3.000	Pass
			3	Low	14.63	-3.5	-5.65	8.98	0.008	3.000	Pass
			3	Mid	14.64	-3.5	-5.65	8.99	0.008	3.000	Pass
			3	High	14.68	-3.5	-5.65	9.03	0.008	3.000	Pass
			6	Low	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass
		Q64	1	Low	13.7	-3.5	-5.65	8.05	0.006	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		QPSK	1	Mid	13.68	-3.5	-5.65	8.03	0.006	3.000	Pass
			1	High	13.77	-3.5	-5.65	8.12	0.006	3.000	Pass
			3	Low	13.42	-3.5	-5.65	7.77	0.006	3.000	Pass
			3	Mid	13.45	-3.5	-5.65	7.80	0.006	3.000	Pass
			3	High	13.5	-3.5	-5.65	7.85	0.006	3.000	Pass
			6	Low	12.61	-3.5	-5.65	6.96	0.005	3.000	Pass
		Q256	1	Low	10.38	-3.5	-5.65	4.73	0.003	3.000	Pass
			1	Mid	10.4	-3.5	-5.65	4.75	0.003	3.000	Pass
			1	High	10.43	-3.5	-5.65	4.78	0.003	3.000	Pass
			3	Low	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			3	Mid	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			3	High	10.6	-3.5	-5.65	4.95	0.003	3.000	Pass
			6	Low	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
3	LCH	QPSK	1	Low	15.53	-3.5	-5.65	9.88	0.010	3.000	Pass
			1	Mid	15.61	-3.5	-5.65	9.96	0.010	3.000	Pass
			1	High	15.55	-3.5	-5.65	9.90	0.010	3.000	Pass
			8	Low	14.59	-3.5	-5.65	8.94	0.008	3.000	Pass
			8	Mid	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			8	High	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass
			15	Low	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass
		Q16	1	Low	14.44	-3.5	-5.65	8.79	0.008	3.000	Pass
			1	Mid	14.38	-3.5	-5.65	8.73	0.007	3.000	Pass
			1	High	14.37	-3.5	-5.65	8.72	0.007	3.000	Pass
			8	Low	13.68	-3.5	-5.65	8.03	0.006	3.000	Pass
			8	Mid	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass
			8	High	13.61	-3.5	-5.65	7.96	0.006	3.000	Pass
			15	Low	13.59	-3.5	-5.65	7.94	0.006	3.000	Pass
		Q64	1	Low	13.89	-3.5	-5.65	8.24	0.007	3.000	Pass
			1	Mid	13.87	-3.5	-5.65	8.22	0.007	3.000	Pass
			1	High	13.82	-3.5	-5.65	8.17	0.007	3.000	Pass
			8	Low	12.7	-3.5	-5.65	7.05	0.005	3.000	Pass
			8	Mid	12.66	-3.5	-5.65	7.01	0.005	3.000	Pass
			8	High	12.63	-3.5	-5.65	6.98	0.005	3.000	Pass
			15	Low	12.56	-3.5	-5.65	6.91	0.005	3.000	Pass
		Q256	1	Low	11.18	-3.5	-5.65	5.53	0.004	3.000	Pass
			1	Mid	11.13	-3.5	-5.65	5.48	0.004	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	High	11.07	-3.5	-5.65	5.42	0.003	3.000	Pass
			8	Low	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			8	Mid	10.68	-3.5	-5.65	5.03	0.003	3.000	Pass
			8	High	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
			15	Low	10.62	-3.5	-5.65	4.97	0.003	3.000	Pass
	MCH	QPSK	1	Low	15.56	-3.5	-5.65	9.91	0.010	3.000	Pass
			1	Mid	15.67	-3.5	-5.65	10.02	0.010	3.000	Pass
			1	High	15.56	-3.5	-5.65	9.91	0.010	3.000	Pass
			8	Low	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
			8	Mid	14.56	-3.5	-5.65	8.91	0.008	3.000	Pass
			8	High	14.54	-3.5	-5.65	8.89	0.008	3.000	Pass
			15	Low	14.57	-3.5	-5.65	8.92	0.008	3.000	Pass
		Q16	1	Low	14.92	-3.5	-5.65	9.27	0.008	3.000	Pass
			1	Mid	14.97	-3.5	-5.65	9.32	0.009	3.000	Pass
			1	High	14.97	-3.5	-5.65	9.32	0.009	3.000	Pass
			8	Low	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass
			8	Mid	13.62	-3.5	-5.65	7.97	0.006	3.000	Pass
			8	High	13.62	-3.5	-5.65	7.97	0.006	3.000	Pass
			15	Low	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass
		Q64	1	Low	13.67	-3.5	-5.65	8.02	0.006	3.000	Pass
			1	Mid	13.75	-3.5	-5.65	8.10	0.006	3.000	Pass
			1	High	13.76	-3.5	-5.65	8.11	0.006	3.000	Pass
			8	Low	12.68	-3.5	-5.65	7.03	0.005	3.000	Pass
			8	Mid	12.65	-3.5	-5.65	7.00	0.005	3.000	Pass
			8	High	12.65	-3.5	-5.65	7.00	0.005	3.000	Pass
			15	Low	12.63	-3.5	-5.65	6.98	0.005	3.000	Pass
		Q256	1	Low	10.44	-3.5	-5.65	4.79	0.003	3.000	Pass
			1	Mid	10.49	-3.5	-5.65	4.84	0.003	3.000	Pass
			1	High	10.43	-3.5	-5.65	4.78	0.003	3.000	Pass
			8	Low	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			8	Mid	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			8	High	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			15	Low	10.68	-3.5	-5.65	5.03	0.003	3.000	Pass
	HCH	QPSK	1	Low	15.64	-3.5	-5.65	9.99	0.010	3.000	Pass
			1	Mid	15.52	-3.5	-5.65	9.87	0.010	3.000	Pass
			1	High	15.52	-3.5	-5.65	9.87	0.010	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			8	Low	14.6	-3.5	-5.65	8.95	0.008	3.000	Pass
			8	Mid	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass
			8	High	14.5	-3.5	-5.65	8.85	0.008	3.000	Pass
			15	Low	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
		Q16	1	Low	14.7	-3.5	-5.65	9.05	0.008	3.000	Pass
			1	Mid	14.56	-3.5	-5.65	8.91	0.008	3.000	Pass
			1	High	14.59	-3.5	-5.65	8.94	0.008	3.000	Pass
			8	Low	13.69	-3.5	-5.65	8.04	0.006	3.000	Pass
			8	Mid	13.62	-3.5	-5.65	7.97	0.006	3.000	Pass
			8	High	13.59	-3.5	-5.65	7.94	0.006	3.000	Pass
			15	Low	13.58	-3.5	-5.65	7.93	0.006	3.000	Pass
		Q64	1	Low	13.9	-3.5	-5.65	8.25	0.007	3.000	Pass
			1	Mid	13.76	-3.5	-5.65	8.11	0.006	3.000	Pass
			1	High	13.74	-3.5	-5.65	8.09	0.006	3.000	Pass
			8	Low	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			8	Mid	12.54	-3.5	-5.65	6.89	0.005	3.000	Pass
			8	High	12.5	-3.5	-5.65	6.85	0.005	3.000	Pass
			15	Low	12.66	-3.5	-5.65	7.01	0.005	3.000	Pass
		Q256	1	Low	10.52	-3.5	-5.65	4.87	0.003	3.000	Pass
			1	Mid	10.43	-3.5	-5.65	4.78	0.003	3.000	Pass
			1	High	10.45	-3.5	-5.65	4.80	0.003	3.000	Pass
			8	Low	10.73	-3.5	-5.65	5.08	0.003	3.000	Pass
			8	Mid	10.67	-3.5	-5.65	5.02	0.003	3.000	Pass
			8	High	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass
			15	Low	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass
5	LCH	QPSK	1	Low	15.73	-3.5	-5.65	10.08	0.010	3.000	Pass
			1	Mid	15.69	-3.5	-5.65	10.04	0.010	3.000	Pass
			1	High	15.62	-3.5	-5.65	9.97	0.010	3.000	Pass
			12	Low	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
			12	Mid	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			12	High	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			25	Low	14.63	-3.5	-5.65	8.98	0.008	3.000	Pass
		Q16	1	Low	14.82	-3.5	-5.65	9.17	0.008	3.000	Pass
			1	Mid	14.76	-3.5	-5.65	9.11	0.008	3.000	Pass
			1	High	14.71	-3.5	-5.65	9.06	0.008	3.000	Pass
			12	Low	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	Mid	13.61	-3.5	-5.65	7.96	0.006	3.000	Pass
			12	High	13.61	-3.5	-5.65	7.96	0.006	3.000	Pass
			25	Low	13.62	-3.5	-5.65	7.97	0.006	3.000	Pass
		Q64	1	Low	13.54	-3.5	-5.65	7.89	0.006	3.000	Pass
			1	Mid	13.46	-3.5	-5.65	7.81	0.006	3.000	Pass
			1	High	13.47	-3.5	-5.65	7.82	0.006	3.000	Pass
			12	Low	12.66	-3.5	-5.65	7.01	0.005	3.000	Pass
			12	Mid	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			12	High	12.61	-3.5	-5.65	6.96	0.005	3.000	Pass
			25	Low	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
		Q256	1	Low	10.25	-3.5	-5.65	4.60	0.003	3.000	Pass
			1	Mid	10.24	-3.5	-5.65	4.59	0.003	3.000	Pass
			1	High	10.18	-3.5	-5.65	4.53	0.003	3.000	Pass
			12	Low	10.6	-3.5	-5.65	4.95	0.003	3.000	Pass
			12	Mid	10.57	-3.5	-5.65	4.92	0.003	3.000	Pass
			12	High	10.55	-3.5	-5.65	4.90	0.003	3.000	Pass
			25	Low	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
	MCH	QPSK	1	Low	15.54	-3.5	-5.65	9.89	0.010	3.000	Pass
			1	Mid	15.62	-3.5	-5.65	9.97	0.010	3.000	Pass
			1	High	15.61	-3.5	-5.65	9.96	0.010	3.000	Pass
			12	Low	14.62	-3.5	-5.65	8.97	0.008	3.000	Pass
			12	Mid	14.6	-3.5	-5.65	8.95	0.008	3.000	Pass
			12	High	14.62	-3.5	-5.65	8.97	0.008	3.000	Pass
			25	Low	14.6	-3.5	-5.65	8.95	0.008	3.000	Pass
		Q16	1	Low	15.08	-3.5	-5.65	9.43	0.009	3.000	Pass
			1	Mid	15.23	-3.5	-5.65	9.58	0.009	3.000	Pass
			1	High	15.2	-3.5	-5.65	9.55	0.009	3.000	Pass
			12	Low	13.74	-3.5	-5.65	8.09	0.006	3.000	Pass
			12	Mid	13.73	-3.5	-5.65	8.08	0.006	3.000	Pass
			12	High	13.73	-3.5	-5.65	8.08	0.006	3.000	Pass
			25	Low	13.65	-3.5	-5.65	8.00	0.006	3.000	Pass
		Q64	1	Low	13.87	-3.5	-5.65	8.22	0.007	3.000	Pass
			1	Mid	13.99	-3.5	-5.65	8.34	0.007	3.000	Pass
			1	High	13.94	-3.5	-5.65	8.29	0.007	3.000	Pass
			12	Low	12.58	-3.5	-5.65	6.93	0.005	3.000	Pass
			12	Mid	12.58	-3.5	-5.65	6.93	0.005	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	High	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			25	Low	12.57	-3.5	-5.65	6.92	0.005	3.000	Pass
		Q256	1	Low	10.8	-3.5	-5.65	5.15	0.003	3.000	Pass
			1	Mid	10.9	-3.5	-5.65	5.25	0.003	3.000	Pass
			1	High	10.84	-3.5	-5.65	5.19	0.003	3.000	Pass
			12	Low	10.68	-3.5	-5.65	5.03	0.003	3.000	Pass
			12	Mid	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			12	High	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			25	Low	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
		QPSK	1	Low	15.76	-3.5	-5.65	10.11	0.010	3.000	Pass
			1	Mid	15.8	-3.5	-5.65	10.15	0.010	3.000	Pass
			1	High	15.66	-3.5	-5.65	10.01	0.010	3.000	Pass
			12	Low	14.67	-3.5	-5.65	9.02	0.008	3.000	Pass
			12	Mid	14.66	-3.5	-5.65	9.01	0.008	3.000	Pass
			12	High	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
			25	Low	14.67	-3.5	-5.65	9.02	0.008	3.000	Pass
	HCH	Q16	1	Low	14.75	-3.5	-5.65	9.10	0.008	3.000	Pass
			1	Mid	14.8	-3.5	-5.65	9.15	0.008	3.000	Pass
			1	High	14.67	-3.5	-5.65	9.02	0.008	3.000	Pass
			12	Low	13.72	-3.5	-5.65	8.07	0.006	3.000	Pass
			12	Mid	13.71	-3.5	-5.65	8.06	0.006	3.000	Pass
			12	High	13.64	-3.5	-5.65	7.99	0.006	3.000	Pass
			25	Low	13.57	-3.5	-5.65	7.92	0.006	3.000	Pass
		Q64	1	Low	13.89	-3.5	-5.65	8.24	0.007	3.000	Pass
			1	Mid	13.95	-3.5	-5.65	8.30	0.007	3.000	Pass
			1	High	13.85	-3.5	-5.65	8.20	0.007	3.000	Pass
			12	Low	12.73	-3.5	-5.65	7.08	0.005	3.000	Pass
			12	Mid	12.74	-3.5	-5.65	7.09	0.005	3.000	Pass
			12	High	12.64	-3.5	-5.65	6.99	0.005	3.000	Pass
			25	Low	12.69	-3.5	-5.65	7.04	0.005	3.000	Pass
		Q256	1	Low	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			1	Mid	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			1	High	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			12	Low	10.77	-3.5	-5.65	5.12	0.003	3.000	Pass
			12	Mid	10.77	-3.5	-5.65	5.12	0.003	3.000	Pass
			12	High	10.68	-3.5	-5.65	5.03	0.003	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
10	LCH	QPSK	25	Low	10.71	-3.5	-5.65	5.06	0.003	3.000	Pass
			1	Low	15.67	-3.5	-5.65	10.02	0.010	3.000	Pass
			1	Mid	15.48	-3.5	-5.65	9.83	0.010	3.000	Pass
			1	High	15.64	-3.5	-5.65	9.99	0.010	3.000	Pass
			25	Low	14.57	-3.5	-5.65	8.92	0.008	3.000	Pass
			25	Mid	14.51	-3.5	-5.65	8.86	0.008	3.000	Pass
			25	High	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass
			50	Low	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass
		Q16	1	Low	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			1	Mid	14.36	-3.5	-5.65	8.71	0.007	3.000	Pass
			1	High	14.48	-3.5	-5.65	8.83	0.008	3.000	Pass
			25	Low	13.59	-3.5	-5.65	7.94	0.006	3.000	Pass
			25	Mid	13.53	-3.5	-5.65	7.88	0.006	3.000	Pass
			25	High	13.58	-3.5	-5.65	7.93	0.006	3.000	Pass
			50	Low	13.54	-3.5	-5.65	7.89	0.006	3.000	Pass
		Q64	1	Low	13.94	-3.5	-5.65	8.29	0.007	3.000	Pass
			1	Mid	13.79	-3.5	-5.65	8.14	0.007	3.000	Pass
			1	High	13.89	-3.5	-5.65	8.24	0.007	3.000	Pass
			25	Low	12.67	-3.5	-5.65	7.02	0.005	3.000	Pass
			25	Mid	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			25	High	12.65	-3.5	-5.65	7.00	0.005	3.000	Pass
			50	Low	12.6	-3.5	-5.65	6.95	0.005	3.000	Pass
		Q256	1	Low	11.24	-3.5	-5.65	5.59	0.004	3.000	Pass
			1	Mid	11.14	-3.5	-5.65	5.49	0.004	3.000	Pass
			1	High	11.19	-3.5	-5.65	5.54	0.004	3.000	Pass
			25	Low	10.67	-3.5	-5.65	5.02	0.003	3.000	Pass
			25	Mid	10.61	-3.5	-5.65	4.96	0.003	3.000	Pass
			25	High	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			50	Low	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
	MCH	QPSK	1	Low	15.58	-3.5	-5.65	9.93	0.010	3.000	Pass
			1	Mid	15.57	-3.5	-5.65	9.92	0.010	3.000	Pass
			1	High	15.61	-3.5	-5.65	9.96	0.010	3.000	Pass
			25	Low	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass
			25	Mid	14.54	-3.5	-5.65	8.89	0.008	3.000	Pass
			25	High	14.61	-3.5	-5.65	8.96	0.008	3.000	Pass
			50	Low	14.59	-3.5	-5.65	8.94	0.008	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	14.94	-3.5	-5.65	9.29	0.008	3.000	Pass
			1	Mid	14.94	-3.5	-5.65	9.29	0.008	3.000	Pass
			1	High	15	-3.5	-5.65	9.35	0.009	3.000	Pass
			25	Low	13.58	-3.5	-5.65	7.93	0.006	3.000	Pass
			25	Mid	13.56	-3.5	-5.65	7.91	0.006	3.000	Pass
			25	High	13.63	-3.5	-5.65	7.98	0.006	3.000	Pass
			50	Low	13.58	-3.5	-5.65	7.93	0.006	3.000	Pass
		Q64	1	Low	13.8	-3.5	-5.65	8.15	0.007	3.000	Pass
			1	Mid	13.8	-3.5	-5.65	8.15	0.007	3.000	Pass
			1	High	13.82	-3.5	-5.65	8.17	0.007	3.000	Pass
			25	Low	12.67	-3.5	-5.65	7.02	0.005	3.000	Pass
			25	Mid	12.71	-3.5	-5.65	7.06	0.005	3.000	Pass
			25	High	12.72	-3.5	-5.65	7.07	0.005	3.000	Pass
			50	Low	12.66	-3.5	-5.65	7.01	0.005	3.000	Pass
		Q256	1	Low	10.44	-3.5	-5.65	4.79	0.003	3.000	Pass
			1	Mid	10.52	-3.5	-5.65	4.87	0.003	3.000	Pass
			1	High	10.5	-3.5	-5.65	4.85	0.003	3.000	Pass
			25	Low	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
			25	Mid	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
			25	High	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			50	Low	10.61	-3.5	-5.65	4.96	0.003	3.000	Pass
	HCH	QPSK	1	Low	15.56	-3.5	-5.65	9.91	0.010	3.000	Pass
			1	Mid	15.56	-3.5	-5.65	9.91	0.010	3.000	Pass
			1	High	15.51	-3.5	-5.65	9.86	0.010	3.000	Pass
			25	Low	14.61	-3.5	-5.65	8.96	0.008	3.000	Pass
			25	Mid	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
			25	High	14.59	-3.5	-5.65	8.94	0.008	3.000	Pass
			50	Low	14.6	-3.5	-5.65	8.95	0.008	3.000	Pass
		Q16	1	Low	14.63	-3.5	-5.65	8.98	0.008	3.000	Pass
			1	Mid	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
			1	High	14.59	-3.5	-5.65	8.94	0.008	3.000	Pass
			25	Low	13.7	-3.5	-5.65	8.05	0.006	3.000	Pass
			25	Mid	13.67	-3.5	-5.65	8.02	0.006	3.000	Pass
			25	High	13.66	-3.5	-5.65	8.01	0.006	3.000	Pass
			50	Low	13.6	-3.5	-5.65	7.95	0.006	3.000	Pass
		Q64	1	Low	13.8	-3.5	-5.65	8.15	0.007	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	13.83	-3.5	-5.65	8.18	0.007	3.000	Pass
			1	High	13.75	-3.5	-5.65	8.10	0.006	3.000	Pass
			25	Low	12.72	-3.5	-5.65	7.07	0.005	3.000	Pass
			25	Mid	12.73	-3.5	-5.65	7.08	0.005	3.000	Pass
			25	High	12.7	-3.5	-5.65	7.05	0.005	3.000	Pass
			50	Low	12.61	-3.5	-5.65	6.96	0.005	3.000	Pass
		Q256	1	Low	10.45	-3.5	-5.65	4.80	0.003	3.000	Pass
			1	Mid	10.51	-3.5	-5.65	4.86	0.003	3.000	Pass
			1	High	10.41	-3.5	-5.65	4.76	0.003	3.000	Pass
			25	Low	10.74	-3.5	-5.65	5.09	0.003	3.000	Pass
			25	Mid	10.73	-3.5	-5.65	5.08	0.003	3.000	Pass
			25	High	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			50	Low	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
5	LCH	QPSK	1	Low	15.14	-4.3	-6.45	8.69	0.007	3.000	Pass
			1	Mid	15.15	-4.3	-6.45	8.70	0.007	3.000	Pass
			1	High	15.13	-4.3	-6.45	8.68	0.007	3.000	Pass
			12	Low	14.02	-4.3	-6.45	7.57	0.006	3.000	Pass
			12	Mid	14.01	-4.3	-6.45	7.56	0.006	3.000	Pass
			12	High	13.98	-4.3	-6.45	7.53	0.006	3.000	Pass
		Q16	25	Low	14.06	-4.3	-6.45	7.61	0.006	3.000	Pass
			1	Low	14.21	-4.3	-6.45	7.76	0.006	3.000	Pass
			1	Mid	14.18	-4.3	-6.45	7.73	0.006	3.000	Pass
			1	High	14.19	-4.3	-6.45	7.74	0.006	3.000	Pass
			12	Low	13.1	-4.3	-6.45	6.65	0.005	3.000	Pass
			12	Mid	13.09	-4.3	-6.45	6.64	0.005	3.000	Pass
			12	High	13.07	-4.3	-6.45	6.62	0.005	3.000	Pass
		Q64	25	Low	13.07	-4.3	-6.45	6.62	0.005	3.000	Pass
			1	Low	13.05	-4.3	-6.45	6.60	0.005	3.000	Pass
			1	Mid	13.02	-4.3	-6.45	6.57	0.005	3.000	Pass
			1	High	13.03	-4.3	-6.45	6.58	0.005	3.000	Pass
			12	Low	12.09	-4.3	-6.45	5.64	0.004	3.000	Pass
			12	Mid	12.11	-4.3	-6.45	5.66	0.004	3.000	Pass
		Q256	12	High	12.09	-4.3	-6.45	5.64	0.004	3.000	Pass
			25	Low	12.03	-4.3	-6.45	5.58	0.004	3.000	Pass
			1	Low	9.66	-4.3	-6.45	3.21	0.002	3.000	Pass
			1	Mid	9.72	-4.3	-6.45	3.27	0.002	3.000	Pass
			1	High	9.67	-4.3	-6.45	3.22	0.002	3.000	Pass
			12	Low	10.04	-4.3	-6.45	3.59	0.002	3.000	Pass
		MCH	12	Mid	10.05	-4.3	-6.45	3.60	0.002	3.000	Pass
			12	High	10.01	-4.3	-6.45	3.56	0.002	3.000	Pass
			25	Low	10.06	-4.3	-6.45	3.61	0.002	3.000	Pass
			1	Low	15.12	-4.3	-6.45	8.67	0.007	3.000	Pass
			1	Mid	15.16	-4.3	-6.45	8.71	0.007	3.000	Pass
			1	High	15.14	-4.3	-6.45	8.69	0.007	3.000	Pass
		QPSK	12	Low	14.06	-4.3	-6.45	7.61	0.006	3.000	Pass
			12	Mid	14.06	-4.3	-6.45	7.61	0.006	3.000	Pass
			12	High	14.09	-4.3	-6.45	7.64	0.006	3.000	Pass
			25	Low	14.1	-4.3	-6.45	7.65	0.006	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
		Q16	1	Low	14.67	-4.3	-6.45	8.22	0.007	3.000	Pass
			1	Mid	14.7	-4.3	-6.45	8.25	0.007	3.000	Pass
			1	High	14.62	-4.3	-6.45	8.17	0.007	3.000	Pass
			12	Low	13.2	-4.3	-6.45	6.75	0.005	3.000	Pass
			12	Mid	13.2	-4.3	-6.45	6.75	0.005	3.000	Pass
			12	High	13.24	-4.3	-6.45	6.79	0.005	3.000	Pass
			25	Low	13.15	-4.3	-6.45	6.70	0.005	3.000	Pass
		Q64	1	Low	13.41	-4.3	-6.45	6.96	0.005	3.000	Pass
			1	Mid	13.53	-4.3	-6.45	7.08	0.005	3.000	Pass
			1	High	13.45	-4.3	-6.45	7.00	0.005	3.000	Pass
			12	Low	12.04	-4.3	-6.45	5.59	0.004	3.000	Pass
			12	Mid	12.07	-4.3	-6.45	5.62	0.004	3.000	Pass
			12	High	12.08	-4.3	-6.45	5.63	0.004	3.000	Pass
			25	Low	12.07	-4.3	-6.45	5.62	0.004	3.000	Pass
		Q256	1	Low	10.31	-4.3	-6.45	3.86	0.002	3.000	Pass
			1	Mid	10.36	-4.3	-6.45	3.91	0.002	3.000	Pass
			1	High	10.3	-4.3	-6.45	3.85	0.002	3.000	Pass
			12	Low	10.15	-4.3	-6.45	3.70	0.002	3.000	Pass
			12	Mid	10.15	-4.3	-6.45	3.70	0.002	3.000	Pass
			12	High	10.18	-4.3	-6.45	3.73	0.002	3.000	Pass
			25	Low	10.14	-4.3	-6.45	3.69	0.002	3.000	Pass
	HCH	QPSK	1	Low	15.23	-4.3	-6.45	8.78	0.008	3.000	Pass
			1	Mid	15.18	-4.3	-6.45	8.73	0.007	3.000	Pass
			1	High	15.19	-4.3	-6.45	8.74	0.007	3.000	Pass
			12	Low	14.11	-4.3	-6.45	7.66	0.006	3.000	Pass
			12	Mid	14.1	-4.3	-6.45	7.65	0.006	3.000	Pass
			12	High	14.1	-4.3	-6.45	7.65	0.006	3.000	Pass
			25	Low	14.11	-4.3	-6.45	7.66	0.006	3.000	Pass
		Q16	1	Low	14.27	-4.3	-6.45	7.82	0.006	3.000	Pass
			1	Mid	14.24	-4.3	-6.45	7.79	0.006	3.000	Pass
			1	High	14.23	-4.3	-6.45	7.78	0.006	3.000	Pass
			12	Low	13.17	-4.3	-6.45	6.72	0.005	3.000	Pass
			12	Mid	13.14	-4.3	-6.45	6.69	0.005	3.000	Pass
			12	High	13.15	-4.3	-6.45	6.70	0.005	3.000	Pass
			25	Low	13.05	-4.3	-6.45	6.60	0.005	3.000	Pass
		Q64	1	Low	13.33	-4.3	-6.45	6.88	0.005	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	Mid	13.34	-4.3	-6.45	6.89	0.005	3.000	Pass
			1	High	13.33	-4.3	-6.45	6.88	0.005	3.000	Pass
			12	Low	12.18	-4.3	-6.45	5.73	0.004	3.000	Pass
			12	Mid	12.17	-4.3	-6.45	5.72	0.004	3.000	Pass
			12	High	12.17	-4.3	-6.45	5.72	0.004	3.000	Pass
			25	Low	12.17	-4.3	-6.45	5.72	0.004	3.000	Pass
		Q256	1	Low	10.15	-4.3	-6.45	3.70	0.002	3.000	Pass
			1	Mid	10.12	-4.3	-6.45	3.67	0.002	3.000	Pass
			1	High	10.12	-4.3	-6.45	3.67	0.002	3.000	Pass
			12	Low	10.22	-4.3	-6.45	3.77	0.002	3.000	Pass
			12	Mid	10.22	-4.3	-6.45	3.77	0.002	3.000	Pass
			12	High	10.22	-4.3	-6.45	3.77	0.002	3.000	Pass
			25	Low	10.19	-4.3	-6.45	3.74	0.002	3.000	Pass
10	MCH	QPSK	1	Low	15.09	-4.3	-6.45	8.64	0.007	3.000	Pass
			1	Mid	15.07	-4.3	-6.45	8.62	0.007	3.000	Pass
			1	High	15.13	-4.3	-6.45	8.68	0.007	3.000	Pass
			25	Low	14.08	-4.3	-6.45	7.63	0.006	3.000	Pass
			25	Mid	14.06	-4.3	-6.45	7.61	0.006	3.000	Pass
			25	High	14.1	-4.3	-6.45	7.65	0.006	3.000	Pass
			50	Low	14.08	-4.3	-6.45	7.63	0.006	3.000	Pass
		Q16	1	Low	14.02	-4.3	-6.45	7.57	0.006	3.000	Pass
			1	Mid	13.96	-4.3	-6.45	7.51	0.006	3.000	Pass
			1	High	14.03	-4.3	-6.45	7.58	0.006	3.000	Pass
			25	Low	13.09	-4.3	-6.45	6.64	0.005	3.000	Pass
			25	Mid	13.06	-4.3	-6.45	6.61	0.005	3.000	Pass
			25	High	13.14	-4.3	-6.45	6.69	0.005	3.000	Pass
			50	Low	13.06	-4.3	-6.45	6.61	0.005	3.000	Pass
		Q64	1	Low	13.35	-4.3	-6.45	6.90	0.005	3.000	Pass
			1	Mid	13.34	-4.3	-6.45	6.89	0.005	3.000	Pass
			1	High	13.39	-4.3	-6.45	6.94	0.005	3.000	Pass
			25	Low	12.16	-4.3	-6.45	5.71	0.004	3.000	Pass
			25	Mid	12.17	-4.3	-6.45	5.72	0.004	3.000	Pass
			25	High	12.21	-4.3	-6.45	5.76	0.004	3.000	Pass
			50	Low	12.15	-4.3	-6.45	5.70	0.004	3.000	Pass
		Q256	1	Low	10.73	-4.3	-6.45	4.28	0.003	3.000	Pass
			1	Mid	10.82	-4.3	-6.45	4.37	0.003	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	High	10.75	-4.3	-6.45	4.30	0.003	3.000	Pass
			25	Low	10.16	-4.3	-6.45	3.71	0.002	3.000	Pass
			25	Mid	10.16	-4.3	-6.45	3.71	0.002	3.000	Pass
			25	High	10.19	-4.3	-6.45	3.74	0.002	3.000	Pass
			50	Low	10.18	-4.3	-6.45	3.73	0.002	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
5	LCH	QPSK	1	Low	15.64	-3.5	-5.65	9.99	0.010	3.000	Pass
			1	Mid	15.62	-3.5	-5.65	9.97	0.010	3.000	Pass
			1	High	15.6	-3.5	-5.65	9.95	0.010	3.000	Pass
			12	Low	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass
			12	Mid	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass
			12	High	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
		Q16	25	Low	14.57	-3.5	-5.65	8.92	0.008	3.000	Pass
			1	Low	14.68	-3.5	-5.65	9.03	0.008	3.000	Pass
			1	Mid	14.7	-3.5	-5.65	9.05	0.008	3.000	Pass
			1	High	14.7	-3.5	-5.65	9.05	0.008	3.000	Pass
			12	Low	13.59	-3.5	-5.65	7.94	0.006	3.000	Pass
			12	Mid	13.56	-3.5	-5.65	7.91	0.006	3.000	Pass
			12	High	13.62	-3.5	-5.65	7.97	0.006	3.000	Pass
		Q64	25	Low	13.56	-3.5	-5.65	7.91	0.006	3.000	Pass
			1	Low	13.47	-3.5	-5.65	7.82	0.006	3.000	Pass
			1	Mid	13.46	-3.5	-5.65	7.81	0.006	3.000	Pass
			1	High	13.43	-3.5	-5.65	7.78	0.006	3.000	Pass
			12	Low	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			12	Mid	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			12	High	12.6	-3.5	-5.65	6.95	0.005	3.000	Pass
		Q256	25	Low	12.52	-3.5	-5.65	6.87	0.005	3.000	Pass
			1	Low	10.14	-3.5	-5.65	4.49	0.003	3.000	Pass
			1	Mid	10.17	-3.5	-5.65	4.52	0.003	3.000	Pass
			1	High	10.15	-3.5	-5.65	4.50	0.003	3.000	Pass
			12	Low	10.55	-3.5	-5.65	4.90	0.003	3.000	Pass
			12	Mid	10.52	-3.5	-5.65	4.87	0.003	3.000	Pass
			12	High	10.55	-3.5	-5.65	4.90	0.003	3.000	Pass
			25	Low	10.57	-3.5	-5.65	4.92	0.003	3.000	Pass
	MCH	QPSK	1	Low	15.56	-3.5	-5.65	9.91	0.010	3.000	Pass
			1	Mid	15.6	-3.5	-5.65	9.95	0.010	3.000	Pass
			1	High	15.53	-3.5	-5.65	9.88	0.010	3.000	Pass
			12	Low	14.56	-3.5	-5.65	8.91	0.008	3.000	Pass
			12	Mid	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			12	High	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass
			25	Low	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
		Q16	1	Low	15.11	-3.5	-5.65	9.46	0.009	3.000	Pass
			1	Mid	15.17	-3.5	-5.65	9.52	0.009	3.000	Pass
			1	High	15.09	-3.5	-5.65	9.44	0.009	3.000	Pass
			12	Low	13.69	-3.5	-5.65	8.04	0.006	3.000	Pass
			12	Mid	13.66	-3.5	-5.65	8.01	0.006	3.000	Pass
			12	High	13.66	-3.5	-5.65	8.01	0.006	3.000	Pass
			25	Low	13.61	-3.5	-5.65	7.96	0.006	3.000	Pass
		Q64	1	Low	13.88	-3.5	-5.65	8.23	0.007	3.000	Pass
			1	Mid	13.93	-3.5	-5.65	8.28	0.007	3.000	Pass
			1	High	13.84	-3.5	-5.65	8.19	0.007	3.000	Pass
			12	Low	12.54	-3.5	-5.65	6.89	0.005	3.000	Pass
			12	Mid	12.51	-3.5	-5.65	6.86	0.005	3.000	Pass
			12	High	12.5	-3.5	-5.65	6.85	0.005	3.000	Pass
			25	Low	12.53	-3.5	-5.65	6.88	0.005	3.000	Pass
		Q256	1	Low	10.76	-3.5	-5.65	5.11	0.003	3.000	Pass
			1	Mid	10.81	-3.5	-5.65	5.16	0.003	3.000	Pass
			1	High	10.74	-3.5	-5.65	5.09	0.003	3.000	Pass
			12	Low	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass
			12	Mid	10.6	-3.5	-5.65	4.95	0.003	3.000	Pass
			12	High	10.6	-3.5	-5.65	4.95	0.003	3.000	Pass
			25	Low	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
	HCH	QPSK	1	Low	15.66	-3.5	-5.65	10.01	0.010	3.000	Pass
			1	Mid	15.64	-3.5	-5.65	9.99	0.010	3.000	Pass
			1	High	15.59	-3.5	-5.65	9.94	0.010	3.000	Pass
			12	Low	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass
			12	Mid	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			12	High	14.51	-3.5	-5.65	8.86	0.008	3.000	Pass
			25	Low	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
		Q16	1	Low	14.65	-3.5	-5.65	9.00	0.008	3.000	Pass
			1	Mid	14.66	-3.5	-5.65	9.01	0.008	3.000	Pass
			1	High	14.58	-3.5	-5.65	8.93	0.008	3.000	Pass
			12	Low	13.6	-3.5	-5.65	7.95	0.006	3.000	Pass
			12	Mid	13.59	-3.5	-5.65	7.94	0.006	3.000	Pass
			12	High	13.58	-3.5	-5.65	7.93	0.006	3.000	Pass
			25	Low	13.47	-3.5	-5.65	7.82	0.006	3.000	Pass
		Q64	1	Low	13.8	-3.5	-5.65	8.15	0.007	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	Mid	13.75	-3.5	-5.65	8.10	0.006	3.000	Pass
			1	High	13.75	-3.5	-5.65	8.10	0.006	3.000	Pass
			12	Low	12.6	-3.5	-5.65	6.95	0.005	3.000	Pass
			12	Mid	12.6	-3.5	-5.65	6.95	0.005	3.000	Pass
			12	High	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			25	Low	12.56	-3.5	-5.65	6.91	0.005	3.000	Pass
		Q256	1	Low	10.55	-3.5	-5.65	4.90	0.003	3.000	Pass
			1	Mid	10.49	-3.5	-5.65	4.84	0.003	3.000	Pass
			1	High	10.5	-3.5	-5.65	4.85	0.003	3.000	Pass
			12	Low	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass
			12	Mid	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass
			12	High	10.61	-3.5	-5.65	4.96	0.003	3.000	Pass
			25	Low	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
10	LCH	QPSK	1	Low	15.52	-3.5	-5.65	9.87	0.010	3.000	Pass
			1	Mid	15.49	-3.5	-5.65	9.84	0.010	3.000	Pass
			1	High	15.54	-3.5	-5.65	9.89	0.010	3.000	Pass
			25	Low	14.5	-3.5	-5.65	8.85	0.008	3.000	Pass
			25	Mid	14.49	-3.5	-5.65	8.84	0.008	3.000	Pass
			25	High	14.5	-3.5	-5.65	8.85	0.008	3.000	Pass
			50	Low	14.51	-3.5	-5.65	8.86	0.008	3.000	Pass
		Q16	1	Low	14.4	-3.5	-5.65	8.75	0.007	3.000	Pass
			1	Mid	14.32	-3.5	-5.65	8.67	0.007	3.000	Pass
			1	High	14.4	-3.5	-5.65	8.75	0.007	3.000	Pass
			25	Low	13.52	-3.5	-5.65	7.87	0.006	3.000	Pass
			25	Mid	13.5	-3.5	-5.65	7.85	0.006	3.000	Pass
			25	High	13.52	-3.5	-5.65	7.87	0.006	3.000	Pass
			50	Low	13.48	-3.5	-5.65	7.83	0.006	3.000	Pass
		Q64	1	Low	13.81	-3.5	-5.65	8.16	0.007	3.000	Pass
			1	Mid	13.74	-3.5	-5.65	8.09	0.006	3.000	Pass
			1	High	13.79	-3.5	-5.65	8.14	0.007	3.000	Pass
			25	Low	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			25	Mid	12.6	-3.5	-5.65	6.95	0.005	3.000	Pass
			25	High	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			50	Low	12.54	-3.5	-5.65	6.89	0.005	3.000	Pass
		Q256	1	Low	11.12	-3.5	-5.65	5.47	0.004	3.000	Pass
			1	Mid	11.12	-3.5	-5.65	5.47	0.004	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	High	11.11	-3.5	-5.65	5.46	0.004	3.000	Pass
			25	Low	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			25	Mid	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			25	High	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			50	Low	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
		QPSK	1	Low	15.49	-3.5	-5.65	9.84	0.010	3.000	Pass
			1	Mid	15.49	-3.5	-5.65	9.84	0.010	3.000	Pass
			1	High	15.52	-3.5	-5.65	9.87	0.010	3.000	Pass
			25	Low	14.5	-3.5	-5.65	8.85	0.008	3.000	Pass
			25	Mid	14.48	-3.5	-5.65	8.83	0.008	3.000	Pass
			25	High	14.48	-3.5	-5.65	8.83	0.008	3.000	Pass
			50	Low	14.52	-3.5	-5.65	8.87	0.008	3.000	Pass
		Q16	1	Low	14.83	-3.5	-5.65	9.18	0.008	3.000	Pass
			1	Mid	14.88	-3.5	-5.65	9.23	0.008	3.000	Pass
			1	High	14.89	-3.5	-5.65	9.24	0.008	3.000	Pass
			25	Low	13.52	-3.5	-5.65	7.87	0.006	3.000	Pass
			25	Mid	13.51	-3.5	-5.65	7.86	0.006	3.000	Pass
			25	High	13.5	-3.5	-5.65	7.85	0.006	3.000	Pass
			50	Low	13.51	-3.5	-5.65	7.86	0.006	3.000	Pass
		Q64	1	Low	13.68	-3.5	-5.65	8.03	0.006	3.000	Pass
			1	Mid	13.7	-3.5	-5.65	8.05	0.006	3.000	Pass
			1	High	13.71	-3.5	-5.65	8.06	0.006	3.000	Pass
			25	Low	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			25	Mid	12.63	-3.5	-5.65	6.98	0.005	3.000	Pass
			25	High	12.6	-3.5	-5.65	6.95	0.005	3.000	Pass
			50	Low	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
		Q256	1	Low	10.36	-3.5	-5.65	4.71	0.003	3.000	Pass
			1	Mid	10.47	-3.5	-5.65	4.82	0.003	3.000	Pass
			1	High	10.4	-3.5	-5.65	4.75	0.003	3.000	Pass
			25	Low	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			25	Mid	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			25	High	10.55	-3.5	-5.65	4.90	0.003	3.000	Pass
			50	Low	10.54	-3.5	-5.65	4.89	0.003	3.000	Pass
	HCH	QPSK	1	Low	15.5	-3.5	-5.65	9.85	0.010	3.000	Pass
			1	Mid	15.5	-3.5	-5.65	9.85	0.010	3.000	Pass
			1	High	15.45	-3.5	-5.65	9.80	0.010	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			25	Low	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			25	Mid	14.5	-3.5	-5.65	8.85	0.008	3.000	Pass
			25	High	14.46	-3.5	-5.65	8.81	0.008	3.000	Pass
			50	Low	14.51	-3.5	-5.65	8.86	0.008	3.000	Pass
		Q16	1	Low	14.57	-3.5	-5.65	8.92	0.008	3.000	Pass
			1	Mid	14.53	-3.5	-5.65	8.88	0.008	3.000	Pass
			1	High	14.55	-3.5	-5.65	8.90	0.008	3.000	Pass
			25	Low	13.6	-3.5	-5.65	7.95	0.006	3.000	Pass
			25	Mid	13.57	-3.5	-5.65	7.92	0.006	3.000	Pass
			25	High	13.55	-3.5	-5.65	7.90	0.006	3.000	Pass
			50	Low	13.53	-3.5	-5.65	7.88	0.006	3.000	Pass
		Q64	1	Low	13.74	-3.5	-5.65	8.09	0.006	3.000	Pass
			1	Mid	13.7	-3.5	-5.65	8.05	0.006	3.000	Pass
			1	High	13.7	-3.5	-5.65	8.05	0.006	3.000	Pass
			25	Low	12.64	-3.5	-5.65	6.99	0.005	3.000	Pass
			25	Mid	12.63	-3.5	-5.65	6.98	0.005	3.000	Pass
			25	High	12.58	-3.5	-5.65	6.93	0.005	3.000	Pass
			50	Low	12.53	-3.5	-5.65	6.88	0.005	3.000	Pass
		Q256	1	Low	10.39	-3.5	-5.65	4.74	0.003	3.000	Pass
			1	Mid	10.4	-3.5	-5.65	4.75	0.003	3.000	Pass
			1	High	10.36	-3.5	-5.65	4.71	0.003	3.000	Pass
			25	Low	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			25	Mid	10.66	-3.5	-5.65	5.01	0.003	3.000	Pass
			25	High	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
			50	Low	10.53	-3.5	-5.65	4.88	0.003	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
5	LCH	QPSK	1	Low	15.56	-1.7	13.86	0.024	2.000	Pass
			1	Mid	15.59	-1.7	13.89	0.024	2.000	Pass
			1	High	15.59	-1.7	13.89	0.024	2.000	Pass
			12	Low	14.61	-1.7	12.91	0.020	2.000	Pass
			12	Mid	14.63	-1.7	12.93	0.020	2.000	Pass
			12	High	14.63	-1.7	12.93	0.020	2.000	Pass
			25	Low	14.64	-1.7	12.94	0.020	2.000	Pass
		Q16	1	Low	14.85	-1.7	13.15	0.021	2.000	Pass
			1	Mid	14.83	-1.7	13.13	0.021	2.000	Pass
			1	High	14.87	-1.7	13.17	0.021	2.000	Pass
			12	Low	13.63	-1.7	11.93	0.016	2.000	Pass
			12	Mid	13.62	-1.7	11.92	0.016	2.000	Pass
			12	High	13.66	-1.7	11.96	0.016	2.000	Pass
			25	Low	13.65	-1.7	11.95	0.016	2.000	Pass
		Q64	1	Low	13.62	-1.7	11.92	0.016	2.000	Pass
			1	Mid	13.84	-1.7	12.14	0.016	2.000	Pass
			1	High	13.8	-1.7	12.10	0.016	2.000	Pass
			12	Low	12.52	-1.7	10.82	0.012	2.000	Pass
			12	Mid	12.53	-1.7	10.83	0.012	2.000	Pass
			12	High	12.54	-1.7	10.84	0.012	2.000	Pass
			25	Low	12.53	-1.7	10.83	0.012	2.000	Pass
		Q256	1	Low	10.89	-1.7	9.19	0.008	2.000	Pass
			1	Mid	10.94	-1.7	9.24	0.008	2.000	Pass
			1	High	10.91	-1.7	9.21	0.008	2.000	Pass
			12	Low	10.56	-1.7	8.86	0.008	2.000	Pass
			12	Mid	10.56	-1.7	8.86	0.008	2.000	Pass
			12	High	10.6	-1.7	8.90	0.008	2.000	Pass
			25	Low	10.59	-1.7	8.89	0.008	2.000	Pass
	MCH	QPSK	1	Low	15.63	-1.7	13.93	0.025	2.000	Pass
			1	Mid	15.63	-1.7	13.93	0.025	2.000	Pass
			1	High	15.6	-1.7	13.90	0.025	2.000	Pass
			12	Low	14.6	-1.7	12.90	0.019	2.000	Pass
			12	Mid	14.58	-1.7	12.88	0.019	2.000	Pass
			12	High	14.58	-1.7	12.88	0.019	2.000	Pass
			25	Low	14.65	-1.7	12.95	0.020	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	14.85	-1.7	13.15	0.021	2.000	Pass
			1	Mid	14.85	-1.7	13.15	0.021	2.000	Pass
			1	High	14.85	-1.7	13.15	0.021	2.000	Pass
			12	Low	13.67	-1.7	11.97	0.016	2.000	Pass
			12	Mid	13.66	-1.7	11.96	0.016	2.000	Pass
			12	High	13.64	-1.7	11.94	0.016	2.000	Pass
			25	Low	13.64	-1.7	11.94	0.016	2.000	Pass
		Q64	1	Low	13.67	-1.7	11.97	0.016	2.000	Pass
			1	Mid	13.66	-1.7	11.96	0.016	2.000	Pass
			1	High	13.65	-1.7	11.95	0.016	2.000	Pass
			12	Low	12.65	-1.7	10.95	0.012	2.000	Pass
			12	Mid	12.63	-1.7	10.93	0.012	2.000	Pass
			12	High	12.62	-1.7	10.92	0.012	2.000	Pass
			25	Low	12.7	-1.7	11.00	0.013	2.000	Pass
		Q256	1	Low	11.06	-1.7	9.36	0.009	2.000	Pass
			1	Mid	11.07	-1.7	9.37	0.009	2.000	Pass
			1	High	11.04	-1.7	9.34	0.009	2.000	Pass
			12	Low	10.66	-1.7	8.96	0.008	2.000	Pass
			12	Mid	10.64	-1.7	8.94	0.008	2.000	Pass
			12	High	10.64	-1.7	8.94	0.008	2.000	Pass
			25	Low	10.64	-1.7	8.94	0.008	2.000	Pass
	HCH	QPSK	1	Low	15.53	-1.7	13.83	0.024	2.000	Pass
			1	Mid	15.54	-1.7	13.84	0.024	2.000	Pass
			1	High	15.57	-1.7	13.87	0.024	2.000	Pass
			12	Low	14.55	-1.7	12.85	0.019	2.000	Pass
			12	Mid	14.54	-1.7	12.84	0.019	2.000	Pass
			12	High	14.58	-1.7	12.88	0.019	2.000	Pass
			25	Low	14.56	-1.7	12.86	0.019	2.000	Pass
		Q16	1	Low	14.79	-1.7	13.09	0.020	2.000	Pass
			1	Mid	14.78	-1.7	13.08	0.020	2.000	Pass
			1	High	14.8	-1.7	13.10	0.020	2.000	Pass
			12	Low	13.56	-1.7	11.86	0.015	2.000	Pass
			12	Mid	13.54	-1.7	11.84	0.015	2.000	Pass
			12	High	13.59	-1.7	11.89	0.015	2.000	Pass
			25	Low	13.58	-1.7	11.88	0.015	2.000	Pass
		Q64	1	Low	14.06	-1.7	12.36	0.017	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	14.03	-1.7	12.33	0.017	2.000	Pass
			1	High	14.06	-1.7	12.36	0.017	2.000	Pass
			12	Low	12.68	-1.7	10.98	0.013	2.000	Pass
			12	Mid	12.65	-1.7	10.95	0.012	2.000	Pass
			12	High	12.68	-1.7	10.98	0.013	2.000	Pass
			25	Low	12.55	-1.7	10.85	0.012	2.000	Pass
		Q256	1	Low	10.93	-1.7	9.23	0.008	2.000	Pass
			1	Mid	10.94	-1.7	9.24	0.008	2.000	Pass
			1	High	10.94	-1.7	9.24	0.008	2.000	Pass
			12	Low	10.55	-1.7	8.85	0.008	2.000	Pass
			12	Mid	10.53	-1.7	8.83	0.008	2.000	Pass
			12	High	10.55	-1.7	8.85	0.008	2.000	Pass
			25	Low	10.57	-1.7	8.87	0.008	2.000	Pass
			25	Low	10.57	-1.7	8.87	0.008	2.000	Pass
10	LCH	QPSK	1	Low	15.49	-1.7	13.79	0.024	2.000	Pass
			1	Mid	15.47	-1.7	13.77	0.024	2.000	Pass
			1	High	15.52	-1.7	13.82	0.024	2.000	Pass
			25	Low	14.56	-1.7	12.86	0.019	2.000	Pass
			25	Mid	14.57	-1.7	12.87	0.019	2.000	Pass
			25	High	14.56	-1.7	12.86	0.019	2.000	Pass
			50	Low	14.57	-1.7	12.87	0.019	2.000	Pass
		Q16	1	Low	14.81	-1.7	13.11	0.020	2.000	Pass
			1	Mid	14.79	-1.7	13.09	0.020	2.000	Pass
			1	High	14.82	-1.7	13.12	0.021	2.000	Pass
			25	Low	13.58	-1.7	11.88	0.015	2.000	Pass
			25	Mid	13.58	-1.7	11.88	0.015	2.000	Pass
			25	High	13.57	-1.7	11.87	0.015	2.000	Pass
			50	Low	13.6	-1.7	11.90	0.015	2.000	Pass
		Q64	1	Low	13.42	-1.7	11.72	0.015	2.000	Pass
			1	Mid	13.39	-1.7	11.69	0.015	2.000	Pass
			1	High	13.42	-1.7	11.72	0.015	2.000	Pass
			25	Low	12.6	-1.7	10.90	0.012	2.000	Pass
			25	Mid	12.62	-1.7	10.92	0.012	2.000	Pass
			25	High	12.61	-1.7	10.91	0.012	2.000	Pass
			50	Low	12.57	-1.7	10.87	0.012	2.000	Pass
		Q256	1	Low	10.73	-1.7	9.03	0.008	2.000	Pass
			1	Mid	10.73	-1.7	9.03	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
	MCH		1	High	10.77	-1.7	9.07	0.008	2.000	Pass
			25	Low	10.6	-1.7	8.90	0.008	2.000	Pass
			25	Mid	10.62	-1.7	8.92	0.008	2.000	Pass
			25	High	10.61	-1.7	8.91	0.008	2.000	Pass
			50	Low	10.61	-1.7	8.91	0.008	2.000	Pass
		QPSK	1	Low	15.65	-1.7	13.95	0.025	2.000	Pass
			1	Mid	15.67	-1.7	13.97	0.025	2.000	Pass
			1	High	15.68	-1.7	13.98	0.025	2.000	Pass
			25	Low	14.64	-1.7	12.94	0.020	2.000	Pass
			25	Mid	14.6	-1.7	12.90	0.019	2.000	Pass
			25	High	14.63	-1.7	12.93	0.020	2.000	Pass
			50	Low	14.63	-1.7	12.93	0.020	2.000	Pass
		Q16	1	Low	14.95	-1.7	13.25	0.021	2.000	Pass
			1	Mid	14.94	-1.7	13.24	0.021	2.000	Pass
			1	High	14.95	-1.7	13.25	0.021	2.000	Pass
			25	Low	13.64	-1.7	11.94	0.016	2.000	Pass
			25	Mid	13.6	-1.7	11.90	0.015	2.000	Pass
			25	High	13.6	-1.7	11.90	0.015	2.000	Pass
			50	Low	13.64	-1.7	11.94	0.016	2.000	Pass
		Q64	1	Low	14.1	-1.7	12.40	0.017	2.000	Pass
			1	Mid	14.1	-1.7	12.40	0.017	2.000	Pass
			1	High	14.13	-1.7	12.43	0.017	2.000	Pass
			25	Low	12.61	-1.7	10.91	0.012	2.000	Pass
			25	Mid	12.58	-1.7	10.88	0.012	2.000	Pass
			25	High	12.59	-1.7	10.89	0.012	2.000	Pass
			50	Low	12.6	-1.7	10.90	0.012	2.000	Pass
		Q256	1	Low	10.45	-1.7	8.75	0.007	2.000	Pass
			1	Mid	10.48	-1.7	8.78	0.008	2.000	Pass
			1	High	10.48	-1.7	8.78	0.008	2.000	Pass
			25	Low	10.69	-1.7	8.99	0.008	2.000	Pass
			25	Mid	10.68	-1.7	8.98	0.008	2.000	Pass
			25	High	10.66	-1.7	8.96	0.008	2.000	Pass
			50	Low	10.63	-1.7	8.93	0.008	2.000	Pass
	HCH	QPSK	1	Low	15.57	-1.7	13.87	0.024	2.000	Pass
			1	Mid	15.55	-1.7	13.85	0.024	2.000	Pass
			1	High	15.59	-1.7	13.89	0.024	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			25	Low	14.54	-1.7	12.84	0.019	2.000	Pass
			25	Mid	14.52	-1.7	12.82	0.019	2.000	Pass
			25	High	14.56	-1.7	12.86	0.019	2.000	Pass
			50	Low	14.53	-1.7	12.83	0.019	2.000	Pass
		Q16	1	Low	14.89	-1.7	13.19	0.021	2.000	Pass
			1	Mid	14.8	-1.7	13.10	0.020	2.000	Pass
			1	High	14.88	-1.7	13.18	0.021	2.000	Pass
			25	Low	13.55	-1.7	11.85	0.015	2.000	Pass
			25	Mid	13.53	-1.7	11.83	0.015	2.000	Pass
			25	High	13.58	-1.7	11.88	0.015	2.000	Pass
			50	Low	13.55	-1.7	11.85	0.015	2.000	Pass
		Q64	1	Low	13.78	-1.7	12.08	0.016	2.000	Pass
			1	Mid	13.75	-1.7	12.05	0.016	2.000	Pass
			1	High	13.77	-1.7	12.07	0.016	2.000	Pass
			25	Low	12.44	-1.7	10.74	0.012	2.000	Pass
			25	Mid	12.43	-1.7	10.73	0.012	2.000	Pass
			25	High	12.49	-1.7	10.79	0.012	2.000	Pass
			50	Low	12.5	-1.7	10.80	0.012	2.000	Pass
		Q256	1	Low	10.94	-1.7	9.24	0.008	2.000	Pass
			1	Mid	10.9	-1.7	9.20	0.008	2.000	Pass
			1	High	10.95	-1.7	9.25	0.008	2.000	Pass
			25	Low	10.55	-1.7	8.85	0.008	2.000	Pass
			25	Mid	10.53	-1.7	8.83	0.008	2.000	Pass
			25	High	10.57	-1.7	8.87	0.008	2.000	Pass
			50	Low	10.52	-1.7	8.82	0.008	2.000	Pass
15	LCH	QPSK	1	Low	15.49	-1.7	13.79	0.024	2.000	Pass
			1	Mid	15.49	-1.7	13.79	0.024	2.000	Pass
			1	High	15.52	-1.7	13.82	0.024	2.000	Pass
			36	Low	14.53	-1.7	12.83	0.019	2.000	Pass
			36	Mid	14.54	-1.7	12.84	0.019	2.000	Pass
			36	High	14.54	-1.7	12.84	0.019	2.000	Pass
			75	Low	14.54	-1.7	12.84	0.019	2.000	Pass
		Q16	1	Low	14.8	-1.7	13.10	0.020	2.000	Pass
			1	Mid	14.73	-1.7	13.03	0.020	2.000	Pass
			1	High	14.8	-1.7	13.10	0.020	2.000	Pass
			36	Low	13.56	-1.7	11.86	0.015	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	Mid	13.58	-1.7	11.88	0.015	2.000	Pass
			36	High	13.56	-1.7	11.86	0.015	2.000	Pass
			75	Low	13.57	-1.7	11.87	0.015	2.000	Pass
		Q64	1	Low	13.38	-1.7	11.68	0.015	2.000	Pass
			1	Mid	13.4	-1.7	11.70	0.015	2.000	Pass
			1	High	13.39	-1.7	11.69	0.015	2.000	Pass
			36	Low	12.62	-1.7	10.92	0.012	2.000	Pass
			36	Mid	12.64	-1.7	10.94	0.012	2.000	Pass
			36	High	12.65	-1.7	10.95	0.012	2.000	Pass
			75	Low	12.57	-1.7	10.87	0.012	2.000	Pass
		Q256	1	Low	10.73	-1.7	9.03	0.008	2.000	Pass
			1	Mid	10.79	-1.7	9.09	0.008	2.000	Pass
			1	High	10.76	-1.7	9.06	0.008	2.000	Pass
			36	Low	10.63	-1.7	8.93	0.008	2.000	Pass
			36	Mid	10.64	-1.7	8.94	0.008	2.000	Pass
			36	High	10.64	-1.7	8.94	0.008	2.000	Pass
			75	Low	10.6	-1.7	8.90	0.008	2.000	Pass
	MCH	QPSK	1	Low	15.6	-1.7	13.90	0.025	2.000	Pass
			1	Mid	15.73	-1.7	14.03	0.025	2.000	Pass
			1	High	15.63	-1.7	13.93	0.025	2.000	Pass
			36	Low	14.56	-1.7	12.86	0.019	2.000	Pass
			36	Mid	14.55	-1.7	12.85	0.019	2.000	Pass
			36	High	14.53	-1.7	12.83	0.019	2.000	Pass
			75	Low	14.56	-1.7	12.86	0.019	2.000	Pass
		Q16	1	Low	14.88	-1.7	13.18	0.021	2.000	Pass
			1	Mid	14.95	-1.7	13.25	0.021	2.000	Pass
			1	High	14.94	-1.7	13.24	0.021	2.000	Pass
			36	Low	13.59	-1.7	11.89	0.015	2.000	Pass
			36	Mid	13.57	-1.7	11.87	0.015	2.000	Pass
			36	High	13.57	-1.7	11.87	0.015	2.000	Pass
			75	Low	13.58	-1.7	11.88	0.015	2.000	Pass
		Q64	1	Low	13.99	-1.7	12.29	0.017	2.000	Pass
			1	Mid	14.1	-1.7	12.40	0.017	2.000	Pass
			1	High	14.06	-1.7	12.36	0.017	2.000	Pass
			36	Low	12.65	-1.7	10.95	0.012	2.000	Pass
			36	Mid	12.64	-1.7	10.94	0.012	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	High	12.64	-1.7	10.94	0.012	2.000	Pass
			75	Low	12.59	-1.7	10.89	0.012	2.000	Pass
		Q256	1	Low	10.4	-1.7	8.70	0.007	2.000	Pass
			1	Mid	10.45	-1.7	8.75	0.007	2.000	Pass
			1	High	10.43	-1.7	8.73	0.007	2.000	Pass
			36	Low	10.62	-1.7	8.92	0.008	2.000	Pass
			36	Mid	10.61	-1.7	8.91	0.008	2.000	Pass
			36	High	10.6	-1.7	8.90	0.008	2.000	Pass
			75	Low	10.58	-1.7	8.88	0.008	2.000	Pass
		QPSK	1	Low	15.58	-1.7	13.88	0.024	2.000	Pass
			1	Mid	15.57	-1.7	13.87	0.024	2.000	Pass
			1	High	15.59	-1.7	13.89	0.024	2.000	Pass
			36	Low	14.47	-1.7	12.77	0.019	2.000	Pass
			36	Mid	14.46	-1.7	12.76	0.019	2.000	Pass
			36	High	14.46	-1.7	12.76	0.019	2.000	Pass
			75	Low	14.47	-1.7	12.77	0.019	2.000	Pass
	HCH	Q16	1	Low	14.76	-1.7	13.06	0.020	2.000	Pass
			1	Mid	14.78	-1.7	13.08	0.020	2.000	Pass
			1	High	14.8	-1.7	13.10	0.020	2.000	Pass
			36	Low	13.53	-1.7	11.83	0.015	2.000	Pass
			36	Mid	13.5	-1.7	11.80	0.015	2.000	Pass
			36	High	13.52	-1.7	11.82	0.015	2.000	Pass
			75	Low	13.49	-1.7	11.79	0.015	2.000	Pass
		Q64	1	Low	13.64	-1.7	11.94	0.016	2.000	Pass
			1	Mid	13.63	-1.7	11.93	0.016	2.000	Pass
			1	High	13.62	-1.7	11.92	0.016	2.000	Pass
			36	Low	12.47	-1.7	10.77	0.012	2.000	Pass
			36	Mid	12.45	-1.7	10.75	0.012	2.000	Pass
			36	High	12.46	-1.7	10.76	0.012	2.000	Pass
			75	Low	12.5	-1.7	10.80	0.012	2.000	Pass
		Q256	1	Low	11.04	-1.7	9.34	0.009	2.000	Pass
			1	Mid	11.03	-1.7	9.33	0.009	2.000	Pass
			1	High	11.04	-1.7	9.34	0.009	2.000	Pass
			36	Low	10.51	-1.7	8.81	0.008	2.000	Pass
			36	Mid	10.5	-1.7	8.80	0.008	2.000	Pass
			36	High	10.49	-1.7	8.79	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict	
LTE BAND 38											
			75	Low	10.52	-1.7	8.82	0.008	2.000	Pass	
20	LCH	QPSK	1	Low	15.48	-1.7	13.78	0.024	2.000	Pass	
			1	Mid	15.59	-1.7	13.89	0.024	2.000	Pass	
			1	High	15.6	-1.7	13.90	0.025	2.000	Pass	
			50	Low	14.55	-1.7	12.85	0.019	2.000	Pass	
			50	Mid	14.57	-1.7	12.87	0.019	2.000	Pass	
			50	High	14.58	-1.7	12.88	0.019	2.000	Pass	
			100	Low	14.58	-1.7	12.88	0.019	2.000	Pass	
		Q16	1	Low	14.88	-1.7	13.18	0.021	2.000	Pass	
			1	Mid	14.88	-1.7	13.18	0.021	2.000	Pass	
			1	High	14.84	-1.7	13.14	0.021	2.000	Pass	
			50	Low	13.57	-1.7	11.87	0.015	2.000	Pass	
			50	Mid	13.57	-1.7	11.87	0.015	2.000	Pass	
			50	High	13.58	-1.7	11.88	0.015	2.000	Pass	
			100	Low	13.56	-1.7	11.86	0.015	2.000	Pass	
		Q64	1	Low	14.1	-1.7	12.40	0.017	2.000	Pass	
			1	Mid	14.09	-1.7	12.39	0.017	2.000	Pass	
			1	High	14.12	-1.7	12.42	0.017	2.000	Pass	
			50	Low	12.6	-1.7	10.90	0.012	2.000	Pass	
			50	Mid	12.65	-1.7	10.95	0.012	2.000	Pass	
			50	High	12.65	-1.7	10.95	0.012	2.000	Pass	
			100	Low	12.6	-1.7	10.90	0.012	2.000	Pass	
		Q256	1	Low	11.01	-1.7	9.31	0.009	2.000	Pass	
			1	Mid	11.07	-1.7	9.37	0.009	2.000	Pass	
			1	High	11.01	-1.7	9.31	0.009	2.000	Pass	
			50	Low	10.6	-1.7	8.90	0.008	2.000	Pass	
			50	Mid	10.63	-1.7	8.93	0.008	2.000	Pass	
			50	High	10.64	-1.7	8.94	0.008	2.000	Pass	
			100	Low	10.62	-1.7	8.92	0.008	2.000	Pass	
		MCH	QPSK	1	Low	15.67	-1.7	13.97	0.025	2.000	Pass
				1	Mid	15.71	-1.7	14.01	0.025	2.000	Pass
				1	High	15.63	-1.7	13.93	0.025	2.000	Pass
				50	Low	14.61	-1.7	12.91	0.020	2.000	Pass
				50	Mid	14.62	-1.7	12.92	0.020	2.000	Pass
				50	High	14.6	-1.7	12.90	0.019	2.000	Pass
				100	Low	14.6	-1.7	12.90	0.019	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	14.63	-1.7	12.93	0.020	2.000	Pass
			1	Mid	14.7	-1.7	13.00	0.020	2.000	Pass
			1	High	14.66	-1.7	12.96	0.020	2.000	Pass
			50	Low	13.61	-1.7	11.91	0.016	2.000	Pass
			50	Mid	13.66	-1.7	11.96	0.016	2.000	Pass
			50	High	13.63	-1.7	11.93	0.016	2.000	Pass
			100	Low	13.64	-1.7	11.94	0.016	2.000	Pass
		Q64	1	Low	13.66	-1.7	11.96	0.016	2.000	Pass
			1	Mid	13.75	-1.7	12.05	0.016	2.000	Pass
			1	High	13.71	-1.7	12.01	0.016	2.000	Pass
			50	Low	12.63	-1.7	10.93	0.012	2.000	Pass
			50	Mid	12.67	-1.7	10.97	0.013	2.000	Pass
			50	High	12.65	-1.7	10.95	0.012	2.000	Pass
			100	Low	12.66	-1.7	10.96	0.012	2.000	Pass
		Q256	1	Low	10.77	-1.7	9.07	0.008	2.000	Pass
			1	Mid	10.88	-1.7	9.18	0.008	2.000	Pass
			1	High	10.83	-1.7	9.13	0.008	2.000	Pass
			50	Low	10.66	-1.7	8.96	0.008	2.000	Pass
			50	Mid	10.68	-1.7	8.98	0.008	2.000	Pass
			50	High	10.66	-1.7	8.96	0.008	2.000	Pass
			100	Low	10.66	-1.7	8.96	0.008	2.000	Pass
	HCH	QPSK	1	Low	15.59	-1.7	13.89	0.024	2.000	Pass
			1	Mid	15.53	-1.7	13.83	0.024	2.000	Pass
			1	High	15.59	-1.7	13.89	0.024	2.000	Pass
			50	Low	14.51	-1.7	12.81	0.019	2.000	Pass
			50	Mid	14.51	-1.7	12.81	0.019	2.000	Pass
			50	High	14.5	-1.7	12.80	0.019	2.000	Pass
			100	Low	14.51	-1.7	12.81	0.019	2.000	Pass
		Q16	1	Low	15.04	-1.7	13.34	0.022	2.000	Pass
			1	Mid	15.03	-1.7	13.33	0.022	2.000	Pass
			1	High	15.04	-1.7	13.34	0.022	2.000	Pass
			50	Low	13.57	-1.7	11.87	0.015	2.000	Pass
			50	Mid	13.56	-1.7	11.86	0.015	2.000	Pass
			50	High	13.55	-1.7	11.85	0.015	2.000	Pass
			100	Low	13.53	-1.7	11.83	0.015	2.000	Pass
		Q64	1	Low	13.85	-1.7	12.15	0.016	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	13.85	-1.7	12.15	0.016	2.000	Pass
			1	High	13.82	-1.7	12.12	0.016	2.000	Pass
			50	Low	12.58	-1.7	10.88	0.012	2.000	Pass
			50	Mid	12.58	-1.7	10.88	0.012	2.000	Pass
			50	High	12.55	-1.7	10.85	0.012	2.000	Pass
			100	Low	12.57	-1.7	10.87	0.012	2.000	Pass
		Q256	1	Low	10.94	-1.7	9.24	0.008	2.000	Pass
			1	Mid	10.98	-1.7	9.28	0.008	2.000	Pass
			1	High	10.93	-1.7	9.23	0.008	2.000	Pass
			50	Low	10.56	-1.7	8.86	0.008	2.000	Pass
			50	Mid	10.56	-1.7	8.86	0.008	2.000	Pass
			50	High	10.54	-1.7	8.84	0.008	2.000	Pass
			100	Low	10.56	-1.7	8.86	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
5	LCH	QPSK	1	Low	17.84	-1.7	16.14	0.041	2.000	Pass
			1	Mid	17.85	-1.7	16.15	0.041	2.000	Pass
			1	High	17.81	-1.7	16.11	0.041	2.000	Pass
			12	Low	16.78	-1.7	15.08	0.032	2.000	Pass
			12	Mid	16.76	-1.7	15.06	0.032	2.000	Pass
			12	High	16.75	-1.7	15.05	0.032	2.000	Pass
			25	Low	16.78	-1.7	15.08	0.032	2.000	Pass
		Q16	1	Low	17.04	-1.7	15.34	0.034	2.000	Pass
			1	Mid	17.08	-1.7	15.38	0.035	2.000	Pass
			1	High	17.03	-1.7	15.33	0.034	2.000	Pass
			12	Low	15.81	-1.7	14.11	0.026	2.000	Pass
			12	Mid	15.77	-1.7	14.07	0.026	2.000	Pass
			12	High	15.79	-1.7	14.09	0.026	2.000	Pass
			25	Low	15.77	-1.7	14.07	0.026	2.000	Pass
		Q64	1	Low	15.81	-1.7	14.11	0.026	2.000	Pass
			1	Mid	15.83	-1.7	14.13	0.026	2.000	Pass
			1	High	15.78	-1.7	14.08	0.026	2.000	Pass
			12	Low	14.77	-1.7	13.07	0.020	2.000	Pass
			12	Mid	14.72	-1.7	13.02	0.020	2.000	Pass
			12	High	14.76	-1.7	13.06	0.020	2.000	Pass
			25	Low	14.79	-1.7	13.09	0.020	2.000	Pass
		Q256	1	Low	13.18	-1.7	11.48	0.014	2.000	Pass
			1	Mid	13.2	-1.7	11.50	0.014	2.000	Pass
			1	High	13.17	-1.7	11.47	0.014	2.000	Pass
			12	Low	12.8	-1.7	11.10	0.013	2.000	Pass
			12	Mid	12.74	-1.7	11.04	0.013	2.000	Pass
			12	High	12.75	-1.7	11.05	0.013	2.000	Pass
			25	Low	12.74	-1.7	11.04	0.013	2.000	Pass
	MCH	QPSK	1	Low	17.93	-1.7	16.23	0.042	2.000	Pass
			1	Mid	17.9	-1.7	16.20	0.042	2.000	Pass
			1	High	17.91	-1.7	16.21	0.042	2.000	Pass
			12	Low	16.9	-1.7	15.20	0.033	2.000	Pass
			12	Mid	16.86	-1.7	15.16	0.033	2.000	Pass
			12	High	16.87	-1.7	15.17	0.033	2.000	Pass
			25	Low	16.9	-1.7	15.20	0.033	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	17.17	-1.7	15.47	0.035	2.000	Pass
			1	Mid	17.18	-1.7	15.48	0.035	2.000	Pass
			1	High	17.15	-1.7	15.45	0.035	2.000	Pass
			12	Low	15.9	-1.7	14.20	0.026	2.000	Pass
			12	Mid	15.89	-1.7	14.19	0.026	2.000	Pass
			12	High	15.88	-1.7	14.18	0.026	2.000	Pass
			25	Low	15.91	-1.7	14.21	0.026	2.000	Pass
		Q64	1	Low	16.46	-1.7	14.76	0.030	2.000	Pass
			1	Mid	16.42	-1.7	14.72	0.030	2.000	Pass
			1	High	16.41	-1.7	14.71	0.030	2.000	Pass
			12	Low	15.02	-1.7	13.32	0.021	2.000	Pass
			12	Mid	15	-1.7	13.30	0.021	2.000	Pass
			12	High	15	-1.7	13.30	0.021	2.000	Pass
			25	Low	14.88	-1.7	13.18	0.021	2.000	Pass
		Q256	1	Low	13.32	-1.7	11.62	0.015	2.000	Pass
			1	Mid	13.31	-1.7	11.61	0.014	2.000	Pass
			1	High	13.31	-1.7	11.61	0.014	2.000	Pass
			12	Low	12.92	-1.7	11.22	0.013	2.000	Pass
			12	Mid	12.89	-1.7	11.19	0.013	2.000	Pass
			12	High	12.87	-1.7	11.17	0.013	2.000	Pass
			25	Low	12.94	-1.7	11.24	0.013	2.000	Pass
	HCH	QPSK	1	Low	17.95	-1.7	16.25	0.042	2.000	Pass
			1	Mid	17.67	-1.7	15.97	0.040	2.000	Pass
			1	High	17.64	-1.7	15.94	0.039	2.000	Pass
			12	Low	17	-1.7	15.30	0.034	2.000	Pass
			12	Mid	16.98	-1.7	15.28	0.034	2.000	Pass
			12	High	16.99	-1.7	15.29	0.034	2.000	Pass
			25	Low	17.01	-1.7	15.31	0.034	2.000	Pass
		Q16	1	Low	17.32	-1.7	15.62	0.036	2.000	Pass
			1	Mid	17.37	-1.7	15.67	0.037	2.000	Pass
			1	High	17.33	-1.7	15.63	0.037	2.000	Pass
			12	Low	16.09	-1.7	14.39	0.027	2.000	Pass
			12	Mid	16.04	-1.7	14.34	0.027	2.000	Pass
			12	High	16.08	-1.7	14.38	0.027	2.000	Pass
			25	Low	15.99	-1.7	14.29	0.027	2.000	Pass
		Q64	1	Low	16.24	-1.7	14.54	0.028	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	16.32	-1.7	14.62	0.029	2.000	Pass
			1	High	16.24	-1.7	14.54	0.028	2.000	Pass
			12	Low	14.93	-1.7	13.23	0.021	2.000	Pass
			12	Mid	14.92	-1.7	13.22	0.021	2.000	Pass
			12	High	14.92	-1.7	13.22	0.021	2.000	Pass
			25	Low	14.92	-1.7	13.22	0.021	2.000	Pass
		Q256	1	Low	13.3	-1.7	11.60	0.014	2.000	Pass
			1	Mid	13.33	-1.7	11.63	0.015	2.000	Pass
			1	High	13.32	-1.7	11.62	0.015	2.000	Pass
			12	Low	12.96	-1.7	11.26	0.013	2.000	Pass
			12	Mid	12.96	-1.7	11.26	0.013	2.000	Pass
			12	High	12.97	-1.7	11.27	0.013	2.000	Pass
			25	Low	12.97	-1.7	11.27	0.013	2.000	Pass
10	LCH	QPSK	1	Low	17.58	-1.7	15.88	0.039	2.000	Pass
			1	Mid	17.72	-1.7	16.02	0.040	2.000	Pass
			1	High	17.67	-1.7	15.97	0.040	2.000	Pass
			25	Low	16.83	-1.7	15.13	0.033	2.000	Pass
			25	Mid	16.82	-1.7	15.12	0.033	2.000	Pass
			25	High	16.84	-1.7	15.14	0.033	2.000	Pass
			50	Low	16.83	-1.7	15.13	0.033	2.000	Pass
		Q16	1	Low	17.16	-1.7	15.46	0.035	2.000	Pass
			1	Mid	17.07	-1.7	15.37	0.034	2.000	Pass
			1	High	17.15	-1.7	15.45	0.035	2.000	Pass
			25	Low	15.78	-1.7	14.08	0.026	2.000	Pass
			25	Mid	15.81	-1.7	14.11	0.026	2.000	Pass
			25	High	15.84	-1.7	14.14	0.026	2.000	Pass
			50	Low	15.79	-1.7	14.09	0.026	2.000	Pass
		Q64	1	Low	15.66	-1.7	13.96	0.025	2.000	Pass
			1	Mid	15.62	-1.7	13.92	0.025	2.000	Pass
			1	High	15.66	-1.7	13.96	0.025	2.000	Pass
			25	Low	14.82	-1.7	13.12	0.021	2.000	Pass
			25	Mid	14.81	-1.7	13.11	0.020	2.000	Pass
			25	High	14.85	-1.7	13.15	0.021	2.000	Pass
			50	Low	14.78	-1.7	13.08	0.020	2.000	Pass
		Q256	1	Low	12.92	-1.7	11.22	0.013	2.000	Pass
			1	Mid	12.9	-1.7	11.20	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
	MCH		1	High	12.94	-1.7	11.24	0.013	2.000	Pass
			25	Low	12.77	-1.7	11.07	0.013	2.000	Pass
			25	Mid	12.79	-1.7	11.09	0.013	2.000	Pass
			25	High	12.8	-1.7	11.10	0.013	2.000	Pass
			50	Low	12.8	-1.7	11.10	0.013	2.000	Pass
		QPSK	1	Low	17.93	-1.7	16.23	0.042	2.000	Pass
			1	Mid	17.95	-1.7	16.25	0.042	2.000	Pass
			1	High	17.97	-1.7	16.27	0.042	2.000	Pass
			25	Low	16.9	-1.7	15.20	0.033	2.000	Pass
			25	Mid	16.9	-1.7	15.20	0.033	2.000	Pass
			25	High	16.92	-1.7	15.22	0.033	2.000	Pass
			50	Low	16.87	-1.7	15.17	0.033	2.000	Pass
		Q16	1	Low	17.23	-1.7	15.53	0.036	2.000	Pass
			1	Mid	17.24	-1.7	15.54	0.036	2.000	Pass
			1	High	17.29	-1.7	15.59	0.036	2.000	Pass
			25	Low	15.89	-1.7	14.19	0.026	2.000	Pass
			25	Mid	15.89	-1.7	14.19	0.026	2.000	Pass
			25	High	15.88	-1.7	14.18	0.026	2.000	Pass
			50	Low	15.91	-1.7	14.21	0.026	2.000	Pass
		Q64	1	Low	16.39	-1.7	14.69	0.029	2.000	Pass
			1	Mid	16.4	-1.7	14.70	0.030	2.000	Pass
			1	High	16.47	-1.7	14.77	0.030	2.000	Pass
			25	Low	14.88	-1.7	13.18	0.021	2.000	Pass
			25	Mid	14.91	-1.7	13.21	0.021	2.000	Pass
			25	High	14.89	-1.7	13.19	0.021	2.000	Pass
			50	Low	14.84	-1.7	13.14	0.021	2.000	Pass
		Q256	1	Low	12.75	-1.7	11.05	0.013	2.000	Pass
			1	Mid	12.77	-1.7	11.07	0.013	2.000	Pass
			1	High	12.78	-1.7	11.08	0.013	2.000	Pass
			25	Low	12.95	-1.7	11.25	0.013	2.000	Pass
			25	Mid	12.94	-1.7	11.24	0.013	2.000	Pass
			25	High	12.97	-1.7	11.27	0.013	2.000	Pass
			50	Low	12.85	-1.7	11.15	0.013	2.000	Pass
	HCH	QPSK	1	Low	17.42	-1.7	15.72	0.037	2.000	Pass
			1	Mid	17.43	-1.7	15.73	0.037	2.000	Pass
			1	High	17.41	-1.7	15.71	0.037	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			25	Low	17	-1.7	15.30	0.034	2.000	Pass
			25	Mid	16.99	-1.7	15.29	0.034	2.000	Pass
			25	High	17.02	-1.7	15.32	0.034	2.000	Pass
			50	Low	17.01	-1.7	15.31	0.034	2.000	Pass
		Q16	1	Low	17.4	-1.7	15.70	0.037	2.000	Pass
			1	Mid	17.33	-1.7	15.63	0.037	2.000	Pass
			1	High	17.41	-1.7	15.71	0.037	2.000	Pass
			25	Low	16	-1.7	14.30	0.027	2.000	Pass
			25	Mid	15.99	-1.7	14.29	0.027	2.000	Pass
			25	High	16.04	-1.7	14.34	0.027	2.000	Pass
			50	Low	16.01	-1.7	14.31	0.027	2.000	Pass
		Q64	1	Low	16.24	-1.7	14.54	0.028	2.000	Pass
			1	Mid	16.21	-1.7	14.51	0.028	2.000	Pass
			1	High	16.25	-1.7	14.55	0.029	2.000	Pass
			25	Low	14.9	-1.7	13.20	0.021	2.000	Pass
			25	Mid	14.9	-1.7	13.20	0.021	2.000	Pass
			25	High	14.92	-1.7	13.22	0.021	2.000	Pass
			50	Low	14.97	-1.7	13.27	0.021	2.000	Pass
		Q256	1	Low	13.32	-1.7	11.62	0.015	2.000	Pass
			1	Mid	13.32	-1.7	11.62	0.015	2.000	Pass
			1	High	13.35	-1.7	11.65	0.015	2.000	Pass
			25	Low	12.99	-1.7	11.29	0.013	2.000	Pass
			25	Mid	12.96	-1.7	11.26	0.013	2.000	Pass
			25	High	12.99	-1.7	11.29	0.013	2.000	Pass
			50	Low	12.94	-1.7	11.24	0.013	2.000	Pass
15	LCH	QPSK	1	Low	17.77	-1.7	16.07	0.040	2.000	Pass
			1	Mid	17.8	-1.7	16.10	0.041	2.000	Pass
			1	High	17.77	-1.7	16.07	0.040	2.000	Pass
			36	Low	16.78	-1.7	15.08	0.032	2.000	Pass
			36	Mid	16.75	-1.7	15.05	0.032	2.000	Pass
			36	High	16.78	-1.7	15.08	0.032	2.000	Pass
			75	Low	16.82	-1.7	15.12	0.033	2.000	Pass
		Q16	1	Low	17.12	-1.7	15.42	0.035	2.000	Pass
			1	Mid	17.1	-1.7	15.40	0.035	2.000	Pass
			1	High	17.04	-1.7	15.34	0.034	2.000	Pass
			36	Low	15.79	-1.7	14.09	0.026	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			36	Mid	15.78	-1.7	14.08	0.026	2.000	Pass
			36	High	15.79	-1.7	14.09	0.026	2.000	Pass
			75	Low	15.82	-1.7	14.12	0.026	2.000	Pass
		Q64	1	Low	15.65	-1.7	13.95	0.025	2.000	Pass
			1	Mid	15.69	-1.7	13.99	0.025	2.000	Pass
			1	High	15.62	-1.7	13.92	0.025	2.000	Pass
			36	Low	14.85	-1.7	13.15	0.021	2.000	Pass
			36	Mid	14.85	-1.7	13.15	0.021	2.000	Pass
			36	High	14.85	-1.7	13.15	0.021	2.000	Pass
			75	Low	14.79	-1.7	13.09	0.020	2.000	Pass
		Q256	1	Low	12.94	-1.7	11.24	0.013	2.000	Pass
			1	Mid	12.96	-1.7	11.26	0.013	2.000	Pass
			1	High	12.93	-1.7	11.23	0.013	2.000	Pass
			36	Low	12.81	-1.7	11.11	0.013	2.000	Pass
			36	Mid	12.81	-1.7	11.11	0.013	2.000	Pass
			36	High	12.8	-1.7	11.10	0.013	2.000	Pass
			75	Low	12.8	-1.7	11.10	0.013	2.000	Pass
	MCH	QPSK	1	Low	17.91	-1.7	16.21	0.042	2.000	Pass
			1	Mid	17.94	-1.7	16.24	0.042	2.000	Pass
			1	High	17.92	-1.7	16.22	0.042	2.000	Pass
			36	Low	16.85	-1.7	15.15	0.033	2.000	Pass
			36	Mid	16.86	-1.7	15.16	0.033	2.000	Pass
			36	High	16.85	-1.7	15.15	0.033	2.000	Pass
			75	Low	16.89	-1.7	15.19	0.033	2.000	Pass
		Q16	1	Low	17.26	-1.7	15.56	0.036	2.000	Pass
			1	Mid	17.27	-1.7	15.57	0.036	2.000	Pass
			1	High	17.27	-1.7	15.57	0.036	2.000	Pass
			36	Low	15.88	-1.7	14.18	0.026	2.000	Pass
			36	Mid	15.87	-1.7	14.17	0.026	2.000	Pass
			36	High	15.88	-1.7	14.18	0.026	2.000	Pass
			75	Low	15.9	-1.7	14.20	0.026	2.000	Pass
		Q64	1	Low	16.39	-1.7	14.69	0.029	2.000	Pass
			1	Mid	16.43	-1.7	14.73	0.030	2.000	Pass
			1	High	16.4	-1.7	14.70	0.030	2.000	Pass
			36	Low	14.94	-1.7	13.24	0.021	2.000	Pass
			36	Mid	14.94	-1.7	13.24	0.021	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			36	High	14.95	-1.7	13.25	0.021	2.000	Pass
			75	Low	14.92	-1.7	13.22	0.021	2.000	Pass
		Q256	1	Low	12.73	-1.7	11.03	0.013	2.000	Pass
			1	Mid	12.82	-1.7	11.12	0.013	2.000	Pass
			1	High	12.77	-1.7	11.07	0.013	2.000	Pass
			36	Low	12.89	-1.7	11.19	0.013	2.000	Pass
			36	Mid	12.92	-1.7	11.22	0.013	2.000	Pass
			36	High	12.91	-1.7	11.21	0.013	2.000	Pass
			75	Low	12.87	-1.7	11.17	0.013	2.000	Pass
	HCH	QPSK	1	Low	17.49	-1.7	15.79	0.038	2.000	Pass
			1	Mid	17.49	-1.7	15.79	0.038	2.000	Pass
			1	High	17.51	-1.7	15.81	0.038	2.000	Pass
			36	Low	16.94	-1.7	15.24	0.033	2.000	Pass
			36	Mid	16.93	-1.7	15.23	0.033	2.000	Pass
			36	High	16.97	-1.7	15.27	0.034	2.000	Pass
			75	Low	16.96	-1.7	15.26	0.034	2.000	Pass
		Q16	1	Low	17.27	-1.7	15.57	0.036	2.000	Pass
			1	Mid	17.29	-1.7	15.59	0.036	2.000	Pass
			1	High	17.29	-1.7	15.59	0.036	2.000	Pass
			36	Low	16	-1.7	14.30	0.027	2.000	Pass
			36	Mid	15.98	-1.7	14.28	0.027	2.000	Pass
			36	High	16.02	-1.7	14.32	0.027	2.000	Pass
			75	Low	15.97	-1.7	14.27	0.027	2.000	Pass
		Q64	1	Low	16.08	-1.7	14.38	0.027	2.000	Pass
			1	Mid	16.08	-1.7	14.38	0.027	2.000	Pass
			1	High	16.09	-1.7	14.39	0.027	2.000	Pass
			36	Low	14.92	-1.7	13.22	0.021	2.000	Pass
			36	Mid	14.93	-1.7	13.23	0.021	2.000	Pass
			36	High	14.96	-1.7	13.26	0.021	2.000	Pass
			75	Low	14.95	-1.7	13.25	0.021	2.000	Pass
		Q256	1	Low	13.46	-1.7	11.76	0.015	2.000	Pass
			1	Mid	13.49	-1.7	11.79	0.015	2.000	Pass
			1	High	13.5	-1.7	11.80	0.015	2.000	Pass
			36	Low	12.92	-1.7	11.22	0.013	2.000	Pass
			36	Mid	12.94	-1.7	11.24	0.013	2.000	Pass
			36	High	12.95	-1.7	11.25	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
20	LCH	QPSK	75	Low	12.95	-1.7	11.25	0.013	2.000	Pass
			1	Low	17.45	-1.7	15.75	0.038	2.000	Pass
			1	Mid	17.72	-1.7	16.02	0.040	2.000	Pass
			1	High	17.71	-1.7	16.01	0.040	2.000	Pass
			50	Low	16.81	-1.7	15.11	0.032	2.000	Pass
			50	Mid	16.8	-1.7	15.10	0.032	2.000	Pass
			50	High	16.78	-1.7	15.08	0.032	2.000	Pass
		Q16	100	Low	16.82	-1.7	15.12	0.033	2.000	Pass
			1	Low	17.13	-1.7	15.43	0.035	2.000	Pass
			1	Mid	17.12	-1.7	15.42	0.035	2.000	Pass
			1	High	17.09	-1.7	15.39	0.035	2.000	Pass
			50	Low	15.8	-1.7	14.10	0.026	2.000	Pass
			50	Mid	15.79	-1.7	14.09	0.026	2.000	Pass
			50	High	15.79	-1.7	14.09	0.026	2.000	Pass
		Q64	100	Low	15.82	-1.7	14.12	0.026	2.000	Pass
			1	Low	16.35	-1.7	14.65	0.029	2.000	Pass
			1	Mid	16.38	-1.7	14.68	0.029	2.000	Pass
			1	High	16.32	-1.7	14.62	0.029	2.000	Pass
			50	Low	14.83	-1.7	13.13	0.021	2.000	Pass
			50	Mid	14.83	-1.7	13.13	0.021	2.000	Pass
			50	High	14.84	-1.7	13.14	0.021	2.000	Pass
		Q256	100	Low	14.83	-1.7	13.13	0.021	2.000	Pass
			1	Low	13.17	-1.7	11.47	0.014	2.000	Pass
			1	Mid	13.23	-1.7	11.53	0.014	2.000	Pass
			1	High	13.15	-1.7	11.45	0.014	2.000	Pass
			50	Low	12.77	-1.7	11.07	0.013	2.000	Pass
			50	Mid	12.78	-1.7	11.08	0.013	2.000	Pass
			50	High	12.78	-1.7	11.08	0.013	2.000	Pass
	MCH	QPSK	100	Low	12.81	-1.7	11.11	0.013	2.000	Pass
			1	Low	17.94	-1.7	16.24	0.042	2.000	Pass
			1	Mid	17.97	-1.7	16.27	0.042	2.000	Pass
			1	High	17.94	-1.7	16.24	0.042	2.000	Pass
			50	Low	16.87	-1.7	15.17	0.033	2.000	Pass
			50	Mid	16.84	-1.7	15.14	0.033	2.000	Pass
			50	High	16.89	-1.7	15.19	0.033	2.000	Pass
			100	Low	16.86	-1.7	15.16	0.033	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	16.97	-1.7	15.27	0.034	2.000	Pass
			1	Mid	16.99	-1.7	15.29	0.034	2.000	Pass
			1	High	16.99	-1.7	15.29	0.034	2.000	Pass
			50	Low	15.88	-1.7	14.18	0.026	2.000	Pass
			50	Mid	15.87	-1.7	14.17	0.026	2.000	Pass
			50	High	15.92	-1.7	14.22	0.026	2.000	Pass
			100	Low	15.89	-1.7	14.19	0.026	2.000	Pass
		Q64	1	Low	16.01	-1.7	14.31	0.027	2.000	Pass
			1	Mid	16.04	-1.7	14.34	0.027	2.000	Pass
			1	High	16.02	-1.7	14.32	0.027	2.000	Pass
			50	Low	14.92	-1.7	13.22	0.021	2.000	Pass
			50	Mid	14.91	-1.7	13.21	0.021	2.000	Pass
			50	High	14.94	-1.7	13.24	0.021	2.000	Pass
			100	Low	14.9	-1.7	13.20	0.021	2.000	Pass
		Q256	1	Low	13.02	-1.7	11.32	0.014	2.000	Pass
			1	Mid	13.1	-1.7	11.40	0.014	2.000	Pass
			1	High	13.06	-1.7	11.36	0.014	2.000	Pass
			50	Low	12.93	-1.7	11.23	0.013	2.000	Pass
			50	Mid	12.91	-1.7	11.21	0.013	2.000	Pass
			50	High	12.94	-1.7	11.24	0.013	2.000	Pass
			100	Low	12.92	-1.7	11.22	0.013	2.000	Pass
	HCH	QPSK	1	Low	16.99	-1.7	15.29	0.034	2.000	Pass
			1	Mid	17.18	-1.7	15.48	0.035	2.000	Pass
			1	High	17.33	-1.7	15.63	0.037	2.000	Pass
			50	Low	16.93	-1.7	15.23	0.033	2.000	Pass
			50	Mid	16.93	-1.7	15.23	0.033	2.000	Pass
			50	High	17	-1.7	15.30	0.034	2.000	Pass
			100	Low	16.95	-1.7	15.25	0.033	2.000	Pass
		Q16	1	Low	17.23	-1.7	15.53	0.036	2.000	Pass
			1	Mid	17.46	-1.7	15.76	0.038	2.000	Pass
			1	High	17.54	-1.7	15.84	0.038	2.000	Pass
			50	Low	15.99	-1.7	14.29	0.027	2.000	Pass
			50	Mid	16.02	-1.7	14.32	0.027	2.000	Pass
			50	High	16.01	-1.7	14.31	0.027	2.000	Pass
			100	Low	15.98	-1.7	14.28	0.027	2.000	Pass
		Q64	1	Low	16.28	-1.7	14.58	0.029	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	16.29	-1.7	14.59	0.029	2.000	Pass
			1	High	16.29	-1.7	14.59	0.029	2.000	Pass
			50	Low	14.97	-1.7	13.27	0.021	2.000	Pass
			50	Mid	15	-1.7	13.30	0.021	2.000	Pass
			50	High	15.04	-1.7	13.34	0.022	2.000	Pass
			100	Low	15.03	-1.7	13.33	0.022	2.000	Pass
		Q256	1	Low	13.34	-1.7	11.64	0.015	2.000	Pass
			1	Mid	13.38	-1.7	11.68	0.015	2.000	Pass
			1	High	13.36	-1.7	11.66	0.015	2.000	Pass
			50	Low	12.95	-1.7	11.25	0.013	2.000	Pass
			50	Mid	12.95	-1.7	11.25	0.013	2.000	Pass
			50	High	12.98	-1.7	11.28	0.013	2.000	Pass
			100	Low	12.96	-1.7	11.26	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
5	LCH	QPSK	1	Low	14.9	-1.2	13.70	0.023	1.000	Pass
			1	Mid	14.92	-1.2	13.72	0.024	1.000	Pass
			1	High	14.87	-1.2	13.67	0.023	1.000	Pass
			12	Low	14.2	-1.2	13.00	0.020	1.000	Pass
			12	Mid	13.88	-1.2	12.68	0.019	1.000	Pass
			12	High	13.89	-1.2	12.69	0.019	1.000	Pass
			25	Low	13.91	-1.2	12.71	0.019	1.000	Pass
		Q16	1	Low	14.03	-1.2	12.83	0.019	1.000	Pass
			1	Mid	14.02	-1.2	12.82	0.019	1.000	Pass
			1	High	14.01	-1.2	12.81	0.019	1.000	Pass
			12	Low	12.91	-1.2	11.71	0.015	1.000	Pass
			12	Mid	12.89	-1.2	11.69	0.015	1.000	Pass
			12	High	12.9	-1.2	11.70	0.015	1.000	Pass
			25	Low	12.98	-1.2	11.78	0.015	1.000	Pass
		Q64	1	Low	12.83	-1.2	11.63	0.015	1.000	Pass
			1	Mid	12.86	-1.2	11.66	0.015	1.000	Pass
			1	High	12.84	-1.2	11.64	0.015	1.000	Pass
			12	Low	11.97	-1.2	10.77	0.012	1.000	Pass
			12	Mid	11.97	-1.2	10.77	0.012	1.000	Pass
			12	High	11.99	-1.2	10.79	0.012	1.000	Pass
			25	Low	12	-1.2	10.80	0.012	1.000	Pass
		Q256	1	Low	9.93	-1.2	8.73	0.007	1.000	Pass
			1	Mid	9.92	-1.2	8.72	0.007	1.000	Pass
			1	High	9.92	-1.2	8.72	0.007	1.000	Pass
			12	Low	10.05	-1.2	8.85	0.008	1.000	Pass
			12	Mid	10.07	-1.2	8.87	0.008	1.000	Pass
			12	High	10.07	-1.2	8.87	0.008	1.000	Pass
			25	Low	10.01	-1.2	8.81	0.008	1.000	Pass
	MCH	QPSK	1	Low	14.09	-1.2	12.89	0.019	1.000	Pass
			1	Mid	14.09	-1.2	12.89	0.019	1.000	Pass
			1	High	14.03	-1.2	12.83	0.019	1.000	Pass
			12	Low	13.07	-1.2	11.87	0.015	1.000	Pass
			12	Mid	13.03	-1.2	11.83	0.015	1.000	Pass
			12	High	13.02	-1.2	11.82	0.015	1.000	Pass
			25	Low	13.06	-1.2	11.86	0.015	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	13.25	-1.2	12.05	0.016	1.000	Pass
			1	Mid	13.24	-1.2	12.04	0.016	1.000	Pass
			1	High	13.21	-1.2	12.01	0.016	1.000	Pass
			12	Low	12.09	-1.2	10.89	0.012	1.000	Pass
			12	Mid	12.07	-1.2	10.87	0.012	1.000	Pass
			12	High	12.08	-1.2	10.88	0.012	1.000	Pass
			25	Low	12.1	-1.2	10.90	0.012	1.000	Pass
		Q64	1	Low	12.07	-1.2	10.87	0.012	1.000	Pass
			1	Mid	12.04	-1.2	10.84	0.012	1.000	Pass
			1	High	12.01	-1.2	10.81	0.012	1.000	Pass
			12	Low	11.18	-1.2	9.98	0.010	1.000	Pass
			12	Mid	11.11	-1.2	9.91	0.010	1.000	Pass
			12	High	11.12	-1.2	9.92	0.010	1.000	Pass
			25	Low	11.16	-1.2	9.96	0.010	1.000	Pass
		Q256	1	Low	9.14	-1.2	7.94	0.006	1.000	Pass
			1	Mid	9.13	-1.2	7.93	0.006	1.000	Pass
			1	High	9.08	-1.2	7.88	0.006	1.000	Pass
			12	Low	9.21	-1.2	8.01	0.006	1.000	Pass
			12	Mid	9.2	-1.2	8.00	0.006	1.000	Pass
			12	High	9.21	-1.2	8.01	0.006	1.000	Pass
			25	Low	9.16	-1.2	7.96	0.006	1.000	Pass
	HCH	QPSK	1	Low	13.37	-1.2	12.17	0.016	1.000	Pass
			1	Mid	13.35	-1.2	12.15	0.016	1.000	Pass
			1	High	13.34	-1.2	12.14	0.016	1.000	Pass
			12	Low	12.31	-1.2	11.11	0.013	1.000	Pass
			12	Mid	12.28	-1.2	11.08	0.013	1.000	Pass
			12	High	12.27	-1.2	11.07	0.013	1.000	Pass
			25	Low	12.32	-1.2	11.12	0.013	1.000	Pass
		Q16	1	Low	12.51	-1.2	11.31	0.014	1.000	Pass
			1	Mid	12.53	-1.2	11.33	0.014	1.000	Pass
			1	High	12.5	-1.2	11.30	0.013	1.000	Pass
			12	Low	11.35	-1.2	10.15	0.010	1.000	Pass
			12	Mid	11.31	-1.2	10.11	0.010	1.000	Pass
			12	High	11.33	-1.2	10.13	0.010	1.000	Pass
			25	Low	11.34	-1.2	10.14	0.010	1.000	Pass
		Q64	1	Low	11.35	-1.2	10.15	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	11.29	-1.2	10.09	0.010	1.000	Pass
			1	High	11.3	-1.2	10.10	0.010	1.000	Pass
			12	Low	10.4	-1.2	9.20	0.008	1.000	Pass
			12	Mid	10.37	-1.2	9.17	0.008	1.000	Pass
			12	High	10.37	-1.2	9.17	0.008	1.000	Pass
			25	Low	10.39	-1.2	9.19	0.008	1.000	Pass
		Q256	1	Low	8.4	-1.2	7.20	0.005	1.000	Pass
			1	Mid	8.37	-1.2	7.17	0.005	1.000	Pass
			1	High	8.34	-1.2	7.14	0.005	1.000	Pass
			12	Low	8.46	-1.2	7.26	0.005	1.000	Pass
			12	Mid	8.43	-1.2	7.23	0.005	1.000	Pass
			12	High	8.44	-1.2	7.24	0.005	1.000	Pass
			25	Low	8.4	-1.2	7.20	0.005	1.000	Pass
10	LCH	QPSK	1	Low	14.86	-1.2	13.66	0.023	1.000	Pass
			1	Mid	14.87	-1.2	13.67	0.023	1.000	Pass
			1	High	14.89	-1.2	13.69	0.023	1.000	Pass
			25	Low	13.95	-1.2	12.75	0.019	1.000	Pass
			25	Mid	13.96	-1.2	12.76	0.019	1.000	Pass
			25	High	13.93	-1.2	12.73	0.019	1.000	Pass
			50	Low	13.97	-1.2	12.77	0.019	1.000	Pass
		Q16	1	Low	14.12	-1.2	12.92	0.020	1.000	Pass
			1	Mid	14.12	-1.2	12.92	0.020	1.000	Pass
			1	High	14.15	-1.2	12.95	0.020	1.000	Pass
			25	Low	12.91	-1.2	11.71	0.015	1.000	Pass
			25	Mid	12.91	-1.2	11.71	0.015	1.000	Pass
			25	High	12.89	-1.2	11.69	0.015	1.000	Pass
			50	Low	13.01	-1.2	11.81	0.015	1.000	Pass
		Q64	1	Low	13	-1.2	11.80	0.015	1.000	Pass
			1	Mid	13.01	-1.2	11.81	0.015	1.000	Pass
			1	High	13	-1.2	11.80	0.015	1.000	Pass
			25	Low	12.03	-1.2	10.83	0.012	1.000	Pass
			25	Mid	12.04	-1.2	10.84	0.012	1.000	Pass
			25	High	12.03	-1.2	10.83	0.012	1.000	Pass
			50	Low	12.01	-1.2	10.81	0.012	1.000	Pass
		Q256	1	Low	9.97	-1.2	8.77	0.008	1.000	Pass
			1	Mid	9.93	-1.2	8.73	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
	MCH		1	High	9.98	-1.2	8.78	0.008	1.000	Pass
			25	Low	10.02	-1.2	8.82	0.008	1.000	Pass
			25	Mid	10.01	-1.2	8.81	0.008	1.000	Pass
			25	High	10.02	-1.2	8.82	0.008	1.000	Pass
			50	Low	10.04	-1.2	8.84	0.008	1.000	Pass
		QPSK	1	Low	14.12	-1.2	12.92	0.020	1.000	Pass
			1	Mid	14.1	-1.2	12.90	0.019	1.000	Pass
			1	High	14.02	-1.2	12.82	0.019	1.000	Pass
			25	Low	13.16	-1.2	11.96	0.016	1.000	Pass
			25	Mid	13.1	-1.2	11.90	0.015	1.000	Pass
			25	High	13.07	-1.2	11.87	0.015	1.000	Pass
			50	Low	13.12	-1.2	11.92	0.016	1.000	Pass
		Q16	1	Low	13.31	-1.2	12.11	0.016	1.000	Pass
			1	Mid	13.29	-1.2	12.09	0.016	1.000	Pass
			1	High	13.23	-1.2	12.03	0.016	1.000	Pass
			25	Low	12.18	-1.2	10.98	0.013	1.000	Pass
			25	Mid	12.13	-1.2	10.93	0.012	1.000	Pass
			25	High	12.09	-1.2	10.89	0.012	1.000	Pass
			50	Low	12.17	-1.2	10.97	0.013	1.000	Pass
		Q64	1	Low	12.1	-1.2	10.90	0.012	1.000	Pass
			1	Mid	12.1	-1.2	10.90	0.012	1.000	Pass
			1	High	12	-1.2	10.80	0.012	1.000	Pass
			25	Low	11.23	-1.2	10.03	0.010	1.000	Pass
			25	Mid	11.18	-1.2	9.98	0.010	1.000	Pass
			25	High	11.14	-1.2	9.94	0.010	1.000	Pass
			50	Low	11.16	-1.2	9.96	0.010	1.000	Pass
		Q256	1	Low	9.17	-1.2	7.97	0.006	1.000	Pass
			1	Mid	9.1	-1.2	7.90	0.006	1.000	Pass
			1	High	9.08	-1.2	7.88	0.006	1.000	Pass
			25	Low	9.19	-1.2	7.99	0.006	1.000	Pass
			25	Mid	9.13	-1.2	7.93	0.006	1.000	Pass
			25	High	9.1	-1.2	7.90	0.006	1.000	Pass
			50	Low	9.2	-1.2	8.00	0.006	1.000	Pass
	HCH	QPSK	1	Low	13.43	-1.2	12.23	0.017	1.000	Pass
			1	Mid	13.4	-1.2	12.20	0.017	1.000	Pass
			1	High	13.38	-1.2	12.18	0.017	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			25	Low	12.41	-1.2	11.21	0.013	1.000	Pass
			25	Mid	12.39	-1.2	11.19	0.013	1.000	Pass
			25	High	12.34	-1.2	11.14	0.013	1.000	Pass
			50	Low	12.37	-1.2	11.17	0.013	1.000	Pass
		Q16	1	Low	12.66	-1.2	11.46	0.014	1.000	Pass
			1	Mid	12.59	-1.2	11.39	0.014	1.000	Pass
			1	High	12.6	-1.2	11.40	0.014	1.000	Pass
			25	Low	11.34	-1.2	10.14	0.010	1.000	Pass
			25	Mid	11.32	-1.2	10.12	0.010	1.000	Pass
			25	High	11.28	-1.2	10.08	0.010	1.000	Pass
			50	Low	11.42	-1.2	10.22	0.011	1.000	Pass
		Q64	1	Low	11.51	-1.2	10.31	0.011	1.000	Pass
			1	Mid	11.46	-1.2	10.26	0.011	1.000	Pass
			1	High	11.42	-1.2	10.22	0.011	1.000	Pass
			25	Low	10.47	-1.2	9.27	0.008	1.000	Pass
			25	Mid	10.44	-1.2	9.24	0.008	1.000	Pass
			25	High	10.4	-1.2	9.20	0.008	1.000	Pass
			50	Low	10.42	-1.2	9.22	0.008	1.000	Pass
		Q256	1	Low	8.46	-1.2	7.26	0.005	1.000	Pass
			1	Mid	8.39	-1.2	7.19	0.005	1.000	Pass
			1	High	8.41	-1.2	7.21	0.005	1.000	Pass
			25	Low	8.46	-1.2	7.26	0.005	1.000	Pass
			25	Mid	8.41	-1.2	7.21	0.005	1.000	Pass
			25	High	8.39	-1.2	7.19	0.005	1.000	Pass
			50	Low	8.46	-1.2	7.26	0.005	1.000	Pass
15	LCH	QPSK	1	Low	14.92	-1.2	13.72	0.024	1.000	Pass
			1	Mid	15	-1.2	13.80	0.024	1.000	Pass
			1	High	14.92	-1.2	13.72	0.024	1.000	Pass
			36	Low	13.98	-1.2	12.78	0.019	1.000	Pass
			36	Mid	13.96	-1.2	12.76	0.019	1.000	Pass
			36	High	13.97	-1.2	12.77	0.019	1.000	Pass
			75	Low	14	-1.2	12.80	0.019	1.000	Pass
		Q16	1	Low	14.12	-1.2	12.92	0.020	1.000	Pass
			1	Mid	14.16	-1.2	12.96	0.020	1.000	Pass
			1	High	14.12	-1.2	12.92	0.020	1.000	Pass
			36	Low	12.99	-1.2	11.79	0.015	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	Mid	12.99	-1.2	11.79	0.015	1.000	Pass
			36	High	12.97	-1.2	11.77	0.015	1.000	Pass
			75	Low	13.02	-1.2	11.82	0.015	1.000	Pass
		Q64	1	Low	12.92	-1.2	11.72	0.015	1.000	Pass
			1	Mid	12.95	-1.2	11.75	0.015	1.000	Pass
			1	High	12.9	-1.2	11.70	0.015	1.000	Pass
			36	Low	12.03	-1.2	10.83	0.012	1.000	Pass
			36	Mid	12.02	-1.2	10.82	0.012	1.000	Pass
			36	High	12.02	-1.2	10.82	0.012	1.000	Pass
			75	Low	12.03	-1.2	10.83	0.012	1.000	Pass
		Q256	1	Low	9.99	-1.2	8.79	0.008	1.000	Pass
			1	Mid	10.02	-1.2	8.82	0.008	1.000	Pass
			1	High	9.99	-1.2	8.79	0.008	1.000	Pass
			36	Low	10.06	-1.2	8.86	0.008	1.000	Pass
			36	Mid	10.05	-1.2	8.85	0.008	1.000	Pass
			36	High	10.04	-1.2	8.84	0.008	1.000	Pass
			75	Low	10.05	-1.2	8.85	0.008	1.000	Pass
	MCH	QPSK	1	Low	14.16	-1.2	12.96	0.020	1.000	Pass
			1	Mid	14.18	-1.2	12.98	0.020	1.000	Pass
			1	High	14.01	-1.2	12.81	0.019	1.000	Pass
			36	Low	13.17	-1.2	11.97	0.016	1.000	Pass
			36	Mid	13.11	-1.2	11.91	0.016	1.000	Pass
			36	High	13.06	-1.2	11.86	0.015	1.000	Pass
			75	Low	13.13	-1.2	11.93	0.016	1.000	Pass
		Q16	1	Low	13.42	-1.2	12.22	0.017	1.000	Pass
			1	Mid	13.41	-1.2	12.21	0.017	1.000	Pass
			1	High	13.24	-1.2	12.04	0.016	1.000	Pass
			36	Low	12.21	-1.2	11.01	0.013	1.000	Pass
			36	Mid	12.16	-1.2	10.96	0.012	1.000	Pass
			36	High	12.11	-1.2	10.91	0.012	1.000	Pass
			75	Low	12.15	-1.2	10.95	0.012	1.000	Pass
		Q64	1	Low	12.24	-1.2	11.04	0.013	1.000	Pass
			1	Mid	12.25	-1.2	11.05	0.013	1.000	Pass
			1	High	12.1	-1.2	10.90	0.012	1.000	Pass
			36	Low	11.22	-1.2	10.02	0.010	1.000	Pass
			36	Mid	11.16	-1.2	9.96	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	High	11.07	-1.2	9.87	0.010	1.000	Pass
			75	Low	11.16	-1.2	9.96	0.010	1.000	Pass
		Q256	1	Low	9.18	-1.2	7.98	0.006	1.000	Pass
			1	Mid	9.17	-1.2	7.97	0.006	1.000	Pass
			1	High	9.05	-1.2	7.85	0.006	1.000	Pass
			36	Low	9.21	-1.2	8.01	0.006	1.000	Pass
			36	Mid	9.17	-1.2	7.97	0.006	1.000	Pass
			36	High	9.1	-1.2	7.90	0.006	1.000	Pass
			75	Low	9.17	-1.2	7.97	0.006	1.000	Pass
	HCH	QPSK	1	Low	13.59	-1.2	12.39	0.017	1.000	Pass
			1	Mid	13.59	-1.2	12.39	0.017	1.000	Pass
			1	High	13.51	-1.2	12.31	0.017	1.000	Pass
			36	Low	12.57	-1.2	11.37	0.014	1.000	Pass
			36	Mid	12.52	-1.2	11.32	0.014	1.000	Pass
			36	High	12.48	-1.2	11.28	0.013	1.000	Pass
			75	Low	12.57	-1.2	11.37	0.014	1.000	Pass
		Q16	1	Low	12.84	-1.2	11.64	0.015	1.000	Pass
			1	Mid	12.81	-1.2	11.61	0.014	1.000	Pass
			1	High	12.74	-1.2	11.54	0.014	1.000	Pass
			36	Low	11.61	-1.2	10.41	0.011	1.000	Pass
			36	Mid	11.55	-1.2	10.35	0.011	1.000	Pass
			36	High	11.51	-1.2	10.31	0.011	1.000	Pass
			75	Low	11.58	-1.2	10.38	0.011	1.000	Pass
		Q64	1	Low	11.67	-1.2	10.47	0.011	1.000	Pass
			1	Mid	11.64	-1.2	10.44	0.011	1.000	Pass
			1	High	11.57	-1.2	10.37	0.011	1.000	Pass
			36	Low	10.63	-1.2	9.43	0.009	1.000	Pass
			36	Mid	10.56	-1.2	9.36	0.009	1.000	Pass
			36	High	10.53	-1.2	9.33	0.009	1.000	Pass
			75	Low	10.62	-1.2	9.42	0.009	1.000	Pass
		Q256	1	Low	8.61	-1.2	7.41	0.006	1.000	Pass
			1	Mid	8.57	-1.2	7.37	0.005	1.000	Pass
			1	High	8.51	-1.2	7.31	0.005	1.000	Pass
			36	Low	8.63	-1.2	7.43	0.006	1.000	Pass
			36	Mid	8.56	-1.2	7.36	0.005	1.000	Pass
			36	High	8.51	-1.2	7.31	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
20	LCH	QPSK	75	Low	8.61	-1.2	7.41	0.006	1.000	Pass
			1	Low	14.81	-1.2	13.61	0.023	1.000	Pass
			1	Mid	14.87	-1.2	13.67	0.023	1.000	Pass
			1	High	14.75	-1.2	13.55	0.023	1.000	Pass
			50	Low	13.94	-1.2	12.74	0.019	1.000	Pass
			50	Mid	13.91	-1.2	12.71	0.019	1.000	Pass
			50	High	13.87	-1.2	12.67	0.018	1.000	Pass
		Q16	100	Low	13.93	-1.2	12.73	0.019	1.000	Pass
			1	Low	14.1	-1.2	12.90	0.019	1.000	Pass
			1	Mid	14.17	-1.2	12.97	0.020	1.000	Pass
			1	High	14.01	-1.2	12.81	0.019	1.000	Pass
			50	Low	12.99	-1.2	11.79	0.015	1.000	Pass
			50	Mid	12.97	-1.2	11.77	0.015	1.000	Pass
			50	High	12.93	-1.2	11.73	0.015	1.000	Pass
		Q64	100	Low	12.99	-1.2	11.79	0.015	1.000	Pass
			1	Low	12.97	-1.2	11.77	0.015	1.000	Pass
			1	Mid	13.03	-1.2	11.83	0.015	1.000	Pass
			1	High	12.88	-1.2	11.68	0.015	1.000	Pass
			50	Low	12.04	-1.2	10.84	0.012	1.000	Pass
			50	Mid	12.03	-1.2	10.83	0.012	1.000	Pass
			50	High	11.97	-1.2	10.77	0.012	1.000	Pass
		Q256	100	Low	11.99	-1.2	10.79	0.012	1.000	Pass
			1	Low	9.93	-1.2	8.73	0.007	1.000	Pass
			1	Mid	9.94	-1.2	8.74	0.007	1.000	Pass
			1	High	9.84	-1.2	8.64	0.007	1.000	Pass
			50	Low	10.05	-1.2	8.85	0.008	1.000	Pass
			50	Mid	10.02	-1.2	8.82	0.008	1.000	Pass
			50	High	10	-1.2	8.80	0.008	1.000	Pass
	MCH	QPSK	100	Low	9.99	-1.2	8.79	0.008	1.000	Pass
			1	Low	14.13	-1.2	12.93	0.020	1.000	Pass
			1	Mid	14.16	-1.2	12.96	0.020	1.000	Pass
			1	High	13.93	-1.2	12.73	0.019	1.000	Pass
			50	Low	13.21	-1.2	12.01	0.016	1.000	Pass
			50	Mid	13.19	-1.2	11.99	0.016	1.000	Pass
			50	High	13.06	-1.2	11.86	0.015	1.000	Pass
			100	Low	13.16	-1.2	11.96	0.016	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	13.38	-1.2	12.18	0.017	1.000	Pass
			1	Mid	13.38	-1.2	12.18	0.017	1.000	Pass
			1	High	13.18	-1.2	11.98	0.016	1.000	Pass
			50	Low	12.27	-1.2	11.07	0.013	1.000	Pass
			50	Mid	12.23	-1.2	11.03	0.013	1.000	Pass
			50	High	12.1	-1.2	10.90	0.012	1.000	Pass
			100	Low	12.2	-1.2	11.00	0.013	1.000	Pass
		Q64	1	Low	12.13	-1.2	10.93	0.012	1.000	Pass
			1	Mid	12.14	-1.2	10.94	0.012	1.000	Pass
			1	High	11.93	-1.2	10.73	0.012	1.000	Pass
			50	Low	11.27	-1.2	10.07	0.010	1.000	Pass
			50	Mid	11.26	-1.2	10.06	0.010	1.000	Pass
			50	High	11.12	-1.2	9.92	0.010	1.000	Pass
			100	Low	11.22	-1.2	10.02	0.010	1.000	Pass
		Q256	1	Low	9.2	-1.2	8.00	0.006	1.000	Pass
			1	Mid	9.22	-1.2	8.02	0.006	1.000	Pass
			1	High	8.98	-1.2	7.78	0.006	1.000	Pass
			50	Low	9.31	-1.2	8.11	0.006	1.000	Pass
			50	Mid	9.27	-1.2	8.07	0.006	1.000	Pass
			50	High	9.16	-1.2	7.96	0.006	1.000	Pass
			100	Low	9.19	-1.2	7.99	0.006	1.000	Pass
	HCH	QPSK	1	Low	13.62	-1.2	12.42	0.017	1.000	Pass
			1	Mid	13.6	-1.2	12.40	0.017	1.000	Pass
			1	High	13.52	-1.2	12.32	0.017	1.000	Pass
			50	Low	12.64	-1.2	11.44	0.014	1.000	Pass
			50	Mid	12.61	-1.2	11.41	0.014	1.000	Pass
			50	High	12.52	-1.2	11.32	0.014	1.000	Pass
			100	Low	12.61	-1.2	11.41	0.014	1.000	Pass
		Q16	1	Low	12.85	-1.2	11.65	0.015	1.000	Pass
			1	Mid	12.79	-1.2	11.59	0.014	1.000	Pass
			1	High	12.73	-1.2	11.53	0.014	1.000	Pass
			50	Low	11.69	-1.2	10.49	0.011	1.000	Pass
			50	Mid	11.68	-1.2	10.48	0.011	1.000	Pass
			50	High	11.58	-1.2	10.38	0.011	1.000	Pass
			100	Low	11.66	-1.2	10.46	0.011	1.000	Pass
		Q64	1	Low	11.59	-1.2	10.39	0.011	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	11.61	-1.2	10.41	0.011	1.000	Pass
			1	High	11.49	-1.2	10.29	0.011	1.000	Pass
			50	Low	10.7	-1.2	9.50	0.009	1.000	Pass
			50	Mid	10.68	-1.2	9.48	0.009	1.000	Pass
			50	High	10.61	-1.2	9.41	0.009	1.000	Pass
			100	Low	10.67	-1.2	9.47	0.009	1.000	Pass
		Q256	1	Low	8.65	-1.2	7.45	0.006	1.000	Pass
			1	Mid	8.65	-1.2	7.45	0.006	1.000	Pass
			1	High	8.56	-1.2	7.36	0.005	1.000	Pass
			50	Low	8.72	-1.2	7.52	0.006	1.000	Pass
			50	Mid	8.72	-1.2	7.52	0.006	1.000	Pass
			50	High	8.62	-1.2	7.42	0.006	1.000	Pass
			100	Low	8.66	-1.2	7.46	0.006	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
1.4	LCH	QPSK	1	Low	15.75	-2.3	13.45	0.022	1.000	Pass
			1	Mid	15.64	-2.3	13.34	0.022	1.000	Pass
			1	High	15.69	-2.3	13.39	0.022	1.000	Pass
			3	Low	15.46	-2.3	13.16	0.021	1.000	Pass
			3	Mid	15.44	-2.3	13.14	0.021	1.000	Pass
			3	High	15.45	-2.3	13.15	0.021	1.000	Pass
			6	Low	14.5	-2.3	12.20	0.017	1.000	Pass
		Q16	1	Low	14.61	-2.3	12.31	0.017	1.000	Pass
			1	Mid	14.53	-2.3	12.23	0.017	1.000	Pass
			1	High	14.63	-2.3	12.33	0.017	1.000	Pass
			3	Low	14.5	-2.3	12.20	0.017	1.000	Pass
			3	Mid	14.49	-2.3	12.19	0.017	1.000	Pass
			3	High	14.53	-2.3	12.23	0.017	1.000	Pass
			6	Low	13.63	-2.3	11.33	0.014	1.000	Pass
		Q64	1	Low	13.96	-2.3	11.66	0.015	1.000	Pass
			1	Mid	13.99	-2.3	11.69	0.015	1.000	Pass
			1	High	13.95	-2.3	11.65	0.015	1.000	Pass
			3	Low	13.86	-2.3	11.56	0.014	1.000	Pass
			3	Mid	13.87	-2.3	11.57	0.014	1.000	Pass
			3	High	13.86	-2.3	11.56	0.014	1.000	Pass
			6	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.67	-2.3	8.37	0.007	1.000	Pass
			1	Mid	10.68	-2.3	8.38	0.007	1.000	Pass
			1	High	10.66	-2.3	8.36	0.007	1.000	Pass
			3	Low	10.65	-2.3	8.35	0.007	1.000	Pass
			3	Mid	10.64	-2.3	8.34	0.007	1.000	Pass
			3	High	10.62	-2.3	8.32	0.007	1.000	Pass
			6	Low	10.61	-2.3	8.31	0.007	1.000	Pass
	MCH	QPSK	1	Low	15.46	-2.3	13.16	0.021	1.000	Pass
			1	Mid	15.44	-2.3	13.14	0.021	1.000	Pass
			1	High	15.46	-2.3	13.16	0.021	1.000	Pass
			3	Low	15.37	-2.3	13.07	0.020	1.000	Pass
			3	Mid	15.37	-2.3	13.07	0.020	1.000	Pass
			3	High	15.37	-2.3	13.07	0.020	1.000	Pass
			6	Low	14.4	-2.3	12.10	0.016	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	14.82	-2.3	12.52	0.018	1.000	Pass
			1	Mid	14.72	-2.3	12.42	0.017	1.000	Pass
			1	High	14.82	-2.3	12.52	0.018	1.000	Pass
			3	Low	14.54	-2.3	12.24	0.017	1.000	Pass
			3	Mid	14.53	-2.3	12.23	0.017	1.000	Pass
			3	High	14.51	-2.3	12.21	0.017	1.000	Pass
			6	Low	13.31	-2.3	11.01	0.013	1.000	Pass
		Q64	1	Low	13.62	-2.3	11.32	0.014	1.000	Pass
			1	Mid	13.59	-2.3	11.29	0.013	1.000	Pass
			1	High	13.58	-2.3	11.28	0.013	1.000	Pass
			3	Low	13.53	-2.3	11.23	0.013	1.000	Pass
			3	Mid	13.53	-2.3	11.23	0.013	1.000	Pass
			3	High	13.54	-2.3	11.24	0.013	1.000	Pass
			6	Low	12.7	-2.3	10.40	0.011	1.000	Pass
		Q256	1	Low	10.44	-2.3	8.14	0.007	1.000	Pass
			1	Mid	10.4	-2.3	8.10	0.006	1.000	Pass
			1	High	10.46	-2.3	8.16	0.007	1.000	Pass
			3	Low	10.59	-2.3	8.29	0.007	1.000	Pass
			3	Mid	10.6	-2.3	8.30	0.007	1.000	Pass
			3	High	10.55	-2.3	8.25	0.007	1.000	Pass
			6	Low	10.52	-2.3	8.22	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.37	-2.3	13.07	0.020	1.000	Pass
			1	Mid	15.36	-2.3	13.06	0.020	1.000	Pass
			1	High	15.41	-2.3	13.11	0.020	1.000	Pass
			3	Low	15.34	-2.3	13.04	0.020	1.000	Pass
			3	Mid	15.33	-2.3	13.03	0.020	1.000	Pass
			3	High	15.36	-2.3	13.06	0.020	1.000	Pass
			6	Low	14.35	-2.3	12.05	0.016	1.000	Pass
		Q16	1	Low	14.43	-2.3	12.13	0.016	1.000	Pass
			1	Mid	14.34	-2.3	12.04	0.016	1.000	Pass
			1	High	14.45	-2.3	12.15	0.016	1.000	Pass
			3	Low	14.51	-2.3	12.21	0.017	1.000	Pass
			3	Mid	14.49	-2.3	12.19	0.017	1.000	Pass
			3	High	14.49	-2.3	12.19	0.017	1.000	Pass
			6	Low	13.5	-2.3	11.20	0.013	1.000	Pass
		Q64	1	Low	13.61	-2.3	11.31	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		QPSK	1	Mid	13.56	-2.3	11.26	0.013	1.000	Pass
			1	High	13.65	-2.3	11.35	0.014	1.000	Pass
			3	Low	13.31	-2.3	11.01	0.013	1.000	Pass
			3	Mid	13.31	-2.3	11.01	0.013	1.000	Pass
			3	High	13.32	-2.3	11.02	0.013	1.000	Pass
			6	Low	12.48	-2.3	10.18	0.010	1.000	Pass
		Q256	1	Low	10.32	-2.3	8.02	0.006	1.000	Pass
			1	Mid	10.29	-2.3	7.99	0.006	1.000	Pass
			1	High	10.3	-2.3	8.00	0.006	1.000	Pass
			3	Low	10.43	-2.3	8.13	0.007	1.000	Pass
			3	Mid	10.42	-2.3	8.12	0.006	1.000	Pass
			3	High	10.43	-2.3	8.13	0.007	1.000	Pass
			6	Low	10.43	-2.3	8.13	0.007	1.000	Pass
3	LCH	QPSK	1	Low	15.64	-2.3	13.34	0.022	1.000	Pass
			1	Mid	15.62	-2.3	13.32	0.021	1.000	Pass
			1	High	15.58	-2.3	13.28	0.021	1.000	Pass
			8	Low	14.6	-2.3	12.30	0.017	1.000	Pass
			8	Mid	14.58	-2.3	12.28	0.017	1.000	Pass
			8	High	14.58	-2.3	12.28	0.017	1.000	Pass
			15	Low	14.57	-2.3	12.27	0.017	1.000	Pass
		Q16	1	Low	14.45	-2.3	12.15	0.016	1.000	Pass
			1	Mid	14.4	-2.3	12.10	0.016	1.000	Pass
			1	High	14.38	-2.3	12.08	0.016	1.000	Pass
			8	Low	13.68	-2.3	11.38	0.014	1.000	Pass
			8	Mid	13.67	-2.3	11.37	0.014	1.000	Pass
			8	High	13.68	-2.3	11.38	0.014	1.000	Pass
			15	Low	13.63	-2.3	11.33	0.014	1.000	Pass
		Q64	1	Low	13.94	-2.3	11.64	0.015	1.000	Pass
			1	Mid	13.9	-2.3	11.60	0.014	1.000	Pass
			1	High	13.9	-2.3	11.60	0.014	1.000	Pass
			8	Low	12.69	-2.3	10.39	0.011	1.000	Pass
			8	Mid	12.67	-2.3	10.37	0.011	1.000	Pass
			8	High	12.7	-2.3	10.40	0.011	1.000	Pass
			15	Low	12.59	-2.3	10.29	0.011	1.000	Pass
		Q256	1	Low	11.21	-2.3	8.91	0.008	1.000	Pass
			1	Mid	11.19	-2.3	8.89	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH		1	High	11.18	-2.3	8.88	0.008	1.000	Pass
			8	Low	10.74	-2.3	8.44	0.007	1.000	Pass
			8	Mid	10.73	-2.3	8.43	0.007	1.000	Pass
			8	High	10.74	-2.3	8.44	0.007	1.000	Pass
			15	Low	10.68	-2.3	8.38	0.007	1.000	Pass
		QPSK	1	Low	15.51	-2.3	13.21	0.021	1.000	Pass
			1	Mid	15.53	-2.3	13.23	0.021	1.000	Pass
			1	High	15.48	-2.3	13.18	0.021	1.000	Pass
			8	Low	14.47	-2.3	12.17	0.016	1.000	Pass
			8	Mid	14.46	-2.3	12.16	0.016	1.000	Pass
			8	High	14.48	-2.3	12.18	0.017	1.000	Pass
			15	Low	14.47	-2.3	12.17	0.016	1.000	Pass
		Q16	1	Low	14.87	-2.3	12.57	0.018	1.000	Pass
			1	Mid	14.82	-2.3	12.52	0.018	1.000	Pass
			1	High	14.84	-2.3	12.54	0.018	1.000	Pass
			8	Low	13.57	-2.3	11.27	0.013	1.000	Pass
			8	Mid	13.52	-2.3	11.22	0.013	1.000	Pass
			8	High	13.56	-2.3	11.26	0.013	1.000	Pass
			15	Low	13.51	-2.3	11.21	0.013	1.000	Pass
		Q64	1	Low	13.6	-2.3	11.30	0.013	1.000	Pass
			1	Mid	13.64	-2.3	11.34	0.014	1.000	Pass
			1	High	13.63	-2.3	11.33	0.014	1.000	Pass
			8	Low	12.55	-2.3	10.25	0.011	1.000	Pass
			8	Mid	12.51	-2.3	10.21	0.010	1.000	Pass
			8	High	12.53	-2.3	10.23	0.011	1.000	Pass
			15	Low	12.5	-2.3	10.20	0.010	1.000	Pass
		Q256	1	Low	10.48	-2.3	8.18	0.007	1.000	Pass
			1	Mid	10.46	-2.3	8.16	0.007	1.000	Pass
			1	High	10.43	-2.3	8.13	0.007	1.000	Pass
			8	Low	10.56	-2.3	8.26	0.007	1.000	Pass
			8	Mid	10.57	-2.3	8.27	0.007	1.000	Pass
			8	High	10.56	-2.3	8.26	0.007	1.000	Pass
			15	Low	10.64	-2.3	8.34	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.38	-2.3	13.08	0.020	1.000	Pass
			1	Mid	15.39	-2.3	13.09	0.020	1.000	Pass
			1	High	15.4	-2.3	13.10	0.020	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			8	Low	14.45	-2.3	12.15	0.016	1.000	Pass
			8	Mid	14.42	-2.3	12.12	0.016	1.000	Pass
			8	High	14.45	-2.3	12.15	0.016	1.000	Pass
			15	Low	14.47	-2.3	12.17	0.016	1.000	Pass
		Q16	1	Low	14.45	-2.3	12.15	0.016	1.000	Pass
			1	Mid	14.45	-2.3	12.15	0.016	1.000	Pass
			1	High	14.43	-2.3	12.13	0.016	1.000	Pass
			8	Low	13.53	-2.3	11.23	0.013	1.000	Pass
			8	Mid	13.52	-2.3	11.22	0.013	1.000	Pass
			8	High	13.5	-2.3	11.20	0.013	1.000	Pass
			15	Low	13.43	-2.3	11.13	0.013	1.000	Pass
		Q64	1	Low	13.65	-2.3	11.35	0.014	1.000	Pass
			1	Mid	13.64	-2.3	11.34	0.014	1.000	Pass
			1	High	13.61	-2.3	11.31	0.014	1.000	Pass
			8	Low	12.39	-2.3	10.09	0.010	1.000	Pass
			8	Mid	12.37	-2.3	10.07	0.010	1.000	Pass
			8	High	12.39	-2.3	10.09	0.010	1.000	Pass
			15	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.29	-2.3	7.99	0.006	1.000	Pass
			1	Mid	10.32	-2.3	8.02	0.006	1.000	Pass
			1	High	10.31	-2.3	8.01	0.006	1.000	Pass
			8	Low	10.52	-2.3	8.22	0.007	1.000	Pass
			8	Mid	10.5	-2.3	8.20	0.007	1.000	Pass
			8	High	10.51	-2.3	8.21	0.007	1.000	Pass
			15	Low	10.46	-2.3	8.16	0.007	1.000	Pass
5	LCH	QPSK	1	Low	15.75	-2.3	13.45	0.022	1.000	Pass
			1	Mid	15.67	-2.3	13.37	0.022	1.000	Pass
			1	High	15.64	-2.3	13.34	0.022	1.000	Pass
			12	Low	14.59	-2.3	12.29	0.017	1.000	Pass
			12	Mid	14.59	-2.3	12.29	0.017	1.000	Pass
			12	High	14.55	-2.3	12.25	0.017	1.000	Pass
			25	Low	14.65	-2.3	12.35	0.017	1.000	Pass
		Q16	1	Low	14.83	-2.3	12.53	0.018	1.000	Pass
			1	Mid	14.8	-2.3	12.50	0.018	1.000	Pass
			1	High	14.77	-2.3	12.47	0.018	1.000	Pass
			12	Low	13.68	-2.3	11.38	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	Mid	13.66	-2.3	11.36	0.014	1.000	Pass
			12	High	13.63	-2.3	11.33	0.014	1.000	Pass
			25	Low	13.64	-2.3	11.34	0.014	1.000	Pass
		Q64	1	Low	13.55	-2.3	11.25	0.013	1.000	Pass
			1	Mid	13.5	-2.3	11.20	0.013	1.000	Pass
			1	High	13.47	-2.3	11.17	0.013	1.000	Pass
			12	Low	12.67	-2.3	10.37	0.011	1.000	Pass
			12	Mid	12.66	-2.3	10.36	0.011	1.000	Pass
			12	High	12.63	-2.3	10.33	0.011	1.000	Pass
			25	Low	12.61	-2.3	10.31	0.011	1.000	Pass
		Q256	1	Low	10.28	-2.3	7.98	0.006	1.000	Pass
			1	Mid	10.31	-2.3	8.01	0.006	1.000	Pass
			1	High	10.28	-2.3	7.98	0.006	1.000	Pass
			12	Low	10.66	-2.3	8.36	0.007	1.000	Pass
			12	Mid	10.66	-2.3	8.36	0.007	1.000	Pass
			12	High	10.65	-2.3	8.35	0.007	1.000	Pass
			25	Low	10.68	-2.3	8.38	0.007	1.000	Pass
	MCH	QPSK	1	Low	15.53	-2.3	13.23	0.021	1.000	Pass
			1	Mid	15.51	-2.3	13.21	0.021	1.000	Pass
			1	High	15.49	-2.3	13.19	0.021	1.000	Pass
			12	Low	14.51	-2.3	12.21	0.017	1.000	Pass
			12	Mid	14.48	-2.3	12.18	0.017	1.000	Pass
			12	High	14.49	-2.3	12.19	0.017	1.000	Pass
			25	Low	14.52	-2.3	12.22	0.017	1.000	Pass
		Q16	1	Low	15.11	-2.3	12.81	0.019	1.000	Pass
			1	Mid	15.09	-2.3	12.79	0.019	1.000	Pass
			1	High	15.04	-2.3	12.74	0.019	1.000	Pass
			12	Low	13.65	-2.3	11.35	0.014	1.000	Pass
			12	Mid	13.63	-2.3	11.33	0.014	1.000	Pass
			12	High	13.62	-2.3	11.32	0.014	1.000	Pass
			25	Low	13.56	-2.3	11.26	0.013	1.000	Pass
		Q64	1	Low	13.8	-2.3	11.50	0.014	1.000	Pass
			1	Mid	13.84	-2.3	11.54	0.014	1.000	Pass
			1	High	13.78	-2.3	11.48	0.014	1.000	Pass
			12	Low	12.48	-2.3	10.18	0.010	1.000	Pass
			12	Mid	12.45	-2.3	10.15	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	High	12.45	-2.3	10.15	0.010	1.000	Pass
			25	Low	12.47	-2.3	10.17	0.010	1.000	Pass
		Q256	1	Low	10.83	-2.3	8.53	0.007	1.000	Pass
			1	Mid	10.82	-2.3	8.52	0.007	1.000	Pass
			1	High	10.81	-2.3	8.51	0.007	1.000	Pass
			12	Low	10.69	-2.3	8.39	0.007	1.000	Pass
			12	Mid	10.67	-2.3	8.37	0.007	1.000	Pass
			12	High	10.65	-2.3	8.35	0.007	1.000	Pass
			25	Low	10.61	-2.3	8.31	0.007	1.000	Pass
		QPSK	1	Low	15.6	-2.3	13.30	0.021	1.000	Pass
			1	Mid	15.58	-2.3	13.28	0.021	1.000	Pass
			1	High	15.55	-2.3	13.25	0.021	1.000	Pass
			12	Low	14.51	-2.3	12.21	0.017	1.000	Pass
			12	Mid	14.49	-2.3	12.19	0.017	1.000	Pass
			12	High	14.46	-2.3	12.16	0.016	1.000	Pass
			25	Low	14.5	-2.3	12.20	0.017	1.000	Pass
	HCH	Q16	1	Low	14.56	-2.3	12.26	0.017	1.000	Pass
			1	Mid	14.56	-2.3	12.26	0.017	1.000	Pass
			1	High	14.54	-2.3	12.24	0.017	1.000	Pass
			12	Low	13.58	-2.3	11.28	0.013	1.000	Pass
			12	Mid	13.53	-2.3	11.23	0.013	1.000	Pass
			12	High	13.53	-2.3	11.23	0.013	1.000	Pass
			25	Low	13.43	-2.3	11.13	0.013	1.000	Pass
		Q64	1	Low	13.7	-2.3	11.40	0.014	1.000	Pass
			1	Mid	13.69	-2.3	11.39	0.014	1.000	Pass
			1	High	13.71	-2.3	11.41	0.014	1.000	Pass
			12	Low	12.57	-2.3	10.27	0.011	1.000	Pass
			12	Mid	12.53	-2.3	10.23	0.011	1.000	Pass
			12	High	12.52	-2.3	10.22	0.011	1.000	Pass
			25	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.43	-2.3	8.13	0.007	1.000	Pass
			1	Mid	10.44	-2.3	8.14	0.007	1.000	Pass
			1	High	10.45	-2.3	8.15	0.007	1.000	Pass
			12	Low	10.54	-2.3	8.24	0.007	1.000	Pass
			12	Mid	10.53	-2.3	8.23	0.007	1.000	Pass
			12	High	10.52	-2.3	8.22	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
10	LCH	QPSK	25	Low	10.51	-2.3	8.21	0.007	1.000	Pass
			1	Low	15.66	-2.3	13.36	0.022	1.000	Pass
			1	Mid	15.52	-2.3	13.22	0.021	1.000	Pass
			1	High	15.59	-2.3	13.29	0.021	1.000	Pass
			25	Low	14.6	-2.3	12.30	0.017	1.000	Pass
			25	Mid	14.55	-2.3	12.25	0.017	1.000	Pass
			25	High	14.59	-2.3	12.29	0.017	1.000	Pass
		Q16	50	Low	14.59	-2.3	12.29	0.017	1.000	Pass
			1	Low	14.52	-2.3	12.22	0.017	1.000	Pass
			1	Mid	14.38	-2.3	12.08	0.016	1.000	Pass
			1	High	14.46	-2.3	12.16	0.016	1.000	Pass
			25	Low	13.6	-2.3	11.30	0.013	1.000	Pass
			25	Mid	13.55	-2.3	11.25	0.013	1.000	Pass
			25	High	13.59	-2.3	11.29	0.013	1.000	Pass
		Q64	50	Low	13.54	-2.3	11.24	0.013	1.000	Pass
			1	Low	13.93	-2.3	11.63	0.015	1.000	Pass
			1	Mid	13.83	-2.3	11.53	0.014	1.000	Pass
			1	High	13.9	-2.3	11.60	0.014	1.000	Pass
			25	Low	12.63	-2.3	10.33	0.011	1.000	Pass
			25	Mid	12.6	-2.3	10.30	0.011	1.000	Pass
			25	High	12.63	-2.3	10.33	0.011	1.000	Pass
		Q256	50	Low	12.59	-2.3	10.29	0.011	1.000	Pass
			1	Low	11.28	-2.3	8.98	0.008	1.000	Pass
			1	Mid	11.2	-2.3	8.90	0.008	1.000	Pass
			1	High	11.31	-2.3	9.01	0.008	1.000	Pass
			25	Low	10.68	-2.3	8.38	0.007	1.000	Pass
			25	Mid	10.69	-2.3	8.39	0.007	1.000	Pass
			25	High	10.7	-2.3	8.40	0.007	1.000	Pass
	MCH	QPSK	50	Low	10.72	-2.3	8.42	0.007	1.000	Pass
			1	Low	15.55	-2.3	13.25	0.021	1.000	Pass
			1	Mid	15.48	-2.3	13.18	0.021	1.000	Pass
			1	High	15.47	-2.3	13.17	0.021	1.000	Pass
			25	Low	14.5	-2.3	12.20	0.017	1.000	Pass
			25	Mid	14.48	-2.3	12.18	0.017	1.000	Pass
			25	High	14.47	-2.3	12.17	0.016	1.000	Pass
			50	Low	14.49	-2.3	12.19	0.017	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	14.91	-2.3	12.61	0.018	1.000	Pass
			1	Mid	14.84	-2.3	12.54	0.018	1.000	Pass
			1	High	14.83	-2.3	12.53	0.018	1.000	Pass
			25	Low	13.52	-2.3	11.22	0.013	1.000	Pass
			25	Mid	13.5	-2.3	11.20	0.013	1.000	Pass
			25	High	13.5	-2.3	11.20	0.013	1.000	Pass
			50	Low	13.49	-2.3	11.19	0.013	1.000	Pass
		Q64	1	Low	13.72	-2.3	11.42	0.014	1.000	Pass
			1	Mid	13.66	-2.3	11.36	0.014	1.000	Pass
			1	High	13.67	-2.3	11.37	0.014	1.000	Pass
			25	Low	12.56	-2.3	10.26	0.011	1.000	Pass
			25	Mid	12.56	-2.3	10.26	0.011	1.000	Pass
			25	High	12.54	-2.3	10.24	0.011	1.000	Pass
			50	Low	12.52	-2.3	10.22	0.011	1.000	Pass
		Q256	1	Low	10.54	-2.3	8.24	0.007	1.000	Pass
			1	Mid	10.44	-2.3	8.14	0.007	1.000	Pass
			1	High	10.46	-2.3	8.16	0.007	1.000	Pass
			25	Low	10.62	-2.3	8.32	0.007	1.000	Pass
			25	Mid	10.59	-2.3	8.29	0.007	1.000	Pass
			25	High	10.61	-2.3	8.31	0.007	1.000	Pass
			50	Low	10.55	-2.3	8.25	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.43	-2.3	13.13	0.021	1.000	Pass
			1	Mid	15.4	-2.3	13.10	0.020	1.000	Pass
			1	High	15.44	-2.3	13.14	0.021	1.000	Pass
			25	Low	14.48	-2.3	12.18	0.017	1.000	Pass
			25	Mid	14.48	-2.3	12.18	0.017	1.000	Pass
			25	High	14.46	-2.3	12.16	0.016	1.000	Pass
			50	Low	14.44	-2.3	12.14	0.016	1.000	Pass
		Q16	1	Low	14.47	-2.3	12.17	0.016	1.000	Pass
			1	Mid	14.44	-2.3	12.14	0.016	1.000	Pass
			1	High	14.5	-2.3	12.20	0.017	1.000	Pass
			25	Low	13.57	-2.3	11.27	0.013	1.000	Pass
			25	Mid	13.55	-2.3	11.25	0.013	1.000	Pass
			25	High	13.53	-2.3	11.23	0.013	1.000	Pass
			50	Low	13.47	-2.3	11.17	0.013	1.000	Pass
		Q64	1	Low	13.65	-2.3	11.35	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	13.64	-2.3	11.34	0.014	1.000	Pass
			1	High	13.64	-2.3	11.34	0.014	1.000	Pass
			25	Low	12.54	-2.3	10.24	0.011	1.000	Pass
			25	Mid	12.54	-2.3	10.24	0.011	1.000	Pass
			25	High	12.51	-2.3	10.21	0.010	1.000	Pass
			50	Low	12.44	-2.3	10.14	0.010	1.000	Pass
		Q256	1	Low	10.37	-2.3	8.07	0.006	1.000	Pass
			1	Mid	10.3	-2.3	8.00	0.006	1.000	Pass
			1	High	10.35	-2.3	8.05	0.006	1.000	Pass
			25	Low	10.56	-2.3	8.26	0.007	1.000	Pass
			25	Mid	10.54	-2.3	8.24	0.007	1.000	Pass
			25	High	10.52	-2.3	8.22	0.007	1.000	Pass
			50	Low	10.46	-2.3	8.16	0.007	1.000	Pass
			50	Mid	10.46	-2.3	8.16	0.007	1.000	Pass
			50	High	10.46	-2.3	8.16	0.007	1.000	Pass
			50	Low	10.46	-2.3	8.16	0.007	1.000	Pass
			50	Mid	10.46	-2.3	8.16	0.007	1.000	Pass
			50	High	10.46	-2.3	8.16	0.007	1.000	Pass
			50	Low	10.46	-2.3	8.16	0.007	1.000	Pass
15	LCH	QPSK	1	Low	15.66	-2.3	13.36	0.022	1.000	Pass
			1	Mid	15.63	-2.3	13.33	0.022	1.000	Pass
			1	High	15.53	-2.3	13.23	0.021	1.000	Pass
			36	Low	14.63	-2.3	12.33	0.017	1.000	Pass
			36	Mid	14.59	-2.3	12.29	0.017	1.000	Pass
			36	High	14.6	-2.3	12.30	0.017	1.000	Pass
			75	Low	14.62	-2.3	12.32	0.017	1.000	Pass
		Q16	1	Low	14.53	-2.3	12.23	0.017	1.000	Pass
			1	Mid	14.55	-2.3	12.25	0.017	1.000	Pass
			1	High	14.43	-2.3	12.13	0.016	1.000	Pass
			36	Low	13.65	-2.3	11.35	0.014	1.000	Pass
			36	Mid	13.61	-2.3	11.31	0.014	1.000	Pass
			36	High	13.62	-2.3	11.32	0.014	1.000	Pass
			75	Low	13.61	-2.3	11.31	0.014	1.000	Pass
		Q64	1	Low	13.98	-2.3	11.68	0.015	1.000	Pass
			1	Mid	13.95	-2.3	11.65	0.015	1.000	Pass
			1	High	13.84	-2.3	11.54	0.014	1.000	Pass
			36	Low	12.68	-2.3	10.38	0.011	1.000	Pass
			36	Mid	12.66	-2.3	10.36	0.011	1.000	Pass
			36	High	12.66	-2.3	10.36	0.011	1.000	Pass
			75	Low	12.63	-2.3	10.33	0.011	1.000	Pass
		Q256	1	Low	11.24	-2.3	8.94	0.008	1.000	Pass
			1	Mid	11.29	-2.3	8.99	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH		1	High	11.28	-2.3	8.98	0.008	1.000	Pass
			36	Low	10.69	-2.3	8.39	0.007	1.000	Pass
			36	Mid	10.73	-2.3	8.43	0.007	1.000	Pass
			36	High	10.73	-2.3	8.43	0.007	1.000	Pass
			75	Low	10.72	-2.3	8.42	0.007	1.000	Pass
		QPSK	1	Low	15.6	-2.3	13.30	0.021	1.000	Pass
			1	Mid	15.59	-2.3	13.29	0.021	1.000	Pass
			1	High	15.47	-2.3	13.17	0.021	1.000	Pass
			36	Low	14.53	-2.3	12.23	0.017	1.000	Pass
			36	Mid	14.49	-2.3	12.19	0.017	1.000	Pass
			36	High	14.47	-2.3	12.17	0.016	1.000	Pass
			75	Low	14.51	-2.3	12.21	0.017	1.000	Pass
		Q16	1	Low	14.94	-2.3	12.64	0.018	1.000	Pass
			1	Mid	14.91	-2.3	12.61	0.018	1.000	Pass
			1	High	14.84	-2.3	12.54	0.018	1.000	Pass
			36	Low	13.61	-2.3	11.31	0.014	1.000	Pass
			36	Mid	13.58	-2.3	11.28	0.013	1.000	Pass
			36	High	13.56	-2.3	11.26	0.013	1.000	Pass
			75	Low	13.55	-2.3	11.25	0.013	1.000	Pass
		Q64	1	Low	13.74	-2.3	11.44	0.014	1.000	Pass
			1	Mid	13.77	-2.3	11.47	0.014	1.000	Pass
			1	High	13.66	-2.3	11.36	0.014	1.000	Pass
			36	Low	12.63	-2.3	10.33	0.011	1.000	Pass
			36	Mid	12.62	-2.3	10.32	0.011	1.000	Pass
			36	High	12.58	-2.3	10.28	0.011	1.000	Pass
			75	Low	12.58	-2.3	10.28	0.011	1.000	Pass
		Q256	1	Low	10.53	-2.3	8.23	0.007	1.000	Pass
			1	Mid	10.54	-2.3	8.24	0.007	1.000	Pass
			1	High	10.48	-2.3	8.18	0.007	1.000	Pass
			36	Low	10.6	-2.3	8.30	0.007	1.000	Pass
			36	Mid	10.61	-2.3	8.31	0.007	1.000	Pass
			36	High	10.56	-2.3	8.26	0.007	1.000	Pass
			75	Low	10.6	-2.3	8.30	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.49	-2.3	13.19	0.021	1.000	Pass
			1	Mid	15.55	-2.3	13.25	0.021	1.000	Pass
			1	High	15.53	-2.3	13.23	0.021	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			36	Low	14.49	-2.3	12.19	0.017	1.000	Pass
			36	Mid	14.49	-2.3	12.19	0.017	1.000	Pass
			36	High	14.46	-2.3	12.16	0.016	1.000	Pass
			75	Low	14.51	-2.3	12.21	0.017	1.000	Pass
		Q16	1	Low	14.78	-2.3	12.48	0.018	1.000	Pass
			1	Mid	14.81	-2.3	12.51	0.018	1.000	Pass
			1	High	14.77	-2.3	12.47	0.018	1.000	Pass
			36	Low	13.48	-2.3	11.18	0.013	1.000	Pass
			36	Mid	13.49	-2.3	11.19	0.013	1.000	Pass
			36	High	13.46	-2.3	11.16	0.013	1.000	Pass
			75	Low	13.49	-2.3	11.19	0.013	1.000	Pass
		Q64	1	Low	14.03	-2.3	11.73	0.015	1.000	Pass
			1	Mid	14.11	-2.3	11.81	0.015	1.000	Pass
			1	High	14.07	-2.3	11.77	0.015	1.000	Pass
			36	Low	12.49	-2.3	10.19	0.010	1.000	Pass
			36	Mid	12.51	-2.3	10.21	0.010	1.000	Pass
			36	High	12.47	-2.3	10.17	0.010	1.000	Pass
			75	Low	12.53	-2.3	10.23	0.011	1.000	Pass
		Q256	1	Low	10.91	-2.3	8.61	0.007	1.000	Pass
			1	Mid	10.88	-2.3	8.58	0.007	1.000	Pass
			1	High	10.85	-2.3	8.55	0.007	1.000	Pass
			36	Low	10.54	-2.3	8.24	0.007	1.000	Pass
			36	Mid	10.5	-2.3	8.20	0.007	1.000	Pass
			36	High	10.45	-2.3	8.15	0.007	1.000	Pass
			75	Low	10.5	-2.3	8.20	0.007	1.000	Pass
20	LCH	QPSK	1	Low	15.63	-2.3	13.33	0.022	1.000	Pass
			1	Mid	15.64	-2.3	13.34	0.022	1.000	Pass
			1	High	15.5	-2.3	13.20	0.021	1.000	Pass
			50	Low	14.62	-2.3	12.32	0.017	1.000	Pass
			50	Mid	14.62	-2.3	12.32	0.017	1.000	Pass
			50	High	14.55	-2.3	12.25	0.017	1.000	Pass
			100	Low	14.61	-2.3	12.31	0.017	1.000	Pass
		Q16	1	Low	15.25	-2.3	12.95	0.020	1.000	Pass
			1	Mid	15.2	-2.3	12.90	0.019	1.000	Pass
			1	High	15.1	-2.3	12.80	0.019	1.000	Pass
			50	Low	13.66	-2.3	11.36	0.014	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			50	Mid	13.66	-2.3	11.36	0.014	1.000	Pass
			50	High	13.61	-2.3	11.31	0.014	1.000	Pass
			100	Low	13.65	-2.3	11.35	0.014	1.000	Pass
		Q64	1	Low	13.98	-2.3	11.68	0.015	1.000	Pass
			1	Mid	13.97	-2.3	11.67	0.015	1.000	Pass
			1	High	13.84	-2.3	11.54	0.014	1.000	Pass
			50	Low	12.7	-2.3	10.40	0.011	1.000	Pass
			50	Mid	12.72	-2.3	10.42	0.011	1.000	Pass
			50	High	12.66	-2.3	10.36	0.011	1.000	Pass
			100	Low	12.65	-2.3	10.35	0.011	1.000	Pass
		Q256	1	Low	10.89	-2.3	8.59	0.007	1.000	Pass
			1	Mid	10.97	-2.3	8.67	0.007	1.000	Pass
			1	High	10.89	-2.3	8.59	0.007	1.000	Pass
			50	Low	10.71	-2.3	8.41	0.007	1.000	Pass
			50	Mid	10.72	-2.3	8.42	0.007	1.000	Pass
			50	High	10.7	-2.3	8.40	0.007	1.000	Pass
			100	Low	10.66	-2.3	8.36	0.007	1.000	Pass
	MCH	QPSK	1	Low	15.62	-2.3	13.32	0.021	1.000	Pass
			1	Mid	15.58	-2.3	13.28	0.021	1.000	Pass
			1	High	15.47	-2.3	13.17	0.021	1.000	Pass
			50	Low	14.54	-2.3	12.24	0.017	1.000	Pass
			50	Mid	14.55	-2.3	12.25	0.017	1.000	Pass
			50	High	14.5	-2.3	12.20	0.017	1.000	Pass
			100	Low	14.52	-2.3	12.22	0.017	1.000	Pass
		Q16	1	Low	14.95	-2.3	12.65	0.018	1.000	Pass
			1	Mid	14.89	-2.3	12.59	0.018	1.000	Pass
			1	High	14.8	-2.3	12.50	0.018	1.000	Pass
			50	Low	13.57	-2.3	11.27	0.013	1.000	Pass
			50	Mid	13.56	-2.3	11.26	0.013	1.000	Pass
			50	High	13.54	-2.3	11.24	0.013	1.000	Pass
			100	Low	13.54	-2.3	11.24	0.013	1.000	Pass
		Q64	1	Low	14.19	-2.3	11.89	0.015	1.000	Pass
			1	Mid	14.17	-2.3	11.87	0.015	1.000	Pass
			1	High	14.05	-2.3	11.75	0.015	1.000	Pass
			50	Low	12.59	-2.3	10.29	0.011	1.000	Pass
			50	Mid	12.59	-2.3	10.29	0.011	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			50	High	12.53	-2.3	10.23	0.011	1.000	Pass
			100	Low	12.55	-2.3	10.25	0.011	1.000	Pass
		Q256	1	Low	10.8	-2.3	8.50	0.007	1.000	Pass
			1	Mid	10.79	-2.3	8.49	0.007	1.000	Pass
			1	High	10.71	-2.3	8.41	0.007	1.000	Pass
			50	Low	10.65	-2.3	8.35	0.007	1.000	Pass
			50	Mid	10.65	-2.3	8.35	0.007	1.000	Pass
			50	High	10.6	-2.3	8.30	0.007	1.000	Pass
			100	Low	10.6	-2.3	8.30	0.007	1.000	Pass
	HCH	QPSK	1	Low	15.41	-2.3	13.11	0.020	1.000	Pass
			1	Mid	15.48	-2.3	13.18	0.021	1.000	Pass
			1	High	15.45	-2.3	13.15	0.021	1.000	Pass
			50	Low	14.47	-2.3	12.17	0.016	1.000	Pass
			50	Mid	14.51	-2.3	12.21	0.017	1.000	Pass
			50	High	14.48	-2.3	12.18	0.017	1.000	Pass
			100	Low	14.46	-2.3	12.16	0.016	1.000	Pass
		Q16	1	Low	14.82	-2.3	12.52	0.018	1.000	Pass
			1	Mid	14.87	-2.3	12.57	0.018	1.000	Pass
			1	High	14.84	-2.3	12.54	0.018	1.000	Pass
			50	Low	13.45	-2.3	11.15	0.013	1.000	Pass
			50	Mid	13.48	-2.3	11.18	0.013	1.000	Pass
			50	High	13.45	-2.3	11.15	0.013	1.000	Pass
			100	Low	13.49	-2.3	11.19	0.013	1.000	Pass
		Q64	1	Low	13.61	-2.3	11.31	0.014	1.000	Pass
			1	Mid	13.65	-2.3	11.35	0.014	1.000	Pass
			1	High	13.58	-2.3	11.28	0.013	1.000	Pass
			50	Low	12.51	-2.3	10.21	0.010	1.000	Pass
			50	Mid	12.55	-2.3	10.25	0.011	1.000	Pass
			50	High	12.53	-2.3	10.23	0.011	1.000	Pass
			100	Low	12.51	-2.3	10.21	0.010	1.000	Pass
		Q256	1	Low	10.48	-2.3	8.18	0.007	1.000	Pass
			1	Mid	10.51	-2.3	8.21	0.007	1.000	Pass
			1	High	10.43	-2.3	8.13	0.007	1.000	Pass
			50	Low	10.56	-2.3	8.26	0.007	1.000	Pass
			50	Mid	10.53	-2.3	8.23	0.007	1.000	Pass
			50	High	10.49	-2.3	8.19	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			100	Low	10.5	-2.3	8.20	0.007	1.000	Pass

CA Test Data

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_7C										
20MHz+10MHz										
QPSK	1 0	14.67	14.8	14.77	-1.7	0.020	0.020	0.020	2.000	Pass
	Half 0	13.59	13.78	13.88	-1.7	0.015	0.016	0.017	2.000	Pass
	Full 0	12.62	12.8	12.89	-1.7	0.012	0.013	0.013	2.000	Pass
	1 1	17.56	17.82	17.79	-1.7	0.039	0.041	0.041	2.000	Pass
	Full Full	14.83	14.9	14.97	-1.7	0.021	0.021	0.021	2.000	Pass
16QAM	1 0	13.48	13.67	13.89	-1.7	0.015	0.016	0.017	2.000	Pass
	Half 0	12.53	12.75	12.87	-1.7	0.012	0.013	0.013	2.000	Pass
	Full 0	11.55	11.83	11.9	-1.7	0.010	0.010	0.010	2.000	Pass
	1 1	16.53	16.73	16.7	-1.7	0.030	0.032	0.032	2.000	Pass
	Full Full	13.82	13.93	13.96	-1.7	0.016	0.017	0.017	2.000	Pass
20MHz+20MHz										
QPSK	1 0	14.7	14.73	14.78	-1.7	0.020	0.020	0.020	2.000	Pass
	Half 0	13.62	13.68	13.81	-1.7	0.016	0.016	0.016	2.000	Pass
	Full 0	13.6	13.79	13.86	-1.7	0.015	0.016	0.016	2.000	Pass
	1 1	17.67	17.96	17.82	-1.7	0.040	0.042	0.041	2.000	Pass
	Full Full	14.43	14.57	14.6	-1.7	0.019	0.019	0.019	2.000	Pass
16QAM	1 0	13.45	13.58	13.9	-1.7	0.015	0.015	0.017	2.000	Pass
	Half 0	12.55	12.66	12.79	-1.7	0.012	0.012	0.013	2.000	Pass
	Full 0	12.57	12.78	12.83	-1.7	0.012	0.013	0.013	2.000	Pass
	1 1	16.55	16.72	16.67	-1.7	0.031	0.032	0.031	2.000	Pass
	Full Full	13.42	13.58	13.61	-1.7	0.015	0.015	0.016	2.000	Pass
10MHz+20MHz										
QPSK	1 1	17.58	17.84	17.88	-1.7	0.039	0.041	0.041	2.000	Pass
	Full Full	14.65	14.84	14.96	-1.7	0.020	0.021	0.021	2.000	Pass
16QAM	1 1	16.52	16.68	16.48	-1.7	0.030	0.031	0.030	2.000	Pass
	Full Full	13.61	13.84	14	-1.7	0.016	0.016	0.017	2.000	Pass
15MHz+15MHz										
QPSK	1 1	17.57	17.88	17.84	-1.7	0.039	0.041	0.041	2.000	Pass
	Full Full	14.38	14.52	14.58	-1.7	0.019	0.019	0.019	2.000	Pass
16QAM	1 1	16.51	16.71	16.95	-1.7	0.030	0.032	0.033	2.000	Pass
	Full Full	13.34	13.53	13.61	-1.7	0.015	0.015	0.016	2.000	Pass

15MHz+20MHz										
QPSK	1 1	17.59	17.89	17.83	-1.7	0.039	0.042	0.041	2.000	Pass
	Full Full	14.53	14.68	14.76	-1.7	0.019	0.020	0.020	2.000	Pass
16QAM	1 1	16.64	16.7	16.95	-1.7	0.031	0.032	0.033	2.000	Pass
	Full Full	13.45	13.66	13.78	-1.7	0.015	0.016	0.016	2.000	Pass
20MHz+15MHz										
QPSK	1 1	17.67	17.82	17.83	-1.7	0.040	0.041	0.041	2.000	Pass
	Full Full	14.59	14.73	14.75	-1.7	0.019	0.020	0.020	2.000	Pass
16QAM	1 1	16.42	16.92	16.99	-1.7	0.030	0.033	0.034	2.000	Pass
	Full Full	13.54	13.7	13.81	-1.7	0.015	0.016	0.016	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_38C										
15MHz+15MHz										
QPSK	1 0	15.24	15.11	15.03	-1.7	0.023	0.022	0.022	2.000	Pass
	Half 0	14.28	14.23	14.17	-1.7	0.018	0.018	0.018	2.000	Pass
	Full 0	14.27	14.2	14.22	-1.7	0.018	0.018	0.018	2.000	Pass
	1 1	18.13	18.23	18.18	-1.7	0.044	0.045	0.044	2.000	Pass
	Full Full	14.93	14.88	14.9	-1.7	0.021	0.021	0.021	2.000	Pass
16QAM	1 0	14.32	14.12	14.28	-1.7	0.018	0.017	0.018	2.000	Pass
	Half 0	13.3	13.12	13.23	-1.7	0.014	0.014	0.014	2.000	Pass
	Full 0	13.28	13.32	13.19	-1.7	0.014	0.015	0.014	2.000	Pass
	1 1	17.07	17.01	17.24	-1.7	0.034	0.034	0.036	2.000	Pass
	Full Full	13.92	13.95	13.89	-1.7	0.017	0.017	0.017	2.000	Pass
20MHz+20MHz										
QPSK	1 0	15.23	15.12	15.13	-1.7	0.023	0.022	0.022	2.000	Pass
	Half 0	14.23	14.22	14.21	-1.7	0.018	0.018	0.018	2.000	Pass
	Full 0	14.25	14.29	14.25	-1.7	0.018	0.018	0.018	2.000	Pass
	1 1	18.06	18.08	18.08	-1.7	0.043	0.043	0.043	2.000	Pass
	Full Full	14.96	14.96	14.91	-1.7	0.021	0.021	0.021	2.000	Pass
16QAM	1 0	14.02	14.12	14.31	-1.7	0.017	0.017	0.018	2.000	Pass
	Half 0	13.25	13.31	13.21	-1.7	0.014	0.014	0.014	2.000	Pass
	Full 0	13.27	13.3	13.28	-1.7	0.014	0.014	0.014	2.000	Pass
	1 1	16.8	17.15	17.18	-1.7	0.032	0.035	0.035	2.000	Pass
	Full Full	13.93	13.95	13.93	-1.7	0.017	0.017	0.017	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_41C										
20MHz+5MHz										
QPSK	1 0	17.25	17.36	17.44	-1.7	0.036	0.037	0.037	2.000	Pass
	Half 0	15.24	15.56	15.4	-1.7	0.023	0.024	0.023	2.000	Pass
	Full 0	15.31	15.57	15.52	-1.7	0.023	0.024	0.024	2.000	Pass
	1 1	20.22	20.38	20.3	-1.7	0.071	0.074	0.072	2.000	Pass
	Full Full	17.36	17.41	17.4	-1.7	0.037	0.037	0.037	2.000	Pass
16QAM	1 0	15.57	15.93	16	-1.7	0.024	0.026	0.027	2.000	Pass
	Half 0	14.16	14.56	14.36	-1.7	0.018	0.019	0.018	2.000	Pass
	Full 0	14.18	14.56	14.49	-1.7	0.018	0.019	0.019	2.000	Pass
	1 1	18.42	18.95	18.87	-1.7	0.047	0.053	0.052	2.000	Pass
	Full Full	16.38	16.41	16.39	-1.7	0.029	0.030	0.029	2.000	Pass
20MHz+20MHz										
QPSK	1 0	17.3	17.4	17.35	-1.7	0.036	0.037	0.037	2.000	Pass
	Half 0	16.23	16.5	16.48	-1.7	0.028	0.030	0.030	2.000	Pass
	Full 0	16.24	16.56	16.53	-1.7	0.028	0.031	0.030	2.000	Pass
	1 1	20.26	20.44	20.36	-1.7	0.072	0.075	0.073	2.000	Pass
	Full Full	17.02	17.22	17.14	-1.7	0.034	0.036	0.035	2.000	Pass
16QAM	1 0	15.58	15.94	15.97	-1.7	0.024	0.027	0.027	2.000	Pass
	Half 0	15.25	15.55	15.48	-1.7	0.023	0.024	0.024	2.000	Pass
	Full 0	15.28	15.55	15.56	-1.7	0.023	0.024	0.024	2.000	Pass
	1 1	18.48	19.01	18.92	-1.7	0.048	0.054	0.053	2.000	Pass
	Full Full	15.99	16.21	16.1	-1.7	0.027	0.028	0.028	2.000	Pass
5MHz+20MHz										
QPSK	1 1	20.2	20.33	20.35	-1.7	0.071	0.073	0.073	2.000	Pass
	Full Full	17.11	17.35	17.25	-1.7	0.035	0.037	0.036	2.000	Pass
16QAM	1 1	18.74	18.61	18.97	-1.7	0.051	0.049	0.053	2.000	Pass
	Full Full	16.1	16.38	16.21	-1.7	0.028	0.029	0.028	2.000	Pass
10MHz+15MHz										
QPSK	1 1	20.34	20.52	20.43	-1.7	0.073	0.076	0.075	2.000	Pass
	Full Full	17.21	17.42	17.4	-1.7	0.036	0.037	0.037	2.000	Pass
16QAM	1 1	18.67	18.84	18.5	-1.7	0.050	0.052	0.048	2.000	Pass
	Full Full	16.18	16.41	16.35	-1.7	0.028	0.030	0.029	2.000	Pass
15MHz+10MHz										

QPSK	1 1	20.33	20.52	20.47	-1.7	0.073	0.076	0.075	2.000	Pass
	Full Full	17.3	17.45	17.4	-1.7	0.036	0.038	0.037	2.000	Pass
16QAM	1 1	18.67	18.82	19	-1.7	0.050	0.052	0.054	2.000	Pass
	Full Full	16.3	16.46	16.34	-1.7	0.029	0.030	0.029	2.000	Pass
10MHz+20MHz										
QPSK	1 1	20.31	20.43	20.41	-1.7	0.073	0.075	0.074	2.000	Pass
	Full Full	17.29	17.52	17.48	-1.7	0.036	0.038	0.038	2.000	Pass
16QAM	1 1	18.67	18.74	18.51	-1.7	0.050	0.051	0.048	2.000	Pass
	Full Full	16.24	16.52	16.42	-1.7	0.028	0.030	0.030	2.000	Pass
20MHz+10MHz										
QPSK	1 1	20.24	20.42	20.31	-1.7	0.071	0.074	0.073	2.000	Pass
	Full Full	17.48	17.57	17.49	-1.7	0.038	0.039	0.038	2.000	Pass
16QAM	1 1	18.48	19	18.89	-1.7	0.048	0.054	0.052	2.000	Pass
	Full Full	16.47	16.56	16.45	-1.7	0.030	0.031	0.030	2.000	Pass
15MHz+15MHz										
QPSK	1 1	20.33	20.51	20.48	-1.7	0.073	0.076	0.076	2.000	Pass
	Full Full	17.02	17.22	17.13	-1.7	0.034	0.036	0.035	2.000	Pass
16QAM	1 1	18.65	18.82	18.98	-1.7	0.050	0.052	0.053	2.000	Pass
	Full Full	16	16.19	16.11	-1.7	0.027	0.028	0.028	2.000	Pass
15MHz+20MHz										
QPSK	1 1	20.35	20.51	20.47	-1.7	0.073	0.076	0.075	2.000	Pass
	Full Full	17.14	17.32	17.29	-1.7	0.035	0.036	0.036	2.000	Pass
16QAM	1 1	18.67	18.8	19	-1.7	0.050	0.051	0.054	2.000	Pass
	Full Full	16.08	16.27	16.21	-1.7	0.027	0.029	0.028	2.000	Pass
20MHz+15MHz										
QPSK	1 1	20.28	20.42	20.37	-1.7	0.072	0.074	0.074	2.000	Pass
	Full Full	17.21	17.36	17.24	-1.7	0.036	0.037	0.036	2.000	Pass
16QAM	1 1	18.47	19.01	18.94	-1.7	0.048	0.054	0.053	2.000	Pass
	Full Full	16.14	16.32	16.25	-1.7	0.028	0.029	0.029	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_66C										
20MHz+5MHz										
QPSK	1 0	15.01	15.01	15.14	-2.3	0.019	0.019	0.019	1.000	Pass
	Half 0	13.12	13.11	13.06	-2.3	0.012	0.012	0.012	1.000	Pass
	Full 0	13.18	13.12	13.12	-2.3	0.012	0.012	0.012	1.000	Pass
	1 1	18.02	17.94	18.09	-2.3	0.037	0.037	0.038	1.000	Pass
	Full Full	15.12	14.98	14.99	-2.3	0.019	0.019	0.019	1.000	Pass
16QAM	1 0	14.03	14.12	13.82	-2.3	0.015	0.015	0.014	1.000	Pass
	Half 0	12.2	12.08	12.02	-2.3	0.010	0.010	0.009	1.000	Pass
	Full 0	12.19	12.13	12.11	-2.3	0.010	0.010	0.010	1.000	Pass
	1 1	17.18	17.06	16.77	-2.3	0.031	0.030	0.028	1.000	Pass
	Full Full	14.14	14.02	14.01	-2.3	0.015	0.015	0.015	1.000	Pass
20MHz+20MHz										
QPSK	1 0	15	15.05	15.12	-2.3	0.019	0.019	0.019	1.000	Pass
	Half 0	14.11	14.08	14.08	-2.3	0.015	0.015	0.015	1.000	Pass
	Full 0	14.15	14.1	14.12	-2.3	0.015	0.015	0.015	1.000	Pass
	1 1	18.02	18.08	17.99	-2.3	0.037	0.038	0.037	1.000	Pass
	Full Full	14.79	14.79	14.76	-2.3	0.018	0.018	0.018	1.000	Pass
16QAM	1 0	14	14.23	13.8	-2.3	0.015	0.016	0.014	1.000	Pass
	Half 0	13.15	13.09	13.06	-2.3	0.012	0.012	0.012	1.000	Pass
	Full 0	13.17	13.11	13.09	-2.3	0.012	0.012	0.012	1.000	Pass
	1 1	17.14	17.08	16.74	-2.3	0.030	0.030	0.028	1.000	Pass
	Full Full	13.82	13.76	13.74	-2.3	0.014	0.014	0.014	1.000	Pass
5MHz+20MHz										
QPSK	1 1	17.94	18	17.96	-2.3	0.037	0.037	0.037	1.000	Pass
	Full Full	14.96	14.92	14.91	-2.3	0.018	0.018	0.018	1.000	Pass
16QAM	1 1	17.08	16.75	17.1	-2.3	0.030	0.028	0.030	1.000	Pass
	Full Full	13.98	13.93	13.86	-2.3	0.015	0.015	0.014	1.000	Pass
10MHz+15MHz										
QPSK	1 1	18.13	18.1	18.1	-2.3	0.038	0.038	0.038	1.000	Pass
	Full Full	15.11	15	15.01	-2.3	0.019	0.019	0.019	1.000	Pass
16QAM	1 1	17.15	16.92	16.66	-2.3	0.031	0.029	0.027	1.000	Pass
	Full Full	14.1	13.99	13.97	-2.3	0.015	0.015	0.015	1.000	Pass
15MHz+10MHz										

QPSK	1 1	18.08	18.1	18.04	-2.3	0.038	0.038	0.037	1.000	Pass
	Full Full	15.16	15.03	15.03	-2.3	0.019	0.019	0.019	1.000	Pass
16QAM	1 1	17.1	16.94	17.15	-2.3	0.030	0.029	0.031	1.000	Pass
	Full Full	14.14	14.05	14.02	-2.3	0.015	0.015	0.015	1.000	Pass
10MHz+20MHz										
QPSK	1 1	18.06	18.07	18.04	-2.3	0.038	0.038	0.037	1.000	Pass
	Full Full	15.08	15.07	15.06	-2.3	0.019	0.019	0.019	1.000	Pass
16QAM	1 1	17.08	16.92	16.61	-2.3	0.030	0.029	0.027	1.000	Pass
	Full Full	14.1	14.08	14.07	-2.3	0.015	0.015	0.015	1.000	Pass
20MHz+10MHz										
QPSK	1 1	18.03	18.01	18.06	-2.3	0.037	0.037	0.038	1.000	Pass
	Full Full	15.23	15.12	15.12	-2.3	0.020	0.019	0.019	1.000	Pass
16QAM	1 1	16.79	17.1	17.08	-2.3	0.028	0.030	0.030	1.000	Pass
	Full Full	14.25	14.12	14.13	-2.3	0.016	0.015	0.015	1.000	Pass
15MHz+15MHz										
QPSK	1 1	18.09	18.1	17.97	-2.3	0.038	0.038	0.037	1.000	Pass
	Full Full	14.84	14.75	14.73	-2.3	0.018	0.018	0.017	1.000	Pass
16QAM	1 1	17.07	16.9	17.12	-2.3	0.030	0.029	0.030	1.000	Pass
	Full Full	13.8	13.75	13.72	-2.3	0.014	0.014	0.014	1.000	Pass

NR Mode Test Data

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
5	LCH	PI/2 BPSK	12	6	15.15	-4.5	-6.65	8.50	0.007	7.000	Pass
			1	1	15.16	-4.5	-6.65	8.51	0.007	7.000	Pass
			1	23	15.17	-4.5	-6.65	8.52	0.007	7.000	Pass
		QPSK	12	6	15.14	-4.5	-6.65	8.49	0.007	7.000	Pass
			1	1	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	23	15.22	-4.5	-6.65	8.57	0.007	7.000	Pass
		16QAM	12	6	14.09	-4.5	-6.65	7.44	0.006	7.000	Pass
			1	1	13.99	-4.5	-6.65	7.34	0.005	7.000	Pass
			1	23	13.97	-4.5	-6.65	7.32	0.005	7.000	Pass
		64QAM	12	6	12.6	-4.5	-6.65	5.95	0.004	7.000	Pass
			1	1	12.62	-4.5	-6.65	5.97	0.004	7.000	Pass
			1	23	12.57	-4.5	-6.65	5.92	0.004	7.000	Pass
		256QAM	12	6	10.56	-4.5	-6.65	3.91	0.002	7.000	Pass
			1	1	10.56	-4.5	-6.65	3.91	0.002	7.000	Pass
			1	23	10.6	-4.5	-6.65	3.95	0.002	7.000	Pass
	MCH	PI/2 BPSK	12	6	15.18	-4.5	-6.65	8.53	0.007	7.000	Pass
			1	1	15.28	-4.5	-6.65	8.63	0.007	7.000	Pass
			1	23	15.18	-4.5	-6.65	8.53	0.007	7.000	Pass
		QPSK	12	6	15.22	-4.5	-6.65	8.57	0.007	7.000	Pass
			1	1	15.36	-4.5	-6.65	8.71	0.007	7.000	Pass
			1	23	15.29	-4.5	-6.65	8.64	0.007	7.000	Pass
		16QAM	12	6	14.18	-4.5	-6.65	7.53	0.006	7.000	Pass
			1	1	14.06	-4.5	-6.65	7.41	0.006	7.000	Pass
			1	23	14.04	-4.5	-6.65	7.39	0.005	7.000	Pass
		64QAM	12	6	12.65	-4.5	-6.65	6.00	0.004	7.000	Pass
			1	1	12.65	-4.5	-6.65	6.00	0.004	7.000	Pass
			1	23	12.58	-4.5	-6.65	5.93	0.004	7.000	Pass
		256QAM	12	6	10.6	-4.5	-6.65	3.95	0.002	7.000	Pass
			1	1	10.68	-4.5	-6.65	4.03	0.003	7.000	Pass
			1	23	10.61	-4.5	-6.65	3.96	0.002	7.000	Pass
	HCH	PI/2 BPSK	12	6	15.19	-4.5	-6.65	8.54	0.007	7.000	Pass
			1	1	15.23	-4.5	-6.65	8.58	0.007	7.000	Pass
			1	23	15.22	-4.5	-6.65	8.57	0.007	7.000	Pass
		QPSK	12	6	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	1	15.39	-4.5	-6.65	8.74	0.007	7.000	Pass
			1	23	15.33	-4.5	-6.65	8.68	0.007	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	12	6	14.18	-4.5	-6.65	7.53	0.006	7.000	Pass
			1	1	14.06	-4.5	-6.65	7.41	0.006	7.000	Pass
			1	23	14.01	-4.5	-6.65	7.36	0.005	7.000	Pass
		64QAM	12	6	12.66	-4.5	-6.65	6.01	0.004	7.000	Pass
			1	1	12.63	-4.5	-6.65	5.98	0.004	7.000	Pass
			1	23	12.59	-4.5	-6.65	5.94	0.004	7.000	Pass
		256QAM	12	6	10.64	-4.5	-6.65	3.99	0.003	7.000	Pass
			1	1	10.62	-4.5	-6.65	3.97	0.002	7.000	Pass
			1	23	10.6	-4.5	-6.65	3.95	0.002	7.000	Pass
15	LCH	PI/2 BPSK	36	18	15.17	-4.5	-6.65	8.52	0.007	7.000	Pass
			1	1	15.06	-4.5	-6.65	8.41	0.007	7.000	Pass
			1	77	15.13	-4.5	-6.65	8.48	0.007	7.000	Pass
		QPSK	36	18	15.15	-4.5	-6.65	8.50	0.007	7.000	Pass
			1	1	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	77	15.34	-4.5	-6.65	8.69	0.007	7.000	Pass
		16QAM	36	18	14.13	-4.5	-6.65	7.48	0.006	7.000	Pass
			1	1	13.86	-4.5	-6.65	7.21	0.005	7.000	Pass
			1	77	13.96	-4.5	-6.65	7.31	0.005	7.000	Pass
		64QAM	36	18	12.7	-4.5	-6.65	6.05	0.004	7.000	Pass
			1	1	12.52	-4.5	-6.65	5.87	0.004	7.000	Pass
			1	77	12.54	-4.5	-6.65	5.89	0.004	7.000	Pass
		256QAM	36	18	10.66	-4.5	-6.65	4.01	0.003	7.000	Pass
			1	1	10.5	-4.5	-6.65	3.85	0.002	7.000	Pass
			1	77	10.57	-4.5	-6.65	3.92	0.002	7.000	Pass
	MCH	PI/2 BPSK	36	18	15.22	-4.5	-6.65	8.57	0.007	7.000	Pass
			1	1	15.13	-4.5	-6.65	8.48	0.007	7.000	Pass
			1	77	15.17	-4.5	-6.65	8.52	0.007	7.000	Pass
		QPSK	36	18	15.21	-4.5	-6.65	8.56	0.007	7.000	Pass
			1	1	15.29	-4.5	-6.65	8.64	0.007	7.000	Pass
			1	77	15.37	-4.5	-6.65	8.72	0.007	7.000	Pass
		16QAM	36	18	14.18	-4.5	-6.65	7.53	0.006	7.000	Pass
			1	1	13.92	-4.5	-6.65	7.27	0.005	7.000	Pass
			1	77	14.03	-4.5	-6.65	7.38	0.005	7.000	Pass
		64QAM	36	18	12.75	-4.5	-6.65	6.10	0.004	7.000	Pass
			1	1	12.55	-4.5	-6.65	5.90	0.004	7.000	Pass
			1	77	12.55	-4.5	-6.65	5.90	0.004	7.000	Pass
		256QAM	36	18	10.71	-4.5	-6.65	4.06	0.003	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
	HCH	PI/2 BPSK	1	1	10.5	-4.5	-6.65	3.85	0.002	7.000	Pass
			1	77	10.53	-4.5	-6.65	3.88	0.002	7.000	Pass
			36	18	15.2	-4.5	-6.65	8.55	0.007	7.000	Pass
		QPSK	1	1	15.21	-4.5	-6.65	8.56	0.007	7.000	Pass
			1	77	15.14	-4.5	-6.65	8.49	0.007	7.000	Pass
			36	18	15.19	-4.5	-6.65	8.54	0.007	7.000	Pass
		16QAM	1	1	15.39	-4.5	-6.65	8.74	0.007	7.000	Pass
			1	77	15.42	-4.5	-6.65	8.77	0.008	7.000	Pass
			36	18	14.16	-4.5	-6.65	7.51	0.006	7.000	Pass
		64QAM	1	1	13.98	-4.5	-6.65	7.33	0.005	7.000	Pass
			1	77	13.92	-4.5	-6.65	7.27	0.005	7.000	Pass
			36	18	12.72	-4.5	-6.65	6.07	0.004	7.000	Pass
		256QAM	1	1	12.64	-4.5	-6.65	5.99	0.004	7.000	Pass
			1	77	12.54	-4.5	-6.65	5.89	0.004	7.000	Pass
			36	18	10.7	-4.5	-6.65	4.05	0.003	7.000	Pass
			1	1	10.63	-4.5	-6.65	3.98	0.003	7.000	Pass
			1	77	10.53	-4.5	-6.65	3.88	0.002	7.000	Pass
			36	18	10.53	-4.5	-6.65	3.88	0.002	7.000	Pass
20	LCH	PI/2 BPSK	50	25	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	1	15.14	-4.5	-6.65	8.49	0.007	7.000	Pass
			1	104	15.16	-4.5	-6.65	8.51	0.007	7.000	Pass
		QPSK	50	25	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	1	15.3	-4.5	-6.65	8.65	0.007	7.000	Pass
			1	104	15.37	-4.5	-6.65	8.72	0.007	7.000	Pass
		16QAM	50	25	14.22	-4.5	-6.65	7.57	0.006	7.000	Pass
			1	1	13.92	-4.5	-6.65	7.27	0.005	7.000	Pass
			1	104	13.96	-4.5	-6.65	7.31	0.005	7.000	Pass
		64QAM	50	25	12.77	-4.5	-6.65	6.12	0.004	7.000	Pass
			1	1	12.62	-4.5	-6.65	5.97	0.004	7.000	Pass
			1	104	12.53	-4.5	-6.65	5.88	0.004	7.000	Pass
		256QAM	50	25	10.78	-4.5	-6.65	4.13	0.003	7.000	Pass
			1	1	10.54	-4.5	-6.65	3.89	0.002	7.000	Pass
			1	104	10.54	-4.5	-6.65	3.89	0.002	7.000	Pass
	MCH	PI/2 BPSK	50	25	15.23	-4.5	-6.65	8.58	0.007	7.000	Pass
			1	1	15.12	-4.5	-6.65	8.47	0.007	7.000	Pass
			1	104	15.15	-4.5	-6.65	8.50	0.007	7.000	Pass
		QPSK	50	25	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	1	15.26	-4.5	-6.65	8.61	0.007	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	1	104	15.43	-4.5	-6.65	8.78	0.008	7.000	Pass
			50	25	14.21	-4.5	-6.65	7.56	0.006	7.000	Pass
			1	1	13.96	-4.5	-6.65	7.31	0.005	7.000	Pass
			1	104	13.98	-4.5	-6.65	7.33	0.005	7.000	Pass
		64QAM	50	25	12.74	-4.5	-6.65	6.09	0.004	7.000	Pass
			1	1	12.52	-4.5	-6.65	5.87	0.004	7.000	Pass
			1	104	12.53	-4.5	-6.65	5.88	0.004	7.000	Pass
		256QAM	50	25	10.75	-4.5	-6.65	4.10	0.003	7.000	Pass
			1	1	10.52	-4.5	-6.65	3.87	0.002	7.000	Pass
			1	104	10.57	-4.5	-6.65	3.92	0.002	7.000	Pass
	HCH	PI/2 BPSK	50	25	15.24	-4.5	-6.65	8.59	0.007	7.000	Pass
			1	1	15.17	-4.5	-6.65	8.52	0.007	7.000	Pass
			1	104	15.17	-4.5	-6.65	8.52	0.007	7.000	Pass
		QPSK	50	25	15.23	-4.5	-6.65	8.58	0.007	7.000	Pass
			1	1	15.32	-4.5	-6.65	8.67	0.007	7.000	Pass
			1	104	15.41	-4.5	-6.65	8.76	0.008	7.000	Pass
		16QAM	50	25	14.21	-4.5	-6.65	7.56	0.006	7.000	Pass
			1	1	13.97	-4.5	-6.65	7.32	0.005	7.000	Pass
			1	104	14.04	-4.5	-6.65	7.39	0.005	7.000	Pass
		64QAM	50	25	12.75	-4.5	-6.65	6.10	0.004	7.000	Pass
			1	1	12.59	-4.5	-6.65	5.94	0.004	7.000	Pass
			1	104	12.5	-4.5	-6.65	5.85	0.004	7.000	Pass
		256QAM	50	25	10.76	-4.5	-6.65	4.11	0.003	7.000	Pass
			1	1	10.57	-4.5	-6.65	3.92	0.002	7.000	Pass
			1	104	10.55	-4.5	-6.65	3.90	0.002	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
5	LCH	PI/2 BPSK	12	6	14.6	-1.7	12.90	0.019	2.000	Pass
			1	1	14.66	-1.7	12.96	0.020	2.000	Pass
			1	23	14.68	-1.7	12.98	0.020	2.000	Pass
		QPSK	12	6	14.67	-1.7	12.97	0.020	2.000	Pass
			1	1	14.8	-1.7	13.10	0.020	2.000	Pass
			1	23	14.87	-1.7	13.17	0.021	2.000	Pass
		16QAM	12	6	13.64	-1.7	11.94	0.016	2.000	Pass
			1	1	13.47	-1.7	11.77	0.015	2.000	Pass
			1	23	13.55	-1.7	11.85	0.015	2.000	Pass
		64QAM	12	6	12.13	-1.7	10.43	0.011	2.000	Pass
			1	1	12.02	-1.7	10.32	0.011	2.000	Pass
			1	23	12.07	-1.7	10.37	0.011	2.000	Pass
		256QAM	12	6	10.04	-1.7	8.34	0.007	2.000	Pass
			1	1	10.08	-1.7	8.38	0.007	2.000	Pass
			1	23	10.07	-1.7	8.37	0.007	2.000	Pass
	MCH	PI/2 BPSK	12	6	14.92	-1.7	13.22	0.021	2.000	Pass
			1	1	15	-1.7	13.30	0.021	2.000	Pass
			1	23	15	-1.7	13.30	0.021	2.000	Pass
		QPSK	12	6	14.96	-1.7	13.26	0.021	2.000	Pass
			1	1	15.13	-1.7	13.43	0.022	2.000	Pass
			1	23	15.11	-1.7	13.41	0.022	2.000	Pass
		16QAM	12	6	13.94	-1.7	12.24	0.017	2.000	Pass
			1	1	13.86	-1.7	12.16	0.016	2.000	Pass
			1	23	13.79	-1.7	12.09	0.016	2.000	Pass
		64QAM	12	6	12.45	-1.7	10.75	0.012	2.000	Pass
			1	1	12.39	-1.7	10.69	0.012	2.000	Pass
			1	23	12.42	-1.7	10.72	0.012	2.000	Pass
		256QAM	12	6	10.37	-1.7	8.67	0.007	2.000	Pass
			1	1	10.42	-1.7	8.72	0.007	2.000	Pass
			1	23	10.42	-1.7	8.72	0.007	2.000	Pass
	HCH	PI/2 BPSK	12	6	14.88	-1.7	13.18	0.021	2.000	Pass
			1	1	14.92	-1.7	13.22	0.021	2.000	Pass
			1	23	14.92	-1.7	13.22	0.021	2.000	Pass
		QPSK	12	6	14.91	-1.7	13.21	0.021	2.000	Pass
			1	1	15.08	-1.7	13.38	0.022	2.000	Pass
			1	23	15.05	-1.7	13.35	0.022	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	12	6	13.91	-1.7	12.21	0.017	2.000	Pass
			1	1	13.79	-1.7	12.09	0.016	2.000	Pass
			1	23	13.76	-1.7	12.06	0.016	2.000	Pass
		64QAM	12	6	12.41	-1.7	10.71	0.012	2.000	Pass
			1	1	12.34	-1.7	10.64	0.012	2.000	Pass
			1	23	12.3	-1.7	10.60	0.011	2.000	Pass
		256QAM	12	6	10.35	-1.7	8.65	0.007	2.000	Pass
			1	1	10.36	-1.7	8.66	0.007	2.000	Pass
			1	23	10.31	-1.7	8.61	0.007	2.000	Pass
15	LCH	PI/2 BPSK	36	18	14.79	-1.7	13.09	0.020	2.000	Pass
			1	1	14.64	-1.7	12.94	0.020	2.000	Pass
			1	77	14.71	-1.7	13.01	0.020	2.000	Pass
		QPSK	36	18	14.84	-1.7	13.14	0.021	2.000	Pass
			1	1	14.84	-1.7	13.14	0.021	2.000	Pass
			1	77	14.95	-1.7	13.25	0.021	2.000	Pass
		16QAM	36	18	13.75	-1.7	12.05	0.016	2.000	Pass
			1	1	13.47	-1.7	11.77	0.015	2.000	Pass
			1	77	13.52	-1.7	11.82	0.015	2.000	Pass
		64QAM	36	18	12.31	-1.7	10.61	0.012	2.000	Pass
			1	1	12.04	-1.7	10.34	0.011	2.000	Pass
			1	77	12.05	-1.7	10.35	0.011	2.000	Pass
		256QAM	36	18	10.23	-1.7	8.53	0.007	2.000	Pass
			1	1	10.05	-1.7	8.35	0.007	2.000	Pass
			1	77	10.07	-1.7	8.37	0.007	2.000	Pass
	MCH	PI/2 BPSK	36	18	15.05	-1.7	13.35	0.022	2.000	Pass
			1	1	14.92	-1.7	13.22	0.021	2.000	Pass
			1	77	14.96	-1.7	13.26	0.021	2.000	Pass
		QPSK	36	18	15.07	-1.7	13.37	0.022	2.000	Pass
			1	1	15.19	-1.7	13.49	0.022	2.000	Pass
			1	77	15.14	-1.7	13.44	0.022	2.000	Pass
		16QAM	36	18	14	-1.7	12.30	0.017	2.000	Pass
			1	1	13.82	-1.7	12.12	0.016	2.000	Pass
			1	77	13.78	-1.7	12.08	0.016	2.000	Pass
		64QAM	36	18	12.56	-1.7	10.86	0.012	2.000	Pass
			1	1	12.25	-1.7	10.55	0.011	2.000	Pass
			1	77	12.32	-1.7	10.62	0.012	2.000	Pass
		256QAM	36	18	10.51	-1.7	8.81	0.008	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
	HCH	PI/2 BPSK	1	1	10.31	-1.7	8.61	0.007	2.000	Pass
			1	77	10.35	-1.7	8.65	0.007	2.000	Pass
			36	18	14.98	-1.7	13.28	0.021	2.000	Pass
		QPSK	1	1	14.85	-1.7	13.15	0.021	2.000	Pass
			1	77	14.91	-1.7	13.21	0.021	2.000	Pass
			36	18	14.95	-1.7	13.25	0.021	2.000	Pass
		16QAM	1	1	15.05	-1.7	13.35	0.022	2.000	Pass
			1	77	15.09	-1.7	13.39	0.022	2.000	Pass
			36	18	13.89	-1.7	12.19	0.017	2.000	Pass
		64QAM	1	1	13.68	-1.7	11.98	0.016	2.000	Pass
			1	77	13.72	-1.7	12.02	0.016	2.000	Pass
			36	18	12.47	-1.7	10.77	0.012	2.000	Pass
		256QAM	1	1	12.2	-1.7	10.50	0.011	2.000	Pass
			1	77	12.24	-1.7	10.54	0.011	2.000	Pass
			36	18	10.44	-1.7	8.74	0.007	2.000	Pass
			1	1	10.29	-1.7	8.59	0.007	2.000	Pass
			1	77	10.29	-1.7	8.59	0.007	2.000	Pass
			1	77	10.29	-1.7	8.59	0.007	2.000	Pass
20	LCH	PI/2 BPSK	50	25	14.89	-1.7	13.19	0.021	2.000	Pass
			1	1	14.71	-1.7	13.01	0.020	2.000	Pass
			1	104	14.76	-1.7	13.06	0.020	2.000	Pass
		QPSK	50	25	14.94	-1.7	13.24	0.021	2.000	Pass
			1	1	14.9	-1.7	13.20	0.021	2.000	Pass
			1	104	15.05	-1.7	13.35	0.022	2.000	Pass
		16QAM	50	25	13.88	-1.7	12.18	0.017	2.000	Pass
			1	1	13.56	-1.7	11.86	0.015	2.000	Pass
			1	104	13.71	-1.7	12.01	0.016	2.000	Pass
		64QAM	50	25	12.41	-1.7	10.71	0.012	2.000	Pass
			1	1	12.12	-1.7	10.42	0.011	2.000	Pass
			1	104	12.1	-1.7	10.40	0.011	2.000	Pass
		256QAM	50	25	10.35	-1.7	8.65	0.007	2.000	Pass
			1	1	10.14	-1.7	8.44	0.007	2.000	Pass
			1	104	10.14	-1.7	8.44	0.007	2.000	Pass
	MCH	PI/2 BPSK	50	25	15.05	-1.7	13.35	0.022	2.000	Pass
			1	1	14.86	-1.7	13.16	0.021	2.000	Pass
			1	104	14.9	-1.7	13.20	0.021	2.000	Pass
		QPSK	50	25	15.09	-1.7	13.39	0.022	2.000	Pass
			1	1	15.11	-1.7	13.41	0.022	2.000	Pass
			1	1	15.11	-1.7	13.41	0.022	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	1	104	15.06	-1.7	13.36	0.022	2.000	Pass
			50	25	14.03	-1.7	12.33	0.017	2.000	Pass
			1	1	13.69	-1.7	11.99	0.016	2.000	Pass
			1	104	13.7	-1.7	12.00	0.016	2.000	Pass
		64QAM	50	25	12.56	-1.7	10.86	0.012	2.000	Pass
			1	1	12.24	-1.7	10.54	0.011	2.000	Pass
			1	104	12.29	-1.7	10.59	0.011	2.000	Pass
		256QAM	50	25	10.54	-1.7	8.84	0.008	2.000	Pass
			1	1	10.3	-1.7	8.60	0.007	2.000	Pass
			1	104	10.35	-1.7	8.65	0.007	2.000	Pass
	HCH	PI/2 BPSK	50	25	14.97	-1.7	13.27	0.021	2.000	Pass
			1	1	14.9	-1.7	13.20	0.021	2.000	Pass
			1	104	14.89	-1.7	13.19	0.021	2.000	Pass
		QPSK	50	25	14.96	-1.7	13.26	0.021	2.000	Pass
			1	1	15.03	-1.7	13.33	0.022	2.000	Pass
			1	104	15.1	-1.7	13.40	0.022	2.000	Pass
		16QAM	50	25	13.93	-1.7	12.23	0.017	2.000	Pass
			1	1	13.77	-1.7	12.07	0.016	2.000	Pass
			1	104	13.71	-1.7	12.01	0.016	2.000	Pass
		64QAM	50	25	12.47	-1.7	10.77	0.012	2.000	Pass
			1	1	12.27	-1.7	10.57	0.011	2.000	Pass
			1	104	12.28	-1.7	10.58	0.011	2.000	Pass
		256QAM	50	25	10.48	-1.7	8.78	0.008	2.000	Pass
			1	1	10.37	-1.7	8.67	0.007	2.000	Pass
			1	104	10.32	-1.7	8.62	0.007	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
5	LCH	PI/2 BPSK	12	6	15.13	-3.5	-5.65	9.48	0.009	3.000	Pass
			1	1	15.2	-3.5	-5.65	9.55	0.009	3.000	Pass
			1	23	15.11	-3.5	-5.65	9.46	0.009	3.000	Pass
		QPSK	12	6	15.15	-3.5	-5.65	9.50	0.009	3.000	Pass
			1	1	15.32	-3.5	-5.65	9.67	0.009	3.000	Pass
			1	23	15.27	-3.5	-5.65	9.62	0.009	3.000	Pass
		16QAM	12	6	14.13	-3.5	-5.65	8.48	0.007	3.000	Pass
			1	1	13.97	-3.5	-5.65	8.32	0.007	3.000	Pass
			1	23	13.94	-3.5	-5.65	8.29	0.007	3.000	Pass
		64QAM	12	6	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			1	1	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			1	23	12.54	-3.5	-5.65	6.89	0.005	3.000	Pass
		256QAM	12	6	10.57	-3.5	-5.65	4.92	0.003	3.000	Pass
			1	1	10.57	-3.5	-5.65	4.92	0.003	3.000	Pass
			1	23	10.53	-3.5	-5.65	4.88	0.003	3.000	Pass
	MCH	PI/2 BPSK	12	6	15.19	-3.5	-5.65	9.54	0.009	3.000	Pass
			1	1	15.13	-3.5	-5.65	9.48	0.009	3.000	Pass
			1	23	15.24	-3.5	-5.65	9.59	0.009	3.000	Pass
		QPSK	12	6	15.19	-3.5	-5.65	9.54	0.009	3.000	Pass
			1	1	15.28	-3.5	-5.65	9.63	0.009	3.000	Pass
			1	23	15.37	-3.5	-5.65	9.72	0.009	3.000	Pass
		16QAM	12	6	14.18	-3.5	-5.65	8.53	0.007	3.000	Pass
			1	1	13.94	-3.5	-5.65	8.29	0.007	3.000	Pass
			1	23	14.08	-3.5	-5.65	8.43	0.007	3.000	Pass
		64QAM	12	6	12.66	-3.5	-5.65	7.01	0.005	3.000	Pass
			1	1	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
			1	23	12.61	-3.5	-5.65	6.96	0.005	3.000	Pass
		256QAM	12	6	10.6	-3.5	-5.65	4.95	0.003	3.000	Pass
			1	1	10.56	-3.5	-5.65	4.91	0.003	3.000	Pass
			1	23	10.66	-3.5	-5.65	5.01	0.003	3.000	Pass
	HCH	PI/2 BPSK	12	6	15.18	-3.5	-5.65	9.53	0.009	3.000	Pass
			1	1	15.17	-3.5	-5.65	9.52	0.009	3.000	Pass
			1	23	15.18	-3.5	-5.65	9.53	0.009	3.000	Pass
		QPSK	12	6	15.18	-3.5	-5.65	9.53	0.009	3.000	Pass
			1	1	15.31	-3.5	-5.65	9.66	0.009	3.000	Pass
			1	23	15.25	-3.5	-5.65	9.60	0.009	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	12	6	14.15	-3.5	-5.65	8.50	0.007	3.000	Pass
			1	1	14.03	-3.5	-5.65	8.38	0.007	3.000	Pass
			1	23	13.95	-3.5	-5.65	8.30	0.007	3.000	Pass
		64QAM	12	6	12.63	-3.5	-5.65	6.98	0.005	3.000	Pass
			1	1	12.63	-3.5	-5.65	6.98	0.005	3.000	Pass
			1	23	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
		256QAM	12	6	10.61	-3.5	-5.65	4.96	0.003	3.000	Pass
			1	1	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			1	23	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
10	LCH	PI/2 BPSK	25	12	15.15	-3.5	-5.65	9.50	0.009	3.000	Pass
			1	1	15.26	-3.5	-5.65	9.61	0.009	3.000	Pass
			1	50	15.26	-3.5	-5.65	9.61	0.009	3.000	Pass
		QPSK	25	12	15.16	-3.5	-5.65	9.51	0.009	3.000	Pass
			1	1	15.42	-3.5	-5.65	9.77	0.009	3.000	Pass
			1	50	15.41	-3.5	-5.65	9.76	0.009	3.000	Pass
		16QAM	25	12	14.12	-3.5	-5.65	8.47	0.007	3.000	Pass
			1	1	14.09	-3.5	-5.65	8.44	0.007	3.000	Pass
			1	50	14.04	-3.5	-5.65	8.39	0.007	3.000	Pass
		64QAM	25	12	12.61	-3.5	-5.65	6.96	0.005	3.000	Pass
			1	1	12.67	-3.5	-5.65	7.02	0.005	3.000	Pass
			1	50	12.64	-3.5	-5.65	6.99	0.005	3.000	Pass
		256QAM	25	12	10.56	-3.5	-5.65	4.91	0.003	3.000	Pass
			1	1	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			1	50	10.67	-3.5	-5.65	5.02	0.003	3.000	Pass
	MCH	PI/2 BPSK	25	12	15.19	-3.5	-5.65	9.54	0.009	3.000	Pass
			1	1	15.18	-3.5	-5.65	9.53	0.009	3.000	Pass
			1	50	15.24	-3.5	-5.65	9.59	0.009	3.000	Pass
		QPSK	25	12	15.21	-3.5	-5.65	9.56	0.009	3.000	Pass
			1	1	15.39	-3.5	-5.65	9.74	0.009	3.000	Pass
			1	50	15.41	-3.5	-5.65	9.76	0.009	3.000	Pass
		16QAM	25	12	14.2	-3.5	-5.65	8.55	0.007	3.000	Pass
			1	1	13.94	-3.5	-5.65	8.29	0.007	3.000	Pass
			1	50	14.06	-3.5	-5.65	8.41	0.007	3.000	Pass
		64QAM	25	12	12.68	-3.5	-5.65	7.03	0.005	3.000	Pass
			1	1	12.65	-3.5	-5.65	7.00	0.005	3.000	Pass
			1	50	12.65	-3.5	-5.65	7.00	0.005	3.000	Pass
		256QAM	25	12	10.64	-3.5	-5.65	4.99	0.003	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
			1	1	10.63	-3.5	-5.65	4.98	0.003	3.000	Pass
			1	50	10.68	-3.5	-5.65	5.03	0.003	3.000	Pass
	HCH	PI/2 BPSK	25	12	15.15	-3.5	-5.65	9.50	0.009	3.000	Pass
			1	1	15.2	-3.5	-5.65	9.55	0.009	3.000	Pass
			1	50	15.25	-3.5	-5.65	9.60	0.009	3.000	Pass
			1	1	15.39	-3.5	-5.65	9.74	0.009	3.000	Pass
		QPSK	25	12	15.16	-3.5	-5.65	9.51	0.009	3.000	Pass
			1	1	15.39	-3.5	-5.65	9.74	0.009	3.000	Pass
			1	50	15.43	-3.5	-5.65	9.78	0.010	3.000	Pass
			1	1	15.35	-3.5	-5.65	9.70	0.009	3.000	Pass
		16QAM	25	12	14.15	-3.5	-5.65	8.50	0.007	3.000	Pass
			1	1	13.96	-3.5	-5.65	8.31	0.007	3.000	Pass
			1	50	14.02	-3.5	-5.65	8.37	0.007	3.000	Pass
			1	1	13.97	-3.5	-5.65	8.32	0.007	3.000	Pass
		64QAM	25	12	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			1	1	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			1	50	12.64	-3.5	-5.65	6.99	0.005	3.000	Pass
			1	1	12.58	-3.5	-5.65	6.93	0.005	3.000	Pass
		256QAM	25	12	10.59	-3.5	-5.65	4.94	0.003	3.000	Pass
			1	1	10.61	-3.5	-5.65	4.96	0.003	3.000	Pass
			1	50	10.65	-3.5	-5.65	5.00	0.003	3.000	Pass
			1	1	10.54	-3.5	-5.65	4.89	0.003	3.000	Pass
15	LCH	PI/2 BPSK	36	18	15.19	-3.5	-5.65	9.54	0.009	3.000	Pass
			1	1	15.17	-3.5	-5.65	9.52	0.009	3.000	Pass
			1	77	15.21	-3.5	-5.65	9.56	0.009	3.000	Pass
		QPSK	36	18	15.19	-3.5	-5.65	9.54	0.009	3.000	Pass
			1	1	15.38	-3.5	-5.65	9.73	0.009	3.000	Pass
			1	77	15.4	-3.5	-5.65	9.75	0.009	3.000	Pass
		16QAM	36	18	14.18	-3.5	-5.65	8.53	0.007	3.000	Pass
			1	1	13.92	-3.5	-5.65	8.27	0.007	3.000	Pass
			1	77	13.97	-3.5	-5.65	8.32	0.007	3.000	Pass
		64QAM	36	18	12.75	-3.5	-5.65	7.10	0.005	3.000	Pass
			1	1	12.58	-3.5	-5.65	6.93	0.005	3.000	Pass
			1	77	12.58	-3.5	-5.65	6.93	0.005	3.000	Pass
		256QAM	36	18	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			1	1	10.54	-3.5	-5.65	4.89	0.003	3.000	Pass
			1	77	10.56	-3.5	-5.65	4.91	0.003	3.000	Pass
	MCH	PI/2 BPSK	36	18	15.21	-3.5	-5.65	9.56	0.009	3.000	Pass
			1	1	15.15	-3.5	-5.65	9.50	0.009	3.000	Pass
			1	77	15.18	-3.5	-5.65	9.53	0.009	3.000	Pass
		QPSK	36	18	15.19	-3.5	-5.65	9.54	0.009	3.000	Pass
			1	1	15.35	-3.5	-5.65	9.70	0.009	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	1	77	15.41	-3.5	-5.65	9.76	0.009	3.000	Pass
			36	18	14.17	-3.5	-5.65	8.52	0.007	3.000	Pass
			1	1	13.92	-3.5	-5.65	8.27	0.007	3.000	Pass
			1	77	13.96	-3.5	-5.65	8.31	0.007	3.000	Pass
		64QAM	36	18	12.74	-3.5	-5.65	7.09	0.005	3.000	Pass
			1	1	12.54	-3.5	-5.65	6.89	0.005	3.000	Pass
			1	77	12.59	-3.5	-5.65	6.94	0.005	3.000	Pass
		256QAM	36	18	10.69	-3.5	-5.65	5.04	0.003	3.000	Pass
			1	1	10.54	-3.5	-5.65	4.89	0.003	3.000	Pass
			1	77	10.58	-3.5	-5.65	4.93	0.003	3.000	Pass
	HCH	PI/2 BPSK	36	18	15.2	-3.5	-5.65	9.55	0.009	3.000	Pass
			1	1	15.16	-3.5	-5.65	9.51	0.009	3.000	Pass
			1	77	15.17	-3.5	-5.65	9.52	0.009	3.000	Pass
		QPSK	36	18	15.21	-3.5	-5.65	9.56	0.009	3.000	Pass
			1	1	15.36	-3.5	-5.65	9.71	0.009	3.000	Pass
			1	77	15.4	-3.5	-5.65	9.75	0.009	3.000	Pass
		16QAM	36	18	14.16	-3.5	-5.65	8.51	0.007	3.000	Pass
			1	1	13.92	-3.5	-5.65	8.27	0.007	3.000	Pass
			1	77	13.92	-3.5	-5.65	8.27	0.007	3.000	Pass
		64QAM	36	18	12.75	-3.5	-5.65	7.10	0.005	3.000	Pass
			1	1	12.62	-3.5	-5.65	6.97	0.005	3.000	Pass
			1	77	12.52	-3.5	-5.65	6.87	0.005	3.000	Pass
		256QAM	36	18	10.71	-3.5	-5.65	5.06	0.003	3.000	Pass
			1	1	10.54	-3.5	-5.65	4.89	0.003	3.000	Pass
			1	77	10.55	-3.5	-5.65	4.90	0.003	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
10	LCH	PI/2 BPSK	12	6	15.15	-1.7	13.45	0.022	2.000	Pass
			1	1	15.18	-1.7	13.48	0.022	2.000	Pass
			1	22	15.23	-1.7	13.53	0.023	2.000	Pass
		QPSK	12	6	15.1	-1.7	13.40	0.022	2.000	Pass
			1	1	15.14	-1.7	13.44	0.022	2.000	Pass
			1	22	15.2	-1.7	13.50	0.022	2.000	Pass
		16QAM	12	6	14.11	-1.7	12.41	0.017	2.000	Pass
			1	1	14.12	-1.7	12.42	0.017	2.000	Pass
			1	22	14.1	-1.7	12.40	0.017	2.000	Pass
		64QAM	12	6	12.7	-1.7	11.00	0.013	2.000	Pass
			1	1	12.65	-1.7	10.95	0.012	2.000	Pass
			1	22	12.66	-1.7	10.96	0.012	2.000	Pass
		256QAM	12	6	10.35	-1.7	8.65	0.007	2.000	Pass
			1	1	10.68	-1.7	8.98	0.008	2.000	Pass
			1	22	10.7	-1.7	9.00	0.008	2.000	Pass
	MCH	PI/2 BPSK	12	6	15.07	-1.7	13.37	0.022	2.000	Pass
			1	1	15.18	-1.7	13.48	0.022	2.000	Pass
			1	22	15.12	-1.7	13.42	0.022	2.000	Pass
		QPSK	12	6	15.04	-1.7	13.34	0.022	2.000	Pass
			1	1	15.16	-1.7	13.46	0.022	2.000	Pass
			1	22	15.08	-1.7	13.38	0.022	2.000	Pass
		16QAM	12	6	14.06	-1.7	12.36	0.017	2.000	Pass
			1	1	14.05	-1.7	12.35	0.017	2.000	Pass
			1	22	14.01	-1.7	12.31	0.017	2.000	Pass
		64QAM	12	6	12.65	-1.7	10.95	0.012	2.000	Pass
			1	1	12.61	-1.7	10.91	0.012	2.000	Pass
			1	22	12.58	-1.7	10.88	0.012	2.000	Pass
		256QAM	12	6	10.38	-1.7	8.68	0.007	2.000	Pass
			1	1	10.73	-1.7	9.03	0.008	2.000	Pass
			1	22	10.69	-1.7	8.99	0.008	2.000	Pass
	HCH	PI/2 BPSK	12	6	15.18	-1.7	13.48	0.022	2.000	Pass
			1	1	15.21	-1.7	13.51	0.022	2.000	Pass
			1	22	15.24	-1.7	13.54	0.023	2.000	Pass
		QPSK	12	6	15.11	-1.7	13.41	0.022	2.000	Pass
			1	1	15.17	-1.7	13.47	0.022	2.000	Pass
			1	22	15.19	-1.7	13.49	0.022	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	12	6	14.12	-1.7	12.42	0.017	2.000	Pass
			1	1	14.12	-1.7	12.42	0.017	2.000	Pass
			1	22	14.1	-1.7	12.40	0.017	2.000	Pass
		64QAM	12	6	12.73	-1.7	11.03	0.013	2.000	Pass
			1	1	12.68	-1.7	10.98	0.013	2.000	Pass
			1	22	12.67	-1.7	10.97	0.013	2.000	Pass
		256QAM	12	6	10.44	-1.7	8.74	0.007	2.000	Pass
			1	1	10.75	-1.7	9.05	0.008	2.000	Pass
			1	22	10.77	-1.7	9.07	0.008	2.000	Pass
15	LCH	PI/2 BPSK	18	9	15.31	-1.7	13.61	0.023	2.000	Pass
			1	1	15.21	-1.7	13.51	0.022	2.000	Pass
			1	36	15.2	-1.7	13.50	0.022	2.000	Pass
		QPSK	18	9	15.27	-1.7	13.57	0.023	2.000	Pass
			1	1	15.31	-1.7	13.61	0.023	2.000	Pass
			1	36	15.32	-1.7	13.62	0.023	2.000	Pass
		16QAM	18	9	14.27	-1.7	12.57	0.018	2.000	Pass
			1	1	14.14	-1.7	12.44	0.018	2.000	Pass
			1	36	14.09	-1.7	12.39	0.017	2.000	Pass
		64QAM	18	9	12.86	-1.7	11.16	0.013	2.000	Pass
			1	1	12.8	-1.7	11.10	0.013	2.000	Pass
			1	36	12.76	-1.7	11.06	0.013	2.000	Pass
		256QAM	18	9	10.83	-1.7	9.13	0.008	2.000	Pass
			1	1	10.71	-1.7	9.01	0.008	2.000	Pass
			1	36	10.71	-1.7	9.01	0.008	2.000	Pass
	MCH	PI/2 BPSK	18	9	15.26	-1.7	13.56	0.023	2.000	Pass
			1	1	15.3	-1.7	13.60	0.023	2.000	Pass
			1	36	15.15	-1.7	13.45	0.022	2.000	Pass
		QPSK	18	9	15.27	-1.7	13.57	0.023	2.000	Pass
			1	1	15.45	-1.7	13.75	0.024	2.000	Pass
			1	36	15.32	-1.7	13.62	0.023	2.000	Pass
		16QAM	18	9	14.24	-1.7	12.54	0.018	2.000	Pass
			1	1	14.22	-1.7	12.52	0.018	2.000	Pass
			1	36	14.04	-1.7	12.34	0.017	2.000	Pass
		64QAM	18	9	12.85	-1.7	11.15	0.013	2.000	Pass
			1	1	12.78	-1.7	11.08	0.013	2.000	Pass
			1	36	12.64	-1.7	10.94	0.012	2.000	Pass
		256QAM	18	9	10.81	-1.7	9.11	0.008	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
	HCH	PI/2 BPSK	1	1	10.79	-1.7	9.09	0.008	2.000	Pass
			1	36	10.62	-1.7	8.92	0.008	2.000	Pass
			18	9	15.21	-1.7	13.51	0.022	2.000	Pass
		QPSK	1	1	15.2	-1.7	13.50	0.022	2.000	Pass
			1	36	15.16	-1.7	13.46	0.022	2.000	Pass
			18	9	15.22	-1.7	13.52	0.022	2.000	Pass
		16QAM	1	1	15.34	-1.7	13.64	0.023	2.000	Pass
			1	36	15.32	-1.7	13.62	0.023	2.000	Pass
			18	9	14.2	-1.7	12.50	0.018	2.000	Pass
		64QAM	1	1	14.07	-1.7	12.37	0.017	2.000	Pass
			1	36	14.04	-1.7	12.34	0.017	2.000	Pass
			18	9	12.8	-1.7	11.10	0.013	2.000	Pass
		256QAM	1	1	12.72	-1.7	11.02	0.013	2.000	Pass
			1	36	12.72	-1.7	11.02	0.013	2.000	Pass
			18	9	10.78	-1.7	9.08	0.008	2.000	Pass
20	LCH	PI/2 BPSK	1	1	10.69	-1.7	8.99	0.008	2.000	Pass
			1	36	10.67	-1.7	8.97	0.008	2.000	Pass
			25	12	15.36	-1.7	13.66	0.023	2.000	Pass
		QPSK	1	1	15.23	-1.7	13.53	0.023	2.000	Pass
			1	49	15.24	-1.7	13.54	0.023	2.000	Pass
			25	12	15.31	-1.7	13.61	0.023	2.000	Pass
		16QAM	1	1	15.32	-1.7	13.62	0.023	2.000	Pass
			1	49	15.36	-1.7	13.66	0.023	2.000	Pass
			25	12	14.36	-1.7	12.66	0.018	2.000	Pass
		64QAM	1	1	14.11	-1.7	12.41	0.017	2.000	Pass
			1	49	14.15	-1.7	12.45	0.018	2.000	Pass
			25	12	12.94	-1.7	11.24	0.013	2.000	Pass
		256QAM	1	1	12.81	-1.7	11.11	0.013	2.000	Pass
			1	49	12.78	-1.7	11.08	0.013	2.000	Pass
			25	12	10.87	-1.7	9.17	0.008	2.000	Pass
	MCH	PI/2 BPSK	1	1	10.72	-1.7	9.02	0.008	2.000	Pass
			1	49	10.72	-1.7	9.02	0.008	2.000	Pass
			25	12	15.3	-1.7	13.60	0.023	2.000	Pass
		QPSK	1	1	15.21	-1.7	13.51	0.022	2.000	Pass
			1	49	15.08	-1.7	13.38	0.022	2.000	Pass
			25	12	15.29	-1.7	13.59	0.023	2.000	Pass
			1	1	15.34	-1.7	13.64	0.023	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	1	49	15.2	-1.7	13.50	0.022	2.000	Pass
			25	12	14.31	-1.7	12.61	0.018	2.000	Pass
			1	1	14.12	-1.7	12.42	0.017	2.000	Pass
			1	49	13.98	-1.7	12.28	0.017	2.000	Pass
		64QAM	25	12	12.85	-1.7	11.15	0.013	2.000	Pass
			1	1	12.73	-1.7	11.03	0.013	2.000	Pass
			1	49	12.61	-1.7	10.91	0.012	2.000	Pass
		256QAM	25	12	10.79	-1.7	9.09	0.008	2.000	Pass
			1	1	10.72	-1.7	9.02	0.008	2.000	Pass
			1	49	10.58	-1.7	8.88	0.008	2.000	Pass
	HCH	PI/2 BPSK	25	12	15.27	-1.7	13.57	0.023	2.000	Pass
			1	1	15.18	-1.7	13.48	0.022	2.000	Pass
			1	49	15.11	-1.7	13.41	0.022	2.000	Pass
		QPSK	25	12	15.26	-1.7	13.56	0.023	2.000	Pass
			1	1	15.28	-1.7	13.58	0.023	2.000	Pass
			1	49	15.26	-1.7	13.56	0.023	2.000	Pass
		16QAM	25	12	14.26	-1.7	12.56	0.018	2.000	Pass
			1	1	14.07	-1.7	12.37	0.017	2.000	Pass
			1	49	14	-1.7	12.30	0.017	2.000	Pass
		64QAM	25	12	12.81	-1.7	11.11	0.013	2.000	Pass
			1	1	12.75	-1.7	11.05	0.013	2.000	Pass
			1	49	12.65	-1.7	10.95	0.012	2.000	Pass
		256QAM	25	12	10.76	-1.7	9.06	0.008	2.000	Pass
			1	1	10.67	-1.7	8.97	0.008	2.000	Pass
			1	49	10.59	-1.7	8.89	0.008	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
10	LCH	PI/2 BPSK	12	6	17.63	-1.7	15.93	0.039	2.000	Pass
			1	1	17.66	-1.7	15.96	0.039	2.000	Pass
			1	22	17.65	-1.7	15.95	0.039	2.000	Pass
		QPSK	12	6	17.67	-1.7	15.97	0.040	2.000	Pass
			1	1	17.61	-1.7	15.91	0.039	2.000	Pass
			1	22	17.69	-1.7	15.99	0.040	2.000	Pass
		16QAM	12	6	16.62	-1.7	14.92	0.031	2.000	Pass
			1	1	16.54	-1.7	14.84	0.030	2.000	Pass
			1	22	16.47	-1.7	14.77	0.030	2.000	Pass
		64QAM	12	6	15.21	-1.7	13.51	0.022	2.000	Pass
			1	1	15.14	-1.7	13.44	0.022	2.000	Pass
			1	22	15.06	-1.7	13.36	0.022	2.000	Pass
		256QAM	12	6	12.93	-1.7	11.23	0.013	2.000	Pass
			1	1	13.18	-1.7	11.48	0.014	2.000	Pass
			1	22	13.14	-1.7	11.44	0.014	2.000	Pass
	MCH	PI/2 BPSK	12	6	17.99	-1.7	16.29	0.043	2.000	Pass
			1	1	18.02	-1.7	16.32	0.043	2.000	Pass
			1	22	18	-1.7	16.30	0.043	2.000	Pass
		QPSK	12	6	17.95	-1.7	16.25	0.042	2.000	Pass
			1	1	17.91	-1.7	16.21	0.042	2.000	Pass
			1	22	17.95	-1.7	16.25	0.042	2.000	Pass
		16QAM	12	6	16.95	-1.7	15.25	0.033	2.000	Pass
			1	1	16.85	-1.7	15.15	0.033	2.000	Pass
			1	22	16.99	-1.7	15.29	0.034	2.000	Pass
		64QAM	12	6	15.12	-1.7	13.42	0.022	2.000	Pass
			1	1	15.05	-1.7	13.35	0.022	2.000	Pass
			1	22	15.16	-1.7	13.46	0.022	2.000	Pass
		256QAM	12	6	13.34	-1.7	11.64	0.015	2.000	Pass
			1	1	13.6	-1.7	11.90	0.015	2.000	Pass
			1	22	13.57	-1.7	11.87	0.015	2.000	Pass
	HCH	PI/2 BPSK	12	6	18	-1.7	16.30	0.043	2.000	Pass
			1	1	17.98	-1.7	16.28	0.042	2.000	Pass
			1	22	18.04	-1.7	16.34	0.043	2.000	Pass
		QPSK	12	6	17.85	-1.7	16.15	0.041	2.000	Pass
			1	1	17.82	-1.7	16.12	0.041	2.000	Pass
			1	22	17.99	-1.7	16.29	0.043	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	12	6	16.95	-1.7	15.25	0.033	2.000	Pass
			1	1	16.87	-1.7	15.17	0.033	2.000	Pass
			1	22	16.98	-1.7	15.28	0.034	2.000	Pass
		64QAM	12	6	15.57	-1.7	13.87	0.024	2.000	Pass
			1	1	15.49	-1.7	13.79	0.024	2.000	Pass
			1	22	15.6	-1.7	13.90	0.025	2.000	Pass
		256QAM	12	6	13.31	-1.7	11.61	0.014	2.000	Pass
			1	1	13.57	-1.7	11.87	0.015	2.000	Pass
			1	22	13.59	-1.7	11.89	0.015	2.000	Pass
60	LCH	PI/2 BPSK	81	40	17.83	-1.7	16.13	0.041	2.000	Pass
			1	1	17.55	-1.7	15.85	0.038	2.000	Pass
			1	160	17.66	-1.7	15.96	0.039	2.000	Pass
		QPSK	81	40	17.85	-1.7	16.15	0.041	2.000	Pass
			1	1	17.75	-1.7	16.05	0.040	2.000	Pass
			1	160	17.96	-1.7	16.26	0.042	2.000	Pass
		16QAM	81	40	16.52	-1.7	14.82	0.030	2.000	Pass
			1	1	16.65	-1.7	14.95	0.031	2.000	Pass
			1	160	16.58	-1.7	14.88	0.031	2.000	Pass
		64QAM	81	40	15.25	-1.7	13.55	0.023	2.000	Pass
			1	1	15.43	-1.7	13.73	0.024	2.000	Pass
			1	160	15.29	-1.7	13.59	0.023	2.000	Pass
		256QAM	81	40	13.4	-1.7	11.70	0.015	2.000	Pass
			1	1	13.12	-1.7	11.42	0.014	2.000	Pass
			1	160	13.26	-1.7	11.56	0.014	2.000	Pass
	MCH	PI/2 BPSK	81	40	18.08	-1.7	16.38	0.043	2.000	Pass
			1	1	17.84	-1.7	16.14	0.041	2.000	Pass
			1	160	17.79	-1.7	16.09	0.041	2.000	Pass
		QPSK	81	40	18.02	-1.7	16.32	0.043	2.000	Pass
			1	1	18.07	-1.7	16.37	0.043	2.000	Pass
			1	160	18	-1.7	16.30	0.043	2.000	Pass
		16QAM	81	40	17.06	-1.7	15.36	0.034	2.000	Pass
			1	1	16.72	-1.7	15.02	0.032	2.000	Pass
			1	160	16.67	-1.7	14.97	0.031	2.000	Pass
		64QAM	81	40	15.65	-1.7	13.95	0.025	2.000	Pass
			1	1	15.51	-1.7	13.81	0.024	2.000	Pass
			1	160	15.39	-1.7	13.69	0.023	2.000	Pass
		256QAM	81	40	13.66	-1.7	11.96	0.016	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
	HCH	PI/2 BPSK	1	1	13.38	-1.7	11.68	0.015	2.000	Pass
			1	160	13.36	-1.7	11.66	0.015	2.000	Pass
			81	40	17.46	-1.7	15.76	0.038	2.000	Pass
		QPSK	1	1	17.8	-1.7	16.10	0.041	2.000	Pass
			1	160	17.69	-1.7	15.99	0.040	2.000	Pass
			81	40	17.26	-1.7	15.56	0.036	2.000	Pass
		16QAM	1	1	17.99	-1.7	16.29	0.043	2.000	Pass
			1	160	17.5	-1.7	15.80	0.038	2.000	Pass
			81	40	16.92	-1.7	15.22	0.033	2.000	Pass
		64QAM	1	1	16.64	-1.7	14.94	0.031	2.000	Pass
			1	160	16.68	-1.7	14.98	0.031	2.000	Pass
			81	40	15.48	-1.7	13.78	0.024	2.000	Pass
		256QAM	1	1	15.5	-1.7	13.80	0.024	2.000	Pass
			1	160	15.59	-1.7	13.89	0.024	2.000	Pass
			81	40	13.48	-1.7	11.78	0.015	2.000	Pass
100	LCH	PI/2 BPSK	1	1	13.35	-1.7	11.65	0.015	2.000	Pass
			1	160	13.39	-1.7	11.69	0.015	2.000	Pass
			135	67	17.85	-1.7	16.15	0.041	2.000	Pass
		QPSK	1	1	17.71	-1.7	16.01	0.040	2.000	Pass
			1	271	17.87	-1.7	16.17	0.041	2.000	Pass
			135	67	17.91	-1.7	16.21	0.042	2.000	Pass
		16QAM	1	1	17.64	-1.7	15.94	0.039	2.000	Pass
			1	271	17.96	-1.7	16.26	0.042	2.000	Pass
			135	67	16.99	-1.7	15.29	0.034	2.000	Pass
		64QAM	1	1	16.64	-1.7	14.94	0.031	2.000	Pass
			1	271	16.86	-1.7	15.16	0.033	2.000	Pass
			135	67	15.53	-1.7	13.83	0.024	2.000	Pass
	MCH	PI/2 BPSK	1	1	15.37	-1.7	13.67	0.023	2.000	Pass
			1	271	15.49	-1.7	13.79	0.024	2.000	Pass
			135	67	13.57	-1.7	11.87	0.015	2.000	Pass
		QPSK	1	1	13.27	-1.7	11.57	0.014	2.000	Pass
			1	271	13.49	-1.7	11.79	0.015	2.000	Pass
			135	67	17.93	-1.7	16.23	0.042	2.000	Pass
		PI/2 BPSK	1	1	18.01	-1.7	16.31	0.043	2.000	Pass
			1	271	17.64	-1.7	15.94	0.039	2.000	Pass
			135	67	17.95	-1.7	16.25	0.042	2.000	Pass
		QPSK	1	1	18.25	-1.7	16.55	0.045	2.000	Pass
			1	1	18.25	-1.7	16.55	0.045	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	1	271	17.46	-1.7	15.76	0.038	2.000	Pass
			135	67	17.04	-1.7	15.34	0.034	2.000	Pass
			1	1	16.92	-1.7	15.22	0.033	2.000	Pass
			1	271	16.63	-1.7	14.93	0.031	2.000	Pass
		64QAM	135	67	15.61	-1.7	13.91	0.025	2.000	Pass
			1	1	15.63	-1.7	13.93	0.025	2.000	Pass
			1	271	15.3	-1.7	13.60	0.023	2.000	Pass
		256QAM	135	67	13.67	-1.7	11.97	0.016	2.000	Pass
			1	1	13.59	-1.7	11.89	0.015	2.000	Pass
			1	271	13.32	-1.7	11.62	0.015	2.000	Pass
	HCH	PI/2 BPSK	135	67	17.97	-1.7	16.27	0.042	2.000	Pass
			1	1	18.33	-1.7	16.63	0.046	2.000	Pass
			1	271	17.88	-1.7	16.18	0.041	2.000	Pass
		QPSK	135	67	17.71	-1.7	16.01	0.040	2.000	Pass
			1	1	18.44	-1.7	16.74	0.047	2.000	Pass
			1	271	17.69	-1.7	15.99	0.040	2.000	Pass
		16QAM	135	67	17.12	-1.7	15.42	0.035	2.000	Pass
			1	1	17.23	-1.7	15.53	0.036	2.000	Pass
			1	271	17.05	-1.7	15.35	0.034	2.000	Pass
		64QAM	135	67	15.73	-1.7	14.03	0.025	2.000	Pass
			1	1	15.58	-1.7	13.88	0.024	2.000	Pass
			1	271	15.64	-1.7	13.94	0.025	2.000	Pass
		256QAM	135	67	13.77	-1.7	12.07	0.016	2.000	Pass
			1	1	13.92	-1.7	12.22	0.017	2.000	Pass
			1	271	13.64	-1.7	11.94	0.016	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
5	LCH	PI/2 BPSK	12	6	14.48	-2.3	12.18	0.017	1.000	Pass
			1	1	14.52	-2.3	12.22	0.017	1.000	Pass
			1	23	14.51	-2.3	12.21	0.017	1.000	Pass
		QPSK	12	6	14.5	-2.3	12.20	0.017	1.000	Pass
			1	1	14.62	-2.3	12.32	0.017	1.000	Pass
			1	23	14.59	-2.3	12.29	0.017	1.000	Pass
		16QAM	12	6	13.49	-2.3	11.19	0.013	1.000	Pass
			1	1	13.35	-2.3	11.05	0.013	1.000	Pass
			1	23	13.33	-2.3	11.03	0.013	1.000	Pass
		64QAM	12	6	12.01	-2.3	9.71	0.009	1.000	Pass
			1	1	11.93	-2.3	9.63	0.009	1.000	Pass
			1	23	11.96	-2.3	9.66	0.009	1.000	Pass
		256QAM	12	6	9.98	-2.3	7.68	0.006	1.000	Pass
			1	1	9.86	-2.3	7.56	0.006	1.000	Pass
			1	23	9.99	-2.3	7.69	0.006	1.000	Pass
	MCH	PI/2 BPSK	12	6	14.42	-2.3	12.12	0.016	1.000	Pass
			1	1	14.52	-2.3	12.22	0.017	1.000	Pass
			1	23	14.45	-2.3	12.15	0.016	1.000	Pass
		QPSK	12	6	14.47	-2.3	12.17	0.016	1.000	Pass
			1	1	14.59	-2.3	12.29	0.017	1.000	Pass
			1	23	14.55	-2.3	12.25	0.017	1.000	Pass
		16QAM	12	6	13.43	-2.3	11.13	0.013	1.000	Pass
			1	1	13.34	-2.3	11.04	0.013	1.000	Pass
			1	23	13.24	-2.3	10.94	0.012	1.000	Pass
		64QAM	12	6	11.91	-2.3	9.61	0.009	1.000	Pass
			1	1	11.93	-2.3	9.63	0.009	1.000	Pass
			1	23	11.82	-2.3	9.52	0.009	1.000	Pass
		256QAM	12	6	9.97	-2.3	7.67	0.006	1.000	Pass
			1	1	10	-2.3	7.70	0.006	1.000	Pass
			1	23	9.98	-2.3	7.68	0.006	1.000	Pass
	HCH	PI/2 BPSK	12	6	14.45	-2.3	12.15	0.016	1.000	Pass
			1	1	14.48	-2.3	12.18	0.017	1.000	Pass
			1	23	14.57	-2.3	12.27	0.017	1.000	Pass
		QPSK	12	6	14.53	-2.3	12.23	0.017	1.000	Pass
			1	1	14.59	-2.3	12.29	0.017	1.000	Pass
			1	23	14.69	-2.3	12.39	0.017	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	12	6	13.47	-2.3	11.17	0.013	1.000	Pass
			1	1	13.33	-2.3	11.03	0.013	1.000	Pass
			1	23	13.37	-2.3	11.07	0.013	1.000	Pass
		64QAM	12	6	11.94	-2.3	9.64	0.009	1.000	Pass
			1	1	11.89	-2.3	9.59	0.009	1.000	Pass
			1	23	11.95	-2.3	9.65	0.009	1.000	Pass
		256QAM	12	6	9.91	-2.3	7.61	0.006	1.000	Pass
			1	1	9.91	-2.3	7.61	0.006	1.000	Pass
			1	23	9.95	-2.3	7.65	0.006	1.000	Pass
20	LCH	PI/2 BPSK	50	25	14.68	-2.3	12.38	0.017	1.000	Pass
			1	1	14.61	-2.3	12.31	0.017	1.000	Pass
			1	104	14.63	-2.3	12.33	0.017	1.000	Pass
		QPSK	50	25	14.68	-2.3	12.38	0.017	1.000	Pass
			1	1	14.81	-2.3	12.51	0.018	1.000	Pass
			1	104	14.76	-2.3	12.46	0.018	1.000	Pass
		16QAM	50	25	13.7	-2.3	11.40	0.014	1.000	Pass
			1	1	13.42	-2.3	11.12	0.013	1.000	Pass
			1	104	13.39	-2.3	11.09	0.013	1.000	Pass
		64QAM	50	25	12.23	-2.3	9.93	0.010	1.000	Pass
			1	1	11.99	-2.3	9.69	0.009	1.000	Pass
			1	104	12.13	-2.3	9.83	0.010	1.000	Pass
		256QAM	50	25	10.33	-2.3	8.03	0.006	1.000	Pass
			1	1	9.93	-2.3	7.63	0.006	1.000	Pass
			1	104	10.18	-2.3	7.88	0.006	1.000	Pass
	MCH	PI/2 BPSK	50	25	14.56	-2.3	12.26	0.017	1.000	Pass
			1	1	14.63	-2.3	12.33	0.017	1.000	Pass
			1	104	14.47	-2.3	12.17	0.016	1.000	Pass
		QPSK	50	25	14.56	-2.3	12.26	0.017	1.000	Pass
			1	1	14.74	-2.3	12.44	0.018	1.000	Pass
			1	104	14.66	-2.3	12.36	0.017	1.000	Pass
		16QAM	50	25	13.55	-2.3	11.25	0.013	1.000	Pass
			1	1	13.42	-2.3	11.12	0.013	1.000	Pass
			1	104	13.34	-2.3	11.04	0.013	1.000	Pass
		64QAM	50	25	12.09	-2.3	9.79	0.010	1.000	Pass
			1	1	12.05	-2.3	9.75	0.009	1.000	Pass
			1	104	11.9	-2.3	9.60	0.009	1.000	Pass
		256QAM	50	25	10.23	-2.3	7.93	0.006	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
	HCH	PI/2 BPSK	1	1	10.16	-2.3	7.86	0.006	1.000	Pass
			1	104	9.98	-2.3	7.68	0.006	1.000	Pass
			50	25	14.5	-2.3	12.20	0.017	1.000	Pass
		QPSK	1	1	14.46	-2.3	12.16	0.016	1.000	Pass
			1	104	14.54	-2.3	12.24	0.017	1.000	Pass
			50	25	14.5	-2.3	12.20	0.017	1.000	Pass
		16QAM	1	1	14.65	-2.3	12.35	0.017	1.000	Pass
			1	104	14.77	-2.3	12.47	0.018	1.000	Pass
			50	25	13.51	-2.3	11.21	0.013	1.000	Pass
		64QAM	1	1	13.25	-2.3	10.95	0.012	1.000	Pass
			1	104	13.34	-2.3	11.04	0.013	1.000	Pass
			50	25	12.04	-2.3	9.74	0.009	1.000	Pass
		256QAM	1	1	11.95	-2.3	9.65	0.009	1.000	Pass
			1	104	11.92	-2.3	9.62	0.009	1.000	Pass
			50	25	10.12	-2.3	7.82	0.006	1.000	Pass
40	LCH	PI/2 BPSK	1	1	9.93	-2.3	7.63	0.006	1.000	Pass
			1	104	9.91	-2.3	7.61	0.006	1.000	Pass
			108	54	14.75	-2.3	12.45	0.018	1.000	Pass
		QPSK	1	1	14.67	-2.3	12.37	0.017	1.000	Pass
			1	214	14.49	-2.3	12.19	0.017	1.000	Pass
			108	54	14.74	-2.3	12.44	0.018	1.000	Pass
		16QAM	1	1	14.84	-2.3	12.54	0.018	1.000	Pass
			1	214	14.67	-2.3	12.37	0.017	1.000	Pass
			108	54	13.75	-2.3	11.45	0.014	1.000	Pass
		64QAM	1	1	13.48	-2.3	11.18	0.013	1.000	Pass
			1	214	13.29	-2.3	10.99	0.013	1.000	Pass
			108	54	12.28	-2.3	9.98	0.010	1.000	Pass
		256QAM	1	1	12.09	-2.3	9.79	0.010	1.000	Pass
			1	214	11.94	-2.3	9.64	0.009	1.000	Pass
			108	54	10.41	-2.3	8.11	0.006	1.000	Pass
	MCH	PI/2 BPSK	1	1	9.98	-2.3	7.68	0.006	1.000	Pass
			1	214	10.03	-2.3	7.73	0.006	1.000	Pass
			108	54	14.66	-2.3	12.36	0.017	1.000	Pass
		QPSK	1	1	14.8	-2.3	12.50	0.018	1.000	Pass
			1	214	14.65	-2.3	12.35	0.017	1.000	Pass
			108	54	14.66	-2.3	12.36	0.017	1.000	Pass
			1	1	14.88	-2.3	12.58	0.018	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	1	214	14.81	-2.3	12.51	0.018	1.000	Pass
			108	54	13.67	-2.3	11.37	0.014	1.000	Pass
			1	1	13.64	-2.3	11.34	0.014	1.000	Pass
			1	214	13.46	-2.3	11.16	0.013	1.000	Pass
		64QAM	108	54	12.18	-2.3	9.88	0.010	1.000	Pass
			1	1	12.23	-2.3	9.93	0.010	1.000	Pass
			1	214	12.11	-2.3	9.81	0.010	1.000	Pass
		256QAM	108	54	10.3	-2.3	8.00	0.006	1.000	Pass
			1	1	10.3	-2.3	8.00	0.006	1.000	Pass
			1	214	10.11	-2.3	7.81	0.006	1.000	Pass
	HCH	PI/2 BPSK	108	54	14.6	-2.3	12.30	0.017	1.000	Pass
			1	1	14.62	-2.3	12.32	0.017	1.000	Pass
			1	214	14.68	-2.3	12.38	0.017	1.000	Pass
		QPSK	108	54	14.61	-2.3	12.31	0.017	1.000	Pass
			1	1	14.78	-2.3	12.48	0.018	1.000	Pass
			1	214	14.89	-2.3	12.59	0.018	1.000	Pass
		16QAM	108	54	13.63	-2.3	11.33	0.014	1.000	Pass
			1	1	13.41	-2.3	11.11	0.013	1.000	Pass
			1	214	13.51	-2.3	11.21	0.013	1.000	Pass
		64QAM	108	54	12.11	-2.3	9.81	0.010	1.000	Pass
			1	1	12.06	-2.3	9.76	0.009	1.000	Pass
			1	214	12.05	-2.3	9.75	0.009	1.000	Pass
		256QAM	108	54	10.22	-2.3	7.92	0.006	1.000	Pass
			1	1	10.12	-2.3	7.82	0.006	1.000	Pass
			1	214	10	-2.3	7.70	0.006	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	11.56	-1.2	10.36	0.011	1.000	Pass
			1	1	11.59	-1.2	10.39	0.011	1.000	Pass
			1	22	11.55	-1.2	10.35	0.011	1.000	Pass
		QPSK	12	6	11.46	-1.2	10.26	0.011	1.000	Pass
			1	1	11.46	-1.2	10.26	0.011	1.000	Pass
			1	22	11.57	-1.2	10.37	0.011	1.000	Pass
		16QAM	12	6	10.51	-1.2	9.31	0.009	1.000	Pass
			1	1	10.39	-1.2	9.19	0.008	1.000	Pass
			1	22	10.35	-1.2	9.15	0.008	1.000	Pass
		64QAM	12	6	9.12	-1.2	7.92	0.006	1.000	Pass
			1	1	9.05	-1.2	7.85	0.006	1.000	Pass
			1	22	9.16	-1.2	7.96	0.006	1.000	Pass
		256QAM	12	6	7.34	-1.2	6.14	0.004	1.000	Pass
			1	1	7.32	-1.2	6.12	0.004	1.000	Pass
			1	22	7.31	-1.2	6.11	0.004	1.000	Pass
	MCH	PI/2 BPSK	12	6	11.36	-1.2	10.16	0.010	1.000	Pass
			1	1	11.49	-1.2	10.29	0.011	1.000	Pass
			1	22	11.3	-1.2	10.10	0.010	1.000	Pass
		QPSK	12	6	11.29	-1.2	10.09	0.010	1.000	Pass
			1	1	11.38	-1.2	10.18	0.010	1.000	Pass
			1	22	11.31	-1.2	10.11	0.010	1.000	Pass
		16QAM	12	6	10.29	-1.2	9.09	0.008	1.000	Pass
			1	1	10.26	-1.2	9.06	0.008	1.000	Pass
			1	22	10.14	-1.2	8.94	0.008	1.000	Pass
		64QAM	12	6	9.06	-1.2	7.86	0.006	1.000	Pass
			1	1	9.01	-1.2	7.81	0.006	1.000	Pass
			1	22	8.82	-1.2	7.62	0.006	1.000	Pass
		256QAM	12	6	6.84	-1.2	5.64	0.004	1.000	Pass
			1	1	7.18	-1.2	5.98	0.004	1.000	Pass
			1	22	7	-1.2	5.80	0.004	1.000	Pass
	HCH	PI/2 BPSK	12	6	11.5	-1.2	10.30	0.011	1.000	Pass
			1	1	11.4	-1.2	10.20	0.010	1.000	Pass
			1	22	11.56	-1.2	10.36	0.011	1.000	Pass
		QPSK	12	6	11.43	-1.2	10.23	0.011	1.000	Pass
			1	1	11.3	-1.2	10.10	0.010	1.000	Pass
			1	22	11.55	-1.2	10.35	0.011	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	12	6	10.43	-1.2	9.23	0.008	1.000	Pass
			1	1	10.25	-1.2	9.05	0.008	1.000	Pass
			1	22	10.39	-1.2	9.19	0.008	1.000	Pass
		64QAM	12	6	9.09	-1.2	7.89	0.006	1.000	Pass
			1	1	8.82	-1.2	7.62	0.006	1.000	Pass
			1	22	8.94	-1.2	7.74	0.006	1.000	Pass
		256QAM	12	6	6.77	-1.2	5.57	0.004	1.000	Pass
			1	1	6.99	-1.2	5.79	0.004	1.000	Pass
			1	22	7.15	-1.2	5.95	0.004	1.000	Pass
50	LCH	PI/2 BPSK	64	32	11.64	-1.2	10.44	0.011	1.000	Pass
			1	1	11.42	-1.2	10.22	0.011	1.000	Pass
			1	131	11.24	-1.2	10.04	0.010	1.000	Pass
		QPSK	64	32	11.6	-1.2	10.40	0.011	1.000	Pass
			1	1	11.61	-1.2	10.41	0.011	1.000	Pass
			1	131	11.46	-1.2	10.26	0.011	1.000	Pass
		16QAM	64	32	10.58	-1.2	9.38	0.009	1.000	Pass
			1	1	10.24	-1.2	9.04	0.008	1.000	Pass
			1	131	10.11	-1.2	8.91	0.008	1.000	Pass
		64QAM	64	32	9.43	-1.2	8.23	0.007	1.000	Pass
			1	1	9.17	-1.2	7.97	0.006	1.000	Pass
			1	131	8.95	-1.2	7.75	0.006	1.000	Pass
		256QAM	64	32	7.46	-1.2	6.26	0.004	1.000	Pass
			1	1	7.27	-1.2	6.07	0.004	1.000	Pass
			1	131	6.98	-1.2	5.78	0.004	1.000	Pass
	MCH	PI/2 BPSK	64	32	11.51	-1.2	10.31	0.011	1.000	Pass
			1	1	11.37	-1.2	10.17	0.010	1.000	Pass
			1	131	11.36	-1.2	10.16	0.010	1.000	Pass
		QPSK	64	32	11.48	-1.2	10.28	0.011	1.000	Pass
			1	1	11.59	-1.2	10.39	0.011	1.000	Pass
			1	131	11.57	-1.2	10.37	0.011	1.000	Pass
		16QAM	64	32	10.46	-1.2	9.26	0.008	1.000	Pass
			1	1	10.27	-1.2	9.07	0.008	1.000	Pass
			1	131	10.3	-1.2	9.10	0.008	1.000	Pass
		64QAM	64	32	9.3	-1.2	8.10	0.006	1.000	Pass
			1	1	9.07	-1.2	7.87	0.006	1.000	Pass
			1	131	8.98	-1.2	7.78	0.006	1.000	Pass
		256QAM	64	32	7.32	-1.2	6.12	0.004	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	7.17	-1.2	5.97	0.004	1.000	Pass
			1	131	7.04	-1.2	5.84	0.004	1.000	Pass
			64	32	11.59	-1.2	10.39	0.011	1.000	Pass
		QPSK	1	1	11.26	-1.2	10.06	0.010	1.000	Pass
			1	131	11.6	-1.2	10.40	0.011	1.000	Pass
			64	32	11.58	-1.2	10.38	0.011	1.000	Pass
		16QAM	1	1	11.38	-1.2	10.18	0.010	1.000	Pass
			1	131	11.7	-1.2	10.50	0.011	1.000	Pass
			64	32	10.57	-1.2	9.37	0.009	1.000	Pass
		64QAM	1	1	10.18	-1.2	8.98	0.008	1.000	Pass
			1	131	10.49	-1.2	9.29	0.008	1.000	Pass
			64	32	9.3	-1.2	8.10	0.006	1.000	Pass
		256QAM	1	1	8.85	-1.2	7.65	0.006	1.000	Pass
			1	131	9.11	-1.2	7.91	0.006	1.000	Pass
			64	32	7.29	-1.2	6.09	0.004	1.000	Pass
			1	1	6.93	-1.2	5.73	0.004	1.000	Pass
			1	131	7.16	-1.2	5.96	0.004	1.000	Pass
			135	67	11.53	-1.2	10.33	0.011	1.000	Pass
100	MCH	PI/2 BPSK	1	1	11.74	-1.2	10.54	0.011	1.000	Pass
			1	271	11.64	-1.2	10.44	0.011	1.000	Pass
			135	67	11.59	-1.2	10.39	0.011	1.000	Pass
		QPSK	1	1	11.94	-1.2	10.74	0.012	1.000	Pass
			1	271	11.81	-1.2	10.61	0.012	1.000	Pass
			135	67	10.61	-1.2	9.41	0.009	1.000	Pass
		16QAM	1	1	10.6	-1.2	9.40	0.009	1.000	Pass
			1	271	10.52	-1.2	9.32	0.009	1.000	Pass
			135	67	9.29	-1.2	8.09	0.006	1.000	Pass
		64QAM	1	1	9.35	-1.2	8.15	0.007	1.000	Pass
			1	271	9.21	-1.2	8.01	0.006	1.000	Pass
			135	67	7.41	-1.2	6.21	0.004	1.000	Pass
		256QAM	1	1	7.58	-1.2	6.38	0.004	1.000	Pass
			1	271	7.28	-1.2	6.08	0.004	1.000	Pass
			135	67	7.28	-1.2	6.08	0.004	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
10	LCH	PI/2 BPSK	12	6	11.68	-1.2	10.48	0.011	1.000	Pass
			1	1	11.64	-1.2	10.44	0.011	1.000	Pass
			1	22	11.68	-1.2	10.48	0.011	1.000	Pass
		QPSK	12	6	11.65	-1.2	10.45	0.011	1.000	Pass
			1	1	11.6	-1.2	10.40	0.011	1.000	Pass
			1	22	11.74	-1.2	10.54	0.011	1.000	Pass
		16QAM	12	6	10.62	-1.2	9.42	0.009	1.000	Pass
			1	1	10.41	-1.2	9.21	0.008	1.000	Pass
			1	22	10.47	-1.2	9.27	0.008	1.000	Pass
		64QAM	12	6	9.21	-1.2	8.01	0.006	1.000	Pass
			1	1	8.99	-1.2	7.79	0.006	1.000	Pass
			1	22	8.91	-1.2	7.71	0.006	1.000	Pass
		256QAM	12	6	6.85	-1.2	5.65	0.004	1.000	Pass
			1	1	7.14	-1.2	5.94	0.004	1.000	Pass
			1	22	7.1	-1.2	5.90	0.004	1.000	Pass
	MCH	PI/2 BPSK	12	6	11.98	-1.2	10.78	0.012	1.000	Pass
			1	1	11.93	-1.2	10.73	0.012	1.000	Pass
			1	22	12.09	-1.2	10.89	0.012	1.000	Pass
		QPSK	12	6	11.95	-1.2	10.75	0.012	1.000	Pass
			1	1	11.92	-1.2	10.72	0.012	1.000	Pass
			1	22	12.15	-1.2	10.95	0.012	1.000	Pass
		16QAM	12	6	10.96	-1.2	9.76	0.009	1.000	Pass
			1	1	10.82	-1.2	9.62	0.009	1.000	Pass
			1	22	10.97	-1.2	9.77	0.009	1.000	Pass
		64QAM	12	6	9.53	-1.2	8.33	0.007	1.000	Pass
			1	1	9.24	-1.2	8.04	0.006	1.000	Pass
			1	22	9.46	-1.2	8.26	0.007	1.000	Pass
		256QAM	12	6	7.29	-1.2	6.09	0.004	1.000	Pass
			1	1	7.41	-1.2	6.21	0.004	1.000	Pass
			1	22	7.57	-1.2	6.37	0.004	1.000	Pass
	HCH	PI/2 BPSK	12	6	11.64	-1.2	10.44	0.011	1.000	Pass
			1	1	11.71	-1.2	10.51	0.011	1.000	Pass
			1	22	11.53	-1.2	10.33	0.011	1.000	Pass
		QPSK	12	6	11.52	-1.2	10.32	0.011	1.000	Pass
			1	1	11.7	-1.2	10.50	0.011	1.000	Pass
			1	22	11.54	-1.2	10.34	0.011	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	12	6	10.52	-1.2	9.32	0.009	1.000	Pass
			1	1	10.49	-1.2	9.29	0.008	1.000	Pass
			1	22	10.38	-1.2	9.18	0.008	1.000	Pass
		64QAM	12	6	9.26	-1.2	8.06	0.006	1.000	Pass
			1	1	9.21	-1.2	8.01	0.006	1.000	Pass
			1	22	9.07	-1.2	7.87	0.006	1.000	Pass
		256QAM	12	6	6.99	-1.2	5.79	0.004	1.000	Pass
			1	1	7.33	-1.2	6.13	0.004	1.000	Pass
			1	22	7.17	-1.2	5.97	0.004	1.000	Pass
50	LCH	PI/2 BPSK	64	32	11.66	-1.2	10.46	0.011	1.000	Pass
			1	1	11.48	-1.2	10.28	0.011	1.000	Pass
			1	131	11.28	-1.2	10.08	0.010	1.000	Pass
		QPSK	64	32	11.69	-1.2	10.49	0.011	1.000	Pass
			1	1	11.63	-1.2	10.43	0.011	1.000	Pass
			1	131	11.46	-1.2	10.26	0.011	1.000	Pass
		16QAM	64	32	10.68	-1.2	9.48	0.009	1.000	Pass
			1	1	10.36	-1.2	9.16	0.008	1.000	Pass
			1	131	10.13	-1.2	8.93	0.008	1.000	Pass
		64QAM	64	32	9.16	-1.2	7.96	0.006	1.000	Pass
			1	1	8.82	-1.2	7.62	0.006	1.000	Pass
			1	131	8.54	-1.2	7.34	0.005	1.000	Pass
		256QAM	64	32	7.15	-1.2	5.95	0.004	1.000	Pass
			1	1	6.91	-1.2	5.71	0.004	1.000	Pass
			1	131	6.68	-1.2	5.48	0.004	1.000	Pass
	MCH	PI/2 BPSK	64	32	12.15	-1.2	10.95	0.012	1.000	Pass
			1	1	11.92	-1.2	10.72	0.012	1.000	Pass
			1	131	11.92	-1.2	10.72	0.012	1.000	Pass
		QPSK	64	32	12.15	-1.2	10.95	0.012	1.000	Pass
			1	1	12.06	-1.2	10.86	0.012	1.000	Pass
			1	131	12.03	-1.2	10.83	0.012	1.000	Pass
		16QAM	64	32	11.16	-1.2	9.96	0.010	1.000	Pass
			1	1	10.78	-1.2	9.58	0.009	1.000	Pass
			1	131	10.78	-1.2	9.58	0.009	1.000	Pass
		64QAM	64	32	9.71	-1.2	8.51	0.007	1.000	Pass
			1	1	9.27	-1.2	8.07	0.006	1.000	Pass
			1	131	9.37	-1.2	8.17	0.007	1.000	Pass
		256QAM	64	32	7.27	-1.2	6.07	0.004	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH	PI/2 BPSK	1	1	7.34	-1.2	6.14	0.004	1.000	Pass
			1	131	7.4	-1.2	6.20	0.004	1.000	Pass
			64	32	11.83	-1.2	10.63	0.012	1.000	Pass
		QPSK	1	1	11.66	-1.2	10.46	0.011	1.000	Pass
			1	131	11.43	-1.2	10.23	0.011	1.000	Pass
			64	32	11.8	-1.2	10.60	0.011	1.000	Pass
		16QAM	1	1	11.68	-1.2	10.48	0.011	1.000	Pass
			1	131	11.45	-1.2	10.25	0.011	1.000	Pass
			64	32	10.8	-1.2	9.60	0.009	1.000	Pass
		64QAM	1	1	10.49	-1.2	9.29	0.008	1.000	Pass
			1	131	10.25	-1.2	9.05	0.008	1.000	Pass
			64	32	9.49	-1.2	8.29	0.007	1.000	Pass
		256QAM	1	1	9.19	-1.2	7.99	0.006	1.000	Pass
			1	131	9.05	-1.2	7.85	0.006	1.000	Pass
			64	32	7.51	-1.2	6.31	0.004	1.000	Pass
100	LCH	PI/2 BPSK	1	1	7.22	-1.2	6.02	0.004	1.000	Pass
			1	131	7.05	-1.2	5.85	0.004	1.000	Pass
			135	67	11.34	-1.2	10.14	0.010	1.000	Pass
		QPSK	1	1	11.59	-1.2	10.39	0.011	1.000	Pass
			1	271	11.58	-1.2	10.38	0.011	1.000	Pass
			135	67	11.47	-1.2	10.27	0.011	1.000	Pass
		16QAM	1	1	11.76	-1.2	10.56	0.011	1.000	Pass
			1	271	11.7	-1.2	10.50	0.011	1.000	Pass
			135	67	10.49	-1.2	9.29	0.008	1.000	Pass
		64QAM	1	1	10.46	-1.2	9.26	0.008	1.000	Pass
			1	271	10.43	-1.2	9.23	0.008	1.000	Pass
			135	67	8.96	-1.2	7.76	0.006	1.000	Pass
		256QAM	1	1	9	-1.2	7.80	0.006	1.000	Pass
			1	271	8.94	-1.2	7.74	0.006	1.000	Pass
			135	67	6.98	-1.2	5.78	0.004	1.000	Pass
	MCH	PI/2 BPSK	1	1	7.07	-1.2	5.87	0.004	1.000	Pass
			1	271	7.04	-1.2	5.84	0.004	1.000	Pass
			135	67	12.08	-1.2	10.88	0.012	1.000	Pass
		QPSK	1	1	12.05	-1.2	10.85	0.012	1.000	Pass
			1	271	12.05	-1.2	10.85	0.012	1.000	Pass
			135	67	12.18	-1.2	10.98	0.013	1.000	Pass
			1	1	12.21	-1.2	11.01	0.013	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	1	271	12.16	-1.2	10.96	0.012	1.000	Pass
			135	67	11.21	-1.2	10.01	0.010	1.000	Pass
			1	1	10.91	-1.2	9.71	0.009	1.000	Pass
			1	271	10.89	-1.2	9.69	0.009	1.000	Pass
		64QAM	135	67	9.78	-1.2	8.58	0.007	1.000	Pass
			1	1	9.43	-1.2	8.23	0.007	1.000	Pass
			1	271	9.48	-1.2	8.28	0.007	1.000	Pass
		256QAM	135	67	7.8	-1.2	6.60	0.005	1.000	Pass
			1	1	7.5	-1.2	6.30	0.004	1.000	Pass
			1	271	7.56	-1.2	6.36	0.004	1.000	Pass
	HCH	PI/2 BPSK	135	67	11.88	-1.2	10.68	0.012	1.000	Pass
			1	1	12.27	-1.2	11.07	0.013	1.000	Pass
			1	271	11.61	-1.2	10.41	0.011	1.000	Pass
		QPSK	135	67	11.95	-1.2	10.75	0.012	1.000	Pass
			1	1	12.27	-1.2	11.07	0.013	1.000	Pass
			1	271	11.6	-1.2	10.40	0.011	1.000	Pass
		16QAM	135	67	11.01	-1.2	9.81	0.010	1.000	Pass
			1	1	11.07	-1.2	9.87	0.010	1.000	Pass
			1	271	10.46	-1.2	9.26	0.008	1.000	Pass
		64QAM	135	67	9.57	-1.2	8.37	0.007	1.000	Pass
			1	1	9.72	-1.2	8.52	0.007	1.000	Pass
			1	271	9.19	-1.2	7.99	0.006	1.000	Pass
		256QAM	135	67	7.64	-1.2	6.44	0.004	1.000	Pass
			1	1	7.72	-1.2	6.52	0.004	1.000	Pass
			1	271	7.17	-1.2	5.97	0.004	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	13.54	-1.2	12.34	0.017	1.000	Pass
			1	1	13.57	-1.2	12.37	0.017	1.000	Pass
			1	22	13.56	-1.2	12.36	0.017	1.000	Pass
		QPSK	12	6	13.49	-1.2	12.29	0.017	1.000	Pass
			1	1	13.46	-1.2	12.26	0.017	1.000	Pass
			1	22	13.54	-1.2	12.34	0.017	1.000	Pass
		16QAM	12	6	12.51	-1.2	11.31	0.014	1.000	Pass
			1	1	12.4	-1.2	11.20	0.013	1.000	Pass
			1	22	12.35	-1.2	11.15	0.013	1.000	Pass
		64QAM	12	6	11.26	-1.2	10.06	0.010	1.000	Pass
			1	1	11.11	-1.2	9.91	0.010	1.000	Pass
			1	22	11.07	-1.2	9.87	0.010	1.000	Pass
		256QAM	12	6	9.04	-1.2	7.84	0.006	1.000	Pass
			1	1	9.3	-1.2	8.10	0.006	1.000	Pass
			1	22	9.25	-1.2	8.05	0.006	1.000	Pass
	MCH	PI/2 BPSK	12	6	13.42	-1.2	12.22	0.017	1.000	Pass
			1	1	13.52	-1.2	12.32	0.017	1.000	Pass
			1	22	13.34	-1.2	12.14	0.016	1.000	Pass
		QPSK	12	6	13.36	-1.2	12.16	0.016	1.000	Pass
			1	1	13.39	-1.2	12.19	0.017	1.000	Pass
			1	22	13.37	-1.2	12.17	0.016	1.000	Pass
		16QAM	12	6	12.32	-1.2	11.12	0.013	1.000	Pass
			1	1	12.26	-1.2	11.06	0.013	1.000	Pass
			1	22	12.12	-1.2	10.92	0.012	1.000	Pass
		64QAM	12	6	10.94	-1.2	9.74	0.009	1.000	Pass
			1	1	10.95	-1.2	9.75	0.009	1.000	Pass
			1	22	10.79	-1.2	9.59	0.009	1.000	Pass
		256QAM	12	6	8.75	-1.2	7.55	0.006	1.000	Pass
			1	1	9.15	-1.2	7.95	0.006	1.000	Pass
			1	22	8.97	-1.2	7.77	0.006	1.000	Pass
	HCH	PI/2 BPSK	12	6	13.54	-1.2	12.34	0.017	1.000	Pass
			1	1	13.49	-1.2	12.29	0.017	1.000	Pass
			1	22	13.62	-1.2	12.42	0.017	1.000	Pass
		QPSK	12	6	13.48	-1.2	12.28	0.017	1.000	Pass
			1	1	13.4	-1.2	12.20	0.017	1.000	Pass
			1	22	13.63	-1.2	12.43	0.017	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	12	6	12.45	-1.2	11.25	0.013	1.000	Pass
			1	1	12.36	-1.2	11.16	0.013	1.000	Pass
			1	22	12.45	-1.2	11.25	0.013	1.000	Pass
		64QAM	12	6	11.11	-1.2	9.91	0.010	1.000	Pass
			1	1	11	-1.2	9.80	0.010	1.000	Pass
			1	22	11.13	-1.2	9.93	0.010	1.000	Pass
		256QAM	12	6	8.93	-1.2	7.73	0.006	1.000	Pass
			1	1	9.1	-1.2	7.90	0.006	1.000	Pass
			1	22	9.25	-1.2	8.05	0.006	1.000	Pass
50	LCH	PI/2 BPSK	64	32	13.64	-1.2	12.44	0.018	1.000	Pass
			1	1	13.4	-1.2	12.20	0.017	1.000	Pass
			1	131	13.23	-1.2	12.03	0.016	1.000	Pass
		QPSK	64	32	13.59	-1.2	12.39	0.017	1.000	Pass
			1	1	13.58	-1.2	12.38	0.017	1.000	Pass
			1	131	13.44	-1.2	12.24	0.017	1.000	Pass
		16QAM	64	32	12.71	-1.2	11.51	0.014	1.000	Pass
			1	1	12.46	-1.2	11.26	0.013	1.000	Pass
			1	131	12.17	-1.2	10.97	0.013	1.000	Pass
		64QAM	64	32	11.36	-1.2	10.16	0.010	1.000	Pass
			1	1	11.07	-1.2	9.87	0.010	1.000	Pass
			1	131	10.77	-1.2	9.57	0.009	1.000	Pass
		256QAM	64	32	9.39	-1.2	8.19	0.007	1.000	Pass
			1	1	9.19	-1.2	7.99	0.006	1.000	Pass
			1	131	8.87	-1.2	7.67	0.006	1.000	Pass
	MCH	PI/2 BPSK	64	32	13.54	-1.2	12.34	0.017	1.000	Pass
			1	1	13.37	-1.2	12.17	0.016	1.000	Pass
			1	131	13.28	-1.2	12.08	0.016	1.000	Pass
		QPSK	64	32	13.48	-1.2	12.28	0.017	1.000	Pass
			1	1	13.56	-1.2	12.36	0.017	1.000	Pass
			1	131	13.5	-1.2	12.30	0.017	1.000	Pass
		16QAM	64	32	12.55	-1.2	11.35	0.014	1.000	Pass
			1	1	12.27	-1.2	11.07	0.013	1.000	Pass
			1	131	12.25	-1.2	11.05	0.013	1.000	Pass
		64QAM	64	32	11.19	-1.2	9.99	0.010	1.000	Pass
			1	1	10.93	-1.2	9.73	0.009	1.000	Pass
			1	131	10.79	-1.2	9.59	0.009	1.000	Pass
		256QAM	64	32	9.21	-1.2	8.01	0.006	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	9.05	-1.2	7.85	0.006	1.000	Pass
			1	131	8.89	-1.2	7.69	0.006	1.000	Pass
			64	32	13.61	-1.2	12.41	0.017	1.000	Pass
		QPSK	1	1	13.22	-1.2	12.02	0.016	1.000	Pass
			1	131	13.54	-1.2	12.34	0.017	1.000	Pass
			64	32	13.59	-1.2	12.39	0.017	1.000	Pass
		16QAM	1	1	13.38	-1.2	12.18	0.017	1.000	Pass
			1	131	13.63	-1.2	12.43	0.017	1.000	Pass
			64	32	12.58	-1.2	11.38	0.014	1.000	Pass
		64QAM	1	1	12.18	-1.2	10.98	0.013	1.000	Pass
			1	131	12.49	-1.2	11.29	0.013	1.000	Pass
			64	32	11.21	-1.2	10.01	0.010	1.000	Pass
		256QAM	1	1	10.76	-1.2	9.56	0.009	1.000	Pass
			1	131	11.02	-1.2	9.82	0.010	1.000	Pass
			64	32	9.22	-1.2	8.02	0.006	1.000	Pass
100	MCH	PI/2 BPSK	1	1	8.85	-1.2	7.65	0.006	1.000	Pass
			1	131	9.09	-1.2	7.89	0.006	1.000	Pass
			135	67	13.46	-1.2	12.26	0.017	1.000	Pass
		QPSK	1	1	13.7	-1.2	12.50	0.018	1.000	Pass
			1	271	13.6	-1.2	12.40	0.017	1.000	Pass
			135	67	13.52	-1.2	12.32	0.017	1.000	Pass
		16QAM	1	1	13.89	-1.2	12.69	0.019	1.000	Pass
			1	271	13.8	-1.2	12.60	0.018	1.000	Pass
			135	67	12.71	-1.2	11.51	0.014	1.000	Pass
		64QAM	1	1	12.75	-1.2	11.55	0.014	1.000	Pass
			1	271	12.55	-1.2	11.35	0.014	1.000	Pass
			135	67	11.24	-1.2	10.04	0.010	1.000	Pass
		256QAM	1	1	11.4	-1.2	10.20	0.010	1.000	Pass
			1	271	11.11	-1.2	9.91	0.010	1.000	Pass
			135	67	9.34	-1.2	8.14	0.007	1.000	Pass
			1	1	9.52	-1.2	8.32	0.007	1.000	Pass
			1	271	9.19	-1.2	7.99	0.006	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
10	LCH	PI/2 BPSK	25	12	12.59	-1.2	11.39	0.014	1.000	Pass
			1	1	12.57	-1.2	11.37	0.014	1.000	Pass
			1	49	12.59	-1.2	11.39	0.014	1.000	Pass
		QPSK	25	12	12.57	-1.2	11.37	0.014	1.000	Pass
			1	1	12.55	-1.2	11.35	0.014	1.000	Pass
			1	49	12.63	-1.2	11.43	0.014	1.000	Pass
		16QAM	25	12	11.57	-1.2	10.37	0.011	1.000	Pass
			1	1	11.38	-1.2	10.18	0.010	1.000	Pass
			1	49	11.35	-1.2	10.15	0.010	1.000	Pass
		64QAM	25	12	10.02	-1.2	8.82	0.008	1.000	Pass
			1	1	9.85	-1.2	8.65	0.007	1.000	Pass
			1	49	9.84	-1.2	8.64	0.007	1.000	Pass
		256QAM	25	12	7.72	-1.2	6.52	0.004	1.000	Pass
			1	1	7.98	-1.2	6.78	0.005	1.000	Pass
			1	49	8	-1.2	6.80	0.005	1.000	Pass
	MCH	PI/2 BPSK	25	12	12.25	-1.2	11.05	0.013	1.000	Pass
			1	1	12.22	-1.2	11.02	0.013	1.000	Pass
			1	49	12.29	-1.2	11.09	0.013	1.000	Pass
		QPSK	25	12	12.22	-1.2	11.02	0.013	1.000	Pass
			1	1	12.2	-1.2	11.00	0.013	1.000	Pass
			1	49	12.31	-1.2	11.11	0.013	1.000	Pass
		16QAM	25	12	11.23	-1.2	10.03	0.010	1.000	Pass
			1	1	11.13	-1.2	9.93	0.010	1.000	Pass
			1	49	11.14	-1.2	9.94	0.010	1.000	Pass
		64QAM	25	12	9.73	-1.2	8.53	0.007	1.000	Pass
			1	1	9.48	-1.2	8.28	0.007	1.000	Pass
			1	49	9.5	-1.2	8.30	0.007	1.000	Pass
		256QAM	25	12	7.4	-1.2	6.20	0.004	1.000	Pass
			1	1	7.64	-1.2	6.44	0.004	1.000	Pass
			1	49	7.68	-1.2	6.48	0.004	1.000	Pass
	HCH	PI/2 BPSK	25	12	12.42	-1.2	11.22	0.013	1.000	Pass
			1	1	12.41	-1.2	11.21	0.013	1.000	Pass
			1	49	12.51	-1.2	11.31	0.014	1.000	Pass
		QPSK	25	12	12.42	-1.2	11.22	0.013	1.000	Pass
			1	1	12.36	-1.2	11.16	0.013	1.000	Pass
			1	49	12.51	-1.2	11.31	0.014	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	25	12	11.41	-1.2	10.21	0.010	1.000	Pass
			1	1	11.32	-1.2	10.12	0.010	1.000	Pass
			1	49	11.34	-1.2	10.14	0.010	1.000	Pass
		64QAM	25	12	9.96	-1.2	8.76	0.008	1.000	Pass
			1	1	9.67	-1.2	8.47	0.007	1.000	Pass
			1	49	9.76	-1.2	8.56	0.007	1.000	Pass
		256QAM	25	12	7.66	-1.2	6.46	0.004	1.000	Pass
			1	1	7.82	-1.2	6.62	0.005	1.000	Pass
			1	49	7.94	-1.2	6.74	0.005	1.000	Pass
50	LCH	PI/2 BPSK	64	32	12.53	-1.2	11.33	0.014	1.000	Pass
			1	1	12.36	-1.2	11.16	0.013	1.000	Pass
			1	131	12.19	-1.2	10.99	0.013	1.000	Pass
		QPSK	64	32	12.55	-1.2	11.35	0.014	1.000	Pass
			1	1	12.52	-1.2	11.32	0.014	1.000	Pass
			1	131	12.34	-1.2	11.14	0.013	1.000	Pass
		16QAM	64	32	11.46	-1.2	10.26	0.011	1.000	Pass
			1	1	11.14	-1.2	9.94	0.010	1.000	Pass
			1	131	10.96	-1.2	9.76	0.009	1.000	Pass
		64QAM	64	32	10.07	-1.2	8.87	0.008	1.000	Pass
			1	1	9.68	-1.2	8.48	0.007	1.000	Pass
			1	131	9.54	-1.2	8.34	0.007	1.000	Pass
		256QAM	64	32	8.03	-1.2	6.83	0.005	1.000	Pass
			1	1	7.8	-1.2	6.60	0.005	1.000	Pass
			1	131	7.6	-1.2	6.40	0.004	1.000	Pass
	MCH	PI/2 BPSK	64	32	12.29	-1.2	11.09	0.013	1.000	Pass
			1	1	12.12	-1.2	10.92	0.012	1.000	Pass
			1	131	11.95	-1.2	10.75	0.012	1.000	Pass
		QPSK	64	32	12.32	-1.2	11.12	0.013	1.000	Pass
			1	1	12.29	-1.2	11.09	0.013	1.000	Pass
			1	131	12.09	-1.2	10.89	0.012	1.000	Pass
		16QAM	64	32	11.24	-1.2	10.04	0.010	1.000	Pass
			1	1	10.93	-1.2	9.73	0.009	1.000	Pass
			1	131	10.75	-1.2	9.55	0.009	1.000	Pass
		64QAM	64	32	9.81	-1.2	8.61	0.007	1.000	Pass
			1	1	9.48	-1.2	8.28	0.007	1.000	Pass
			1	131	9.28	-1.2	8.08	0.006	1.000	Pass
		256QAM	64	32	7.78	-1.2	6.58	0.005	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH	PI/2 BPSK	1	1	7.51	-1.2	6.31	0.004	1.000	Pass
			1	131	7.36	-1.2	6.16	0.004	1.000	Pass
			64	32	12.27	-1.2	11.07	0.013	1.000	Pass
		QPSK	1	1	12.1	-1.2	10.90	0.012	1.000	Pass
			1	131	12.28	-1.2	11.08	0.013	1.000	Pass
			64	32	12.26	-1.2	11.06	0.013	1.000	Pass
		16QAM	1	1	12.25	-1.2	11.05	0.013	1.000	Pass
			1	131	12.41	-1.2	11.21	0.013	1.000	Pass
			64	32	11.18	-1.2	9.98	0.010	1.000	Pass
		64QAM	1	1	10.91	-1.2	9.71	0.009	1.000	Pass
			1	131	11.16	-1.2	9.96	0.010	1.000	Pass
			64	32	9.75	-1.2	8.55	0.007	1.000	Pass
		256QAM	1	1	9.42	-1.2	8.22	0.007	1.000	Pass
			1	131	9.7	-1.2	8.50	0.007	1.000	Pass
			64	32	7.76	-1.2	6.56	0.005	1.000	Pass
			1	1	7.5	-1.2	6.30	0.004	1.000	Pass
			1	131	7.81	-1.2	6.61	0.005	1.000	Pass
			135	67	12.27	-1.2	11.07	0.013	1.000	Pass
100	MCH	PI/2 BPSK	1	1	12.48	-1.2	11.28	0.013	1.000	Pass
			1	271	12.45	-1.2	11.25	0.013	1.000	Pass
			135	67	12.36	-1.2	11.16	0.013	1.000	Pass
		QPSK	1	1	12.66	-1.2	11.46	0.014	1.000	Pass
			1	271	12.55	-1.2	11.35	0.014	1.000	Pass
			135	67	11.33	-1.2	10.13	0.010	1.000	Pass
		16QAM	1	1	11.24	-1.2	10.04	0.010	1.000	Pass
			1	271	11.27	-1.2	10.07	0.010	1.000	Pass
			135	67	9.83	-1.2	8.63	0.007	1.000	Pass
		64QAM	1	1	9.83	-1.2	8.63	0.007	1.000	Pass
			1	271	9.81	-1.2	8.61	0.007	1.000	Pass
			135	67	7.85	-1.2	6.65	0.005	1.000	Pass
		256QAM	1	1	7.88	-1.2	6.68	0.005	1.000	Pass
			1	271	7.89	-1.2	6.69	0.005	1.000	Pass
			135	67	7.85	-1.2	6.65	0.005	1.000	Pass
			1	1	7.88	-1.2	6.68	0.005	1.000	Pass
			1	271	7.89	-1.2	6.69	0.005	1.000	Pass
			135	67	7.85	-1.2	6.65	0.005	1.000	Pass

ENDC Mode Test Data

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.372	11.679	14.5385	12.45	0.018	1.00	Pass
			12	6	8	0	11.313	11.745	14.5447	12.46	0.018	1.00	Pass
	MCH		12	6	8	0	11.319	11.757	14.5538	12.47	0.018	1.00	Pass
	HCH		1	23	1	24	11.414	11.802	14.6226	12.54	0.018	1.00	Pass
		QP SK	12	6	8	0	11.329	11.783	14.5722	12.49	0.018	1.00	Pass
	LCH		1	1	1	0	11.471	11.665	14.5794	12.49	0.018	1.00	Pass
			12	6	8	0	11.382	11.796	14.6042	12.52	0.018	1.00	Pass
	MCH		12	6	8	0	11.348	11.768	14.5734	12.49	0.018	1.00	Pass
	HCH		1	23	1	24	11.527	11.728	14.6390	12.55	0.018	1.00	Pass
		16 QA M	12	6	8	0	11.383	11.772	14.5922	12.51	0.018	1.00	Pass
	LCH		1	1	1	0	11.152	11.664	14.4258	12.34	0.017	1.00	Pass
			12	6	8	0	11.358	11.788	14.5886	12.50	0.018	1.00	Pass
	MCH		12	6	8	0	11.331	11.811	14.5879	12.50	0.018	1.00	Pass
	HCH		1	23	1	24	11.187	11.759	14.4927	12.41	0.017	1.00	Pass
		64 QA M	12	6	8	0	11.346	11.796	14.5871	12.50	0.018	1.00	Pass
	LCH		1	1	1	0	11.4	11.707	14.5665	12.48	0.018	1.00	Pass
			12	6	8	0	11.4	11.825	14.6280	12.54	0.018	1.00	Pass
	MCH		12	6	8	0	11.401	11.827	14.6295	12.54	0.018	1.00	Pass
	HCH		1	23	1	24	11.423	11.787	14.6191	12.53	0.018	1.00	Pass
		256 QA M	12	6	8	0	11.415	11.81	14.6273	12.54	0.018	1.00	Pass
	LCH		1	1	1	0	10.633	11.698	14.2084	12.14	0.016	1.00	Pass
			12	6	8	0	10.615	11.798	14.2570	12.19	0.017	1.00	Pass
	MCH		12	6	8	0	10.599	11.772	14.2353	12.17	0.016	1.00	Pass
	HCH		1	23	1	24	10.644	11.777	14.2576	12.19	0.017	1.00	Pass
			12	6	8	0	10.636	11.792	14.2626	12.19	0.017	1.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.366	11.497	14.4423	12.35	0.017	1.00	Pass
			108	54	18	0	11.373	11.672	14.5354	12.45	0.018	1.00	Pass
	MCH		108	54	18	0	11.394	11.722	14.5714	12.48	0.018	1.00	Pass
	HCH		1	214	1	99	11.221	11.767	14.5129	12.43	0.017	1.00	Pass
		QP SK	108	54	18	0	11.389	11.69	14.5524	12.46	0.018	1.00	Pass
	LCH		1	1	1	0	11.433	11.472	14.4628	12.37	0.017	1.00	Pass
			108	54	18	0	11.415	11.677	14.5583	12.47	0.018	1.00	Pass
	MCH		108	54	18	0	11.397	11.681	14.5516	12.46	0.018	1.00	Pass
	HCH		1	214	1	99	11.307	11.753	14.5460	12.46	0.018	1.00	Pass
			108	54	18	0	11.378	11.707	14.5559	12.47	0.018	1.00	Pass

	LCH	16	1	1	1	0	11.264	11.485	14.3862	12.30	0.017	1.00	Pass
			108	54	18	0	11.457	11.72	14.6008	12.51	0.018	1.00	Pass
	MCH	QA	108	54	18	0	11.461	11.696	14.5904	12.50	0.018	1.00	Pass
			1	214	1	99	10.9	11.775	14.3698	12.29	0.017	1.00	Pass
	HCH	M	108	54	18	0	11.455	11.701	14.5900	12.50	0.018	1.00	Pass
			1	1	1	0	11.402	11.522	14.4727	12.38	0.017	1.00	Pass
	LCH	64	108	54	18	0	11.436	11.71	14.5855	12.50	0.018	1.00	Pass
			108	54	18	0	11.421	11.676	14.5607	12.47	0.018	1.00	Pass
	MCH	QA	108	54	18	0	11.421	11.676	14.5607	12.47	0.018	1.00	Pass
			1	214	1	99	11.215	11.794	14.5244	12.44	0.018	1.00	Pass
	HCH	M	108	54	18	0	11.423	11.728	14.5885	12.50	0.018	1.00	Pass
			1	1	1	0	10.642	11.498	14.1014	12.03	0.016	1.00	Pass
	LCH	256	108	54	18	0	10.77	11.695	14.2674	12.19	0.017	1.00	Pass
			108	54	18	0	10.735	11.724	14.2679	12.20	0.017	1.00	Pass
	MCH	QA	108	54	18	0	10.735	11.724	14.2679	12.20	0.017	1.00	Pass
			1	214	1	99	10.39	11.74	14.1275	12.06	0.016	1.00	Pass
	HCH	M	108	54	18	0	10.748	11.693	14.2565	12.18	0.017	1.00	Pass
			108	54	18	0	10.748	11.693	14.2565	12.18	0.017	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.253	8.726	10.3381	10.34	0.011	1.00	Pass
			12	6	8	0	5.184	8.798	10.3669	10.37	0.011	1.00	Pass
	MCH		12	6	8	0	5.111	8.856	10.3856	10.39	0.011	1.00	Pass
	HCH		1	22	1	24	5.275	8.923	10.4816	10.48	0.011	1.00	Pass
		QP SK	12	6	8	0	5.358	8.818	10.4341	10.43	0.011	1.00	Pass
	LCH		1	1	1	0	5.321	8.721	10.3559	10.36	0.011	1.00	Pass
			12	6	8	0	5.261	8.862	10.4348	10.43	0.011	1.00	Pass
	MCH		12	6	8	0	5.22	8.824	10.3959	10.40	0.011	1.00	Pass
	HCH		1	22	1	24	5.342	8.984	10.5444	10.54	0.011	1.00	Pass
		16 QA M	12	6	8	0	5.119	8.843	10.3788	10.38	0.011	1.00	Pass
	LCH		1	1	1	0	5.198	8.746	10.3350	10.33	0.011	1.00	Pass
			12	6	8	0	5.3	8.855	10.4418	10.44	0.011	1.00	Pass
	MCH		12	6	8	0	5.158	8.825	10.3779	10.38	0.011	1.00	Pass
	HCH		1	22	1	24	5.065	8.87	10.3818	10.38	0.011	1.00	Pass
		64 QA M	12	6	8	0	5.285	8.836	10.4241	10.42	0.011	1.00	Pass
	LCH		1	1	1	0	5.41	8.697	10.3676	10.37	0.011	1.00	Pass
			12	6	8	0	5.301	8.852	10.4401	10.44	0.011	1.00	Pass
	MCH		12	6	8	0	5.378	8.85	10.4624	10.46	0.011	1.00	Pass
	HCH		1	22	1	24	5.457	8.884	10.5104	10.51	0.011	1.00	Pass
		256 QA M	12	6	8	0	5.351	8.826	10.4375	10.44	0.011	1.00	Pass
	LCH		1	1	1	0	5.295	8.72	10.3470	10.35	0.011	1.00	Pass
			12	6	8	0	5.068	8.865	10.3792	10.38	0.011	1.00	Pass
	MCH		12	6	8	0	5.136	8.866	10.4000	10.40	0.011	1.00	Pass
	HCH		1	22	1	24	5.173	8.952	10.4715	10.47	0.011	1.00	Pass
		PI/2 BP SK	12	6	8	0	5.111	8.863	10.3905	10.39	0.011	1.00	Pass
	LCH		1	1	1	0	5.433	8.503	10.2441	10.24	0.011	1.00	Pass
			135	67	18	0	5.411	8.694	10.3659	10.37	0.011	1.00	Pass
	MCH		135	67	18	0	5.335	8.745	10.3767	10.38	0.011	1.00	Pass
	HCH		1	271	1	99	4.909	8.702	10.2174	10.22	0.011	1.00	Pass
20MHz(LTE) + 100MHz(NR)		QP SK	135	67	18	0	5.396	8.718	10.3775	10.38	0.011	1.00	Pass
	LCH		1	1	1	0	5.49	8.541	10.2884	10.29	0.011	1.00	Pass
			135	67	18	0	5.414	8.717	10.3825	10.38	0.011	1.00	Pass
	MCH		135	67	18	0	5.396	8.698	10.3638	10.36	0.011	1.00	Pass
	HCH		1	271	1	99	4.914	8.659	10.1886	10.19	0.010	1.00	Pass
		PI/2 BP SK	135	67	18	0	5.31	8.755	10.3758	10.38	0.011	1.00	Pass
	LCH		1	1	1	0	5.433	8.503	10.2441	10.24	0.011	1.00	Pass
			135	67	18	0	5.411	8.694	10.3659	10.37	0.011	1.00	Pass
	MCH		135	67	18	0	5.335	8.745	10.3767	10.38	0.011	1.00	Pass

	LCH	16	1	1	1	0	5.284	8.55	10.2273	10.23	0.011	1.00	Pass
			135	67	18	0	5.467	8.682	10.3757	10.38	0.011	1.00	Pass
	MCH	QA	135	67	18	0	5.496	8.72	10.4108	10.41	0.011	1.00	Pass
	HCH		1	271	1	99	4.768	8.709	10.1813	10.18	0.010	1.00	Pass
		M	135	67	18	0	5.465	8.73	10.4077	10.41	0.011	1.00	Pass
	LCH	64	1	1	1	0	5.655	8.534	10.3391	10.34	0.011	1.00	Pass
			135	67	18	0	5.51	8.754	10.4384	10.44	0.011	1.00	Pass
	MCH	QA	135	67	18	0	5.516	8.689	10.3964	10.40	0.011	1.00	Pass
	HCH		1	271	1	99	5.056	8.658	10.2305	10.23	0.011	1.00	Pass
		M	135	67	18	0	5.545	8.728	10.4321	10.43	0.011	1.00	Pass
	LCH	256	1	1	1	0	5.457	8.515	10.2601	10.26	0.011	1.00	Pass
			135	67	18	0	5.548	8.72	10.4277	10.43	0.011	1.00	Pass
	MCH	QA	135	67	18	0	5.593	8.739	10.4551	10.46	0.011	1.00	Pass
	HCH		1	271	1	99	4.976	8.648	10.1994	10.20	0.010	1.00	Pass
		M	135	67	18	0	5.572	8.726	10.4395	10.44	0.011	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.337	11.722	13.0712	11.37	0.014	1.00	Pass
			12	6	8	0	7.341	11.825	13.1480	11.44	0.014	1.00	Pass
	MCH		12	6	8	0	7.36	11.825	13.1530	11.45	0.014	1.00	Pass
	HCH		1	22	1	24	7.355	11.898	13.2056	11.50	0.014	1.00	Pass
		QP SK	12	6	8	0	7.424	11.837	13.1787	11.48	0.014	1.00	Pass
	LCH		1	1	1	0	7.444	11.769	13.1343	11.43	0.014	1.00	Pass
			12	6	8	0	7.335	11.836	13.1545	11.45	0.014	1.00	Pass
	MCH		12	6	8	0	7.276	11.824	13.1303	11.42	0.014	1.00	Pass
	HCH		1	22	1	24	7.372	11.886	13.2011	11.50	0.014	1.00	Pass
		16 QA M	12	6	8	0	7.356	11.856	13.1748	11.47	0.014	1.00	Pass
	LCH		1	1	1	0	7.055	11.761	13.0268	11.31	0.014	1.00	Pass
			12	6	8	0	7.28	11.82	13.1284	11.42	0.014	1.00	Pass
	MCH		12	6	8	0	7.253	11.879	13.1651	11.46	0.014	1.00	Pass
	HCH		1	22	1	24	7.044	11.914	13.1389	11.42	0.014	1.00	Pass
		64 QA M	12	6	8	0	7.218	11.895	13.1681	11.46	0.014	1.00	Pass
	LCH		1	1	1	0	7.297	11.79	13.1106	11.41	0.014	1.00	Pass
			12	6	8	0	7.255	11.916	13.1932	11.48	0.014	1.00	Pass
	MCH		12	6	8	0	7.347	11.895	13.2013	11.49	0.014	1.00	Pass
	HCH		1	22	1	24	7.385	11.934	13.2400	11.53	0.014	1.00	Pass
		256 QA M	12	6	8	0	7.196	11.866	13.1409	11.43	0.014	1.00	Pass
	LCH		1	1	1	0	5.943	11.757	12.7682	11.02	0.013	1.00	Pass
			12	6	8	0	5.689	11.875	12.8115	11.06	0.013	1.00	Pass
	MCH		12	6	8	0	5.704	11.862	12.8040	11.05	0.013	1.00	Pass
	HCH		1	22	1	24	5.862	11.912	12.8752	11.12	0.013	1.00	Pass
		PI/2 BP SK	12	6	8	0	5.712	11.836	12.7846	11.03	0.013	1.00	Pass
	LCH		1	1	1	0	7.808	11.601	13.1164	11.43	0.014	1.00	Pass
			135	67	18	0	7.425	11.811	13.1599	11.46	0.014	1.00	Pass
	MCH		135	67	18	0	7.34	11.803	13.1315	11.43	0.014	1.00	Pass
	HCH		1	271	1	99	7.369	11.659	13.0338	11.34	0.014	1.00	Pass
20MHz(LTE) + 100MHz(NR)		QP SK	135	67	18	0	7.376	11.817	13.1513	11.45	0.014	1.00	Pass
	LCH		1	1	1	0	7.841	11.608	13.1310	11.45	0.014	1.00	Pass
			135	67	18	0	7.498	11.787	13.1621	11.46	0.014	1.00	Pass
	MCH		135	67	18	0	7.379	11.789	13.1315	11.43	0.014	1.00	Pass
	HCH		1	271	1	99	7.318	11.689	13.0420	11.34	0.014	1.00	Pass
		PI/2 BP SK	135	67	18	0	7.453	11.77	13.1375	11.44	0.014	1.00	Pass
	LCH		1	1	1	0	7.808	11.601	13.1164	11.43	0.014	1.00	Pass
			135	67	18	0	7.425	11.811	13.1599	11.46	0.014	1.00	Pass
	MCH		135	67	18	0	7.34	11.803	13.1315	11.43	0.014	1.00	Pass

	LCH	16	1	1	1	0	7.661	11.601	13.0736	11.39	0.014	1.00	Pass
			135	67	18	0	7.369	11.835	13.1627	11.46	0.014	1.00	Pass
	MCH	QA	135	67	18	0	7.401	11.768	13.1220	11.42	0.014	1.00	Pass
			1	271	1	99	7.264	11.671	13.0143	11.31	0.014	1.00	Pass
	HCH	M	135	67	18	0	7.426	11.782	13.1390	11.44	0.014	1.00	Pass
			1	1	1	0	7.824	11.59	13.1133	11.43	0.014	1.00	Pass
	LCH	64	135	67	18	0	7.486	11.766	13.1435	11.45	0.014	1.00	Pass
			135	67	18	0	7.445	11.819	13.1711	11.47	0.014	1.00	Pass
	MCH	QA	135	67	18	0	7.445	11.819	13.1711	11.47	0.014	1.00	Pass
			1	271	1	99	7.352	11.684	13.0474	11.35	0.014	1.00	Pass
	HCH	M	135	67	18	0	7.43	11.782	13.1400	11.44	0.014	1.00	Pass
			1	1	1	0	6.342	11.577	12.7150	10.99	0.013	1.00	Pass
	LCH	256	135	67	18	0	6.105	11.786	12.8252	11.08	0.013	1.00	Pass
			135	67	18	0	6.139	11.753	12.8065	11.07	0.013	1.00	Pass
	MCH	QA	135	67	18	0	6.139	11.753	12.8065	11.07	0.013	1.00	Pass
			1	271	1	99	5.956	11.657	12.6919	10.95	0.012	1.00	Pass
	HCH	M	135	67	18	0	6.103	11.759	12.8035	11.06	0.013	1.00	Pass
			135	67	18	0	6.103	11.759	12.8035	11.06	0.013	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.265	12.15	14.7403	12.72	0.019	2.00	Pass
			12	6	8	0	11.302	12.198	14.7834	12.76	0.019	2.00	Pass
	MCH		12	6	8	0	11.333	12.204	14.8006	12.78	0.019	2.00	Pass
	HCH		1	22	1	24	11.359	12.075	14.7420	12.73	0.019	2.00	Pass
		QP SK	12	6	8	0	11.364	12.189	14.8064	12.79	0.019	2.00	Pass
	LCH		1	1	1	0	11.14	12.134	14.6757	12.65	0.018	2.00	Pass
			12	6	8	0	11.214	12.175	14.7313	12.71	0.019	2.00	Pass
	MCH		12	6	8	0	11.197	12.205	14.7405	12.72	0.019	2.00	Pass
	HCH		1	22	1	24	11.205	12.108	14.6902	12.67	0.018	2.00	Pass
		16 QA M	12	6	8	0	11.253	12.222	14.7748	12.75	0.019	2.00	Pass
	LCH		1	1	1	0	11.082	12.159	14.6641	12.64	0.018	2.00	Pass
			12	6	8	0	11.211	12.22	14.7550	12.73	0.019	2.00	Pass
	MCH		12	6	8	0	11.282	12.206	14.7788	12.76	0.019	2.00	Pass
	HCH		1	22	1	24	11.196	12.078	14.6697	12.65	0.018	2.00	Pass
		64 QA M	12	6	8	0	11.282	12.239	14.7971	12.77	0.019	2.00	Pass
	LCH		1	1	1	0	11.336	12.172	14.7844	12.77	0.019	2.00	Pass
			12	6	8	0	11.371	12.199	14.8150	12.80	0.019	2.00	Pass
	MCH		12	6	8	0	11.333	12.208	14.8028	12.78	0.019	2.00	Pass
	HCH		1	22	1	24	11.412	12.127	14.7945	12.78	0.019	2.00	Pass
		256 QA M	12	6	8	0	11.325	12.204	14.7970	12.78	0.019	2.00	Pass
	LCH		1	1	1	0	10.349	12.14	14.3465	12.30	0.017	2.00	Pass
			12	6	8	0	10.252	12.239	14.3685	12.31	0.017	2.00	Pass
	MCH		12	6	8	0	10.215	12.201	14.3308	12.27	0.017	2.00	Pass
	HCH		1	22	1	24	10.429	12.092	14.3499	12.30	0.017	2.00	Pass
			12	6	8	0	10.196	12.183	14.3125	12.25	0.017	2.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.496	12.078	14.8070	12.80	0.019	2.00	Pass
			135	67	18	0	11.29	12.256	14.8101	12.79	0.019	2.00	Pass
	MCH		135	67	18	0	11.309	12.249	14.8147	12.79	0.019	2.00	Pass
	HCH		1	271	1	99	11.249	12.075	14.6919	12.67	0.019	2.00	Pass
		QP SK	135	67	18	0	11.302	12.249	14.8116	12.79	0.019	2.00	Pass
	LCH		1	1	1	0	11.803	12.163	14.9970	12.99	0.020	2.00	Pass
			135	67	18	0	11.37	12.267	14.8519	12.83	0.019	2.00	Pass
	MCH		135	67	18	0	11.379	12.237	14.8395	12.82	0.019	2.00	Pass
	HCH		1	271	1	99	11.547	12.066	14.8245	12.82	0.019	2.00	Pass
			135	67	18	0	11.368	12.294	14.8659	12.84	0.019	2.00	Pass

	LCH	16	1	1	1	0	11.356	12.133	14.7722	12.76	0.019	2.00	Pass
			135	67	18	0	11.385	12.257	14.8531	12.83	0.019	2.00	Pass
	MCH	QA	135	67	18	0	11.421	12.296	14.8908	12.87	0.019	2.00	Pass
	HCH		1	271	1	99	11.248	12.056	14.6811	12.66	0.018	2.00	Pass
		M	135	67	18	0	11.384	12.274	14.8621	12.84	0.019	2.00	Pass
	LCH	64	1	1	1	0	11.533	12.157	14.8665	12.86	0.019	2.00	Pass
			135	67	18	0	11.493	12.307	14.9293	12.91	0.020	2.00	Pass
	MCH	QA	135	67	18	0	11.463	12.293	14.9081	12.89	0.019	2.00	Pass
	HCH		1	271	1	99	11.139	12.09	14.6508	12.63	0.018	2.00	Pass
		M	135	67	18	0	11.488	12.266	14.9047	12.89	0.019	2.00	Pass
	LCH	256	1	1	1	0	10.521	12.125	14.4069	12.36	0.017	2.00	Pass
			135	67	18	0	10.492	12.261	14.4763	12.43	0.017	2.00	Pass
	MCH	QA	135	67	18	0	10.586	12.232	14.4968	12.45	0.018	2.00	Pass
	HCH		1	271	1	99	10.352	12.024	14.2783	12.23	0.017	2.00	Pass
		M	135	67	18	0	10.6	12.274	14.5275	12.48	0.018	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.305	9.14	10.6430	8.96	0.008	1.00	Pass
			12	6	8	0	5.338	9.166	10.6711	8.99	0.008	1.00	Pass
	MCH		12	6	8	0	5.254	9.203	10.6730	8.99	0.008	1.00	Pass
			1	22	1	24	5.283	9.256	10.7191	9.03	0.008	1.00	Pass
	HCH	QP SK	12	6	8	0	5.303	9.189	10.6772	8.99	0.008	1.00	Pass
			1	1	1	0	5.328	9.132	10.6441	8.96	0.008	1.00	Pass
	LCH		12	6	8	0	5.207	9.194	10.6531	8.96	0.008	1.00	Pass
			12	6	8	0	5.2	9.174	10.6368	8.95	0.008	1.00	Pass
	MCH	16 QA M	1	22	1	24	5.277	9.207	10.6825	9.00	0.008	1.00	Pass
			12	6	8	0	5.249	9.23	10.6908	9.00	0.008	1.00	Pass
	LCH		1	1	1	0	5.226	9.147	10.6250	8.94	0.008	1.00	Pass
			12	6	8	0	5.271	9.211	10.6836	9.00	0.008	1.00	Pass
	MCH	64 QA M	12	6	8	0	5.312	9.196	10.6848	9.00	0.008	1.00	Pass
			1	22	1	24	5.113	9.142	10.5892	8.90	0.008	1.00	Pass
	HCH		12	6	8	0	5.264	9.191	10.6673	8.98	0.008	1.00	Pass
			1	1	1	0	5.546	9.145	10.7184	9.04	0.008	1.00	Pass
	LCH	256 QA M	12	6	8	0	5.368	9.225	10.7216	9.04	0.008	1.00	Pass
			12	6	8	0	5.367	9.21	10.7107	9.03	0.008	1.00	Pass
	MCH		1	22	1	24	5.552	9.095	10.6855	9.01	0.008	1.00	Pass
			12	6	8	0	5.407	9.19	10.7083	9.03	0.008	1.00	Pass
	LCH	1	1	1	1	0	5.212	9.152	10.6246	8.94	0.008	1.00	Pass
			12	6	8	0	5.064	9.172	10.5969	8.90	0.008	1.00	Pass
	MCH		12	6	8	0	5.194	9.218	10.6666	8.98	0.008	1.00	Pass
			1	22	1	24	5.354	9.142	10.6588	8.98	0.008	1.00	Pass
	HCH	1	1	1	1	0	5.154	9.177	10.6259	8.94	0.008	1.00	Pass
			1	1	1	0	5.439	9.071	10.6344	8.96	0.008	1.00	Pass
	LCH	PI/2 BP SK	135	67	18	0	5.335	9.189	10.6865	9.00	0.008	1.00	Pass
			135	67	18	0	5.283	9.194	10.6749	8.99	0.008	1.00	Pass
	MCH		1	271	1	99	4.97	9.031	10.4691	8.78	0.008	1.00	Pass
			135	67	18	0	5.306	9.213	10.6951	9.01	0.008	1.00	Pass
	HCH	QP SK	1	1	1	0	5.493	9.004	10.6043	8.93	0.008	1.00	Pass
			135	67	18	0	5.324	9.199	10.6904	9.01	0.008	1.00	Pass
	LCH		135	67	18	0	5.434	9.199	10.7226	9.04	0.008	1.00	Pass
			1	271	1	99	5.006	9.047	10.4908	8.80	0.008	1.00	Pass
	MCH	HCH	135	67	18	0	5.42	9.207	10.7241	9.04	0.008	1.00	Pass
			135	67	18	0	5.42	9.207	10.7241	9.04	0.008	1.00	Pass

	LCH	16	1	1	1	0	5.223	8.99	10.5130	8.83	0.008	1.00	Pass
			135	67	18	0	5.373	9.239	10.7330	9.05	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.444	9.201	10.7270	9.05	0.008	1.00	Pass
			1	271	1	99	4.803	9.039	10.4285	8.73	0.007	1.00	Pass
	HCH	M	135	67	18	0	5.442	9.188	10.7173	9.04	0.008	1.00	Pass
			1	1	1	0	5.587	9.1	10.6997	9.03	0.008	1.00	Pass
	LCH	64	135	67	18	0	5.528	9.183	10.7395	9.06	0.008	1.00	Pass
			135	67	18	0	5.553	9.231	10.7806	9.10	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.553	9.231	10.7806	9.10	0.008	1.00	Pass
			1	271	1	99	5.015	9.03	10.4811	8.79	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.571	9.253	10.8014	9.12	0.008	1.00	Pass
			1	1	1	0	5.506	9.083	10.6631	8.99	0.008	1.00	Pass
	LCH	256	135	67	18	0	5.61	9.246	10.8082	9.13	0.008	1.00	Pass
			135	67	18	0	5.546	9.223	10.7729	9.10	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.546	9.223	10.7729	9.10	0.008	1.00	Pass
			1	271	1	99	4.87	9.016	10.4303	8.74	0.007	1.00	Pass
	HCH	M	135	67	18	0	5.625	9.213	10.7898	9.12	0.008	1.00	Pass
			135	67	18	0	5.625	9.213	10.7898	9.12	0.008	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.17	12.145	13.3443	11.34	0.014	1.00	Pass
			12	6	8	0	7.167	12.234	13.4113	11.40	0.014	1.00	Pass
	MCH		12	6	8	0	7.194	12.224	13.4101	11.40	0.014	1.00	Pass
	HCH		1	22	1	24	7.175	12.261	13.4338	11.42	0.014	1.00	Pass
		QP SK	12	6	8	0	7.198	12.265	13.4423	11.43	0.014	1.00	Pass
	LCH		1	1	1	0	7.067	12.149	13.3228	11.31	0.014	1.00	Pass
			12	6	8	0	7.16	12.207	13.3891	11.38	0.014	1.00	Pass
	MCH		12	6	8	0	7.05	12.23	13.3807	11.36	0.014	1.00	Pass
	HCH		1	22	1	24	7.157	12.238	13.4120	11.40	0.014	1.00	Pass
		16 QA M	12	6	8	0	7.016	12.247	13.3859	11.37	0.014	1.00	Pass
	LCH		1	1	1	0	6.783	12.132	13.2440	11.22	0.013	1.00	Pass
			12	6	8	0	6.958	12.23	13.3595	11.34	0.014	1.00	Pass
	MCH		12	6	8	0	7.045	12.266	13.4072	11.39	0.014	1.00	Pass
	HCH		1	22	1	24	6.905	12.261	13.3714	11.35	0.014	1.00	Pass
		64 QA M	12	6	8	0	7.046	12.262	13.4044	11.38	0.014	1.00	Pass
	LCH		1	1	1	0	7.188	12.197	13.3881	11.38	0.014	1.00	Pass
			12	6	8	0	7.035	12.253	13.3949	11.38	0.014	1.00	Pass
	MCH		12	6	8	0	7.023	12.244	13.3852	11.37	0.014	1.00	Pass
	HCH		1	22	1	24	7.187	12.255	13.4321	11.42	0.014	1.00	Pass
		256 QA M	12	6	8	0	7.025	12.201	13.3527	11.33	0.014	1.00	Pass
	LCH		1	1	1	0	6.059	12.107	13.0706	11.01	0.013	1.00	Pass
			12	6	8	0	5.872	12.233	13.1361	11.07	0.013	1.00	Pass
	MCH		12	6	8	0	5.861	12.258	13.1544	11.08	0.013	1.00	Pass
	HCH		1	22	1	24	5.989	12.261	13.1810	11.11	0.013	1.00	Pass
			12	6	8	0	5.836	12.243	13.1375	11.06	0.013	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.443	12.027	13.3240	11.34	0.014	1.00	Pass
			135	67	18	0	7.027	12.17	13.3294	11.31	0.014	1.00	Pass
	MCH		135	67	18	0	7.122	12.166	13.3488	11.34	0.014	1.00	Pass
	HCH		1	271	1	99	6.965	12.085	13.2498	11.23	0.013	1.00	Pass
		QP SK	135	67	18	0	7.086	12.146	13.3250	11.31	0.014	1.00	Pass
	LCH		1	1	1	0	7.321	12.049	13.3092	11.31	0.014	1.00	Pass
			135	67	18	0	7.133	12.172	13.3560	11.34	0.014	1.00	Pass
	MCH		135	67	18	0	7.212	12.167	13.3712	11.36	0.014	1.00	Pass
	HCH		1	271	1	99	6.948	12.03	13.2038	11.19	0.013	1.00	Pass
			135	67	18	0	7.188	12.203	13.3927	11.38	0.014	1.00	Pass

	LCH	16	1	1	1	0	7.125	11.978	13.2071	11.21	0.013	1.00	Pass
			135	67	18	0	7.078	12.187	13.3544	11.34	0.014	1.00	Pass
	MCH	QA	135	67	18	0	7.154	12.181	13.3678	11.36	0.014	1.00	Pass
			1	271	1	99	6.741	12.055	13.1749	11.15	0.013	1.00	Pass
	HCH	M	135	67	18	0	7.143	12.178	13.3629	11.35	0.014	1.00	Pass
			1	1	1	0	7.436	11.995	13.2984	11.31	0.014	1.00	Pass
	LCH	64	135	67	18	0	7.149	12.222	13.3979	11.39	0.014	1.00	Pass
			135	67	18	0	7.161	12.202	13.3855	11.37	0.014	1.00	Pass
	MCH	QA	135	67	18	0	7.161	12.202	13.3855	11.37	0.014	1.00	Pass
			1	271	1	99	6.989	12.087	13.2570	11.24	0.013	1.00	Pass
	HCH	M	135	67	18	0	7.19	12.194	13.3863	11.38	0.014	1.00	Pass
			1	1	1	0	6.417	12.041	13.0924	11.05	0.013	1.00	Pass
	LCH	256	135	67	18	0	6.206	12.209	13.1816	11.13	0.013	1.00	Pass
			135	67	18	0	6.243	12.168	13.1564	11.10	0.013	1.00	Pass
	MCH	QA	135	67	18	0	6.243	12.168	13.1564	11.10	0.013	1.00	Pass
			1	271	1	99	6.043	12.098	13.0602	11.00	0.013	1.00	Pass
	HCH	M	135	67	18	0	6.255	12.175	13.1644	11.11	0.013	1.00	Pass
			135	67	18	0	6.255	12.175	13.1644	11.11	0.013	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n38A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	1	10.902	12.4	14.7256	13.60	0.023	2.00	Pass
			12	6	8	12	10.869	12.521	14.7834	13.64	0.023	2.00	Pass
	MCH	BP	12	6	8	12	10.892	12.551	14.8105	13.66	0.023	2.00	Pass
			1	22	1	1	10.939	12.668	14.8993	13.74	0.024	2.00	Pass
	HCH	SK	12	6	8	12	10.871	12.562	14.8086	13.66	0.023	2.00	Pass
			1	1	1	1	10.84	12.369	14.6817	13.55	0.023	2.00	Pass
	LCH	QP	12	6	8	12	10.814	12.515	14.7576	13.61	0.023	2.00	Pass
			12	6	8	12	10.799	12.557	14.7767	13.62	0.023	2.00	Pass
	MCH	SK	1	22	1	1	10.849	12.604	14.8249	13.67	0.023	2.00	Pass
			12	6	8	12	10.806	12.525	14.7603	13.61	0.023	2.00	Pass
	LCH	16	1	1	1	1	10.83	12.371	14.6788	13.55	0.023	2.00	Pass
			12	6	8	12	10.792	12.575	14.7847	13.62	0.023	2.00	Pass
	MCH	QA	12	6	8	12	10.814	12.558	14.7833	13.63	0.023	2.00	Pass
			1	22	1	1	10.798	12.702	14.8638	13.69	0.023	2.00	Pass
	HCH	M	12	6	8	12	10.774	12.566	14.7721	13.61	0.023	2.00	Pass
			1	1	1	1	11.017	12.392	14.7690	13.66	0.023	2.00	Pass
	LCH	64	12	6	8	12	10.875	12.551	14.8037	13.65	0.023	2.00	Pass
			12	6	8	12	10.858	12.558	14.8010	13.65	0.023	2.00	Pass
	MCH	QA	1	22	1	1	11.022	12.808	15.0165	13.85	0.024	2.00	Pass
			12	6	8	12	10.823	12.586	14.8037	13.64	0.023	2.00	Pass
	HCH	M	1	1	1	1	10.983	12.457	14.7925	13.67	0.023	2.00	Pass
			12	6	8	12	10.565	12.551	14.6808	13.49	0.022	2.00	Pass
	LCH	256	12	6	8	12	10.658	12.569	14.7281	13.55	0.023	2.00	Pass
			1	22	1	1	10.93	12.603	14.8569	13.71	0.023	2.00	Pass
	MCH	QA	12	6	8	12	10.652	12.544	14.7105	13.54	0.023	2.00	Pass
			1	1	1	1	10.903	12.287	14.6602	13.55	0.023	2.00	Pass
10MHz(LTE) + 20MHz(NR)	LCH	PI/2	25	12	12	32	10.949	12.517	14.8137	13.68	0.023	2.00	Pass
			1	49	1	1	10.876	12.792	14.9491	13.77	0.024	2.00	Pass
	MCH	BP	25	12	12	32	10.894	12.505	14.7841	13.64	0.023	2.00	Pass
			1	49	1	1	10.876	12.792	14.9491	13.77	0.024	2.00	Pass
	HCH	SK	25	12	12	32	10.894	12.51	14.7870	13.65	0.023	2.00	Pass
			1	1	1	1	11.044	12.365	14.7648	13.66	0.023	2.00	Pass
	LCH	QP	25	12	12	32	10.913	12.528	14.8054	13.66	0.023	2.00	Pass
			1	49	1	1	11.067	12.82	15.0417	13.88	0.024	2.00	Pass
	MCH	SK	25	12	12	32	10.91	12.548	14.8161	13.67	0.023	2.00	Pass
			1	49	1	1	11.067	12.82	15.0417	13.88	0.024	2.00	Pass

			25	12	12	32	10.86	12.515	14.7762	13.63	0.023	2.00	Pass
	LCH	16	1	1	1	1	10.781	12.256	14.5911	13.47	0.022	2.00	Pass
			25	12	12	32	10.916	12.496	14.7878	13.65	0.023	2.00	Pass
	MCH		QA	25	12	12	32	10.873	12.498	14.7714	13.63	0.023	2.00
	HCH	M	1	49	1	1	10.736	12.9	14.9617	13.75	0.024	2.00	Pass
			25	12	12	32	10.944	12.5	14.8016	13.67	0.023	2.00	Pass
	LCH	64	1	1	1	1	10.981	12.407	14.7626	13.64	0.023	2.00	Pass
			25	12	12	32	11.039	12.496	14.8386	13.72	0.024	2.00	Pass
	MCH		QA	25	12	12	32	11.104	12.526	14.8832	13.77	0.024	2.00
	HCH	M	1	49	1	1	10.947	12.884	15.0329	13.85	0.024	2.00	Pass
			25	12	12	32	11.089	12.544	14.8874	13.77	0.024	2.00	Pass
	LCH	256	1	1	1	1	10.822	12.287	14.6263	13.50	0.022	2.00	Pass
			25	12	12	32	11.049	12.486	14.8370	13.72	0.024	2.00	Pass
	MCH		QA	25	12	12	32	11.047	12.528	14.8606	13.74	0.024	2.00
	HCH	M	1	49	1	1	10.912	12.85	14.9985	13.82	0.024	2.00	Pass
			25	12	12	32	11.029	12.531	14.8549	13.73	0.024	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	10.849	12.32	14.6568	10.76	0.012	2.00	Pass
			12	6	8	0	10.967	12.553	14.8423	10.91	0.012	2.00	Pass
	MCH		12	6	8	0	10.834	12.572	14.7997	10.83	0.012	2.00	Pass
	HCH		1	22	1	24	10.926	12.818	14.9845	10.97	0.013	2.00	Pass
			12	6	8	0	10.919	12.544	14.8174	10.88	0.012	2.00	Pass
	LCH	QP SK	1	1	1	0	10.755	12.501	14.7255	10.75	0.012	2.00	Pass
			12	6	8	0	10.772	12.551	14.7623	10.78	0.012	2.00	Pass
	MCH		12	6	8	0	10.778	12.548	14.7629	10.78	0.012	2.00	Pass
	HCH		1	22	1	24	10.78	12.766	14.8958	10.86	0.012	2.00	Pass
			12	6	8	0	10.742	12.536	14.7413	10.75	0.012	2.00	Pass
	LCH	16 QA M	1	1	1	0	10.68	12.307	14.5795	10.64	0.012	2.00	Pass
			12	6	8	0	10.856	12.53	14.7835	10.83	0.012	2.00	Pass
	MCH		12	6	8	0	10.858	12.535	14.7872	10.83	0.012	2.00	Pass
	HCH		1	22	1	24	10.813	12.631	14.8267	10.83	0.012	2.00	Pass
			12	6	8	0	10.804	12.522	14.7577	10.79	0.012	2.00	Pass
	LCH	64 QA M	1	1	1	0	10.914	12.497	14.7875	10.86	0.012	2.00	Pass
			12	6	8	0	10.949	12.544	14.8296	10.90	0.012	2.00	Pass
	MCH		12	6	8	0	10.958	12.522	14.8203	10.90	0.012	2.00	Pass
	HCH		1	22	1	24	10.983	12.584	14.8672	10.93	0.012	2.00	Pass
			12	6	8	0	10.953	12.522	14.8183	10.89	0.012	2.00	Pass
	LCH	256 QA M	1	1	1	0	10.421	12.467	14.5737	10.52	0.011	2.00	Pass
			12	6	8	0	10.22	12.52	14.5308	10.40	0.011	2.00	Pass
	MCH		12	6	8	0	10.193	12.546	14.5372	10.40	0.011	2.00	Pass
	HCH		1	22	1	24	10.501	12.618	14.6975	10.62	0.012	2.00	Pass
			12	6	8	0	10.137	12.523	14.5021	10.35	0.011	2.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.049	12.278	14.7171	10.89	0.012	2.00	Pass
			135	67	12	0	10.844	12.52	14.7727	10.82	0.012	2.00	Pass
	MCH		135	67	12	0	10.828	12.504	14.7567	10.80	0.012	2.00	Pass
	HCH		1	271	1	49	10.811	12.856	14.9631	10.91	0.012	2.00	Pass
			135	67	12	0	10.86	12.537	14.7892	10.84	0.012	2.00	Pass
	LCH	QP SK	1	1	1	0	11.404	12.374	14.9263	11.17	0.013	2.00	Pass
			135	67	12	0	10.985	12.533	14.8379	10.92	0.012	2.00	Pass
	MCH		135	67	12	0	10.984	12.513	14.8257	10.91	0.012	2.00	Pass
	HCH		1	271	1	49	11.166	12.747	15.0383	11.11	0.013	2.00	Pass

			135	67	12	0	11.56	12.535	15.0851	11.32	0.014	2.00	Pass
	LCH	16	1	1	1	0	10.98	12.317	14.7100	10.85	0.012	2.00	Pass
			135	67	12	0	10.972	12.531	14.8314	10.91	0.012	2.00	Pass
	MCH		QA	135	67	12	0	11.015	12.505	14.8339	10.93	0.012	2.00
	HCH	M	1	271	1	49	10.615	12.798	14.8525	10.76	0.012	2.00	Pass
			135	67	12	0	11.009	12.505	14.8314	10.93	0.012	2.00	Pass
	LCH	64	1	1	1	0	11.141	12.341	14.7926	10.97	0.012	2.00	Pass
			135	67	12	0	11.024	12.522	14.8476	10.94	0.012	2.00	Pass
	MCH		QA	135	67	12	0	11.051	12.544	14.8716	10.97	0.012	2.00
	HCH	M	1	271	1	49	10.842	12.764	14.9188	10.90	0.012	2.00	Pass
			135	67	12	0	11.021	12.538	14.8557	10.95	0.012	2.00	Pass
	LCH	256	1	1	1	0	10.595	12.282	14.5302	10.57	0.011	2.00	Pass
			135	67	12	0	10.598	12.52	14.6748	10.65	0.012	2.00	Pass
	MCH	QA	135	67	12	0	10.538	12.532	14.6587	10.62	0.012	2.00	Pass
	HCH	M	1	271	1	49	10.311	12.765	14.7194	10.55	0.011	2.00	Pass
			135	67	12	0	10.559	12.521	14.6602	10.63	0.012	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	10.639	12.376	14.6041	10.24	0.011	1.00	Pass
			12	6	8	0	10.621	12.575	14.7173	10.30	0.011	1.00	Pass
	MCH		12	6	8	0	10.576	12.562	14.6918	10.26	0.011	1.00	Pass
	HCH		1	23	1	24	10.671	12.646	14.7801	10.35	0.011	1.00	Pass
			12	6	8	0	10.606	12.555	14.6992	10.28	0.011	1.00	Pass
	LCH	QP SK	1	1	1	0	10.775	12.434	14.6935	10.34	0.011	1.00	Pass
			12	6	8	0	10.618	12.532	14.6899	10.28	0.011	1.00	Pass
	MCH		12	6	8	0	10.839	12.539	14.7820	10.42	0.011	1.00	Pass
	HCH		1	23	1	24	10.783	12.772	14.9007	10.47	0.011	1.00	Pass
			12	6	8	0	10.652	12.535	14.7051	10.30	0.011	1.00	Pass
	LCH	16 QA M	1	1	1	0	10.391	12.316	14.4696	10.06	0.010	1.00	Pass
			12	6	8	0	10.604	12.541	14.6899	10.27	0.011	1.00	Pass
	MCH		12	6	8	0	10.614	12.552	14.7005	10.28	0.011	1.00	Pass
	HCH		1	23	1	24	10.446	12.635	14.6873	10.21	0.010	1.00	Pass
			12	6	8	0	10.62	12.515	14.6803	10.27	0.011	1.00	Pass
	LCH	64 QA M	1	1	1	0	10.655	12.434	14.6453	10.27	0.011	1.00	Pass
			12	6	8	0	10.667	12.524	14.7043	10.31	0.011	1.00	Pass
	MCH		12	6	8	0	10.648	12.545	14.7096	10.30	0.011	1.00	Pass
	HCH		1	23	1	24	10.686	12.722	14.8325	10.39	0.011	1.00	Pass
			12	6	8	0	10.675	12.521	14.7057	10.31	0.011	1.00	Pass
	LCH	256 QA M	1	1	1	0	10.603	12.511	14.6712	10.26	0.011	1.00	Pass
			12	6	8	0	10.561	12.576	14.6946	10.26	0.011	1.00	Pass
	MCH		12	6	8	0	10.555	12.579	14.6942	10.26	0.011	1.00	Pass
	HCH		1	23	1	24	10.629	12.597	14.7338	10.31	0.011	1.00	Pass
			12	6	8	0	10.812	12.547	14.7759	10.41	0.011	1.00	Pass
10MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	10.645	12.311	14.5677	10.22	0.011	1.00	Pass
			108	54	12	0	10.628	12.523	14.6883	10.28	0.011	1.00	Pass
	MCH		108	54	12	0	10.663	12.516	14.6979	10.30	0.011	1.00	Pass
	HCH		1	214	1	49	10.586	12.889	14.8987	10.39	0.011	1.00	Pass
			108	54	12	0	10.641	12.527	14.6959	10.29	0.011	1.00	Pass
	LCH	QP SK	1	1	1	0	10.76	12.3	14.6082	10.29	0.011	1.00	Pass
			108	54	12	0	10.658	12.556	14.7202	10.31	0.011	1.00	Pass
	MCH		108	54	12	0	10.643	12.492	14.6755	10.28	0.011	1.00	Pass
	HCH		1	214	1	49	10.742	12.798	14.9008	10.46	0.011	1.00	Pass
			108	54	12	0	10.661	12.541	14.7122	10.31	0.011	1.00	Pass

	LCH	16	1	1	1	0	10.438	12.378	14.5257	10.11	0.010	1.00	Pass
			108	54	12	0	10.694	12.535	14.7216	10.33	0.011	1.00	Pass
	MCH	QA	108	54	12	0	10.702	12.522	14.7169	10.33	0.011	1.00	Pass
			1	214	1	49	10.362	12.9	14.8241	10.26	0.011	1.00	Pass
	HCH	M	108	54	12	0	10.676	12.545	14.7206	10.32	0.011	1.00	Pass
			1	1	1	0	10.699	12.262	14.5607	10.24	0.011	1.00	Pass
	LCH	64	108	54	12	0	10.716	12.521	14.7219	10.34	0.011	1.00	Pass
			108	54	12	0	10.686	12.516	14.7070	10.32	0.011	1.00	Pass
	MCH	QA	108	54	12	0	10.686	12.516	14.7070	10.32	0.011	1.00	Pass
			1	214	1	49	10.589	12.785	14.8346	10.35	0.011	1.00	Pass
	HCH	M	108	54	12	0	10.692	12.569	14.7414	10.34	0.011	1.00	Pass
			1	1	1	0	10.626	12.264	14.5321	10.19	0.010	1.00	Pass
	LCH	256	108	54	12	0	10.698	12.548	14.7311	10.34	0.011	1.00	Pass
			108	54	12	0	10.711	12.572	14.7507	10.35	0.011	1.00	Pass
	MCH	QA	108	54	12	0	10.711	12.572	14.7507	10.35	0.011	1.00	Pass
			1	214	1	49	10.518	12.907	14.8850	10.36	0.011	1.00	Pass
	HCH	M	108	54	12	0	10.691	12.533	14.7192	10.33	0.011	1.00	Pass
			108	54	12	0	10.691	12.533	14.7192	10.33	0.011	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	3.426	9.46	10.4264	5.54	0.004	1.00	Pass
			12	6	8	0	3.315	9.585	10.5054	5.55	0.004	1.00	Pass
	MCH		12	6	8	0	3.335	9.571	10.4979	5.56	0.004	1.00	Pass
	HCH		1	22	1	24	3.377	9.717	10.6241	5.66	0.004	1.00	Pass
		QP SK	12	6	8	0	3.385	9.561	10.4995	5.57	0.004	1.00	Pass
	LCH		1	1	1	0	3.367	9.391	10.3594	5.47	0.004	1.00	Pass
			12	6	8	0	3.324	9.583	10.5055	5.56	0.004	1.00	Pass
	MCH		12	6	8	0	3.26	9.596	10.5038	5.54	0.004	1.00	Pass
	HCH		1	22	1	24	3.371	9.818	10.7051	5.71	0.004	1.00	Pass
		16 QA M	12	6	8	0	3.284	9.556	10.4760	5.52	0.004	1.00	Pass
	LCH		1	1	1	0	3.253	9.378	10.3264	5.41	0.003	1.00	Pass
			12	6	8	0	3.326	9.536	10.4679	5.53	0.004	1.00	Pass
	MCH		12	6	8	0	3.346	9.577	10.5048	5.56	0.004	1.00	Pass
	HCH		1	22	1	24	3.273	9.616	10.5225	5.55	0.004	1.00	Pass
		64 QA M	12	6	8	0	3.304	9.559	10.4822	5.54	0.004	1.00	Pass
	LCH		1	1	1	0	3.492	9.388	10.3823	5.53	0.004	1.00	Pass
			12	6	8	0	3.357	9.584	10.5126	5.57	0.004	1.00	Pass
	MCH		12	6	8	0	3.428	9.524	10.4781	5.57	0.004	1.00	Pass
	HCH		1	22	1	24	3.477	9.589	10.5400	5.63	0.004	1.00	Pass
		256 QA M	12	6	8	0	3.417	9.556	10.5017	5.59	0.004	1.00	Pass
	LCH		1	1	1	0	3.397	9.461	10.4215	5.53	0.004	1.00	Pass
			12	6	8	0	3.161	9.55	10.4479	5.47	0.004	1.00	Pass
	MCH		12	6	8	0	3.221	9.566	10.4721	5.50	0.004	1.00	Pass
	HCH		1	22	1	24	3.356	9.735	10.6347	5.66	0.004	1.00	Pass
		PI/2 BP SK	12	6	8	0	3.148	9.542	10.4389	5.46	0.004	1.00	Pass
	LCH		1	1	1	0	3.482	9.385	10.3779	5.52	0.004	1.00	Pass
			135	67	12	0	3.392	9.575	10.5121	5.58	0.004	1.00	Pass
	MCH		135	67	12	0	3.267	9.524	10.4468	5.50	0.004	1.00	Pass
10MHz(LTE) + 100MHz(NR)	HCH	QP SK	1	271	1	49	3.059	9.851	10.6764	5.59	0.004	1.00	Pass
			135	67	12	0	3.424	9.534	10.4854	5.58	0.004	1.00	Pass
	LCH		1	1	1	0	3.554	9.287	10.3152	5.51	0.004	1.00	Pass
			135	67	12	0	3.433	9.557	10.5056	5.59	0.004	1.00	Pass
	MCH	PI/2 BP SK	135	67	12	0	3.498	9.55	10.5128	5.62	0.004	1.00	Pass
	HCH		1	271	1	49	3.081	9.849	10.6786	5.60	0.004	1.00	Pass
			135	67	12	0	3.503	9.538	10.5042	5.62	0.004	1.00	Pass
	LCH		1	1	1	0	3.482	9.385	10.3779	5.52	0.004	1.00	Pass

	LCH	16	1	1	1	0	3.364	9.287	10.2758	5.42	0.003	1.00	Pass
			135	67	12	0	3.41	9.56	10.5035	5.58	0.004	1.00	Pass
	MCH	QA	135	67	12	0	3.515	9.516	10.4890	5.61	0.004	1.00	Pass
			1	271	1	49	2.821	9.787	10.5828	5.46	0.004	1.00	Pass
	HCH	M	135	67	12	0	3.516	9.569	10.5316	5.64	0.004	1.00	Pass
			1	1	1	0	3.618	9.393	10.4123	5.59	0.004	1.00	Pass
	LCH	64	135	67	12	0	3.595	9.545	10.5283	5.66	0.004	1.00	Pass
			135	67	12	0	3.58	9.532	10.5149	5.65	0.004	1.00	Pass
	MCH	QA	135	67	12	0	3.58	9.532	10.5149	5.65	0.004	1.00	Pass
			1	271	1	49	3.101	9.87	10.6994	5.62	0.004	1.00	Pass
	HCH	M	135	67	12	0	3.629	9.53	10.5233	5.67	0.004	1.00	Pass
			1	1	1	0	3.561	9.314	10.3380	5.53	0.004	1.00	Pass
	LCH	256	135	67	12	0	3.603	9.559	10.5411	5.67	0.004	1.00	Pass
			135	67	12	0	3.634	9.536	10.5291	5.68	0.004	1.00	Pass
	MCH	QA	135	67	12	0	3.634	9.536	10.5291	5.68	0.004	1.00	Pass
			1	271	1	49	3.005	9.82	10.6414	5.55	0.004	1.00	Pass
	HCH	M	135	67	12	0	3.631	9.532	10.5253	5.67	0.004	1.00	Pass
			135	67	12	0	3.631	9.532	10.5253	5.67	0.004	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	4.543	12.41	13.0674	7.73	0.006	1.00	Pass
			12	6	8	0	4.517	12.581	13.2112	7.83	0.006	1.00	Pass
	MCH	BP SK	12	6	8	0	4.613	12.543	13.1916	7.84	0.006	1.00	Pass
			1	22	1	24	4.509	12.646	13.2664	7.87	0.006	1.00	Pass
	HCH		12	6	8	0	4.54	12.565	13.2005	7.83	0.006	1.00	Pass
			1	1	1	0	4.505	12.442	13.0896	7.73	0.006	1.00	Pass
	LCH		12	6	8	0	4.489	12.585	13.2109	7.82	0.006	1.00	Pass
			12	6	8	0	4.43	12.585	13.2030	7.80	0.006	1.00	Pass
	MCH	QP SK	1	22	1	24	4.59	12.61	13.2462	7.87	0.006	1.00	Pass
			12	6	8	0	4.427	12.533	13.1576	7.77	0.006	1.00	Pass
	HCH		1	1	1	0	4.493	12.488	13.1276	7.76	0.006	1.00	Pass
			12	6	8	0	4.479	12.581	13.2061	7.81	0.006	1.00	Pass
	LCH		12	6	8	0	4.481	12.562	13.1899	7.80	0.006	1.00	Pass
			1	22	1	24	4.586	12.791	13.4024	7.99	0.006	1.00	Pass
	MCH	16 QA M	12	6	8	0	4.549	12.595	13.2277	7.85	0.006	1.00	Pass
			1	22	1	24	4.586	12.791	13.4024	7.99	0.006	1.00	Pass
	HCH		12	6	8	0	4.549	12.595	13.2277	7.85	0.006	1.00	Pass
			1	1	1	0	4.539	12.505	13.1486	7.79	0.006	1.00	Pass
	LCH		12	6	8	0	4.52	12.567	13.1995	7.82	0.006	1.00	Pass
			12	6	8	0	4.484	12.582	13.2076	7.82	0.006	1.00	Pass
	MCH	64 QA M	1	22	1	24	4.579	12.619	13.2525	7.87	0.006	1.00	Pass
			12	6	8	0	4.54	12.609	13.2385	7.85	0.006	1.00	Pass
	HCH		1	1	1	0	3.894	12.618	13.1647	7.64	0.006	1.00	Pass
			12	6	8	0	3.717	12.56	13.0928	7.55	0.006	1.00	Pass
	LCH		12	6	8	0	3.624	12.605	13.1221	7.55	0.006	1.00	Pass
			1	22	1	24	3.962	12.653	13.2036	7.69	0.006	1.00	Pass
	MCH	256 QA M	12	6	8	0	3.683	12.59	13.1155	7.56	0.006	1.00	Pass
			1	22	1	24	3.962	12.653	13.2036	7.69	0.006	1.00	Pass
	HCH		12	6	8	0	3.683	12.59	13.1155	7.56	0.006	1.00	Pass
			1	1	1	0	4.767	12.466	13.1474	7.85	0.006	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	4.767	12.466	13.1474	7.85	0.006	1.00	Pass
			135	67	12	0	4.552	12.538	13.1788	7.81	0.006	1.00	Pass
	MCH	BP SK	135	67	12	0	4.6	12.54	13.1872	7.83	0.006	1.00	Pass
			1	271	1	49	4.436	12.841	13.4267	7.97	0.006	1.00	Pass
	HCH		135	67	12	0	4.594	12.535	13.1820	7.83	0.006	1.00	Pass
			1	1	1	0	4.788	12.387	13.0830	7.80	0.006	1.00	Pass
	LCH		135	67	12	0	4.678	12.558	13.2135	7.87	0.006	1.00	Pass
			135	67	12	0	4.713	12.524	13.1893	7.86	0.006	1.00	Pass
	MCH	QP SK	1	271	1	49	4.35	12.9	13.4677	7.98	0.006	1.00	Pass
			135	67	12	0	4.757	12.539	13.2084	7.89	0.006	1.00	Pass
	HCH		135	67	12	0	4.757	12.539	13.2084	7.89	0.006	1.00	Pass
			135	67	12	0	4.757	12.539	13.2084	7.89	0.006	1.00	Pass

	LCH	16	1	1	1	0	4.556	12.439	13.0941	7.75	0.006	1.00	Pass
			135	67	12	0	4.687	12.573	13.2277	7.88	0.006	1.00	Pass
	MCH	QA	135	67	12	0	4.786	12.584	13.2511	7.93	0.006	1.00	Pass
	HCH		1	271	1	49	4.207	12.972	13.5139	7.98	0.006	1.00	Pass
		M	135	67	12	0	4.691	12.522	13.1844	7.85	0.006	1.00	Pass
	LCH	64	1	1	1	0	5.069	12.404	13.1401	7.92	0.006	1.00	Pass
			135	67	12	0	4.693	12.572	13.2277	7.89	0.006	1.00	Pass
	MCH	QA	135	67	12	0	4.699	12.541	13.2019	7.87	0.006	1.00	Pass
	HCH		1	271	1	49	4.477	12.81	13.4048	7.96	0.006	1.00	Pass
		M	135	67	12	0	4.627	12.554	13.2030	7.85	0.006	1.00	Pass
	LCH	256	1	1	1	0	4.229	12.45	13.0593	7.64	0.006	1.00	Pass
			135	67	12	0	4.207	12.559	13.1514	7.71	0.006	1.00	Pass
	MCH	QA	135	67	12	0	4.19	12.515	13.1109	7.67	0.006	1.00	Pass
	HCH		1	271	1	49	3.817	12.827	13.3409	7.76	0.006	1.00	Pass
		M	135	67	12	0	4.211	12.582	13.1720	7.72	0.006	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.284	9.489	10.8870	6.52	0.004	1.00	Pass
			12	6	8	0	5.227	9.537	10.9064	6.50	0.004	1.00	Pass
	MCH		12	6	8	0	5.232	9.549	10.9165	6.51	0.004	1.00	Pass
	HCH		1	22	1	24	5.282	9.689	11.0323	6.60	0.005	1.00	Pass
		QP SK	12	6	8	0	5.2	9.53	10.8940	6.49	0.004	1.00	Pass
	LCH		1	1	1	0	5.315	9.493	10.8985	6.54	0.005	1.00	Pass
			12	6	8	0	5.247	9.587	10.9483	6.54	0.005	1.00	Pass
	MCH		12	6	8	0	5.163	9.572	10.9148	6.48	0.004	1.00	Pass
	HCH		1	22	1	24	5.293	9.633	10.9943	6.58	0.005	1.00	Pass
		16 QA M	12	6	8	0	5.229	9.545	10.9127	6.51	0.004	1.00	Pass
	LCH		1	1	1	0	5.144	9.384	10.7724	6.39	0.004	1.00	Pass
			12	6	8	0	5.452	9.572	10.9936	6.65	0.005	1.00	Pass
	MCH		12	6	8	0	5.317	9.569	10.9541	6.57	0.005	1.00	Pass
	HCH		1	22	1	24	5.169	9.711	11.0188	6.55	0.005	1.00	Pass
		64 QA M	12	6	8	0	5.416	9.57	10.9821	6.63	0.005	1.00	Pass
	LCH		1	1	1	0	5.523	9.503	10.9641	6.66	0.005	1.00	Pass
			12	6	8	0	5.401	9.542	10.9577	6.61	0.005	1.00	Pass
	MCH		12	6	8	0	5.353	9.548	10.9488	6.58	0.005	1.00	Pass
	HCH		1	22	1	24	5.57	9.639	11.0749	6.74	0.005	1.00	Pass
		256 QA M	12	6	8	0	5.323	9.588	10.9696	6.58	0.005	1.00	Pass
	LCH		1	1	1	0	5.033	9.512	10.8363	6.38	0.004	1.00	Pass
			12	6	8	0	5.063	9.573	10.8892	6.43	0.004	1.00	Pass
	MCH		12	6	8	0	5.1	9.567	10.8945	6.45	0.004	1.00	Pass
	HCH		1	22	1	24	5.066	9.696	10.9811	6.49	0.004	1.00	Pass
			12	6	8	0	5.093	9.542	10.8742	6.43	0.004	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.47	9.315	10.8151	6.55	0.005	1.00	Pass
			135	67	12	0	5.337	9.556	10.9502	6.58	0.005	1.00	Pass
	MCH		135	67	12	0	5.339	9.547	10.9442	6.57	0.005	1.00	Pass
	HCH		1	271	1	49	4.941	9.83	11.0502	6.48	0.004	1.00	Pass
		QP SK	135	67	12	0	5.327	9.549	10.9423	6.57	0.005	1.00	Pass
	LCH		1	1	1	0	5.511	9.342	10.8462	6.59	0.005	1.00	Pass
			135	67	12	0	5.393	9.538	10.9526	6.60	0.005	1.00	Pass
	MCH		135	67	12	0	5.474	9.559	10.9904	6.66	0.005	1.00	Pass
	HCH		1	271	1	49	4.955	9.852	11.0703	6.50	0.004	1.00	Pass
			135	67	12	0	5.406	9.548	10.9634	6.61	0.005	1.00	Pass

	LCH	16	1	1	1	0	5.229	9.314	10.7454	6.41	0.004	1.00	Pass
			135	67	12	0	5.46	9.55	10.9800	6.64	0.005	1.00	Pass
	MCH	QA	135	67	12	0	5.47	9.544	10.9785	6.65	0.005	1.00	Pass
	HCH		1	271	1	49	4.771	9.886	11.0520	6.42	0.004	1.00	Pass
		M	135	67	12	0	5.522	9.577	11.0168	6.69	0.005	1.00	Pass
	LCH	64	1	1	1	0	5.658	9.297	10.8583	6.66	0.005	1.00	Pass
			135	67	12	0	5.538	9.564	11.0120	6.69	0.005	1.00	Pass
	MCH	QA	135	67	12	0	5.464	9.559	10.9876	6.65	0.005	1.00	Pass
	HCH		1	271	1	49	5.076	9.817	11.0740	6.55	0.005	1.00	Pass
		M	135	67	12	0	5.561	9.546	11.0057	6.70	0.005	1.00	Pass
	LCH	256	1	1	1	0	5.415	9.372	10.8397	6.54	0.005	1.00	Pass
			135	67	12	0	5.539	9.525	10.9844	6.68	0.005	1.00	Pass
	MCH	QA	135	67	12	0	5.548	9.544	11.0005	6.69	0.005	1.00	Pass
	HCH		1	271	1	49	4.961	9.783	11.0197	6.47	0.004	1.00	Pass
		M	135	67	12	0	5.575	9.566	11.0240	6.72	0.005	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	6.729	12.412	13.4508	8.66	0.007	1.00	Pass
			12	6	8	0	6.78	12.549	13.5696	8.75	0.008	1.00	Pass
	MCH	BP SK	12	6	8	0	6.77	12.571	13.5849	8.76	0.008	1.00	Pass
	HCH		1	22	1	24	6.739	12.603	13.6039	8.76	0.008	1.00	Pass
			12	6	8	0	6.734	12.633	13.6267	8.77	0.008	1.00	Pass
	LCH	QP SK	1	1	1	0	6.713	12.645	13.6320	8.77	0.008	1.00	Pass
			12	6	8	0	6.597	12.582	13.5582	8.68	0.007	1.00	Pass
	MCH		12	6	8	0	6.649	12.586	13.5719	8.71	0.007	1.00	Pass
	HCH		1	22	1	24	6.683	12.753	13.7123	8.81	0.008	1.00	Pass
			12	6	8	0	6.686	12.542	13.5445	8.70	0.007	1.00	Pass
	LCH	16 QA M	1	1	1	0	6.599	12.512	13.5028	8.65	0.007	1.00	Pass
			12	6	8	0	6.662	12.542	13.5396	8.69	0.007	1.00	Pass
	MCH		12	6	8	0	6.622	12.548	13.5362	8.68	0.007	1.00	Pass
	HCH		1	22	1	24	6.49	12.611	13.5602	8.65	0.007	1.00	Pass
			12	6	8	0	6.686	12.537	13.5406	8.70	0.007	1.00	Pass
	LCH	64 QA M	1	1	1	0	6.581	12.395	13.4062	8.58	0.007	1.00	Pass
			12	6	8	0	6.672	12.576	13.5687	8.72	0.007	1.00	Pass
	MCH		12	6	8	0	6.68	12.557	13.5552	8.71	0.007	1.00	Pass
	HCH		1	22	1	24	6.539	12.623	13.5795	8.68	0.007	1.00	Pass
			12	6	8	0	6.611	12.601	13.5762	8.70	0.007	1.00	Pass
	LCH	256 QA M	1	1	1	0	6.066	12.359	13.2750	8.32	0.007	1.00	Pass
			12	6	8	0	5.812	12.555	13.3889	8.32	0.007	1.00	Pass
	MCH		12	6	8	0	5.781	12.575	13.4000	8.32	0.007	1.00	Pass
	HCH		1	22	1	24	6.018	12.65	13.5035	8.46	0.007	1.00	Pass
			12	6	8	0	5.881	12.636	13.4678	8.39	0.007	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	6.981	12.335	13.4459	8.74	0.007	1.00	Pass
			135	67	12	0	6.667	12.545	13.5430	8.70	0.007	1.00	Pass
	MCH		135	67	12	0	6.739	12.544	13.5571	8.73	0.007	1.00	Pass
	HCH		1	271	1	49	6.555	12.855	13.7696	8.81	0.008	1.00	Pass
			135	67	12	0	6.701	12.56	13.5619	8.72	0.007	1.00	Pass
	LCH	QP SK	1	1	1	0	6.976	12.329	13.4401	8.74	0.007	1.00	Pass
			135	67	12	0	6.729	12.558	13.5661	8.73	0.007	1.00	Pass
	MCH		135	67	12	0	6.709	12.55	13.5556	8.72	0.007	1.00	Pass
	HCH		1	271	1	49	6.619	12.857	13.7835	8.84	0.008	1.00	Pass
			135	67	12	0	6.766	12.507	13.5335	8.72	0.007	1.00	Pass

	LCH	16	1	1	1	0	6.813	12.324	13.3999	8.65	0.007	1.00	Pass
			135	67	12	0	6.811	12.533	13.5635	8.76	0.008	1.00	Pass
	MCH	QA	135	67	12	0	6.799	12.574	13.5933	8.77	0.008	1.00	Pass
	HCH		1	271	1	49	6.345	12.793	13.6799	8.68	0.007	1.00	Pass
		M	135	67	12	0	6.84	12.53	13.5673	8.77	0.008	1.00	Pass
	LCH	64	1	1	1	0	6.985	12.437	13.5259	8.80	0.008	1.00	Pass
			135	67	12	0	6.739	12.555	13.5658	8.74	0.007	1.00	Pass
	MCH	QA	135	67	12	0	6.732	12.549	13.5596	8.73	0.007	1.00	Pass
	HCH		1	271	1	49	6.581	12.891	13.8037	8.84	0.008	1.00	Pass
		M	135	67	12	0	6.777	12.598	13.6078	8.78	0.008	1.00	Pass
	LCH	256	1	1	1	0	6.395	12.34	13.3243	8.46	0.007	1.00	Pass
			135	67	12	0	6.154	12.575	13.4669	8.48	0.007	1.00	Pass
	MCH	QA	135	67	12	0	6.185	12.556	13.4572	8.48	0.007	1.00	Pass
	HCH		1	271	1	49	5.989	13.042	13.8233	8.67	0.007	1.00	Pass
		M	135	67	12	0	6.315	12.568	13.4916	8.55	0.007	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2	1	1	1	0	10.94	12.501	14.8006	14.74	0.030	1.00	Pass
			12	6	8	0	10.868	12.639	14.8535	14.83	0.030	1.00	Pass
	MCH	BP SK	12	6	8	0	10.891	12.652	14.8705	14.85	0.031	1.00	Pass
	HCH		1	23	1	24	10.963	12.721	14.9407	14.92	0.031	1.00	Pass
			12	6	8	0	10.897	12.688	14.8945	14.88	0.031	1.00	Pass
	LCH	QP SK	1	1	1	0	11.028	12.529	14.8533	14.79	0.030	1.00	Pass
			12	6	8	0	10.925	12.661	14.8895	14.86	0.031	1.00	Pass
	MCH		12	6	8	0	10.906	12.654	14.8777	14.85	0.031	1.00	Pass
	HCH		1	23	1	24	11.071	12.707	14.9759	14.93	0.031	1.00	Pass
			12	6	8	0	10.956	12.671	14.9079	14.88	0.031	1.00	Pass
	LCH	16 QA M	1	1	1	0	10.743	12.559	14.7555	14.74	0.030	1.00	Pass
			12	6	8	0	10.917	12.688	14.9025	14.88	0.031	1.00	Pass
	MCH		12	6	8	0	10.954	12.714	14.9329	14.91	0.031	1.00	Pass
	HCH		1	23	1	24	10.747	12.698	14.8414	14.85	0.031	1.00	Pass
			12	6	8	0	10.905	12.687	14.8971	14.88	0.031	1.00	Pass
	LCH	64 QA M	1	1	1	0	10.978	12.553	14.8468	14.79	0.030	1.00	Pass
			12	6	8	0	10.982	12.708	14.9405	14.91	0.031	1.00	Pass
	MCH		12	6	8	0	10.948	12.682	14.9113	14.88	0.031	1.00	Pass
	HCH		1	23	1	24	11.014	12.749	14.9779	14.95	0.031	1.00	Pass
			12	6	8	0	10.987	12.711	14.9443	14.91	0.031	1.00	Pass
	LCH	256 QA M	1	1	1	0	10.621	12.513	14.6795	14.68	0.029	1.00	Pass
			12	6	8	0	10.675	12.66	14.7902	14.80	0.030	1.00	Pass
	MCH		12	6	8	0	10.671	12.65	14.7826	14.79	0.030	1.00	Pass
	HCH		1	23	1	24	10.733	12.709	14.8427	14.85	0.031	1.00	Pass
			12	6	8	0	10.689	12.65	14.7896	14.80	0.030	1.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2	1	1	1	0	10.943	12.374	14.7275	14.65	0.029	1.00	Pass
			108	54	18	0	10.912	12.524	14.8027	14.75	0.030	1.00	Pass
	MCH		108	54	18	0	10.945	12.557	14.8357	14.79	0.030	1.00	Pass
	HCH		1	214	1	99	10.869	12.572	14.8137	14.78	0.030	1.00	Pass
			108	54	18	0	10.946	12.593	14.8574	14.81	0.030	1.00	Pass
	LCH	QP SK	1	1	1	0	11.051	12.344	14.7557	14.65	0.029	1.00	Pass
			108	54	18	0	10.944	12.546	14.8288	14.78	0.030	1.00	Pass
	MCH		108	54	18	0	10.94	12.561	14.8360	14.79	0.030	1.00	Pass
	HCH		1	214	1	99	11.038	12.596	14.8968	14.84	0.030	1.00	Pass
			108	54	18	0	10.948	12.598	14.8612	14.82	0.030	1.00	Pass

	LCH	16	1	1	1	0	10.7	12.354	14.6156	14.57	0.029	1.00	Pass
			108	54	18	0	10.969	12.554	14.8437	14.79	0.030	1.00	Pass
	MCH	QA	108	54	18	0	10.961	12.545	14.8351	14.78	0.030	1.00	Pass
	HCH	M	1	214	1	99	9	9.522	12.2791	12.04	0.016	1.00	Pass
			108	54	18	0	9.299	9.555	12.4392	12.16	0.016	1.00	Pass
	LCH	64	1	1	1	0	9.306	9.384	12.3555	12.04	0.016	1.00	Pass
			108	54	18	0	9.281	9.559	12.4325	12.15	0.016	1.00	Pass
	MCH	QA	108	54	18	0	9.28	9.59	12.4481	12.17	0.016	1.00	Pass
	HCH	M	1	214	1	99	9.223	9.617	12.4348	12.18	0.017	1.00	Pass
			108	54	18	0	9.26	9.594	12.4405	12.17	0.016	1.00	Pass
	LCH	256	1	1	1	0	10.687	12.398	14.6365	14.60	0.029	1.00	Pass
			108	54	18	0	10.776	12.531	14.7519	14.73	0.030	1.00	Pass
	MCH	QA	108	54	18	0	10.821	12.569	14.7927	14.77	0.030	1.00	Pass
	HCH	M	1	214	1	99	10.618	12.577	14.7173	14.73	0.030	1.00	Pass
			108	54	18	0	10.786	12.596	14.7949	14.78	0.030	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.155	9.402	10.7885	9.23	0.008	1.00	Pass
			12	6	8	0	5.054	9.501	10.8337	9.27	0.008	1.00	Pass
	MCH		12	6	8	0	5	9.478	10.8026	9.24	0.008	1.00	Pass
	HCH		1	22	1	24	5.083	9.574	10.8952	9.33	0.009	1.00	Pass
		QP SK	12	6	8	0	5.01	9.493	10.8163	9.25	0.008	1.00	Pass
	LCH		1	1	1	0	5.105	9.399	10.7727	9.21	0.008	1.00	Pass
			12	6	8	0	5.085	9.472	10.8207	9.26	0.008	1.00	Pass
	MCH		12	6	8	0	5.011	9.488	10.8128	9.25	0.008	1.00	Pass
	HCH		1	22	1	24	5.08	9.498	10.8384	9.28	0.008	1.00	Pass
		16 QA M	12	6	8	0	5.013	9.488	10.8134	9.25	0.008	1.00	Pass
	LCH		1	1	1	0	4.882	9.408	10.7200	9.16	0.008	1.00	Pass
			12	6	8	0	5.026	9.55	10.8625	9.30	0.009	1.00	Pass
	MCH		12	6	8	0	4.864	9.52	10.7985	9.23	0.008	1.00	Pass
	HCH		1	22	1	24	4.972	9.564	10.8589	9.29	0.008	1.00	Pass
		64 QA M	12	6	8	0	5.065	9.49	10.8286	9.27	0.008	1.00	Pass
	LCH		1	1	1	0	5.178	9.374	10.7745	9.22	0.008	1.00	Pass
			12	6	8	0	5.189	9.501	10.8698	9.31	0.009	1.00	Pass
	MCH		12	6	8	0	5.117	9.565	10.8975	9.34	0.009	1.00	Pass
	HCH		1	22	1	24	5.171	9.522	10.8803	9.32	0.009	1.00	Pass
		256 QA M	12	6	8	0	5.204	9.501	10.8739	9.32	0.009	1.00	Pass
	LCH		1	1	1	0	5.084	9.412	10.7765	9.22	0.008	1.00	Pass
			12	6	8	0	4.889	9.483	10.7774	9.21	0.008	1.00	Pass
	MCH		12	6	8	0	4.807	9.487	10.7594	9.19	0.008	1.00	Pass
	HCH		1	22	1	24	4.95	9.536	10.8324	9.27	0.008	1.00	Pass
		PI/2 BP SK	12	6	8	0	4.857	9.497	10.7796	9.21	0.008	1.00	Pass
	LCH		1	1	1	0	5.582	9.125	10.7155	9.18	0.008	1.00	Pass
			135	67	18	0	5.17	9.368	10.7679	9.21	0.008	1.00	Pass
	MCH		135	67	18	0	5.197	9.362	10.7711	9.22	0.008	1.00	Pass
20MHz(LTE) + 100MHz(NR)	HCH	QP SK	1	271	1	99	5.289	9.514	10.9065	9.35	0.009	1.00	Pass
			135	67	18	0	5.231	9.375	10.7899	9.23	0.008	1.00	Pass
	LCH		1	1	1	0	5.568	9.116	10.7050	9.16	0.008	1.00	Pass
			135	67	18	0	5.261	9.329	10.7651	9.21	0.008	1.00	Pass
	MCH	PI/2 BP SK	135	67	18	0	5.27	9.351	10.7835	9.23	0.008	1.00	Pass
	HCH		1	271	1	99	5.351	9.526	10.9323	9.38	0.009	1.00	Pass
			135	67	18	0	5.324	9.341	10.7916	9.24	0.008	1.00	Pass
	LCH		1	1	1	0	5.582	9.125	10.7155	9.18	0.008	1.00	Pass

	LCH	16	1	1	1	0	5.515	9.134	10.7013	9.16	0.008	1.00	Pass
			135	67	18	0	5.31	9.364	10.8041	9.25	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.309	9.353	10.7959	9.24	0.008	1.00	Pass
	HCH	M	1	271	1	99	5.101	9.514	10.8557	9.29	0.009	1.00	Pass
			135	67	18	0	5.314	9.373	10.8117	9.26	0.008	1.00	Pass
	LCH	64	1	1	1	0	5.659	9.166	10.7676	9.23	0.008	1.00	Pass
			135	67	18	0	5.332	9.348	10.7989	9.25	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.436	9.357	10.8350	9.29	0.008	1.00	Pass
	HCH	M	1	271	1	99	5.462	9.562	10.9892	9.44	0.009	1.00	Pass
			135	67	18	0	5.366	9.367	10.8221	9.27	0.008	1.00	Pass
	LCH	256	1	1	1	0	5.538	9.103	10.6868	9.15	0.008	1.00	Pass
			135	67	18	0	5.426	9.344	10.8229	9.27	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.415	9.361	10.8318	9.28	0.008	1.00	Pass
	HCH	M	1	271	1	99	5.342	9.505	10.9146	9.36	0.009	1.00	Pass
			135	67	18	0	5.471	9.358	10.8459	9.30	0.009	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.262	12.444	13.5943	12.02	0.016	1.00	Pass
			12	6	8	0	7.076	12.514	13.6060	12.02	0.016	1.00	Pass
	MCH		12	6	8	0	7.169	12.523	13.6339	12.05	0.016	1.00	Pass
	HCH		1	22	1	24	7.178	12.57	13.6723	12.09	0.016	1.00	Pass
		QP SK	12	6	8	0	7.264	12.506	13.6424	12.06	0.016	1.00	Pass
	LCH		1	1	1	0	7.277	12.374	13.5442	11.97	0.016	1.00	Pass
			12	6	8	0	7.14	12.498	13.6080	12.03	0.016	1.00	Pass
	MCH		12	6	8	0	7.203	12.483	13.6107	12.03	0.016	1.00	Pass
	HCH		1	22	1	24	7.128	12.553	13.6479	12.06	0.016	1.00	Pass
		16 QA M	12	6	8	0	7.158	12.517	13.6267	12.04	0.016	1.00	Pass
	LCH		1	1	1	0	7.012	12.444	13.5374	11.95	0.016	1.00	Pass
			12	6	8	0	7.057	12.52	13.6065	12.02	0.016	1.00	Pass
	MCH		12	6	8	0	7.057	12.519	13.6057	12.02	0.016	1.00	Pass
	HCH		1	22	1	24	7.143	12.602	13.6894	12.11	0.016	1.00	Pass
		64 QA M	12	6	8	0	7.129	12.548	13.6443	12.06	0.016	1.00	Pass
	LCH		1	1	1	0	7.233	12.454	13.5952	12.02	0.016	1.00	Pass
			12	6	8	0	7.176	12.536	13.6455	12.06	0.016	1.00	Pass
	MCH		12	6	8	0	7.067	12.546	13.6290	12.04	0.016	1.00	Pass
	HCH		1	22	1	24	7.226	12.592	13.7002	12.12	0.016	1.00	Pass
		256 QA M	12	6	8	0	7.104	12.601	13.6800	12.10	0.016	1.00	Pass
	LCH		1	1	1	0	6.129	12.429	13.3436	11.74	0.015	1.00	Pass
			12	6	8	0	5.838	12.571	13.4067	11.80	0.015	1.00	Pass
	MCH		12	6	8	0	5.908	12.543	13.3960	11.79	0.015	1.00	Pass
	HCH		1	22	1	24	6.156	12.583	13.4738	11.87	0.015	1.00	Pass
			12	6	8	0	5.949	12.533	13.3951	11.79	0.015	1.00	Pass
	LCH		1	1	1	0	7.416	12.146	13.4057	11.84	0.015	1.00	Pass
			135	67	18	0	7.185	12.35	13.5042	11.93	0.016	1.00	Pass
20MHz(LTE) + 100MHz(NR)	MCH	PI/2 BP SK	135	67	18	0	7.209	12.383	13.5351	11.96	0.016	1.00	Pass
	HCH		1	271	1	99	6.826	12.421	13.4786	11.89	0.015	1.00	Pass
			135	67	18	0	7.203	12.394	13.5422	11.96	0.016	1.00	Pass
	LCH		1	1	1	0	7.397	12.154	13.4069	11.84	0.015	1.00	Pass
		QP SK	135	67	18	0	7.193	12.357	13.5115	11.93	0.016	1.00	Pass
	MCH		135	67	18	0	7.297	12.335	13.5192	11.94	0.016	1.00	Pass
	HCH		1	271	1	99	6.887	12.447	13.5122	11.93	0.016	1.00	Pass

			135	67	18	0	7.251	12.391	13.5511	11.97	0.016	1.00	Pass
	LCH	16	1	1	1	0	7.2	12.189	13.3850	11.81	0.015	1.00	Pass
			135	67	18	0	7.258	12.406	13.5642	11.99	0.016	1.00	Pass
	MCH	QA	135	67	18	0	7.204	12.419	13.5616	11.98	0.016	1.00	Pass
			1	271	1	99	6.633	12.485	13.4883	11.90	0.015	1.00	Pass
	HCH	M	135	67	18	0	7.258	12.408	13.5657	11.99	0.016	1.00	Pass
			1	1	1	0	7.438	12.203	13.4539	11.88	0.015	1.00	Pass
	LCH	64	135	67	18	0	7.317	12.44	13.6041	12.03	0.016	1.00	Pass
			135	67	18	0	7.295	12.43	13.5913	12.01	0.016	1.00	Pass
	MCH	QA	135	67	18	0	7.295	12.43	13.5913	12.01	0.016	1.00	Pass
			1	271	1	99	6.934	12.503	13.5663	11.98	0.016	1.00	Pass
	HCH	M	135	67	18	0	7.328	12.434	13.6021	12.03	0.016	1.00	Pass
			1	1	1	0	6.397	12.164	13.1850	11.59	0.014	1.00	Pass
	LCH	256	135	67	18	0	6.29	12.413	13.3618	11.76	0.015	1.00	Pass
			135	67	18	0	6.316	12.396	13.3533	11.76	0.015	1.00	Pass
	MCH	QA	135	67	18	0	6.316	12.396	13.3533	11.76	0.015	1.00	Pass
			1	271	1	99	5.844	12.493	13.3435	11.74	0.015	1.00	Pass
	HCH	M	135	67	18	0	6.31	12.391	13.3481	11.75	0.015	1.00	Pass
			135	67	18	0	6.31	12.391	13.3481	11.75	0.015	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_38A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	5.298	9.06	10.5845	9.04	0.008	1.00	Pass
			25	12	8	0	5.185	9.145	10.6118	9.06	0.008	1.00	Pass
	MCH	BP SK	25	12	8	0	5.164	9.134	10.5980	9.05	0.008	1.00	Pass
	HCH		1	49	1	24	5.238	9.204	10.6691	9.12	0.008	1.00	Pass
			25	12	8	0	5.141	9.103	10.5693	9.02	0.008	1.00	Pass
	LCH	QP SK	1	1	1	0	5.282	9.036	10.5629	9.02	0.008	1.00	Pass
			25	12	8	0	5.184	9.132	10.6023	9.05	0.008	1.00	Pass
	MCH		25	12	8	0	5.192	9.159	10.6238	9.07	0.008	1.00	Pass
	HCH		1	49	1	24	5.262	9.196	10.6703	9.12	0.008	1.00	Pass
			25	12	8	0	5.172	9.139	10.6038	9.05	0.008	1.00	Pass
	LCH	16 QA M	1	1	1	0	5.227	9.068	10.5693	9.02	0.008	1.00	Pass
			25	12	8	0	5.184	9.177	10.6344	9.08	0.008	1.00	Pass
	MCH		25	12	8	0	5.098	9.137	10.5813	9.03	0.008	1.00	Pass
	HCH		1	49	1	24	5.184	9.223	10.6673	9.11	0.008	1.00	Pass
			25	12	8	0	5.189	9.198	10.6508	9.10	0.008	1.00	Pass
	LCH	64 QA M	1	1	1	0	5.509	9.088	10.6675	9.13	0.008	1.00	Pass
			25	12	8	0	5.21	9.126	10.6055	9.06	0.008	1.00	Pass
	MCH		25	12	8	0	5.229	9.151	10.6288	9.08	0.008	1.00	Pass
	HCH		1	49	1	24	5.399	9.214	10.7229	9.18	0.008	1.00	Pass
			25	12	8	0	5.238	9.169	10.6442	9.09	0.008	1.00	Pass
	LCH	256 QA M	1	1	1	0	5.248	9.044	10.5585	9.01	0.008	1.00	Pass
			25	12	8	0	5.007	9.157	10.5702	9.01	0.008	1.00	Pass
	MCH		25	12	8	0	5.043	9.151	10.5759	9.02	0.008	1.00	Pass
	HCH		1	49	1	24	5.208	9.187	10.6484	9.10	0.008	1.00	Pass
			25	12	8	0	5.038	9.1	10.5378	8.98	0.008	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.659	8.905	10.5888	9.06	0.008	1.00	Pass
			135	67	18	0	5.273	9.034	10.5588	9.01	0.008	1.00	Pass
	MCH		135	67	18	0	5.262	9.075	10.5845	9.04	0.008	1.00	Pass
	HCH		1	271	1	99	4.997	9.128	10.5465	8.99	0.008	1.00	Pass
			135	67	18	0	5.236	9.037	10.5500	9.00	0.008	1.00	Pass
	LCH	QP SK	1	1	1	0	5.589	8.849	10.5283	8.99	0.008	1.00	Pass
			135	67	18	0	5.346	9.057	10.5967	9.05	0.008	1.00	Pass
	MCH		135	67	18	0	5.406	9.024	10.5916	9.05	0.008	1.00	Pass
	HCH		1	271	1	99	4.971	9.124	10.5364	8.98	0.008	1.00	Pass
			135	67	18	0	5.315	9.029	10.5678	9.02	0.008	1.00	Pass

	LCH	16	1	1	1	0	5.492	8.892	10.5269	8.99	0.008	1.00	Pass
			135	67	18	0	5.27	9.035	10.5586	9.01	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.416	9.02	10.5919	9.05	0.008	1.00	Pass
			1	271	1	99	4.802	9.175	10.5274	8.97	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.384	9.026	10.5864	9.04	0.008	1.00	Pass
			1	1	1	0	5.697	8.933	10.6200	9.09	0.008	1.00	Pass
	LCH	64	135	67	18	0	5.397	9.065	10.6176	9.07	0.008	1.00	Pass
			135	67	18	0	5.441	9.053	10.6225	9.08	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.441	9.053	10.6225	9.08	0.008	1.00	Pass
			1	271	1	99	5.098	9.202	10.6280	9.07	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.409	9.032	10.5981	9.06	0.008	1.00	Pass
			1	1	1	0	5.669	8.862	10.5629	9.03	0.008	1.00	Pass
	LCH	256	135	67	18	0	5.51	9.057	10.6463	9.11	0.008	1.00	Pass
			135	67	18	0	5.554	9.04	10.6481	9.11	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.554	9.04	10.6481	9.11	0.008	1.00	Pass
			1	271	1	99	4.804	9.167	10.5221	8.96	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.512	9.047	10.6400	9.10	0.008	1.00	Pass
			135	67	18	0	5.512	9.047	10.6400	9.10	0.008	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_38A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	7.438	12.113	13.3866	11.82	0.015	1.00	Pass
			12	6	8	0	7.342	12.199	13.4271	11.86	0.015	1.00	Pass
	MCH	BP	12	6	8	0	7.406	12.175	13.4249	11.86	0.015	1.00	Pass
			1	22	1	24	7.289	12.258	13.4588	11.88	0.015	1.00	Pass
	HCH	SK	12	6	8	0	7.421	12.2	13.4474	11.88	0.015	1.00	Pass
			1	1	1	0	7.492	12.072	13.3700	11.80	0.015	1.00	Pass
	LCH	QP	12	6	8	0	7.288	12.201	13.4154	11.84	0.015	1.00	Pass
			12	6	8	0	7.297	12.192	13.4108	11.84	0.015	1.00	Pass
	MCH	SK	1	22	1	24	7.352	12.24	13.4605	11.89	0.015	1.00	Pass
			12	6	8	0	7.327	12.212	13.4332	11.86	0.015	1.00	Pass
	HCH		1	1	1	0	7.246	12.132	13.3530	11.78	0.015	1.00	Pass
			12	6	8	0	7.107	12.23	13.3941	11.82	0.015	1.00	Pass
	LCH	16	12	6	8	0	7.186	12.259	13.4349	11.86	0.015	1.00	Pass
			1	22	1	24	7.021	12.237	13.3794	11.80	0.015	1.00	Pass
	MCH	QA	12	6	8	0	7.174	12.206	13.3916	11.82	0.015	1.00	Pass
			1	22	1	24	7.145	12.244	13.4137	11.84	0.015	1.00	Pass
	HCH	M	12	6	8	0	7.21	12.198	13.3942	11.82	0.015	1.00	Pass
			1	1	1	0	7.179	12.135	13.3389	11.77	0.015	1.00	Pass
	LCH	64	12	6	8	0	7.292	12.219	13.4300	11.86	0.015	1.00	Pass
			12	6	8	0	7.269	12.205	13.4138	11.84	0.015	1.00	Pass
	MCH	QA	1	22	1	24	7.145	12.244	13.4137	11.84	0.015	1.00	Pass
			12	6	8	0	7.21	12.198	13.3942	11.82	0.015	1.00	Pass
	HCH	M	1	1	1	0	6.075	12.157	13.1139	11.52	0.014	1.00	Pass
			12	6	8	0	5.784	12.153	13.0546	11.45	0.014	1.00	Pass
	LCH	256	12	6	8	0	5.784	12.25	13.1336	11.53	0.014	1.00	Pass
			1	22	1	24	6.09	12.242	13.1851	11.59	0.014	1.00	Pass
	MCH	QA	12	6	8	0	5.766	12.224	13.1091	11.51	0.014	1.00	Pass
			1	22	1	24	6.09	12.242	13.1851	11.59	0.014	1.00	Pass
	HCH	M	12	6	8	0	5.766	12.224	13.1091	11.51	0.014	1.00	Pass
			1	22	1	24	6.09	12.242	13.1851	11.59	0.014	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	7.403	11.925	13.2380	11.67	0.015	1.00	Pass
			135	67	18	0	7.326	12.086	13.3382	11.77	0.015	1.00	Pass
	MCH	BP	135	67	18	0	7.332	12.091	13.3434	11.77	0.015	1.00	Pass
			1	271	1	99	7.078	12.171	13.3421	11.77	0.015	1.00	Pass
	HCH	SK	135	67	18	0	7.289	12.107	13.3447	11.77	0.015	1.00	Pass
			1	1	1	0	7.48	11.888	13.2311	11.67	0.015	1.00	Pass
	LCH	QP	135	67	18	0	7.359	12.098	13.3555	11.79	0.015	1.00	Pass
			135	67	18	0	7.382	12.076	13.3448	11.78	0.015	1.00	Pass
	MCH	SK	1	271	1	99	7.011	12.188	13.3394	11.76	0.015	1.00	Pass
			135	67	18	0	7.415	12.124	13.3890	11.82	0.015	1.00	Pass
	HCH		1	1	1	0	6.075	12.157	13.1139	11.52	0.014	1.00	Pass
			12	6	8	0	5.784	12.153	13.0546	11.45	0.014	1.00	Pass

	LCH	16	1	1	1	0	7.093	11.915	13.1517	11.58	0.014	1.00	Pass
			135	67	18	0	7.283	12.092	13.3320	11.76	0.015	1.00	Pass
	MCH	QA	135	67	18	0	7.274	12.106	13.3403	11.77	0.015	1.00	Pass
			1	271	1	99	6.785	12.218	13.3112	11.73	0.015	1.00	Pass
	HCH	M	135	67	18	0	7.299	12.106	13.3465	11.78	0.015	1.00	Pass
			1	1	1	0	7.392	11.928	13.2374	11.67	0.015	1.00	Pass
	LCH	64	135	67	18	0	7.33	12.107	13.3549	11.79	0.015	1.00	Pass
			135	67	18	0	7.356	12.055	13.3226	11.75	0.015	1.00	Pass
	MCH	QA	135	67	18	0	7.029	12.215	13.3643	11.79	0.015	1.00	Pass
			1	271	1	99	7.39	12.099	13.3640	11.80	0.015	1.00	Pass
	HCH	M	1	1	1	0	6.17	11.902	12.9304	11.34	0.014	1.00	Pass
			135	67	18	0	6.152	12.113	13.0941	11.50	0.014	1.00	Pass
	LCH	256	135	67	18	0	6.119	12.069	13.0523	11.46	0.014	1.00	Pass
			1	271	1	99	5.86	12.209	13.1144	11.51	0.014	1.00	Pass
	MCH	QA	135	67	18	0	6.241	12.058	13.0686	11.48	0.014	1.00	Pass
			1	271	1	99	5.86	12.209	13.1144	11.51	0.014	1.00	Pass
	HCH	M	135	67	18	0	6.241	12.058	13.0686	11.48	0.014	1.00	Pass
			1	271	1	99	5.86	12.209	13.1144	11.51	0.014	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	5.342	9.357	10.8081	9.26	0.008	1.00	Pass
			12	6	8	0	5.278	9.358	10.7908	9.24	0.008	1.00	Pass
	MCH	BP SK	12	6	8	0	5.337	9.355	10.8053	9.25	0.008	1.00	Pass
	HCH		1	22	1	24	5.281	9.447	10.8558	9.30	0.009	1.00	Pass
			12	6	8	0	5.274	9.377	10.8033	9.25	0.008	1.00	Pass
	LCH	QP SK	1	1	1	0	5.329	9.295	10.7601	9.21	0.008	1.00	Pass
			12	6	8	0	5.251	9.399	10.8128	9.26	0.008	1.00	Pass
	MCH		12	6	8	0	5.29	9.391	10.8179	9.26	0.008	1.00	Pass
	HCH		1	22	1	24	5.282	9.435	10.8474	9.29	0.008	1.00	Pass
			12	6	8	0	5.223	9.369	10.7833	9.23	0.008	1.00	Pass
	LCH	16 QA M	1	1	1	0	5.158	9.321	10.7306	9.18	0.008	1.00	Pass
			12	6	8	0	5.216	9.37	10.7821	9.23	0.008	1.00	Pass
	MCH		12	6	8	0	5.171	9.414	10.8016	9.24	0.008	1.00	Pass
	HCH		1	22	1	24	5.162	9.406	10.7933	9.24	0.008	1.00	Pass
			12	6	8	0	5.283	9.38	10.8080	9.25	0.008	1.00	Pass
	LCH	64 QA M	1	1	1	0	5.529	9.363	10.8663	9.32	0.009	1.00	Pass
			12	6	8	0	5.437	9.362	10.8389	9.29	0.008	1.00	Pass
	MCH		12	6	8	0	5.374	9.375	10.8301	9.28	0.008	1.00	Pass
	HCH		1	22	1	24	5.391	9.479	10.9095	9.36	0.009	1.00	Pass
			12	6	8	0	5.331	9.367	10.8122	9.26	0.008	1.00	Pass
	LCH	256 QA M	1	1	1	0	5.349	9.33	10.7908	9.24	0.008	1.00	Pass
			12	6	8	0	5.138	9.454	10.8217	9.26	0.008	1.00	Pass
	MCH		12	6	8	0	5.158	9.388	10.7791	9.22	0.008	1.00	Pass
	HCH		1	22	1	24	5.352	9.45	10.8777	9.32	0.009	1.00	Pass
			12	6	8	0	5.162	9.362	10.7614	9.20	0.008	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.648	9.124	10.7352	9.20	0.008	1.00	Pass
			135	67	18	0	5.317	9.276	10.7431	9.19	0.008	1.00	Pass
	MCH		135	67	18	0	5.378	9.322	10.7934	9.24	0.008	1.00	Pass
	HCH		1	271	1	99	5.091	9.408	10.7755	9.22	0.008	1.00	Pass
			135	67	18	0	5.312	9.285	10.7481	9.20	0.008	1.00	Pass
	LCH	QP SK	1	1	1	0	5.75	9.193	10.8144	9.28	0.008	1.00	Pass
			135	67	18	0	5.403	9.309	10.7914	9.24	0.008	1.00	Pass
	MCH		135	67	18	0	5.478	9.312	10.8153	9.27	0.008	1.00	Pass
	HCH		1	271	1	99	5.151	9.378	10.7700	9.21	0.008	1.00	Pass
			135	67	18	0	5.466	9.294	10.7991	9.25	0.008	1.00	Pass

	LCH	16	1	1	1	0	5.515	9.092	10.6721	9.13	0.008	1.00	Pass
			135	67	18	0	5.469	9.325	10.8219	9.27	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.387	9.311	10.7882	9.24	0.008	1.00	Pass
			1	271	1	99	4.973	9.406	10.7424	9.18	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.462	9.31	10.8092	9.26	0.008	1.00	Pass
			1	1	1	0	5.797	9.094	10.7614	9.23	0.008	1.00	Pass
	LCH	64	135	67	18	0	5.524	9.292	10.8147	9.27	0.008	1.00	Pass
			135	67	18	0	5.489	9.343	10.8405	9.29	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.489	9.343	10.8405	9.29	0.008	1.00	Pass
			1	271	1	99	5.2	9.465	10.8466	9.29	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.54	9.313	10.8343	9.29	0.008	1.00	Pass
			1	1	1	0	5.838	9.142	10.8072	9.27	0.008	1.00	Pass
	LCH	256	135	67	18	0	5.594	9.317	10.8531	9.31	0.009	1.00	Pass
			135	67	18	0	5.591	9.273	10.8214	9.28	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.591	9.273	10.8214	9.28	0.008	1.00	Pass
			1	271	1	99	5.058	9.41	10.7680	9.21	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.641	9.333	10.8784	9.33	0.009	1.00	Pass
			135	67	18	0	5.641	9.333	10.8784	9.33	0.009	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	6.865	12.339	13.4231	11.84	0.015	1.00	Pass
			12	6	8	0	6.736	12.4	13.4428	11.85	0.015	1.00	Pass
	MCH	BP SK	12	6	8	0	6.89	12.416	13.4886	11.90	0.015	1.00	Pass
	HCH		1	22	1	24	6.901	12.52	13.5724	11.99	0.016	1.00	Pass
			12	6	8	0	6.944	12.408	13.4943	11.91	0.016	1.00	Pass
	LCH	QP SK	1	1	1	0	6.902	12.368	13.4538	11.87	0.015	1.00	Pass
			12	6	8	0	6.803	12.393	13.4517	11.86	0.015	1.00	Pass
	MCH		12	6	8	0	6.775	12.407	13.4567	11.87	0.015	1.00	Pass
	HCH		1	22	1	24	6.948	12.385	13.4773	11.89	0.015	1.00	Pass
			12	6	8	0	6.853	12.394	13.4634	11.88	0.015	1.00	Pass
	LCH	16 QA M	1	1	1	0	6.736	12.371	13.4200	11.83	0.015	1.00	Pass
			12	6	8	0	6.772	12.4	13.4505	11.86	0.015	1.00	Pass
	MCH		12	6	8	0	6.682	12.395	13.4274	11.84	0.015	1.00	Pass
	HCH		1	22	1	24	6.772	12.482	13.5150	11.93	0.016	1.00	Pass
			12	6	8	0	6.765	12.409	13.4561	11.87	0.015	1.00	Pass
	LCH	64 QA M	1	1	1	0	6.742	12.354	13.4080	11.82	0.015	1.00	Pass
			12	6	8	0	6.905	12.424	13.4982	11.91	0.016	1.00	Pass
	MCH		12	6	8	0	6.857	12.424	13.4877	11.90	0.015	1.00	Pass
	HCH		1	22	1	24	6.861	12.456	13.5136	11.93	0.016	1.00	Pass
			12	6	8	0	6.795	12.429	13.4782	11.89	0.015	1.00	Pass
	LCH	256 QA M	1	1	1	0	5.795	12.338	13.2075	11.60	0.014	1.00	Pass
			12	6	8	0	5.584	12.389	13.2121	11.60	0.014	1.00	Pass
	MCH		12	6	8	0	5.654	12.447	13.2722	11.66	0.015	1.00	Pass
	HCH		1	22	1	24	5.882	12.502	13.3577	11.75	0.015	1.00	Pass
			12	6	8	0	5.582	12.412	13.2308	11.62	0.015	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	7.046	12.199	13.3560	11.78	0.015	1.00	Pass
			135	67	18	0	7.005	12.28	13.4088	11.83	0.015	1.00	Pass
	MCH		135	67	18	0	6.976	12.275	13.3983	11.82	0.015	1.00	Pass
	HCH		1	271	1	99	7.142	12.415	13.5443	11.96	0.016	1.00	Pass
			135	67	18	0	6.97	12.345	13.4511	11.87	0.015	1.00	Pass
	LCH	QP SK	1	1	1	0	7.084	12.127	13.3100	11.73	0.015	1.00	Pass
			135	67	18	0	7.032	12.297	13.4281	11.85	0.015	1.00	Pass
	MCH		135	67	18	0	7.036	12.275	13.4121	11.83	0.015	1.00	Pass
	HCH		1	271	1	99	7.017	12.372	13.4826	11.90	0.015	1.00	Pass
			135	67	18	0	7.079	12.301	13.4420	11.86	0.015	1.00	Pass

	LCH	16	1	1	1	0	6.8	12.188	13.2912	11.71	0.015	1.00	Pass
			135	67	18	0	7.003	12.305	13.4276	11.85	0.015	1.00	Pass
	MCH	QA	135	67	18	0	7.077	12.281	13.4262	11.85	0.015	1.00	Pass
			1	271	1	99	6.827	12.459	13.5087	11.92	0.016	1.00	Pass
	HCH	M	135	67	18	0	7.006	12.328	13.4461	11.86	0.015	1.00	Pass
			1	1	1	0	7.066	12.18	13.3462	11.77	0.015	1.00	Pass
	LCH	64	135	67	18	0	7.053	12.286	13.4245	11.84	0.015	1.00	Pass
			135	67	18	0	7.062	12.286	13.4265	11.85	0.015	1.00	Pass
	MCH	QA	135	67	18	0	7.062	12.286	13.4265	11.85	0.015	1.00	Pass
			1	271	1	99	7.141	12.403	13.5348	11.95	0.016	1.00	Pass
	HCH	M	135	67	18	0	7.061	12.363	13.4856	11.90	0.016	1.00	Pass
			1	1	1	0	6.012	12.14	13.0878	11.49	0.014	1.00	Pass
	LCH	256	135	67	18	0	6.207	12.317	13.2684	11.67	0.015	1.00	Pass
			135	67	18	0	6.209	12.31	13.2631	11.67	0.015	1.00	Pass
	MCH	QA	135	67	18	0	6.209	12.31	13.2631	11.67	0.015	1.00	Pass
			1	271	1	99	6.117	12.438	13.3487	11.75	0.015	1.00	Pass
	HCH	M	135	67	18	0	6.233	12.322	13.2775	11.68	0.015	1.00	Pass
			135	67	18	0	6.233	12.322	13.2775	11.68	0.015	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	5.309	9.342	10.7880	9.24	0.008	1.00	Pass
			12	6	8	0	5.219	9.417	10.8169	9.26	0.008	1.00	Pass
	MCH	BP SK	12	6	8	0	5.189	9.384	10.7848	9.23	0.008	1.00	Pass
			1	22	1	24	5.257	9.461	10.8593	9.30	0.009	1.00	Pass
	HCH		12	6	8	0	5.209	9.423	10.8185	9.26	0.008	1.00	Pass
			1	1	1	0	5.274	9.369	10.7976	9.24	0.008	1.00	Pass
	LCH		12	6	8	0	5.213	9.364	10.7769	9.22	0.008	1.00	Pass
			12	6	8	0	5.088	9.384	10.7572	9.20	0.008	1.00	Pass
	MCH	QP SK	1	22	1	24	5.287	9.49	10.8886	9.33	0.009	1.00	Pass
			12	6	8	0	5.26	9.405	10.8196	9.26	0.008	1.00	Pass
	HCH		1	1	1	0	5.16	9.351	10.7529	9.20	0.008	1.00	Pass
			12	6	8	0	5.168	9.406	10.7950	9.24	0.008	1.00	Pass
	LCH		12	6	8	0	5.205	9.426	10.8196	9.26	0.008	1.00	Pass
			1	22	1	24	5.148	9.482	10.8449	9.29	0.008	1.00	Pass
	MCH	16 QA M	12	6	8	0	5.18	9.392	10.7881	9.23	0.008	1.00	Pass
			1	22	1	24	5.148	9.482	10.8449	9.29	0.008	1.00	Pass
	HCH		12	6	8	0	5.18	9.392	10.7881	9.23	0.008	1.00	Pass
			1	1	1	0	5.441	9.388	10.8586	9.31	0.009	1.00	Pass
	LCH		12	6	8	0	5.218	9.435	10.8297	9.27	0.008	1.00	Pass
			12	6	8	0	5.304	9.419	10.8420	9.29	0.008	1.00	Pass
	MCH	64 QA M	1	22	1	24	5.312	9.441	10.8601	9.31	0.009	1.00	Pass
			12	6	8	0	5.205	9.382	10.7877	9.23	0.008	1.00	Pass
	HCH		1	1	1	0	5.296	9.344	10.7858	9.23	0.008	1.00	Pass
			12	6	8	0	5.017	9.47	10.8012	9.24	0.008	1.00	Pass
	LCH		12	6	8	0	5.08	9.457	10.8083	9.25	0.008	1.00	Pass
			1	22	1	24	5.217	9.468	10.8534	9.30	0.009	1.00	Pass
	MCH	256 QA M	12	6	8	0	5.101	9.432	10.7957	9.24	0.008	1.00	Pass
			1	22	1	24	5.217	9.468	10.8534	9.30	0.009	1.00	Pass
	HCH		12	6	8	0	5.101	9.432	10.7957	9.24	0.008	1.00	Pass
			1	1	1	0	5.64	9.18	10.7714	9.23	0.008	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	5.302	9.322	10.7717	9.22	0.008	1.00	Pass
			135	67	18	0	5.282	9.317	10.7625	9.21	0.008	1.00	Pass
	MCH	BP SK	1	271	1	99	4.989	9.412	10.7511	9.19	0.008	1.00	Pass
			135	67	18	0	5.288	9.341	10.7814	9.23	0.008	1.00	Pass
	HCH		1	1	1	0	5.603	9.132	10.7268	9.19	0.008	1.00	Pass
			135	67	18	0	5.352	9.362	10.8146	9.26	0.008	1.00	Pass
	LCH		135	67	18	0	5.354	9.327	10.7901	9.24	0.008	1.00	Pass
			1	271	1	99	5.042	9.451	10.7938	9.23	0.008	1.00	Pass
	MCH	QP SK	135	67	18	0	5.371	9.313	10.7850	9.23	0.008	1.00	Pass
			135	67	18	0	5.371	9.313	10.7850	9.23	0.008	1.00	Pass
	HCH		135	67	18	0	5.371	9.313	10.7850	9.23	0.008	1.00	Pass
			135	67	18	0	5.371	9.313	10.7850	9.23	0.008	1.00	Pass

	LCH	16	1	1	1	0	5.405	9.211	10.7225	9.18	0.008	1.00	Pass
			135	67	18	0	5.384	9.33	10.8008	9.25	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.42	9.343	10.8205	9.27	0.008	1.00	Pass
			1	271	1	99	4.873	9.373	10.6918	9.13	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.453	9.342	10.8293	9.28	0.008	1.00	Pass
			1	1	1	0	5.848	9.183	10.8384	9.30	0.009	1.00	Pass
	LCH	64	135	67	18	0	5.471	9.316	10.8161	9.27	0.008	1.00	Pass
			135	67	18	0	5.42	9.301	10.7906	9.24	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.42	9.301	10.7906	9.24	0.008	1.00	Pass
			1	271	1	99	5.156	9.492	10.8543	9.29	0.009	1.00	Pass
	HCH	M	135	67	18	0	5.48	9.325	10.8251	9.28	0.008	1.00	Pass
			1	1	1	0	5.836	9.163	10.8209	9.29	0.008	1.00	Pass
	LCH	256	135	67	18	0	5.543	9.334	10.8499	9.30	0.009	1.00	Pass
			135	67	18	0	5.502	9.288	10.8054	9.26	0.008	1.00	Pass
	MCH	QA	135	67	18	0	5.502	9.288	10.8054	9.26	0.008	1.00	Pass
			1	271	1	99	4.863	9.454	10.7491	9.18	0.008	1.00	Pass
	HCH	M	135	67	18	0	5.549	9.339	10.8552	9.31	0.009	1.00	Pass
			135	67	18	0	5.549	9.339	10.8552	9.31	0.009	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.121	12.302	13.4525	11.87	0.015	1.00	Pass
			12	6	8	0	7.058	12.447	13.5500	11.97	0.016	1.00	Pass
	MCH		12	6	8	0	7.137	12.397	13.5293	11.95	0.016	1.00	Pass
	HCH		1	22	1	24	7.097	12.47	13.5766	11.99	0.016	1.00	Pass
		QP SK	12	6	8	0	7.147	12.397	13.5315	11.95	0.016	1.00	Pass
	LCH		1	1	1	0	7.156	12.309	13.4660	11.89	0.015	1.00	Pass
			12	6	8	0	7.023	12.393	13.5003	11.92	0.016	1.00	Pass
	MCH		12	6	8	0	7.06	12.378	13.4970	11.92	0.016	1.00	Pass
	HCH		1	22	1	24	7.058	12.417	13.5267	11.94	0.016	1.00	Pass
		16 QA M	12	6	8	0	6.954	12.456	13.5339	11.95	0.016	1.00	Pass
	LCH		1	1	1	0	6.757	12.355	13.4120	11.82	0.015	1.00	Pass
			12	6	8	0	6.964	12.423	13.5104	11.93	0.016	1.00	Pass
	MCH		12	6	8	0	6.9	12.449	13.5166	11.93	0.016	1.00	Pass
	HCH		1	22	1	24	6.737	12.512	13.5313	11.94	0.016	1.00	Pass
		64 QA M	12	6	8	0	6.962	12.46	13.5388	11.95	0.016	1.00	Pass
	LCH		1	1	1	0	6.996	12.354	13.4640	11.88	0.015	1.00	Pass
			12	6	8	0	7.055	12.424	13.5315	11.95	0.016	1.00	Pass
	MCH		12	6	8	0	6.968	12.467	13.5456	11.96	0.016	1.00	Pass
	HCH		1	22	1	24	6.888	12.48	13.5383	11.95	0.016	1.00	Pass
		256 QA M	12	6	8	0	7.045	12.401	13.5114	11.93	0.016	1.00	Pass
	LCH		1	1	1	0	5.966	12.305	13.2123	11.61	0.014	1.00	Pass
			12	6	8	0	5.855	12.422	13.2872	11.68	0.015	1.00	Pass
	MCH		12	6	8	0	5.728	12.429	13.2703	11.66	0.015	1.00	Pass
	HCH		1	22	1	24	6.006	12.451	13.3385	11.74	0.015	1.00	Pass
		PI/2 BP SK	12	6	8	0	5.798	12.421	13.2761	11.67	0.015	1.00	Pass
	LCH		1	1	1	0	7.269	12.12	13.3496	11.78	0.015	1.00	Pass
			135	67	18	0	7.032	12.321	13.4466	11.87	0.015	1.00	Pass
	MCH		135	67	18	0	7.006	12.337	13.4531	11.87	0.015	1.00	Pass
	HCH	QP SK	1	271	1	99	6.783	12.43	13.4764	11.89	0.015	1.00	Pass
			135	67	18	0	7.051	12.287	13.4248	11.85	0.015	1.00	Pass
	LCH		1	1	1	0	7.142	12.174	13.3596	11.78	0.015	1.00	Pass
			135	67	18	0	7.089	12.292	13.4374	11.86	0.015	1.00	Pass
	MCH	HCH	135	67	18	0	7.076	12.327	13.4613	11.88	0.015	1.00	Pass
			1	271	1	99	6.774	12.373	13.4298	11.84	0.015	1.00	Pass
	HCH	HCH	135	67	18	0	7.149	12.281	13.4430	11.87	0.015	1.00	Pass
			135	67	18	0	7.149	12.281	13.4430	11.87	0.015	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.269	12.12	13.3496	11.78	0.015	1.00	Pass
			135	67	18	0	7.032	12.321	13.4466	11.87	0.015	1.00	Pass
	MCH		135	67	18	0	7.006	12.337	13.4531	11.87	0.015	1.00	Pass
	HCH		1	271	1	99	6.783	12.43	13.4764	11.89	0.015	1.00	Pass
		QP SK	135	67	18	0	7.051	12.287	13.4248	11.85	0.015	1.00	Pass
	LCH		1	1	1	0	7.142	12.174	13.3596	11.78	0.015	1.00	Pass
			135	67	18	0	7.089	12.292	13.4374	11.86	0.015	1.00	Pass
	MCH		135	67	18	0	7.076	12.327	13.4613	11.88	0.015	1.00	Pass
	HCH	HCH	1	271	1	99	6.774	12.373	13.4298	11.84	0.015	1.00	Pass
			135	67	18	0	7.149	12.281	13.4430	11.87	0.015	1.00	Pass

	LCH	16	1	1	1	0	6.885	12.143	13.2757	11.70	0.015	1.00	Pass
			135	67	18	0	6.999	12.319	13.4376	11.86	0.015	1.00	Pass
	MCH	QA	135	67	18	0	7.057	12.319	13.4508	11.87	0.015	1.00	Pass
	HCH		1	271	1	99	6.402	12.45	13.4136	11.82	0.015	1.00	Pass
		M	135	67	18	0	7.088	12.333	13.4687	11.89	0.015	1.00	Pass
	LCH	64	1	1	1	0	7.095	12.159	13.3370	11.76	0.015	1.00	Pass
			135	67	18	0	7.031	12.287	13.4202	11.84	0.015	1.00	Pass
	MCH	QA	135	67	18	0	7.113	12.286	13.4384	11.86	0.015	1.00	Pass
	HCH		1	271	1	99	6.666	12.442	13.4611	11.87	0.015	1.00	Pass
		M	135	67	18	0	7.13	12.323	13.4707	11.89	0.015	1.00	Pass
	LCH	256	1	1	1	0	6.148	12.16	13.1308	11.54	0.014	1.00	Pass
			135	67	18	0	6.207	12.313	13.2652	11.67	0.015	1.00	Pass
	MCH	QA	135	67	18	0	6.125	12.285	13.2266	11.63	0.015	1.00	Pass
	HCH		1	271	1	99	5.683	12.395	13.2343	11.63	0.015	1.00	Pass
		M	135	67	18	0	6.19	12.278	13.2337	11.64	0.015	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n38A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	1	11.569	11.754	14.6728	12.69	0.019	2.00	Pass
			12	6	8	12	11.475	11.848	14.6758	12.70	0.019	2.00	Pass
	MCH		12	6	8	12	11.609	11.837	14.7348	12.75	0.019	2.00	Pass
			1	22	1	1	11.634	11.902	14.7804	12.80	0.019	2.00	Pass
	HCH	QP SK	12	6	8	12	11.56	11.862	14.7239	12.74	0.019	2.00	Pass
			1	1	1	1	11.511	11.785	14.6605	12.68	0.019	2.00	Pass
	LCH		12	6	8	12	11.476	11.845	14.6747	12.70	0.019	2.00	Pass
			12	6	8	12	11.527	11.831	14.6920	12.71	0.019	2.00	Pass
	MCH	16 QA M	1	22	1	1	11.552	11.897	14.7382	12.76	0.019	2.00	Pass
			12	6	8	12	11.525	11.828	14.6894	12.71	0.019	2.00	Pass
	LCH		1	1	1	1	11.379	11.765	14.5866	12.61	0.018	2.00	Pass
			12	6	8	12	11.513	11.843	14.6914	12.71	0.019	2.00	Pass
	MCH	64 QA M	12	6	8	12	11.515	11.826	14.6836	12.70	0.019	2.00	Pass
			1	22	1	1	11.456	11.894	14.6908	12.72	0.019	2.00	Pass
	HCH		12	6	8	12	11.58	11.877	14.7413	12.76	0.019	2.00	Pass
			1	1	1	1	11.643	11.805	14.7351	12.75	0.019	2.00	Pass
	LCH	256 QA M	12	6	8	12	11.445	11.881	14.6788	12.70	0.019	2.00	Pass
			12	6	8	12	11.589	11.892	14.7534	12.77	0.019	2.00	Pass
	MCH		1	22	1	1	11.691	11.963	14.8394	12.86	0.019	2.00	Pass
			12	6	8	12	11.524	11.874	14.7128	12.74	0.019	2.00	Pass
	LCH	256 QA M	1	1	1	1	11.263	11.77	14.5342	12.56	0.018	2.00	Pass
			12	6	8	12	10.986	11.863	14.4569	12.50	0.018	2.00	Pass
	MCH		12	6	8	12	10.951	11.9	14.4617	12.50	0.018	2.00	Pass
			1	22	1	1	11.235	11.912	14.5970	12.63	0.018	2.00	Pass
	HCH	256 QA M	12	6	8	12	11.024	11.837	14.4598	12.50	0.018	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass
	LCH	PI/2 BP SK	25	12	18	32	11.583	11.753	14.6791	12.70	0.019	2.00	Pass
			25	12	18	32	11.577	11.741	14.6701	12.69	0.019	2.00	Pass
	MCH		1	49	1	1	11.527	11.883	14.7189	12.74	0.019	2.00	Pass
			25	12	18	32	11.565	11.778	14.6831	12.70	0.019	2.00	Pass
	LCH	QP SK	1	1	1	1	11.745	11.57	14.6687	12.67	0.019	2.00	Pass
			25	12	18	32	11.691	11.776	14.7440	12.76	0.019	2.00	Pass
	MCH		25	12	18	32	11.669	11.746	14.7180	12.73	0.019	2.00	Pass
			1	49	1	1	11.725	11.872	14.8094	12.82	0.019	2.00	Pass
	HCH	QP SK	25	12	18	32	11.729	11.755	14.7523	12.76	0.019	2.00	Pass
			1	1	1	1	11.555	11.555	14.5653	12.58	0.018	2.00	Pass

	LCH	16	1	1	1	1	11.408	11.581	14.5057	12.52	0.018	2.00	Pass
			25	12	18	32	11.677	11.765	14.7315	12.74	0.019	2.00	Pass
	MCH	QA	25	12	18	32	11.658	11.761	14.7201	12.73	0.019	2.00	Pass
			1	49	1	1	11.395	11.908	14.6694	12.70	0.019	2.00	Pass
	HCH	M	25	12	18	32	11.636	11.77	14.7138	12.73	0.019	2.00	Pass
			1	1	1	1	11.67	11.569	14.6301	12.64	0.018	2.00	Pass
	LCH	64	25	12	18	32	11.705	11.766	14.7459	12.76	0.019	2.00	Pass
			25	12	18	32	11.741	11.768	14.7648	12.78	0.019	2.00	Pass
	MCH	QA	25	12	18	32	11.741	11.768	14.7648	12.78	0.019	2.00	Pass
			1	49	1	1	11.592	11.922	14.7704	12.79	0.019	2.00	Pass
	HCH	M	25	12	18	32	11.748	11.771	14.7698	12.78	0.019	2.00	Pass
			1	1	1	1	11.199	11.561	14.3941	12.42	0.017	2.00	Pass
	LCH	256	25	12	18	32	11.306	11.747	14.5424	12.57	0.018	2.00	Pass
			25	12	18	32	11.305	11.751	14.5440	12.57	0.018	2.00	Pass
	MCH	QA	25	12	18	32	11.305	11.751	14.5440	12.57	0.018	2.00	Pass
			1	49	1	1	11.188	11.909	14.5737	12.61	0.018	2.00	Pass
	HCH	M	25	12	18	32	11.32	11.774	14.5632	12.59	0.018	2.00	Pass
			25	12	18	32	11.32	11.774	14.5632	12.59	0.018	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.53	11.799	14.6769	12.70	0.019	1.00	Pass
			12	6	8	0	11.64	11.85	14.7566	12.77	0.019	1.00	Pass
	MCH		12	6	8	0	11.471	11.862	14.6812	12.71	0.019	1.00	Pass
	HCH		1	22	1	24	11.601	11.894	14.7603	12.78	0.019	1.00	Pass
		QP SK	12	6	8	0	11.537	11.856	14.7097	12.73	0.019	1.00	Pass
	LCH		1	1	1	0	11.464	11.767	14.6284	12.65	0.018	1.00	Pass
			12	6	8	0	11.503	11.811	14.6700	12.69	0.019	1.00	Pass
	MCH		12	6	8	0	11.509	11.852	14.6942	12.72	0.019	1.00	Pass
	HCH		1	22	1	24	11.506	11.912	14.7240	12.75	0.019	1.00	Pass
		16 QA M	12	6	8	0	11.523	11.837	14.6931	12.71	0.019	1.00	Pass
	LCH		1	1	1	0	11.551	11.754	14.6640	12.68	0.019	1.00	Pass
			12	6	8	0	11.596	11.855	14.7377	12.76	0.019	1.00	Pass
	MCH		12	6	8	0	11.582	11.844	14.7253	12.74	0.019	1.00	Pass
	HCH		1	22	1	24	11.455	11.92	14.7040	12.73	0.019	1.00	Pass
		64 QA M	12	6	8	0	11.506	11.873	14.7037	12.73	0.019	1.00	Pass
	LCH		1	1	1	0	11.617	11.786	14.7126	12.73	0.019	1.00	Pass
			12	6	8	0	11.684	11.873	14.7898	12.81	0.019	1.00	Pass
	MCH		12	6	8	0	11.637	11.866	14.7633	12.78	0.019	1.00	Pass
	HCH		1	22	1	24	11.665	11.882	14.7852	12.80	0.019	1.00	Pass
		256 QA M	12	6	8	0	11.61	11.862	14.7481	12.77	0.019	1.00	Pass
	LCH		1	1	1	0	10.372	11.707	14.1009	12.16	0.016	1.00	Pass
			12	6	8	0	10.211	11.895	14.1444	12.21	0.017	1.00	Pass
	MCH		12	6	8	0	10.192	11.859	14.1153	12.18	0.017	1.00	Pass
	HCH		1	22	1	24	10.514	11.921	14.2845	12.34	0.017	1.00	Pass
			12	6	8	0	10.186	11.864	14.1158	12.18	0.017	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	11.716	11.571	14.6544	12.66	0.018	1.00	Pass
			135	67	18	0	11.506	11.729	14.6292	12.65	0.018	1.00	Pass
	MCH		135	67	18	0	11.521	11.753	14.6488	12.67	0.018	1.00	Pass
	HCH		1	271	1	99	11.535	11.935	14.7499	12.77	0.019	1.00	Pass
		QP SK	135	67	18	0	11.553	11.775	14.6757	12.69	0.019	1.00	Pass
	LCH		1	1	1	0	12.044	11.584	14.8304	12.82	0.019	1.00	Pass
			135	67	18	0	11.624	11.767	14.7064	12.72	0.019	1.00	Pass
	MCH		135	67	18	0	11.648	11.766	14.7177	12.73	0.019	1.00	Pass
	HCH		1	271	1	99	11.783	11.924	14.8644	12.88	0.019	1.00	Pass
			135	67	18	0	11.617	11.779	14.7091	12.72	0.019	1.00	Pass

	LCH	16	1	1	1	0	11.614	11.559	14.5969	12.61	0.018	1.00	Pass
			135	67	18	0	11.64	11.778	14.7198	12.73	0.019	1.00	Pass
	MCH	QA	135	67	18	0	11.678	11.741	14.7199	12.73	0.019	1.00	Pass
			1	271	1	99	11.408	11.924	14.6840	12.71	0.019	1.00	Pass
	HCH	M	135	67	18	0	11.697	11.764	14.7409	12.75	0.019	1.00	Pass
			1	1	1	0	11.822	11.566	14.7062	12.71	0.019	1.00	Pass
	LCH	64	135	67	18	0	11.746	11.78	14.7733	12.78	0.019	1.00	Pass
			135	67	18	0	11.729	11.814	14.7820	12.80	0.019	1.00	Pass
	MCH	QA	135	67	18	0	11.729	11.814	14.7820	12.80	0.019	1.00	Pass
			1	271	1	99	11.578	11.898	14.7512	12.77	0.019	1.00	Pass
	HCH	M	135	67	18	0	11.726	11.809	14.7780	12.79	0.019	1.00	Pass
			1	1	1	0	10.511	11.591	14.0948	12.14	0.016	1.00	Pass
	LCH	256	135	67	18	0	10.521	11.792	14.2131	12.27	0.017	1.00	Pass
			135	67	18	0	10.571	11.782	14.2289	12.28	0.017	1.00	Pass
	MCH	QA	135	67	18	0	10.571	11.782	14.2289	12.28	0.017	1.00	Pass
			1	271	1	99	10.371	11.926	14.2280	12.29	0.017	1.00	Pass
	HCH	M	135	67	18	0	10.594	11.77	14.2320	12.28	0.017	1.00	Pass
			135	67	18	0	10.594	11.77	14.2320	12.28	0.017	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.42	8.79	10.4343	8.51	0.007	1.00	Pass
			12	6	8	0	5.4	8.882	10.4913	8.56	0.007	1.00	Pass
	MCH		12	6	8	0	5.36	8.915	10.5018	8.57	0.007	1.00	Pass
	HCH		1	22	1	24	5.471	8.868	10.5038	8.58	0.007	1.00	Pass
			12	6	8	0	5.422	8.941	10.5389	8.61	0.007	1.00	Pass
	LCH	QP SK	1	1	1	0	5.428	8.762	10.4177	8.50	0.007	1.00	Pass
			12	6	8	0	5.388	8.982	10.5569	8.62	0.007	1.00	Pass
	MCH		12	6	8	0	5.488	8.904	10.5338	8.61	0.007	1.00	Pass
	HCH		1	22	1	24	5.457	8.882	10.5090	8.58	0.007	1.00	Pass
			12	6	8	0	5.297	8.919	10.4854	8.55	0.007	1.00	Pass
	LCH	16 QA M	1	1	1	0	5.319	8.825	10.4269	8.50	0.007	1.00	Pass
			12	6	8	0	5.581	8.927	10.5789	8.66	0.007	1.00	Pass
	MCH		12	6	8	0	5.405	8.932	10.5274	8.60	0.007	1.00	Pass
	HCH		1	22	1	24	5.356	8.962	10.5333	8.60	0.007	1.00	Pass
			12	6	8	0	5.485	8.94	10.5577	8.63	0.007	1.00	Pass
	LCH	64 QA M	1	1	1	0	5.565	8.723	10.4352	8.53	0.007	1.00	Pass
			12	6	8	0	5.528	8.91	10.5505	8.63	0.007	1.00	Pass
	MCH		12	6	8	0	5.426	8.903	10.5139	8.59	0.007	1.00	Pass
	HCH		1	22	1	24	5.562	8.992	10.6175	8.69	0.007	1.00	Pass
			12	6	8	0	5.493	8.926	10.5505	8.62	0.007	1.00	Pass
	LCH	256 QA M	1	1	1	0	5.517	8.809	10.4780	8.56	0.007	1.00	Pass
			12	6	8	0	5.29	8.931	10.4917	8.55	0.007	1.00	Pass
	MCH		12	6	8	0	5.307	8.911	10.4829	8.55	0.007	1.00	Pass
	HCH		1	22	1	24	5.301	8.922	10.4887	8.55	0.007	1.00	Pass
			12	6	8	0	5.287	8.966	10.5152	8.58	0.007	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	5.553	8.555	10.3187	8.42	0.007	1.00	Pass
			135	67	18	0	5.495	8.7	10.3970	8.48	0.007	1.00	Pass
	MCH		135	67	18	0	5.47	8.727	10.4072	8.49	0.007	1.00	Pass
	HCH		1	271	1	99	5.115	8.714	10.2874	8.35	0.007	1.00	Pass
			135	67	18	0	5.519	8.754	10.4413	8.53	0.007	1.00	Pass
	LCH	QP SK	1	1	1	0	5.652	8.576	10.3659	8.47	0.007	1.00	Pass
			135	67	18	0	5.608	8.743	10.4627	8.55	0.007	1.00	Pass
	MCH		135	67	18	0	5.589	8.729	10.4471	8.54	0.007	1.00	Pass
	HCH		1	271	1	99	5.159	8.749	10.3251	8.39	0.007	1.00	Pass
			135	67	18	0	5.62	8.748	10.4700	8.56	0.007	1.00	Pass

	LCH	16	1	1	1	0	5.352	8.596	10.2804	8.37	0.007	1.00	Pass
			135	67	18	0	5.66	8.709	10.4571	8.55	0.007	1.00	Pass
	MCH	QA	135	67	18	0	5.627	8.709	10.4461	8.54	0.007	1.00	Pass
			1	271	1	99	4.9	8.757	10.2536	8.30	0.007	1.00	Pass
	HCH	M	135	67	18	0	5.644	8.746	10.4766	8.57	0.007	1.00	Pass
			1	1	1	0	5.699	8.538	10.3568	8.47	0.007	1.00	Pass
	LCH	64	135	67	18	0	5.514	8.737	10.4282	8.51	0.007	1.00	Pass
			135	67	18	0	5.7	8.736	10.4884	8.59	0.007	1.00	Pass
	MCH	QA	135	67	18	0	5.759	8.738	10.5094	8.61	0.007	1.00	Pass
			1	271	1	99	5.252	8.783	10.3772	8.45	0.007	1.00	Pass
	HCH	M	135	67	18	0	5.655	8.76	10.4896	8.58	0.007	1.00	Pass
			1	1	1	0	5.753	8.549	10.3825	8.49	0.007	1.00	Pass
	LCH	256	135	67	18	0	5.714	8.752	10.5037	8.60	0.007	1.00	Pass
			135	67	18	0	5.759	8.738	10.5094	8.61	0.007	1.00	Pass
	MCH	QA	135	67	18	0	5.759	8.738	10.5094	8.61	0.007	1.00	Pass
			1	271	1	99	5.148	8.776	10.3406	8.40	0.007	1.00	Pass
	HCH	M	135	67	18	0	5.764	8.754	10.5217	8.62	0.007	1.00	Pass
			135	67	18	0	5.764	8.754	10.5217	8.62	0.007	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.141	11.8	13.0777	11.09	0.013	1.00	Pass
			12	6	8	0	7.067	11.886	13.1235	11.12	0.013	1.00	Pass
	MCH		12	6	8	0	7.268	11.882	13.1712	11.18	0.013	1.00	Pass
	HCH		1	22	1	24	7.16	11.831	13.1057	11.11	0.013	1.00	Pass
		QP SK	12	6	8	0	7.1	11.868	13.1182	11.12	0.013	1.00	Pass
	LCH		1	1	1	0	7.213	11.756	13.0636	11.08	0.013	1.00	Pass
			12	6	8	0	7.06	11.872	13.1112	11.11	0.013	1.00	Pass
	MCH		12	6	8	0	7.057	11.88	13.1165	11.12	0.013	1.00	Pass
	HCH		1	22	1	24	7.207	11.862	13.1407	11.15	0.013	1.00	Pass
		16 QA M	12	6	8	0	7.137	11.876	13.1335	11.14	0.013	1.00	Pass
	LCH		1	1	1	0	7.074	11.78	13.0458	11.05	0.013	1.00	Pass
			12	6	8	0	6.994	11.866	13.0904	11.09	0.013	1.00	Pass
	MCH		12	6	8	0	7.028	11.901	13.1252	11.12	0.013	1.00	Pass
	HCH		1	22	1	24	6.981	11.846	13.0721	11.07	0.013	1.00	Pass
		64 QA M	12	6	8	0	7.091	11.851	13.1032	11.11	0.013	1.00	Pass
	LCH		1	1	1	0	7.163	11.834	13.1087	11.12	0.013	1.00	Pass
			12	6	8	0	7.183	11.889	13.1548	11.16	0.013	1.00	Pass
	MCH		12	6	8	0	7.11	11.873	13.1244	11.13	0.013	1.00	Pass
	HCH		1	22	1	24	7.254	11.864	13.1543	11.16	0.013	1.00	Pass
		256 QA M	12	6	8	0	7.157	11.913	13.1662	11.17	0.013	1.00	Pass
	LCH		1	1	1	0	5.9	11.772	12.7712	10.72	0.012	1.00	Pass
			12	6	8	0	5.721	11.887	12.8274	10.76	0.012	1.00	Pass
	MCH		12	6	8	0	5.685	11.889	12.8220	10.76	0.012	1.00	Pass
	HCH		1	22	1	24	5.801	11.852	12.8150	10.76	0.012	1.00	Pass
		PI/2 BP SK	12	6	8	0	5.721	11.869	12.8129	10.75	0.012	1.00	Pass
	LCH		1	1	1	0	7.447	11.601	13.0131	11.05	0.013	1.00	Pass
			135	67	18	0	7.246	11.832	13.1284	11.14	0.013	1.00	Pass
	MCH		135	67	18	0	7.246	11.808	13.1106	11.12	0.013	1.00	Pass
20MHz(LTE) + 100MHz(NR)	HCH	QP SK	1	271	1	99	7.034	11.723	12.9931	11.00	0.013	1.00	Pass
			135	67	18	0	7.325	11.803	13.1276	11.14	0.013	1.00	Pass
	LCH		1	1	1	0	7.428	11.595	13.0035	11.04	0.013	1.00	Pass
			135	67	18	0	7.352	11.786	13.1222	11.14	0.013	1.00	Pass
	MCH	QP SK	135	67	18	0	7.329	11.799	13.1257	11.14	0.013	1.00	Pass
	HCH		1	271	1	99	7.032	11.701	12.9762	10.98	0.013	1.00	Pass
			135	67	18	0	7.403	11.811	13.1541	11.17	0.013	1.00	Pass

	LCH	16	1	1	1	0	7.128	11.608	12.9320	10.95	0.012	1.00	Pass
			135	67	18	0	7.323	11.848	13.1603	11.18	0.013	1.00	Pass
	MCH	QA	135	67	18	0	7.249	11.814	13.1159	11.13	0.013	1.00	Pass
			1	271	1	99	6.832	11.705	12.9292	10.93	0.012	1.00	Pass
	HCH	M	135	67	18	0	7.351	11.8	13.1322	11.15	0.013	1.00	Pass
			1	1	1	0	7.606	11.538	13.0129	11.06	0.013	1.00	Pass
	LCH	64	135	67	18	0	7.332	11.783	13.1147	11.13	0.013	1.00	Pass
			135	67	18	0	7.328	11.825	13.1446	11.16	0.013	1.00	Pass
	MCH	QA	135	67	18	0	7.328	11.825	13.1446	11.16	0.013	1.00	Pass
			1	271	1	99	7.102	11.714	13.0037	11.01	0.013	1.00	Pass
	HCH	M	135	67	18	0	7.338	11.825	13.1472	11.16	0.013	1.00	Pass
			1	1	1	0	6.127	11.565	12.6570	10.63	0.012	1.00	Pass
	LCH	256	135	67	18	0	6.208	11.807	12.8638	10.83	0.012	1.00	Pass
			135	67	18	0	6.136	11.762	12.8129	10.77	0.012	1.00	Pass
	MCH	QA	135	67	18	0	6.136	11.762	12.8129	10.77	0.012	1.00	Pass
			1	271	1	99	5.855	11.694	12.7000	10.65	0.012	1.00	Pass
	HCH	M	135	67	18	0	6.207	11.792	12.8518	10.81	0.012	1.00	Pass
			135	67	18	0	6.207	11.792	12.8518	10.81	0.012	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	5.406	8.755	10.4059	8.48	0.007	1.00	Pass
			12	6	8	0	5.32	8.883	10.4674	8.53	0.007	1.00	Pass
	MCH	BP SK	12	6	8	0	5.341	8.9	10.4856	8.55	0.007	1.00	Pass
	HCH		1	22	1	24	5.439	8.932	10.5379	8.61	0.007	1.00	Pass
			12	6	8	0	5.324	8.934	10.5041	8.57	0.007	1.00	Pass
	LCH	QP SK	1	1	1	0	5.428	8.755	10.4129	8.49	0.007	1.00	Pass
			12	6	8	0	5.182	8.924	10.4544	8.51	0.007	1.00	Pass
	MCH		12	6	8	0	5.319	8.911	10.4865	8.55	0.007	1.00	Pass
	HCH		1	22	1	24	5.389	8.944	10.5308	8.60	0.007	1.00	Pass
			12	6	8	0	5.246	8.926	10.4749	8.54	0.007	1.00	Pass
	LCH	16 QA M	1	1	1	0	5.292	8.808	10.4068	8.48	0.007	1.00	Pass
			12	6	8	0	5.369	8.882	10.4817	8.55	0.007	1.00	Pass
	MCH		12	6	8	0	5.366	8.921	10.5078	8.58	0.007	1.00	Pass
	HCH		1	22	1	24	5.235	8.907	10.4584	8.52	0.007	1.00	Pass
			12	6	8	0	5.352	8.946	10.5209	8.59	0.007	1.00	Pass
	LCH	64 QA M	1	1	1	0	5.517	8.778	10.4569	8.54	0.007	1.00	Pass
			12	6	8	0	5.48	8.958	10.5685	8.64	0.007	1.00	Pass
	MCH		12	6	8	0	5.465	8.912	10.5322	8.61	0.007	1.00	Pass
	HCH		1	22	1	24	5.581	8.882	10.5482	8.63	0.007	1.00	Pass
			12	6	8	0	5.411	8.894	10.5030	8.57	0.007	1.00	Pass
	LCH	256 QA M	1	1	1	0	5.486	8.693	10.3893	8.48	0.007	1.00	Pass
			12	6	8	0	5.221	8.879	10.4346	8.50	0.007	1.00	Pass
	MCH		12	6	8	0	5.275	8.868	10.4432	8.51	0.007	1.00	Pass
	HCH		1	22	1	24	5.455	8.957	10.5601	8.63	0.007	1.00	Pass
			12	6	8	0	5.23	8.904	10.4548	8.52	0.007	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	5.521	8.558	10.3100	8.41	0.007	1.00	Pass
			135	67	18	0	5.323	8.713	10.3510	8.43	0.007	1.00	Pass
	MCH	BP SK	135	67	18	0	5.461	8.708	10.3914	8.48	0.007	1.00	Pass
	HCH		1	271	1	99	5.025	8.724	10.2673	8.33	0.007	1.00	Pass
			135	67	18	0	5.419	8.726	10.3902	8.47	0.007	1.00	Pass
	LCH	QP SK	1	1	1	0	5.524	8.57	10.3190	8.42	0.007	1.00	Pass
			135	67	18	0	5.503	8.713	10.4084	8.50	0.007	1.00	Pass
	MCH		135	67	18	0	5.522	8.73	10.4260	8.51	0.007	1.00	Pass
	HCH		1	271	1	99	5.103	8.693	10.2691	8.33	0.007	1.00	Pass
			135	67	18	0	5.529	8.747	10.4398	8.53	0.007	1.00	Pass

	LCH	16	1	1	1	0	5.368	8.562	10.2625	8.35	0.007	1.00	Pass
			135	67	18	0	5.648	8.72	10.4604	8.56	0.007	1.00	Pass
	MCH	QA	135	67	18	0	5.572	8.721	10.4362	8.53	0.007	1.00	Pass
	HCH		1	271	1	99	4.947	8.757	10.2674	8.32	0.007	1.00	Pass
		M	135	67	18	0	5.584	8.748	10.4583	8.55	0.007	1.00	Pass
	LCH	64	1	1	1	0	5.8	8.533	10.3883	8.50	0.007	1.00	Pass
			135	67	18	0	5.625	8.74	10.4663	8.56	0.007	1.00	Pass
	MCH	QA	135	67	18	0	5.649	8.73	10.4675	8.56	0.007	1.00	Pass
	HCH		1	271	1	99	5.176	8.801	10.3665	8.43	0.007	1.00	Pass
		M	135	67	18	0	5.635	8.716	10.4535	8.55	0.007	1.00	Pass
	LCH	256	1	1	1	0	5.677	8.551	10.3578	8.46	0.007	1.00	Pass
			135	67	18	0	5.685	8.716	10.4700	8.57	0.007	1.00	Pass
	MCH	QA	135	67	18	0	5.74	8.745	10.5077	8.61	0.007	1.00	Pass
	HCH		1	271	1	99	4.982	8.724	10.2544	8.31	0.007	1.00	Pass
		M	135	67	18	0	5.736	8.743	10.5050	8.60	0.007	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.374	11.741	13.0950	11.12	0.013	1.00	Pass
			12	6	8	0	7.397	11.87	13.1959	11.21	0.013	1.00	Pass
	MCH		12	6	8	0	7.329	11.837	13.1537	11.17	0.013	1.00	Pass
	HCH		1	22	1	24	7.377	11.789	13.1310	11.15	0.013	1.00	Pass
		QP SK	12	6	8	0	7.436	11.851	13.1922	11.21	0.013	1.00	Pass
	LCH		1	1	1	0	7.343	11.788	13.1213	11.14	0.013	1.00	Pass
			12	6	8	0	7.256	11.869	13.1585	11.17	0.013	1.00	Pass
	MCH		12	6	8	0	7.183	11.838	13.1167	11.12	0.013	1.00	Pass
	HCH		1	22	1	24	7.359	11.82	13.1490	11.17	0.013	1.00	Pass
		16 QA M	12	6	8	0	7.429	11.844	13.1852	11.21	0.013	1.00	Pass
	LCH		1	1	1	0	7.15	11.782	13.0666	11.08	0.013	1.00	Pass
			12	6	8	0	7.22	11.856	13.1396	11.15	0.013	1.00	Pass
	MCH		12	6	8	0	7.21	11.861	13.1408	11.15	0.013	1.00	Pass
	HCH		1	22	1	24	7.224	11.824	13.1168	11.13	0.013	1.00	Pass
		64 QA M	12	6	8	0	7.14	11.888	13.1432	11.15	0.013	1.00	Pass
	LCH		1	1	1	0	7.338	11.785	13.1177	11.14	0.013	1.00	Pass
			12	6	8	0	7.299	11.838	13.1466	11.16	0.013	1.00	Pass
	MCH		12	6	8	0	7.19	11.896	13.1618	11.17	0.013	1.00	Pass
	HCH		1	22	1	24	7.363	11.892	13.2032	11.22	0.013	1.00	Pass
		256 QA M	12	6	8	0	7.325	11.887	13.1896	11.20	0.013	1.00	Pass
	LCH		1	1	1	0	5.981	11.793	12.8046	10.76	0.012	1.00	Pass
			12	6	8	0	5.752	11.836	12.7925	10.73	0.012	1.00	Pass
	MCH		12	6	8	0	5.847	11.872	12.8402	10.78	0.012	1.00	Pass
	HCH		1	22	1	24	6.011	11.825	12.8362	10.79	0.012	1.00	Pass
			12	6	8	0	5.878	11.864	12.8400	10.78	0.012	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	7.603	11.584	13.0448	11.09	0.013	1.00	Pass
			135	67	18	0	7.326	11.811	13.1337	11.15	0.013	1.00	Pass
	MCH		135	67	18	0	7.373	11.783	13.1255	11.15	0.013	1.00	Pass
	HCH		1	271	1	99	7.27	11.711	13.0453	11.06	0.013	1.00	Pass
		QP SK	135	67	18	0	7.394	11.76	13.1143	11.14	0.013	1.00	Pass
	LCH		1	1	1	0	7.734	11.606	13.0982	11.15	0.013	1.00	Pass
			135	67	18	0	7.426	11.796	13.1492	11.17	0.013	1.00	Pass
	MCH		135	67	18	0	7.37	11.805	13.1409	11.16	0.013	1.00	Pass
	HCH		1	271	1	99	7.179	11.707	13.0185	11.03	0.013	1.00	Pass
			135	67	18	0	7.433	11.813	13.1635	11.19	0.013	1.00	Pass

	LCH	16	1	1	1	0	7.414	11.62	13.0177	11.05	0.013	1.00	Pass
			135	67	18	0	7.365	11.765	13.1102	11.13	0.013	1.00	Pass
	MCH	QA	135	67	18	0	7.35	11.83	13.1540	11.17	0.013	1.00	Pass
			1	271	1	99	6.921	11.713	12.9572	10.96	0.012	1.00	Pass
	HCH	M	135	67	18	0	7.336	11.812	13.1371	11.15	0.013	1.00	Pass
			1	1	1	0	7.642	11.627	13.0867	11.13	0.013	1.00	Pass
	LCH	64	135	67	18	0	7.475	11.814	13.1755	11.20	0.013	1.00	Pass
			135	67	18	0	7.393	11.79	13.1360	11.16	0.013	1.00	Pass
	MCH	QA	135	67	18	0	7.393	11.79	13.1360	11.16	0.013	1.00	Pass
			1	271	1	99	7.236	11.698	13.0268	11.04	0.013	1.00	Pass
	HCH	M	135	67	18	0	7.437	11.811	13.1631	11.19	0.013	1.00	Pass
			1	1	1	0	6.308	11.613	12.7350	10.71	0.012	1.00	Pass
	LCH	256	135	67	18	0	6.15	11.805	12.8497	10.81	0.012	1.00	Pass
			135	67	18	0	6.251	11.779	12.8512	10.82	0.012	1.00	Pass
	MCH	QA	135	67	18	0	6.251	11.779	12.8512	10.82	0.012	1.00	Pass
			1	271	1	99	5.985	11.692	12.7257	10.68	0.012	1.00	Pass
	HCH	M	135	67	18	0	6.149	11.818	12.8597	10.82	0.012	1.00	Pass
			135	67	18	0	6.149	11.818	12.8597	10.82	0.012	1.00	Pass