



Occupied Bandwidth


1.7. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)



1.8. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




1.9. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




1.10. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




1.11. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




1.12. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




1.13. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




1.14. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




1.15. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




1.16. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




1.17. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




1.18. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




1.19. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.20. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.21. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.22. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.23. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.24. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.25. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.26. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.27. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.28. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.29. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.30. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.31. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:273, RB Position:0)




1.32. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




1.33. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




1.34. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




1.35. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




2. n78 (3450-3550)


2.1. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




2.2. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




2.3. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




2.4. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




2.5. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




2.6. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




2.7. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)



2.8. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




2.9. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




2.10. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




2.11. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




2.12. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)




2.13. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




2.14. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




2.15. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




2.16. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




2.17. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




2.18. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:133, RB Position:0)




2.19. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.20. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.21. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.22. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.23. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.24. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.25. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.26. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.27. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.28. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.29. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.30. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.31. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:273, RB Position:0)




2.32. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)




2.33. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




2.34. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




2.35. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




3. n77 (3700-3980)


3.1. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




3.2. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)




3.3. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)



3.4. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



3.5. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



3.6. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

