


Occupied Bandwidth

4.29. Occupied Bandwidth for SA support PI2


BPSK_Part22_24_27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.47	100.69	100	Pass




4.30. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)




4.31. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




4.32. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)




5. n5


5.1. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




5.2. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




5.3. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




5.4. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.5. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.6. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




5.7. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)



5.8. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




5.9. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




5.10. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




5.11. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




5.12. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)



5.13. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




5.14. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




5.15. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




5.16. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)




5.17. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)




5.18. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)




5.19. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




5.20. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




5.21. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)



5.22. Occupied Bandwidth for SA support PI2


BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)



5.23. Occupied Bandwidth for SA support PI2


BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	14.15	15.06	15	Pass




5.24. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




5.25. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




5.26. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




5.27. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




5.28. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




5.29. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




5.30. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




5.31. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:106, RB Position:0)




5.32. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:106, RB Position:0)




5.33. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:106, RB Position:0)




5.34. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




5.35. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




5.36. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




5.37. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




5.38. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




5.39. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




5.40. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




5.41. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




5.42. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




5.43. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




5.44. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




5.45. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




1. n7


1.1. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




1.2. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




1.3. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




1.4. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.5. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.6. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.7. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.8. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.9. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.10. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.11. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.12. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.13. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




1.14. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




1.15. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




1.16. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)




1.17. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)




1.18. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:Pi/2-BPSK, RB Number:79, RB Position:0)



1.19. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)



1.20. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)



1.21. Occupied Bandwidth for SA Support PI2 BPSK_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

