

Spurious Emission at Antenna Terminals

2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.18	-78.26	-13	65.26	Pass	2986
30	689	0.1	RMS	688.6	-70.35	-13	57.35	Pass	6591
689	726	0.1	RMS	699.36	15.58	60	44.42	Pass	401
726	1000	0.1	RMS	973.4	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1398	-50.61	-13	37.61	Pass	2001
3000	10000	1	RMS	9703	-45.4	-13	32.4	Pass	7001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.15	-78.47	-13	65.47	Pass	2986
30	689	0.1	RMS	688.6	-70.55	-13	57.55	Pass	6591
689	726	0.1	RMS	699.36	14.58	60	45.42	Pass	401
726	1000	0.1	RMS	999.5	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	1398	-52.07	-13	39.07	Pass	2001
3000	10000	1	RMS	9699	-45.45	-13	32.45	Pass	7001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.21	-77.72	-13	64.72	Pass	2986
30	689	0.1	RMS	499	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	705.373	15.23	60	44.77	Pass	401
726	1000	0.1	RMS	964.4	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	2992	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	9700	-45.4	-13	32.4	Pass	7001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.03	-13	65.03	Pass	401
0.15	30	0.01	RMS	0.21	-78.25	-13	65.25	Pass	2986
30	689	0.1	RMS	664.3	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	705.373	14.31	60	45.69	Pass	401
726	1000	0.1	RMS	996.9	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	3000	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	9703	-45.46	-13	32.46	Pass	7001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.31	-13	66.31	Pass	401
0.15	30	0.01	RMS	0.15	-78.26	-13	65.26	Pass	2986
30	689	0.1	RMS	502	-70.78	-13	57.78	Pass	6591
689	726	0.1	RMS	711.293	15	60	45	Pass	401
726	1000	0.1	RMS	978.9	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1422	-53.79	-13	40.79	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.16	-78.44	-13	65.44	Pass	2986
30	689	0.1	RMS	679.3	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	711.385	14.29	60	45.71	Pass	401
726	1000	0.1	RMS	975.1	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	3000	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	9707	-45.47	-13	32.47	Pass	7001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.17	-78.36	-13	65.36	Pass	2986
30	689	0.1	RMS	688.9	-70.23	-13	57.23	Pass	6591
689	726	0.1	RMS	699.545	15.1	60	44.9	Pass	401
726	1000	0.1	RMS	925.5	-69.54	-13	56.54	Pass	2741
1000	3000	1	RMS	1399	-51.15	-13	38.15	Pass	2001
3000	10000	1	RMS	9702	-45.41	-13	32.41	Pass	7001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.23	-77.84	-13	64.84	Pass	2986
30	689	0.1	RMS	688.9	-70.34	-13	57.34	Pass	6591
689	726	0.1	RMS	699.545	14.23	60	45.77	Pass	401
726	1000	0.1	RMS	983.5	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1399	-52.13	-13	39.13	Pass	2001
3000	10000	1	RMS	9699	-45.43	-13	32.43	Pass	7001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.57	-13	65.57	Pass	401
0.15	30	0.01	RMS	0.17	-78.18	-13	65.18	Pass	2986
30	689	0.1	RMS	624.6	-70.89	-13	57.89	Pass	6591
689	726	0.1	RMS	703.06	15.31	60	44.69	Pass	401
726	1000	0.1	RMS	949.7	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1406	-52.1	-13	39.1	Pass	2001
3000	10000	1	RMS	9711	-45.49	-13	32.49	Pass	7001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.15	-78.32	-13	65.32	Pass	2986
30	689	0.1	RMS	643.7	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	703.06	14.33	60	45.67	Pass	401
726	1000	0.1	RMS	934.5	-69.5	-13	56.5	Pass	2741
1000	3000	1	RMS	1406	-53.18	-13	40.18	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.55	-13	65.55	Pass	401
0.15	30	0.01	RMS	0.17	-78.04	-13	65.04	Pass	2986
30	689	0.1	RMS	661	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	706.575	15.46	60	44.54	Pass	401
726	1000	0.1	RMS	982.2	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1413	-50.63	-13	37.63	Pass	2001
3000	10000	1	RMS	9702	-45.45	-13	32.45	Pass	7001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.26	-78.05	-13	65.05	Pass	2986
30	689	0.1	RMS	605.9	-70.89	-13	57.89	Pass	6591
689	726	0.1	RMS	706.575	14.54	60	45.46	Pass	401
726	1000	0.1	RMS	994.4	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1413	-51.61	-13	38.61	Pass	2001
3000	10000	1	RMS	9705	-45.43	-13	32.43	Pass	7001



3. LTE_Band13


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.43	-13	64.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.81	-13	64.81	Pass	2986
30	767	0.1	RMS	766.6	-70.07	-13	57.07	Pass	7371
767	797	0.1	RMS	777.35	15.45	60	44.55	Pass	401
797	1000	0.1	RMS	981.2	-69.78	-13	56.78	Pass	2031
1000	3000	1	RMS	1554	-52.69	-13	39.69	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.15	-77.76	-13	64.76	Pass	2986
30	767	0.1	RMS	766.6	-70.03	-13	57.03	Pass	7371
767	797	0.1	RMS	777.35	14.66	60	45.34	Pass	401
797	1000	0.1	RMS	998.1	-69.74	-13	56.74	Pass	2031
1000	3000	1	RMS	1554	-52.96	-13	39.96	Pass	2001
3000	10000	1	RMS	9698	-45.4	-13	32.4	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.97	-13	65.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	767	0.1	RMS	750.2	-70.39	-13	57.39	Pass	7371
767	797	0.1	RMS	779.825	15.03	60	44.97	Pass	401
797	1000	0.1	RMS	967.9	-69.81	-13	56.81	Pass	2031
1000	3000	1	RMS	1559	-52.55	-13	39.55	Pass	2001
3000	10000	1	RMS	9700	-45.38	-13	32.38	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.17	-78.41	-13	65.41	Pass	2986
30	767	0.1	RMS	764.8	-70.45	-13	57.45	Pass	7371
767	797	0.1	RMS	779.825	14.14	60	45.86	Pass	401
797	1000	0.1	RMS	992.6	-69.68	-13	56.68	Pass	2031
1000	3000	1	RMS	1559	-53.48	-13	40.48	Pass	2001
3000	10000	1	RMS	9703	-45.41	-13	32.41	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.2	-13	64.2	Pass	2986
30	767	0.1	RMS	739.2	-70.41	-13	57.41	Pass	7371
767	797	0.1	RMS	782.3	14.81	60	45.19	Pass	401
797	1000	0.1	RMS	848	-69.61	-13	56.61	Pass	2031
1000	3000	1	RMS	1564	-52.5	-13	39.5	Pass	2001
3000	10000	1	RMS	9707	-45.49	-13	32.49	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.02	-13	65.02	Pass	401
0.15	30	0.01	RMS	0.16	-78.36	-13	65.36	Pass	2986
30	767	0.1	RMS	766.5	-70.47	-13	57.47	Pass	7371
767	797	0.1	RMS	782.375	14.11	60	45.89	Pass	401
797	1000	0.1	RMS	936.3	-69.68	-13	56.68	Pass	2031
1000	3000	1	RMS	1564	-53.46	-13	40.46	Pass	2001
3000	10000	1	RMS	9697	-45.46	-13	32.46	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.16	-78.02	-13	65.02	Pass	2986
30	767	0.1	RMS	766.9	-69.88	-13	56.88	Pass	7371
767	797	0.1	RMS	777.575	15.06	60	44.94	Pass	401
797	1000	0.1	RMS	797.1	-68.21	-13	55.21	Pass	2031
1000	3000	1	RMS	1555	-52.36	-13	39.36	Pass	2001
3000	10000	1	RMS	9705	-45.5	-13	32.5	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.54	-13	64.54	Pass	401
0.15	30	0.01	RMS	0.15	-77.43	-13	64.43	Pass	2986
30	767	0.1	RMS	748.8	-70.36	-13	57.36	Pass	7371
767	797	0.1	RMS	777.575	14.67	60	45.33	Pass	401
797	1000	0.1	RMS	797.1	-68.75	-13	55.75	Pass	2031
1000	3000	1	RMS	1555	-53.17	-13	40.17	Pass	2001
3000	10000	1	RMS	9706	-45.5	-13	32.5	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-13	64.9	Pass	2986
30	767	0.1	RMS	766.9	-69.97	-13	56.97	Pass	7371
767	797	0.1	RMS	777.575	15.51	60	44.49	Pass	401
797	1000	0.1	RMS	797.1	-68.38	-13	55.38	Pass	2031
1000	3000	1	RMS	1555	-53.16	-13	40.16	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.59	-13	65.59	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	767	0.1	RMS	766.9	-70.37	-13	57.37	Pass	7371
767	797	0.1	RMS	777.575	14.68	60	45.32	Pass	401
797	1000	0.1	RMS	797.1	-68.91	-13	55.91	Pass	2031
1000	3000	1	RMS	1555	-53.02	-13	40.02	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.39	-13	65.39	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	767	0.1	RMS	766.9	-70.34	-13	57.34	Pass	7371
767	797	0.1	RMS	777.575	15	60	45	Pass	401
797	1000	0.1	RMS	797.1	-68.65	-13	55.65	Pass	2031
1000	3000	1	RMS	1555	-53.12	-13	40.12	Pass	2001
3000	10000	1	RMS	9699	-45.48	-13	32.48	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.71	-13	64.71	Pass	2986
30	767	0.1	RMS	766.9	-70.25	-13	57.25	Pass	7371
767	797	0.1	RMS	777.575	14.68	60	45.32	Pass	401
797	1000	0.1	RMS	797.1	-68.28	-13	55.28	Pass	2031
1000	3000	1	RMS	1555	-53.97	-13	40.97	Pass	2001
3000	10000	1	RMS	9705	-45.49	-13	32.49	Pass	7001



4. LTE_Band17


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.25	-13	65.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	694	0.1	RMS	693.6	-69.77	-13	56.77	Pass	6641
694	726	0.1	RMS	704.32	15.44	60	44.56	Pass	401
726	1000	0.1	RMS	842.8	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	1408	-50.6	-13	37.6	Pass	2001
3000	10000	1	RMS	9704	-45.46	-13	32.46	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-79.28	-13	66.28	Pass	401
0.15	30	0.01	RMS	0.16	-78.17	-13	65.17	Pass	2986
30	694	0.1	RMS	693.6	-70.09	-13	57.09	Pass	6641
694	726	0.1	RMS	704.32	14.83	60	45.17	Pass	401
726	1000	0.1	RMS	946.1	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1408	-50.69	-13	37.69	Pass	2001
3000	10000	1	RMS	9700	-45.41	-13	32.41	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.16	-77.91	-13	64.91	Pass	2986
30	694	0.1	RMS	693.6	-70.78	-13	57.78	Pass	6641
694	726	0.1	RMS	707.84	15.98	60	44.02	Pass	401
726	1000	0.1	RMS	936.4	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1415	-51.74	-13	38.74	Pass	2001
3000	10000	1	RMS	9699	-45.33	-13	32.33	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.49	-13	65.49	Pass	401
0.15	30	0.01	RMS	0.18	-78.67	-13	65.67	Pass	2986
30	694	0.1	RMS	693.7	-70.71	-13	57.71	Pass	6641
694	726	0.1	RMS	707.84	15.14	60	44.86	Pass	401
726	1000	0.1	RMS	974.5	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	1415	-52.79	-13	39.79	Pass	2001
3000	10000	1	RMS	9698	-45.43	-13	32.43	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77	-13	64	Pass	401
0.15	30	0.01	RMS	0.16	-77.83	-13	64.83	Pass	2986
30	694	0.1	RMS	689.5	-70.77	-13	57.77	Pass	6641
694	726	0.1	RMS	711.36	15.7	60	44.3	Pass	401
726	1000	0.1	RMS	924.1	-69.32	-13	56.32	Pass	2741
1000	3000	1	RMS	2995	-54.23	-13	41.23	Pass	2001
3000	10000	1	RMS	9700	-45.37	-13	32.37	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.23	-78.33	-13	65.33	Pass	2986
30	694	0.1	RMS	652.6	-70.83	-13	57.83	Pass	6641
694	726	0.1	RMS	711.36	15.21	60	44.79	Pass	401
726	1000	0.1	RMS	997.6	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	2993	-54.24	-13	41.24	Pass	2001
3000	10000	1	RMS	9708	-45.47	-13	32.47	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.69	-13	65.69	Pass	401
0.15	30	0.01	RMS	0.15	-78.38	-13	65.38	Pass	2986
30	694	0.1	RMS	693.9	-68.18	-13	55.18	Pass	6641
694	726	0.1	RMS	704.56	15.92	60	44.08	Pass	401
726	1000	0.1	RMS	944.4	-69.48	-13	56.48	Pass	2741
1000	3000	1	RMS	1409	-50.18	-13	37.18	Pass	2001
3000	10000	1	RMS	9696	-45.48	-13	32.48	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.39	-13	64.39	Pass	401
0.15	30	0.01	RMS	0.2	-78.2	-13	65.2	Pass	2986
30	694	0.1	RMS	693.9	-68.51	-13	55.51	Pass	6641
694	726	0.1	RMS	704.56	15.05	60	44.95	Pass	401
726	1000	0.1	RMS	931.3	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1409	-51.19	-13	38.19	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.21	-78.2	-13	65.2	Pass	2986
30	694	0.1	RMS	694	-69.04	-13	56.04	Pass	6641
694	726	0.1	RMS	705.6	15.91	60	44.09	Pass	401
726	1000	0.1	RMS	972.3	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	3000	-54.22	-13	41.22	Pass	2001
3000	10000	1	RMS	9695	-45.47	-13	32.47	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.16	-78.33	-13	65.33	Pass	2986
30	694	0.1	RMS	694	-69.52	-13	56.52	Pass	6641
694	726	0.1	RMS	705.6	14.96	60	45.04	Pass	401
726	1000	0.1	RMS	946.9	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	2991	-54.28	-13	41.28	Pass	2001
3000	10000	1	RMS	9702	-45.45	-13	32.45	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.53	-13	64.53	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-13	64.9	Pass	2986
30	694	0.1	RMS	693.5	-70.13	-13	57.13	Pass	6641
694	726	0.1	RMS	706.56	15.8	60	44.2	Pass	401
726	1000	0.1	RMS	981.7	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1413	-50.12	-13	37.12	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.44	-13	64.44	Pass	401
0.15	30	0.01	RMS	0.22	-78.02	-13	65.02	Pass	2986
30	694	0.1	RMS	693.5	-70.31	-13	57.31	Pass	6641
694	726	0.1	RMS	706.56	14.82	60	45.18	Pass	401
726	1000	0.1	RMS	963.8	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1413	-51.43	-13	38.43	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001



5. LTE_Band2


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.44	-13	64.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	993.696	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.35	-13	44.35	Pass	841
1840	1920	1	RMS	1850.2	19.06	60	40.94	Pass	401
1920	3000	1	RMS	2999	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11898	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19328	-34.95	-13	21.95	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.16	-77.19	-13	64.19	Pass	2986
30	1000	0.1	RMS	979.586	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-57.38	-13	44.38	Pass	841
1840	1920	1	RMS	1850.2	18.24	60	41.76	Pass	401
1920	3000	1	RMS	2996	-54.31	-13	41.31	Pass	1081
3000	12000	1	RMS	11994	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19303	-34.9	-13	21.9	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.36	-13	64.36	Pass	401
0.15	30	0.01	RMS	0.16	-77.34	-13	64.34	Pass	2986
30	1000	0.1	RMS	993.195	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-57.67	-13	44.67	Pass	841
1840	1920	1	RMS	1879.4	19.05	60	40.95	Pass	401
1920	3000	1	RMS	3000	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11902	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	17826	-34.9	-13	21.9	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.56	-13	64.56	Pass	401
0.15	30	0.01	RMS	0.16	-77.62	-13	64.62	Pass	2986
30	1000	0.1	RMS	866.712	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1839	-57.64	-13	44.64	Pass	841
1840	1920	1	RMS	1879.4	18.13	60	41.87	Pass	401
1920	3000	1	RMS	2986	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	12000	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	17827	-34.97	-13	21.97	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.2	-13	64.2	Pass	2986
30	1000	0.1	RMS	949.066	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1838	-57.64	-13	44.64	Pass	841
1840	1920	1	RMS	1908.8	19.08	60	40.92	Pass	401
1920	3000	1	RMS	2998	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	3818	-40.6	-13	27.6	Pass	9002
12000	20000	1	RMS	19321	-34.89	-13	21.89	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	0.17	-78.2	-13	65.2	Pass	2986
30	1000	0.1	RMS	936.558	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1833	-57.67	-13	44.67	Pass	841
1840	1920	1	RMS	1908.8	18.21	60	41.79	Pass	401
1920	3000	1	RMS	2993	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	3818	-41.57	-13	28.57	Pass	9002
12000	20000	1	RMS	19373	-34.96	-13	21.96	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.54	-13	65.54	Pass	401
0.15	30	0.01	RMS	0.16	-77.6	-13	64.6	Pass	2986
30	1000	0.1	RMS	948.766	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1840	-57.2	-13	44.2	Pass	841
1840	1920	1	RMS	1850.2	19.27	60	40.73	Pass	401
1920	3000	1	RMS	2998	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	12000	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19335	-34.95	-13	21.95	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.23	-13	64.23	Pass	2986
30	1000	0.1	RMS	945.064	-69.99	-13	56.99	Pass	9701
1000	1840	1	RMS	1840	-57.3	-13	44.3	Pass	841
1840	1920	1	RMS	1850.2	18.26	60	41.74	Pass	401
1920	3000	1	RMS	3000	-54.36	-13	41.36	Pass	1081
3000	12000	1	RMS	12000	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19392	-34.93	-13	21.93	Pass	8001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	980.087	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1837	-57.64	-13	44.64	Pass	841
1840	1920	1	RMS	1878.6	19.13	60	40.87	Pass	401
1920	3000	1	RMS	2987	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11999	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19348	-34.97	-13	21.97	Pass	8001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.15	-77.35	-13	64.35	Pass	2986
30	1000	0.1	RMS	938.259	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1837	-57.68	-13	44.68	Pass	841
1840	1920	1	RMS	1878.6	18.17	60	41.83	Pass	401
1920	3000	1	RMS	2974	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11988	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19413	-34.99	-13	21.99	Pass	8001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.16	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	926.151	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1907.2	19.04	60	40.96	Pass	401
1920	3000	1	RMS	3000	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	3814	-42.25	-13	29.25	Pass	9002
12000	20000	1	RMS	19318	-34.98	-13	21.98	Pass	8001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.15	-77.69	-13	64.69	Pass	2986
30	1000	0.1	RMS	954.87	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1837	-57.64	-13	44.64	Pass	841
1840	1920	1	RMS	1907.2	18.15	60	41.85	Pass	401
1920	3000	1	RMS	2987	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11992	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19311	-34.92	-13	21.92	Pass	8001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.92	-13	63.92	Pass	401
0.15	30	0.01	RMS	0.15	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	961.174	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-56.85	-13	43.85	Pass	841
1840	1920	1	RMS	1850.2	19.26	60	40.74	Pass	401
1920	3000	1	RMS	2998	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11998	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19378	-34.96	-13	21.96	Pass	8001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.16	-77.96	-13	64.96	Pass	2986
30	1000	0.1	RMS	987.492	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.22	-13	44.22	Pass	841
1840	1920	1	RMS	1850.2	18.22	60	41.78	Pass	401
1920	3000	1	RMS	2996	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	11997	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19317	-34.94	-13	21.94	Pass	8001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-76.85	-13	63.85	Pass	2986
30	1000	0.1	RMS	863.51	-70	-13	57	Pass	9701
1000	1840	1	RMS	1837	-57.65	-13	44.65	Pass	841
1840	1920	1	RMS	1877.8	19.14	60	40.86	Pass	401
1920	3000	1	RMS	2984	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	11995	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19397	-34.94	-13	21.94	Pass	8001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.16	-77.4	-13	64.4	Pass	2986
30	1000	0.1	RMS	855.804	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1920	1	RMS	1877.8	18.33	60	41.67	Pass	401
1920	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11997	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19390	-34.94	-13	21.94	Pass	8001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.15	-77.01	-13	64.01	Pass	2986
30	1000	0.1	RMS	974.083	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1837	-57.63	-13	44.63	Pass	841
1840	1920	1	RMS	1905.2	19.22	60	40.78	Pass	401
1920	3000	1	RMS	2991	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	3811	-41.55	-13	28.55	Pass	9002
12000	20000	1	RMS	19315	-34.91	-13	21.91	Pass	8001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.86	-13	64.86	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	1000	0.1	RMS	949.366	-70	-13	57	Pass	9701
1000	1840	1	RMS	1840	-57.66	-13	44.66	Pass	841
1840	1920	1	RMS	1905.2	18.37	60	41.63	Pass	401
1920	3000	1	RMS	2984	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	3811	-42.29	-13	29.29	Pass	9002
12000	20000	1	RMS	19325	-34.94	-13	21.94	Pass	8001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.15	-77.9	-13	64.9	Pass	2986
30	1000	0.1	RMS	964.577	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-55.82	-13	42.82	Pass	841
1840	1920	1	RMS	1850.4	19.14	60	40.86	Pass	401
1920	3000	1	RMS	2994	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11895	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	17835	-34.9	-13	21.9	Pass	8001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.16	-77.71	-13	64.71	Pass	2986
30	1000	0.1	RMS	998.999	-70.01	-13	57.01	Pass	9701
1000	1840	1	RMS	1840	-55.94	-13	42.94	Pass	841
1840	1920	1	RMS	1850.4	18.39	60	41.61	Pass	401
1920	3000	1	RMS	2998	-54.36	-13	41.36	Pass	1081
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	17839	-34.96	-13	21.96	Pass	8001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-13	64.32	Pass	2986
30	1000	0.1	RMS	997.498	-69.69	-13	56.69	Pass	9701
1000	1840	1	RMS	1840	-57.62	-13	44.62	Pass	841
1840	1920	1	RMS	1875.4	19.17	60	40.83	Pass	401
1920	3000	1	RMS	2995	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11999	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19427	-34.98	-13	21.98	Pass	8001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.5	-13	64.5	Pass	401
0.15	30	0.01	RMS	0.15	-77.34	-13	64.34	Pass	2986
30	1000	0.1	RMS	937.358	-69.7	-13	56.7	Pass	9701
1000	1840	1	RMS	1840	-57.61	-13	44.61	Pass	841
1840	1920	1	RMS	1875.6	18.24	60	41.76	Pass	401
1920	3000	1	RMS	3000	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	12000	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19299	-34.95	-13	21.95	Pass	8001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	940.761	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1920	1	RMS	1900.4	19.07	60	40.93	Pass	401
1920	3000	1	RMS	2975	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	3801	-42.8	-13	29.8	Pass	9002
12000	20000	1	RMS	19384	-34.92	-13	21.92	Pass	8001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.15	-78.28	-13	65.28	Pass	2986
30	1000	0.1	RMS	999.5	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-57.65	-13	44.65	Pass	841
1840	1920	1	RMS	1900.6	18.16	60	41.84	Pass	401
1920	3000	1	RMS	2975	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19402	-34.97	-13	21.97	Pass	8001



5.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.15	-76.79	-13	63.79	Pass	2986
30	1000	0.1	RMS	999.099	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1920	1	RMS	1850.8	19.3	60	40.7	Pass	401
1920	3000	1	RMS	2996	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11902	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19377	-34.92	-13	21.92	Pass	8001



5.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.52	-13	64.52	Pass	401
0.15	30	0.01	RMS	0.16	-77.82	-13	64.82	Pass	2986
30	1000	0.1	RMS	899.834	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1840	-54.78	-13	41.78	Pass	841
1840	1920	1	RMS	1850.8	18.25	60	41.75	Pass	401
1920	3000	1	RMS	2982	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11997	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19340	-34.97	-13	21.97	Pass	8001



5.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.16	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	955.07	-69.74	-13	56.74	Pass	9701
1000	1840	1	RMS	1839	-57.59	-13	44.59	Pass	841
1840	1920	1	RMS	1873.2	19.26	60	40.74	Pass	401
1920	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19382	-34.91	-13	21.91	Pass	8001



5.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.61	-13	64.61	Pass	401
0.15	30	0.01	RMS	0.15	-77.24	-13	64.24	Pass	2986
30	1000	0.1	RMS	959.773	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1839	-57.55	-13	44.55	Pass	841
1840	1920	1	RMS	1873.2	18.19	60	41.81	Pass	401
1920	3000	1	RMS	2976	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11999	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19390	-34.91	-13	21.91	Pass	8001



5.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.15	-77.05	-13	64.05	Pass	2986
30	1000	0.1	RMS	975.884	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1840	-57.57	-13	44.57	Pass	841
1840	1920	1	RMS	1895.8	19.22	60	40.78	Pass	401
1920	3000	1	RMS	2990	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	12000	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19346	-34.88	-13	21.88	Pass	8001



5.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.98	-13	63.98	Pass	401
0.15	30	0.01	RMS	0.15	-76.8	-13	63.8	Pass	2986
30	1000	0.1	RMS	888.226	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1920	1	RMS	1895.8	18.38	60	41.62	Pass	401
1920	3000	1	RMS	2998	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11992	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19311	-34.89	-13	21.89	Pass	8001



5.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.15	-77.71	-13	64.71	Pass	2986
30	1000	0.1	RMS	940.561	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1840	-55.16	-13	42.16	Pass	841
1840	1920	1	RMS	1851	18.76	60	41.24	Pass	401
1920	3000	1	RMS	2975	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11991	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19306	-34.91	-13	21.91	Pass	8001



5.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.17	-77.79	-13	64.79	Pass	2986
30	1000	0.1	RMS	967.879	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-54.99	-13	41.99	Pass	841
1840	1920	1	RMS	1851	18.34	60	41.66	Pass	401
1920	3000	1	RMS	2998	-54.28	-13	41.28	Pass	1081
3000	12000	1	RMS	11902	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19346	-34.93	-13	21.93	Pass	8001



5.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.15	-77.27	-13	64.27	Pass	2986
30	1000	0.1	RMS	855.404	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1871	18.72	60	41.28	Pass	401
1920	3000	1	RMS	2993	-54.31	-13	41.31	Pass	1081
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19343	-34.92	-13	21.92	Pass	8001



5.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.15	-78.02	-13	65.02	Pass	2986
30	1000	0.1	RMS	960.474	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1920	1	RMS	1871	17.81	60	42.19	Pass	401
1920	3000	1	RMS	2996	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11898	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19297	-34.85	-13	21.85	Pass	8001



5.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	935.357	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-57.66	-13	44.66	Pass	841
1840	1920	1	RMS	1891	18.7	60	41.3	Pass	401
1920	3000	1	RMS	1920	-53.06	-13	40.06	Pass	1081
3000	12000	1	RMS	11996	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19397	-34.93	-13	21.93	Pass	8001



5.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.15	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	987.292	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1839	-57.49	-13	44.49	Pass	841
1840	1920	1	RMS	1891	18.34	60	41.66	Pass	401
1920	3000	1	RMS	1920	-53.2	-13	40.2	Pass	1081
3000	12000	1	RMS	12000	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19368	-34.92	-13	21.92	Pass	8001

