

Spurious Emission at Antenna Terminals


3.20. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	855.604	-61.34	-25	36.34	Pass	9701
1000	2525	1	RMS	2525	-43.98	-25	18.98	Pass	1526
2525	2665	1	RMS	2584.5	4.99	60	55.01	Pass	401
2665	3000	1	RMS	2665	-44.99	-25	19.99	Pass	401
3000	12000	1	RMS	11951	-53.85	-25	28.85	Pass	9002
12000	26500	1	RMS	25506	-43.8	-25	18.8	Pass	14502




3.21. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.7	-25	43.7	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	954.57	-61.41	-25	36.41	Pass	9701
1000	2525	1	RMS	2506	-45.78	-25	20.78	Pass	1526
2525	2665	1	RMS	2581	11.11	60	48.89	Pass	401
2665	3000	1	RMS	2693.475	-45.22	-25	20.22	Pass	401
3000	12000	1	RMS	11964	-53.85	-25	28.85	Pass	9002
12000	26500	1	RMS	25499	-43.86	-25	18.86	Pass	14502




3.22. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.22	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	870.114	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2523	-44.42	-25	19.42	Pass	1526
2525	2665	1	RMS	2585.9	6.05	60	53.95	Pass	401
2665	3000	1	RMS	2665	-40.19	-25	15.19	Pass	401
3000	12000	1	RMS	11948	-53.84	-25	28.84	Pass	9002
12000	26500	1	RMS	25497	-43.87	-25	18.87	Pass	14502




3.23. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.15	-67.77	-25	42.77	Pass	2986
30	1000	0.1	RMS	851.001	-61.49	-25	36.49	Pass	9701
1000	2525	1	RMS	2506	-45.35	-25	20.35	Pass	1526
2525	2665	1	RMS	2581	11.5	60	48.5	Pass	401
2665	3000	1	RMS	2693.475	-45.55	-25	20.55	Pass	401
3000	12000	1	RMS	11955	-53.85	-25	28.85	Pass	9002
12000	26500	1	RMS	25499	-43.86	-25	18.86	Pass	14502



3.24. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.98	-25	43.98	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	841.1	-61.32	-25	36.32	Pass	9701
1000	2525	1	RMS	2525	-46.16	-25	21.16	Pass	1526
2525	2665	1	RMS	2588.35	5.04	60	54.96	Pass	401
2665	3000	1	RMS	2665	-42.75	-25	17.75	Pass	401
3000	12000	1	RMS	11957	-53.87	-25	28.87	Pass	9002
12000	26500	1	RMS	25521	-43.84	-25	18.84	Pass	14502



4. CA_41C_full


4.1. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.19	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	973.883	-61.45	-25	36.45	Pass	9701
1000	2475	1	RMS	2474	-38.71	-25	13.71	Pass	1476
2475	2735	1	RMS	2519.85	12.2	60	47.8	Pass	401
2735	3000	1	RMS	2899.3	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11960	-53.78	-25	28.78	Pass	9002
12000	26500	1	RMS	25510	-43.89	-25	18.89	Pass	14502




4.2. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.21	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	977.685	-61.37	-25	36.37	Pass	9701
1000	2475	1	RMS	2475	-38.52	-25	13.52	Pass	1476
2475	2735	1	RMS	2516.6	14.09	60	45.91	Pass	401
2735	3000	1	RMS	2901.95	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11952	-53.82	-25	28.82	Pass	9002
12000	26500	1	RMS	25497	-43.89	-25	18.89	Pass	14502




4.3. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.15	-67.52	-25	42.52	Pass	2986
30	1000	0.1	RMS	866.011	-61.34	-25	36.34	Pass	9701
1000	2475	1	RMS	2474	-37.52	-25	12.52	Pass	1476
2475	2735	1	RMS	2519.85	12.71	60	47.29	Pass	401
2735	3000	1	RMS	2899.963	-46.2	-25	21.2	Pass	401
3000	12000	1	RMS	11961	-53.8	-25	28.8	Pass	9002
12000	26500	1	RMS	25505	-43.84	-25	18.84	Pass	14502




4.4. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.64	-25	42.64	Pass	401
0.15	30	0.01	RMS	0.16	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	861.308	-61.38	-25	36.38	Pass	9701
1000	2475	1	RMS	2475	-41.54	-25	16.54	Pass	1476
2475	2735	1	RMS	2518.55	13.16	60	46.84	Pass	401
2735	3000	1	RMS	2900.625	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11962	-53.87	-25	28.87	Pass	9002
12000	26500	1	RMS	25500	-43.87	-25	18.87	Pass	14502




4.5. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.16	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	861.908	-61.39	-25	36.39	Pass	9701
1000	2475	1	RMS	2475	-48.46	-25	23.46	Pass	1476
2475	2735	1	RMS	2581.6	12.29	60	47.71	Pass	401
2735	3000	1	RMS	2905.925	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11978	-53.89	-25	28.89	Pass	9002
12000	26500	1	RMS	25503	-43.88	-25	18.88	Pass	14502




4.6. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.01	-25	42.01	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	847.1	-61.31	-25	36.31	Pass	9701
1000	2475	1	RMS	2475	-48.54	-25	23.54	Pass	1476
2475	2735	1	RMS	2601.1	14.47	60	45.53	Pass	401
2735	3000	1	RMS	2901.288	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11949	-53.79	-25	28.79	Pass	9002
12000	26500	1	RMS	25499	-43.85	-25	18.85	Pass	14502




4.7. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	972.582	-61.38	-25	36.38	Pass	9701
1000	2475	1	RMS	2473	-48.54	-25	23.54	Pass	1476
2475	2735	1	RMS	2581.6	12.47	60	47.53	Pass	401
2735	3000	1	RMS	2903.938	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11968	-53.75	-25	28.75	Pass	9002
12000	26500	1	RMS	25495	-43.83	-25	18.83	Pass	14502




4.8. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	889.127	-61.38	-25	36.38	Pass	9701
1000	2475	1	RMS	2471	-48.59	-25	23.59	Pass	1476
2475	2735	1	RMS	2601.1	13.58	60	46.42	Pass	401
2735	3000	1	RMS	2900.625	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11951	-53.79	-25	28.79	Pass	9002
12000	26500	1	RMS	25503	-43.72	-25	18.72	Pass	14502




4.9. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.15	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	849.5	-61.35	-25	36.35	Pass	9701
1000	2475	1	RMS	2469	-48.57	-25	23.57	Pass	1476
2475	2735	1	RMS	2688.85	12.79	60	47.21	Pass	401
2735	3000	1	RMS	2735	-45.11	-25	20.11	Pass	401
3000	12000	1	RMS	11972	-53.86	-25	28.86	Pass	9002
12000	26500	1	RMS	25497	-43.91	-25	18.91	Pass	14502




4.10. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.17	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	971.581	-61.29	-25	36.29	Pass	9701
1000	2475	1	RMS	2474	-48.59	-25	23.59	Pass	1476
2475	2735	1	RMS	2687.55	14.34	60	45.66	Pass	401
2735	3000	1	RMS	2735	-45.61	-25	20.61	Pass	401
3000	12000	1	RMS	11953	-53.76	-25	28.76	Pass	9002
12000	26500	1	RMS	25501	-43.88	-25	18.88	Pass	14502




4.11. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.52	-25	42.52	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-25	42.74	Pass	2986
30	1000	0.1	RMS	851.702	-61.42	-25	36.42	Pass	9701
1000	2475	1	RMS	2475	-48.56	-25	23.56	Pass	1476
2475	2735	1	RMS	2688.2	12.7	60	47.3	Pass	401
2735	3000	1	RMS	2735	-45.71	-25	20.71	Pass	401
3000	12000	1	RMS	11956	-53.8	-25	28.8	Pass	9002
12000	26500	1	RMS	25495	-43.78	-25	18.78	Pass	14502




4.12. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.17	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	988.793	-61.49	-25	36.49	Pass	9701
1000	2475	1	RMS	2472	-48.53	-25	23.53	Pass	1476
2475	2735	1	RMS	2686.9	13.35	60	46.65	Pass	401
2735	3000	1	RMS	2902.613	-46.18	-25	21.18	Pass	401
3000	12000	1	RMS	11961	-53.81	-25	28.81	Pass	9002
12000	26500	1	RMS	25501	-43.71	-25	18.71	Pass	14502




4.13. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.16	-67.78	-25	42.78	Pass	2986
30	1000	0.1	RMS	960.874	-61.36	-25	36.36	Pass	9701
1000	2475	1	RMS	2473	-48.42	-25	23.42	Pass	1476
2475	2735	1	RMS	2534.8	12.26	60	47.74	Pass	401
2735	3000	1	RMS	2899.963	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11956	-53.84	-25	28.84	Pass	9002
12000	26500	1	RMS	25501	-43.77	-25	18.77	Pass	14502




4.14. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.43	-25	44.43	Pass	401
0.15	30	0.01	RMS	0.24	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	972.382	-61.29	-25	36.29	Pass	9701
1000	2475	1	RMS	2474	-39.76	-25	14.76	Pass	1476
2475	2735	1	RMS	2533.5	8.91	60	51.09	Pass	401
2735	3000	1	RMS	2899.3	-46.19	-25	21.19	Pass	401
3000	12000	1	RMS	11950	-53.81	-25	28.81	Pass	9002
12000	26500	1	RMS	25507	-43.84	-25	18.84	Pass	14502




4.15. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.12	-25	43.12	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	42.65	Pass	2986
30	1000	0.1	RMS	843.5	-61.37	-25	36.37	Pass	9701
1000	2475	1	RMS	2475	-48.04	-25	23.04	Pass	1476
2475	2735	1	RMS	2534.8	12.19	60	47.81	Pass	401
2735	3000	1	RMS	2899.963	-46.18	-25	21.18	Pass	401
3000	12000	1	RMS	11953	-53.84	-25	28.84	Pass	9002
12000	26500	1	RMS	25512	-43.84	-25	18.84	Pass	14502




4.16. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	835.5	-61.42	-25	36.42	Pass	9701
1000	2475	1	RMS	2475	-41.24	-25	16.24	Pass	1476
2475	2735	1	RMS	2532.85	7.35	60	52.65	Pass	401
2735	3000	1	RMS	2900.625	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11973	-53.8	-25	28.8	Pass	9002
12000	26500	1	RMS	25504	-43.79	-25	18.79	Pass	14502




4.17. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	42.54	Pass	2986
30	1000	0.1	RMS	972.682	-61.17	-25	36.17	Pass	9701
1000	2475	1	RMS	2473	-48.59	-25	23.59	Pass	1476
2475	2735	1	RMS	2573.8	12.87	60	47.13	Pass	401
2735	3000	1	RMS	2899.963	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11952	-53.83	-25	28.83	Pass	9002
12000	26500	1	RMS	25502	-43.82	-25	18.82	Pass	14502




4.18. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	970.38	-61.3	-25	36.3	Pass	9701
1000	2475	1	RMS	2475	-48.51	-25	23.51	Pass	1476
2475	2735	1	RMS	2580.95	8.69	60	51.31	Pass	401
2735	3000	1	RMS	2901.95	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11962	-53.81	-25	28.81	Pass	9002
12000	26500	1	RMS	25509	-43.79	-25	18.79	Pass	14502




4.19. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.18	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	980.187	-61.49	-25	36.49	Pass	9701
1000	2475	1	RMS	2472	-48.63	-25	23.63	Pass	1476
2475	2735	1	RMS	2573.8	13.91	60	46.09	Pass	401
2735	3000	1	RMS	2901.288	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11955	-53.79	-25	28.79	Pass	9002
12000	26500	1	RMS	25496	-43.79	-25	18.79	Pass	14502




4.20. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.03	-25	44.03	Pass	401
0.15	30	0.01	RMS	0.16	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	988.292	-61.23	-25	36.23	Pass	9701
1000	2475	1	RMS	2474	-48.66	-25	23.66	Pass	1476
2475	2735	1	RMS	2582.25	7.22	60	52.78	Pass	401
2735	3000	1	RMS	2899.963	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11988	-53.85	-25	28.85	Pass	9002
12000	26500	1	RMS	25497	-43.71	-25	18.71	Pass	14502




4.21. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.86	-25	42.86	Pass	401
0.15	30	0.01	RMS	0.23	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	972.482	-61.39	-25	36.39	Pass	9701
1000	2475	1	RMS	2474	-48.61	-25	23.61	Pass	1476
2475	2735	1	RMS	2651.15	13.13	60	46.87	Pass	401
2735	3000	1	RMS	2899.963	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11953	-53.9	-25	28.9	Pass	9002
12000	26500	1	RMS	25493	-43.84	-25	18.84	Pass	14502




4.22. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.89	-25	43.89	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	42.65	Pass	2986
30	1000	0.1	RMS	927.752	-61.46	-25	36.46	Pass	9701
1000	2475	1	RMS	2475	-48.6	-25	23.6	Pass	1476
2475	2735	1	RMS	2652.45	9.08	60	50.92	Pass	401
2735	3000	1	RMS	2735	-41.92	-25	16.92	Pass	401
3000	12000	1	RMS	11953	-53.81	-25	28.81	Pass	9002
12000	26500	1	RMS	25508	-43.78	-25	18.78	Pass	14502




4.23. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.18	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	971.281	-61.24	-25	36.24	Pass	9701
1000	2475	1	RMS	2472	-48.63	-25	23.63	Pass	1476
2475	2735	1	RMS	2688.2	12.45	60	47.55	Pass	401
2735	3000	1	RMS	2898.638	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11948	-53.85	-25	28.85	Pass	9002
12000	26500	1	RMS	25497	-43.85	-25	18.85	Pass	14502



4.24. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	987.392	-61.48	-25	36.48	Pass	9701
1000	2475	1	RMS	2474	-48.6	-25	23.6	Pass	1476
2475	2735	1	RMS	2652.45	8.11	60	51.89	Pass	401
2735	3000	1	RMS	2735.663	-44.36	-25	19.36	Pass	401
3000	12000	1	RMS	11957	-53.86	-25	28.86	Pass	9002
12000	26500	1	RMS	25500	-43.86	-25	18.86	Pass	14502



1. n7


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.85	-25	46.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	46.72	Pass	2986
30	1000	0.1	RMS	930.254	-65.46	-25	40.46	Pass	9701
1000	2495	1	RMS	2495	-38.22	-25	13.22	Pass	1496
2495	2575	1	RMS	2501.2	12.39	60	47.61	Pass	401
2575	3000	1	RMS	2939	-49.81	-25	24.81	Pass	426
3000	7000	1	RMS	6978	-66.47	-25	41.47	Pass	4001
7000	26000	1	RMS	25499	-50.83	-25	25.83	Pass	19003




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-25	47.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	47.23	Pass	2986
30	1000	0.1	RMS	847.6	-65.47	-25	40.47	Pass	9701
1000	2495	1	RMS	2495	-46.3	-25	21.3	Pass	1496
2495	2575	1	RMS	2500.2	18.43	60	41.57	Pass	401
2575	3000	1	RMS	2931	-49.84	-25	24.84	Pass	426
3000	7000	1	RMS	6971	-66.51	-25	41.51	Pass	4001
7000	26000	1	RMS	25504	-50.77	-25	25.77	Pass	19003




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-25	47.3	Pass	401
0.15	30	0.01	RMS	0.27	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	967.579	-65.44	-25	40.44	Pass	9701
1000	2495	1	RMS	2495	-45.35	-25	20.35	Pass	1496
2495	2575	1	RMS	2504.6	18.47	60	41.53	Pass	401
2575	3000	1	RMS	2944	-49.89	-25	24.89	Pass	426
3000	7000	1	RMS	6974	-66.49	-25	41.49	Pass	4001
7000	26000	1	RMS	25493	-50.72	-25	25.72	Pass	19003




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.35	-25	47.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-25	46.23	Pass	2986
30	1000	0.1	RMS	838.1	-65.29	-25	40.29	Pass	9701
1000	2495	1	RMS	2494	-52.26	-25	27.26	Pass	1496
2495	2575	1	RMS	2533.6	12.59	60	47.41	Pass	401
2575	3000	1	RMS	2932	-49.83	-25	24.83	Pass	426
3000	7000	1	RMS	6979	-66.48	-25	41.48	Pass	4001
7000	26000	1	RMS	25501	-50.82	-25	25.82	Pass	19003




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.84	-25	46.84	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-25	46.85	Pass	2986
30	1000	0.1	RMS	849	-65.37	-25	40.37	Pass	9701
1000	2495	1	RMS	2492	-52.31	-25	27.31	Pass	1496
2495	2575	1	RMS	2532.8	18.61	60	41.39	Pass	401
2575	3000	1	RMS	2939	-49.84	-25	24.84	Pass	426
3000	7000	1	RMS	6978	-66.5	-25	41.5	Pass	4001
7000	26000	1	RMS	25506	-50.83	-25	25.83	Pass	19003




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	47.9	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	978.386	-65.42	-25	40.42	Pass	9701
1000	2495	1	RMS	2491	-52.36	-25	27.36	Pass	1496
2495	2575	1	RMS	2537	18.66	60	41.34	Pass	401
2575	3000	1	RMS	2937	-49.86	-25	24.86	Pass	426
3000	7000	1	RMS	6979	-66.53	-25	41.53	Pass	4001
7000	26000	1	RMS	25501	-50.74	-25	25.74	Pass	19003




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.77	-25	47.77	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-25	47.19	Pass	2986
30	1000	0.1	RMS	951.868	-65.32	-25	40.32	Pass	9701
1000	2495	1	RMS	2493	-52.25	-25	27.25	Pass	1496
2495	2575	1	RMS	2566.2	12.73	60	47.27	Pass	401
2575	3000	1	RMS	2575	-37.08	-25	12.08	Pass	426
3000	7000	1	RMS	6974	-66.52	-25	41.52	Pass	4001
7000	26000	1	RMS	25512	-50.75	-25	25.75	Pass	19003




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.93	-25	47.93	Pass	401
0.15	30	0.01	RMS	0.21	-72.51	-25	47.51	Pass	2986
30	1000	0.1	RMS	958.573	-65.41	-25	40.41	Pass	9701
1000	2495	1	RMS	2493	-52.21	-25	27.21	Pass	1496
2495	2575	1	RMS	2565.2	18.65	60	41.35	Pass	401
2575	3000	1	RMS	2575	-48.93	-25	23.93	Pass	426
3000	7000	1	RMS	6979	-66.5	-25	41.5	Pass	4001
7000	26000	1	RMS	25504	-50.72	-25	25.72	Pass	19003




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-25	47.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	903.936	-65.47	-25	40.47	Pass	9701
1000	2495	1	RMS	2493	-52.31	-25	27.31	Pass	1496
2495	2575	1	RMS	2569.6	18.64	60	41.36	Pass	401
2575	3000	1	RMS	2575	-47.91	-25	22.91	Pass	426
3000	7000	1	RMS	6971	-66.49	-25	41.49	Pass	4001
7000	26000	1	RMS	25506	-50.69	-25	25.69	Pass	19003




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	0.2	-71.33	-25	46.33	Pass	2986
30	1000	0.1	RMS	866.011	-65.39	-25	40.39	Pass	9701
1000	2485	1	RMS	2485	-42.97	-25	17.97	Pass	1486
2485	2585	1	RMS	2504.75	7.38	60	52.62	Pass	401
2585	3000	1	RMS	2937	-49.88	-25	24.88	Pass	416
3000	7000	1	RMS	6976	-66.47	-25	41.47	Pass	4001
7000	26000	1	RMS	25500	-50.7	-25	25.7	Pass	19003




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	46.4	Pass	2986
30	1000	0.1	RMS	840.6	-65.45	-25	40.45	Pass	9701
1000	2485	1	RMS	2485	-51.79	-25	26.79	Pass	1486
2485	2585	1	RMS	2500.25	18.39	60	41.61	Pass	401
2585	3000	1	RMS	2930	-49.85	-25	24.85	Pass	416
3000	7000	1	RMS	6971	-66.51	-25	41.51	Pass	4001
7000	26000	1	RMS	25500	-50.82	-25	25.82	Pass	19003




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-25	47.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-25	46.68	Pass	2986
30	1000	0.1	RMS	965.877	-65.42	-25	40.42	Pass	9701
1000	2485	1	RMS	2485	-51.71	-25	26.71	Pass	1486
2485	2585	1	RMS	2514.5	18.41	60	41.59	Pass	401
2585	3000	1	RMS	2932	-49.87	-25	24.87	Pass	416
3000	7000	1	RMS	6974	-66.47	-25	41.47	Pass	4001
7000	26000	1	RMS	25502	-50.8	-25	25.8	Pass	19003




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.96	-25	47.96	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-25	47.11	Pass	2986
30	1000	0.1	RMS	993.696	-65.41	-25	40.41	Pass	9701
1000	2485	1	RMS	2484	-52.33	-25	27.33	Pass	1486
2485	2585	1	RMS	2532.25	7.63	60	52.37	Pass	401
2585	3000	1	RMS	2940	-49.86	-25	24.86	Pass	416
3000	7000	1	RMS	6972	-66.48	-25	41.48	Pass	4001
7000	26000	1	RMS	25501	-50.79	-25	25.79	Pass	19003




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-25	47.43	Pass	401
0.15	30	0.01	RMS	0.17	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	978.386	-65.4	-25	40.4	Pass	9701
1000	2485	1	RMS	2485	-52.37	-25	27.37	Pass	1486
2485	2585	1	RMS	2527.75	18.53	60	41.47	Pass	401
2585	3000	1	RMS	2933	-49.83	-25	24.83	Pass	416
3000	7000	1	RMS	6979	-66.45	-25	41.45	Pass	4001
7000	26000	1	RMS	25504	-50.83	-25	25.83	Pass	19003




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-25	47.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	45.98	Pass	2986
30	1000	0.1	RMS	886.825	-65.45	-25	40.45	Pass	9701
1000	2485	1	RMS	2480	-52.42	-25	27.42	Pass	1486
2485	2585	1	RMS	2542	18.59	60	41.41	Pass	401
2585	3000	1	RMS	2932	-49.87	-25	24.87	Pass	416
3000	7000	1	RMS	6975	-66.5	-25	41.5	Pass	4001
7000	26000	1	RMS	25506	-50.78	-25	25.78	Pass	19003




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-25	46.3	Pass	2986
30	1000	0.1	RMS	850.901	-65.31	-25	40.31	Pass	9701
1000	2485	1	RMS	2485	-52.39	-25	27.39	Pass	1486
2485	2585	1	RMS	2564.25	7.68	60	52.32	Pass	401
2585	3000	1	RMS	2585	-41.94	-25	16.94	Pass	416
3000	7000	1	RMS	6975	-66.41	-25	41.41	Pass	4001
7000	26000	1	RMS	25489	-50.75	-25	25.75	Pass	19003




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-25	47.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-25	47.22	Pass	2986
30	1000	0.1	RMS	863.409	-65.42	-25	40.42	Pass	9701
1000	2485	1	RMS	2484	-52.45	-25	27.45	Pass	1486
2485	2585	1	RMS	2555.25	18.64	60	41.36	Pass	401
2585	3000	1	RMS	2937	-49.87	-25	24.87	Pass	416
3000	7000	1	RMS	6978	-66.51	-25	41.51	Pass	4001
7000	26000	1	RMS	25503	-50.79	-25	25.79	Pass	19003




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	47.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	896.732	-65.47	-25	40.47	Pass	9701
1000	2485	1	RMS	2485	-52.36	-25	27.36	Pass	1486
2485	2585	1	RMS	2569.5	18.6	60	41.4	Pass	401
2585	3000	1	RMS	2934	-49.86	-25	24.86	Pass	416
3000	7000	1	RMS	6979	-66.46	-25	41.46	Pass	4001
7000	26000	1	RMS	25501	-50.78	-25	25.78	Pass	19003




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-25	46.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	986.791	-65.38	-25	40.38	Pass	9701
1000	2480	1	RMS	2480	-43.85	-25	18.85	Pass	1481
2480	2590	1	RMS	2509.7	6.18	60	53.82	Pass	401
2590	3000	1	RMS	2941	-49.84	-25	24.84	Pass	411
3000	7000	1	RMS	6979	-66.5	-25	41.5	Pass	4001
7000	26000	1	RMS	25499	-50.79	-25	25.79	Pass	19003




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-25	46.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	994.196	-65.43	-25	40.43	Pass	9701
1000	2480	1	RMS	2480	-52.37	-25	27.37	Pass	1481
2480	2590	1	RMS	2500.35	18.45	60	41.55	Pass	401
2590	3000	1	RMS	2946	-49.87	-25	24.87	Pass	411
3000	7000	1	RMS	6972	-66.42	-25	41.42	Pass	4001
7000	26000	1	RMS	25500	-50.72	-25	25.72	Pass	19003




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	46.72	Pass	2986
30	1000	0.1	RMS	838.6	-65.39	-25	40.39	Pass	9701
1000	2480	1	RMS	2480	-52.27	-25	27.27	Pass	1481
2480	2590	1	RMS	2519.325	18.63	60	41.37	Pass	401
2590	3000	1	RMS	2930	-49.86	-25	24.86	Pass	411
3000	7000	1	RMS	6971	-66.5	-25	41.5	Pass	4001
7000	26000	1	RMS	25502	-50.71	-25	25.71	Pass	19003




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	47.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-25	46.7	Pass	2986
30	1000	0.1	RMS	965.877	-65.39	-25	40.39	Pass	9701
1000	2480	1	RMS	2479	-52.35	-25	27.35	Pass	1481
2480	2590	1	RMS	2534.175	6.44	60	53.56	Pass	401
2590	3000	1	RMS	2936	-49.82	-25	24.82	Pass	411
3000	7000	1	RMS	6974	-66.5	-25	41.5	Pass	4001
7000	26000	1	RMS	25500	-50.75	-25	25.75	Pass	19003




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-25	47.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-25	47.48	Pass	2986
30	1000	0.1	RMS	969.98	-65.43	-25	40.43	Pass	9701
1000	2480	1	RMS	2479	-52.49	-25	27.49	Pass	1481
2480	2590	1	RMS	2525.375	18.56	60	41.44	Pass	401
2590	3000	1	RMS	2930	-49.83	-25	24.83	Pass	411
3000	7000	1	RMS	6979	-66.49	-25	41.49	Pass	4001
7000	26000	1	RMS	25512	-50.76	-25	25.76	Pass	19003




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-25	47.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	46.56	Pass	2986
30	1000	0.1	RMS	993.195	-65.37	-25	40.37	Pass	9701
1000	2480	1	RMS	2480	-52.47	-25	27.47	Pass	1481
2480	2590	1	RMS	2544.35	18.78	60	41.22	Pass	401
2590	3000	1	RMS	2941	-49.85	-25	24.85	Pass	411
3000	7000	1	RMS	6975	-66.54	-25	41.54	Pass	4001
7000	26000	1	RMS	25499	-50.79	-25	25.79	Pass	19003




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.06	-25	47.06	Pass	401
0.15	30	0.01	RMS	0.15	-72	-25	47	Pass	2986
30	1000	0.1	RMS	873.316	-65.27	-25	40.27	Pass	9701
1000	2480	1	RMS	2474	-52.42	-25	27.42	Pass	1481
2480	2590	1	RMS	2563.325	6.44	60	53.56	Pass	401
2590	3000	1	RMS	2590	-42.84	-25	17.84	Pass	411
3000	7000	1	RMS	6973	-66.49	-25	41.49	Pass	4001
7000	26000	1	RMS	25506	-50.83	-25	25.83	Pass	19003




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	929.653	-65.42	-25	40.42	Pass	9701
1000	2480	1	RMS	2470	-52.47	-25	27.47	Pass	1481
2480	2590	1	RMS	2550.4	18.76	60	41.24	Pass	401
2590	3000	1	RMS	2940	-49.79	-25	24.79	Pass	411
3000	7000	1	RMS	6978	-66.46	-25	41.46	Pass	4001
7000	26000	1	RMS	25499	-50.78	-25	25.78	Pass	19003



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.01	-25	47.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	46.41	Pass	2986
30	1000	0.1	RMS	896.531	-65.47	-25	40.47	Pass	9701
1000	2480	1	RMS	2478	-52.5	-25	27.5	Pass	1481
2480	2590	1	RMS	2569.375	18.67	60	41.33	Pass	401
2590	3000	1	RMS	2941	-49.84	-25	24.84	Pass	411
3000	7000	1	RMS	6974	-66.51	-25	41.51	Pass	4001
7000	26000	1	RMS	25503	-50.73	-25	25.73	Pass	19003




2. n5

2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	814	0.1	RMS	814	-62.84	-13	49.84	Pass	7841
814	859	0.1	RMS	824.9	3.91	60	56.09	Pass	451
859	1000	0.1	RMS	879.4	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2941	-49.89	-13	36.89	Pass	2001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	859	0.1	RMS	842.8	-65.76	60	125.76	Pass	451
859	1000	0.1	RMS	960.4	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	2932	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	8748	-65.89	-13	52.89	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	813.8	-65.64	-13	52.64	Pass	7841
814	859	0.1	RMS	835.1	3.98	60	56.02	Pass	451
859	1000	0.1	RMS	886.2	-65.42	-13	52.42	Pass	1411
1000	3000	1	RMS	2931	-49.85	-13	36.85	Pass	2001
3000	10000	1	RMS	8755	-65.92	-13	52.92	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	792	-65.71	-13	52.71	Pass	7841
814	859	0.1	RMS	834.3	17	60	43	Pass	451
859	1000	0.1	RMS	978.4	-65.51	-13	52.51	Pass	1411
1000	3000	1	RMS	1668	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	4172	-62.07	-13	49.07	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.37	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	774.2	-65.76	-13	52.76	Pass	7841
814	859	0.1	RMS	838.6	16.58	60	43.42	Pass	451
859	1000	0.1	RMS	979.4	-65.35	-13	52.35	Pass	1411
1000	3000	1	RMS	1677	-49.72	-13	36.72	Pass	2001
3000	10000	1	RMS	4193	-63.23	-13	50.23	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	814	0.1	RMS	813	-65.74	-13	52.74	Pass	7841
814	859	0.1	RMS	844.8	4.23	60	55.77	Pass	451
859	1000	0.1	RMS	859	-59.02	-13	46.02	Pass	1411
1000	3000	1	RMS	2961	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	8746	-65.85	-13	52.85	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.18	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	803.4	-65.59	-13	52.59	Pass	7841
814	859	0.1	RMS	844.3	17.02	60	42.98	Pass	451
859	1000	0.1	RMS	969.9	-65.44	-13	52.44	Pass	1411
1000	3000	1	RMS	2939	-49.83	-13	36.83	Pass	2001
3000	10000	1	RMS	4222	-62.96	-13	49.96	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	804.3	-65.73	-13	52.73	Pass	7841
814	859	0.1	RMS	848.6	16.48	60	43.52	Pass	451
859	1000	0.1	RMS	890.9	-65.45	-13	52.45	Pass	1411
1000	3000	1	RMS	1697	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	4243	-63.98	-13	50.98	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.22	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	813.9	-56.18	-13	43.18	Pass	7841
814	859	0.1	RMS	838.4	-1.02	60	61.02	Pass	451
859	1000	0.1	RMS	859	-56.97	-13	43.97	Pass	1411
1000	3000	1	RMS	2942	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	8742	-65.91	-13	52.91	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	814	-64.84	-13	51.84	Pass	7841
814	859	0.1	RMS	824.5	17.09	60	42.91	Pass	451
859	1000	0.1	RMS	964.5	-65.45	-13	52.45	Pass	1411
1000	3000	1	RMS	2937	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	4122	-62.74	-13	49.74	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.24	-72	-13	59	Pass	2986
30	814	0.1	RMS	813.9	-65.19	-13	52.19	Pass	7841
814	859	0.1	RMS	838.5	17.38	60	42.62	Pass	451
859	1000	0.1	RMS	972.1	-65.49	-13	52.49	Pass	1411
1000	3000	1	RMS	2935	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	4193	-63.95	-13	50.95	Pass	7001



2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	813.9	-56.01	-13	43.01	Pass	7841
814	859	0.1	RMS	834.2	-1.1	60	61.1	Pass	451
859	1000	0.1	RMS	859.1	-50.93	-13	37.93	Pass	1411
1000	3000	1	RMS	2932	-49.82	-13	36.82	Pass	2001
3000	10000	1	RMS	8746	-65.87	-13	52.87	Pass	7001



2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	813.9	-65.5	-13	52.5	Pass	7841
814	859	0.1	RMS	829.5	17.15	60	42.85	Pass	451
859	1000	0.1	RMS	859.2	-65.35	-13	52.35	Pass	1411
1000	3000	1	RMS	2940	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	4147	-62.41	-13	49.41	Pass	7001

