


Spurious Emission at Antenna Terminals


2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.36	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	813.8	-65.54	-13	52.54	Pass	7841
814	859	0.1	RMS	843.5	17.29	60	42.71	Pass	451
859	1000	0.1	RMS	859.1	-65.38	-13	52.38	Pass	1411
1000	3000	1	RMS	2940	-49.83	-13	36.83	Pass	2001
3000	10000	1	RMS	4218	-63.44	-13	50.44	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.29	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	814	-57.7	-13	44.7	Pass	7841
814	859	0.1	RMS	838.4	-0.91	60	60.91	Pass	451
859	1000	0.1	RMS	859.3	-48.69	-13	35.69	Pass	1411
1000	3000	1	RMS	2936	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	8741	-65.88	-13	52.88	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.24	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	803.6	-65.7	-13	52.7	Pass	7841
814	859	0.1	RMS	834.5	17.15	60	42.85	Pass	451
859	1000	0.1	RMS	859.3	-64.85	-13	51.85	Pass	1411
1000	3000	1	RMS	1668	-49	-13	36	Pass	2001
3000	10000	1	RMS	4172	-61.97	-13	48.97	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	792.9	-65.74	-13	52.74	Pass	7841
814	859	0.1	RMS	848.5	17.24	60	42.76	Pass	451
859	1000	0.1	RMS	859.3	-64.63	-13	51.63	Pass	1411
1000	3000	1	RMS	1697	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	4243	-64.39	-13	51.39	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	814	-55.45	-13	42.45	Pass	7841
814	859	0.1	RMS	833.3	-2.23	60	62.23	Pass	451
859	1000	0.1	RMS	859.2	-50.52	-13	37.52	Pass	1411
1000	3000	1	RMS	2930	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	8745	-65.89	-13	52.89	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	814	-64.62	-13	51.62	Pass	7841
814	859	0.1	RMS	824.5	16.98	60	43.02	Pass	451
859	1000	0.1	RMS	859.1	-64.75	-13	51.75	Pass	1411
1000	3000	1	RMS	2934	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	4123	-62.5	-13	49.5	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.28	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	814	-62.74	-13	49.74	Pass	7841
814	859	0.1	RMS	843.4	16.86	60	43.14	Pass	451
859	1000	0.1	RMS	859.2	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2932	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	4217	-62.28	-13	49.28	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	814	-54.96	-13	41.96	Pass	7841
814	859	0.1	RMS	835.7	-2.26	60	62.26	Pass	451
859	1000	0.1	RMS	859	-50.66	-13	37.66	Pass	1411
1000	3000	1	RMS	2942	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	8744	-65.9	-13	52.9	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	814	-64.83	-13	51.83	Pass	7841
814	859	0.1	RMS	827	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	859.1	-64.3	-13	51.3	Pass	1411
1000	3000	1	RMS	2940	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	4135	-62.65	-13	49.65	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	814	-64.91	-13	51.91	Pass	7841
814	859	0.1	RMS	845.9	16.93	60	43.07	Pass	451
859	1000	0.1	RMS	859	-64.64	-13	51.64	Pass	1411
1000	3000	1	RMS	2948	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	4230	-62.37	-13	49.37	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.31	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	814	-54.21	-13	41.21	Pass	7841
814	859	0.1	RMS	838.2	-2.23	60	62.23	Pass	451
859	1000	0.1	RMS	859	-49.49	-13	36.49	Pass	1411
1000	3000	1	RMS	2932	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	8746	-65.95	-13	52.95	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.22	-71.37	-13	58.37	Pass	2986
30	814	0.1	RMS	814	-65.47	-13	52.47	Pass	7841
814	859	0.1	RMS	829.5	16.86	60	43.14	Pass	451
859	1000	0.1	RMS	859	-63.21	-13	50.21	Pass	1411
1000	3000	1	RMS	2944	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	4148	-62.19	-13	49.19	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	58.8	Pass	2986
30	814	0.1	RMS	814	-65.14	-13	52.14	Pass	7841
814	859	0.1	RMS	848.4	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	859.2	-64.19	-13	51.19	Pass	1411
1000	3000	1	RMS	1696	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	4242	-63.43	-13	50.43	Pass	7001



3. n66


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.22	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	960.274	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-48.19	-13	35.19	Pass	701
1700	1790	1	RMS	1713.275	13.02	60	46.98	Pass	401
1790	3000	1	RMS	2944	-49.82	-13	36.82	Pass	1211
3000	7000	1	RMS	5137	-62.58	-13	49.58	Pass	4001
7000	20000	1	RMS	19311	-53.84	-13	40.84	Pass	13002




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	871.615	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.42	-13	40.42	Pass	701
1700	1790	1	RMS	1710.125	19.09	60	40.91	Pass	401
1790	3000	1	RMS	2936	-49.8	-13	36.8	Pass	1211
3000	7000	1	RMS	5131	-56.44	-13	43.44	Pass	4001
7000	20000	1	RMS	19314	-53.82	-13	40.82	Pass	13002




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	958.472	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.71	-13	40.71	Pass	701
1700	1790	1	RMS	1714.625	19.1	60	40.9	Pass	401
1790	3000	1	RMS	2935	-49.81	-13	36.81	Pass	1211
3000	7000	1	RMS	5144	-55.81	-13	42.81	Pass	4001
7000	20000	1	RMS	19307	-53.78	-13	40.78	Pass	13002




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.21	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	997.298	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1671	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1743.65	12.98	60	47.02	Pass	401
1790	3000	1	RMS	2929	-49.83	-13	36.83	Pass	1211
3000	7000	1	RMS	5235	-62.15	-13	49.15	Pass	4001
7000	20000	1	RMS	19390	-53.77	-13	40.77	Pass	13002




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	845.4	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1677	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1742.75	19.16	60	40.84	Pass	401
1790	3000	1	RMS	2943	-49.78	-13	36.78	Pass	1211
3000	7000	1	RMS	5228	-57.74	-13	44.74	Pass	4001
7000	20000	1	RMS	19331	-53.79	-13	40.79	Pass	13002




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	844.6	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1679	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1747.025	19.11	60	40.89	Pass	401
1790	3000	1	RMS	2945	-49.83	-13	36.83	Pass	1211
3000	7000	1	RMS	5241	-56.91	-13	43.91	Pass	4001
7000	20000	1	RMS	19309	-53.78	-13	40.78	Pass	13002




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.18	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	984.089	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1671	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1776.275	13	60	47	Pass	401
1790	3000	1	RMS	1790	-47.44	-13	34.44	Pass	1211
3000	7000	1	RMS	5332	-61.92	-13	48.92	Pass	4001
7000	20000	1	RMS	19322	-53.78	-13	40.78	Pass	13002




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	955.47	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1670	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1775.15	19.08	60	40.92	Pass	401
1790	3000	1	RMS	2940	-49.8	-13	36.8	Pass	1211
3000	7000	1	RMS	5326	-54.32	-13	41.32	Pass	4001
7000	20000	1	RMS	19404	-53.81	-13	40.81	Pass	13002




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	982.588	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1675	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1779.425	19.05	60	40.95	Pass	401
1790	3000	1	RMS	2929	-49.8	-13	36.8	Pass	1211
3000	7000	1	RMS	5339	-56.49	-13	43.49	Pass	4001
7000	20000	1	RMS	19437	-53.8	-13	40.8	Pass	13002




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	897.832	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-39.88	-13	26.88	Pass	701
1700	1790	1	RMS	1722.725	6.93	60	53.07	Pass	401
1790	3000	1	RMS	2938	-49.79	-13	36.79	Pass	1211
3000	7000	1	RMS	6977	-66.48	-13	53.48	Pass	4001
7000	20000	1	RMS	19316	-53.77	-13	40.77	Pass	13002




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	943.162	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	37.61	Pass	701
1700	1790	1	RMS	1710.35	19.25	60	40.75	Pass	401
1790	3000	1	RMS	2945	-49.78	-13	36.78	Pass	1211
3000	7000	1	RMS	5132	-57	-13	44	Pass	4001
7000	20000	1	RMS	19411	-53.74	-13	40.74	Pass	13002




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	963.076	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-44.85	-13	31.85	Pass	701
1700	1790	1	RMS	1729.25	19.28	60	40.72	Pass	401
1790	3000	1	RMS	2936	-49.83	-13	36.83	Pass	1211
3000	7000	1	RMS	5188	-59.03	-13	46.03	Pass	4001
7000	20000	1	RMS	19363	-53.81	-13	40.81	Pass	13002




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	979.186	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	38.08	Pass	701
1700	1790	1	RMS	1748.15	6.84	60	53.16	Pass	401
1790	3000	1	RMS	2941	-49.84	-13	36.84	Pass	1211
3000	7000	1	RMS	6982	-66.43	-13	53.43	Pass	4001
7000	20000	1	RMS	19404	-53.8	-13	40.8	Pass	13002




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	929.954	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1698	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1735.325	19.18	60	40.82	Pass	401
1790	3000	1	RMS	2938	-49.78	-13	36.78	Pass	1211
3000	7000	1	RMS	5207	-58.09	-13	45.09	Pass	4001
7000	20000	1	RMS	19287	-53.75	-13	40.75	Pass	13002




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	891.328	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1670	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1754.225	19.09	60	40.91	Pass	401
1790	3000	1	RMS	2939	-49.8	-13	36.8	Pass	1211
3000	7000	1	RMS	5263	-57.54	-13	44.54	Pass	4001
7000	20000	1	RMS	19308	-53.75	-13	40.75	Pass	13002




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.28	-72.76	-13	59.76	Pass	2986
30	1000	0.1	RMS	978.186	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1700	-53.79	-13	40.79	Pass	701
1700	1790	1	RMS	1761.425	6.83	60	53.17	Pass	401
1790	3000	1	RMS	1795	-37.48	-13	24.48	Pass	1211
3000	7000	1	RMS	6977	-66.47	-13	53.47	Pass	4001
7000	20000	1	RMS	19322	-53.75	-13	40.75	Pass	13002




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	927.352	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1671	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1760.525	19.1	60	40.9	Pass	401
1790	3000	1	RMS	1790	-45.53	-13	32.53	Pass	1211
3000	7000	1	RMS	5282	-61.75	-13	48.75	Pass	4001
7000	20000	1	RMS	19338	-53.8	-13	40.8	Pass	13002




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.24	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	896.832	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1671	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1779.425	19.21	60	40.79	Pass	401
1790	3000	1	RMS	2949	-49.84	-13	36.84	Pass	1211
3000	7000	1	RMS	5338	-56.63	-13	43.63	Pass	4001
7000	20000	1	RMS	19315	-53.79	-13	40.79	Pass	13002




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	980.687	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-40.47	-13	27.47	Pass	701
1700	1790	1	RMS	1748.15	4.02	60	55.98	Pass	401
1790	3000	1	RMS	1790	-38.98	-13	25.98	Pass	1211
3000	7000	1	RMS	6973	-66.51	-13	53.51	Pass	4001
7000	20000	1	RMS	19308	-53.75	-13	40.75	Pass	13002




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	903.736	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	37.9	Pass	701
1700	1790	1	RMS	1710.575	19.11	60	40.89	Pass	401
1790	3000	1	RMS	2939	-49.83	-13	36.83	Pass	1211
3000	7000	1	RMS	5132	-54.15	-13	41.15	Pass	4001
7000	20000	1	RMS	19418	-53.81	-13	40.81	Pass	13002




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	57.52	Pass	2986
30	1000	0.1	RMS	850.001	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-51.88	-13	38.88	Pass	701
1700	1790	1	RMS	1749.275	19.06	60	40.94	Pass	401
1790	3000	1	RMS	2936	-49.82	-13	36.82	Pass	1211
3000	7000	1	RMS	5248	-55.55	-13	42.55	Pass	4001
7000	20000	1	RMS	19478	-53.82	-13	40.82	Pass	13002




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	971.181	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1699	-38.49	-13	25.49	Pass	701
1700	1790	1	RMS	1747.7	3.59	60	56.41	Pass	401
1790	3000	1	RMS	1796	-39.49	-13	26.49	Pass	1211
3000	7000	1	RMS	6982	-66.5	-13	53.5	Pass	4001
7000	20000	1	RMS	19482	-53.82	-13	40.82	Pass	13002




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.16	-70.71	-13	57.71	Pass	2986
30	1000	0.1	RMS	852.602	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-52.68	-13	39.68	Pass	701
1700	1790	1	RMS	1725.425	19.1	60	40.9	Pass	401
1790	3000	1	RMS	2943	-49.82	-13	36.82	Pass	1211
3000	7000	1	RMS	5177	-58.35	-13	45.35	Pass	4001
7000	20000	1	RMS	19336	-53.81	-13	40.81	Pass	13002




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	1000	0.1	RMS	975.884	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-52.75	-13	39.75	Pass	701
1700	1790	1	RMS	1764.125	19.06	60	40.94	Pass	401
1790	3000	1	RMS	2928	-49.85	-13	36.85	Pass	1211
3000	7000	1	RMS	5293	-59.72	-13	46.72	Pass	4001
7000	20000	1	RMS	19287	-53.76	-13	40.76	Pass	13002




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	849.6	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-37.37	-13	24.37	Pass	701
1700	1790	1	RMS	1743.65	3.85	60	56.15	Pass	401
1790	3000	1	RMS	1790	-40.47	-13	27.47	Pass	1211
3000	7000	1	RMS	6970	-66.52	-13	53.52	Pass	4001
7000	20000	1	RMS	19304	-53.82	-13	40.82	Pass	13002




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	835	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1699	-53.96	-13	40.96	Pass	701
1700	1790	1	RMS	1740.5	19.17	60	40.83	Pass	401
1790	3000	1	RMS	2959	-49.82	-13	36.82	Pass	1211
3000	7000	1	RMS	5222	-56.17	-13	43.17	Pass	4001
7000	20000	1	RMS	19338	-53.77	-13	40.77	Pass	13002



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	993.896	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-53.65	-13	40.65	Pass	701
1700	1790	1	RMS	1779.2	19.23	60	40.77	Pass	401
1790	3000	1	RMS	2956	-49.87	-13	36.87	Pass	1211
3000	7000	1	RMS	5338	-56.02	-13	43.02	Pass	4001
7000	20000	1	RMS	19415	-53.8	-13	40.8	Pass	13002



4. n38_PC3


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-25	46.14	Pass	401
0.15	30	0.01	RMS	0.15	-69.15	-25	44.15	Pass	2986
30	1000	0.1	RMS	816.9	-62.4	-25	37.4	Pass	9701
1000	2550	1	RMS	2550	-39.26	-25	14.26	Pass	1551
2550	2640	1	RMS	2571.825	7.28	60	52.72	Pass	401
2640	3000	1	RMS	2932.5	-49.82	-25	24.82	Pass	401
3000	7000	1	RMS	6972	-66.19	-25	41.19	Pass	4001
7000	26500	1	RMS	26494	-49.94	-25	24.94	Pass	19503




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.07	-25	48.07	Pass	401
0.15	30	0.01	RMS	0.25	-69.96	-25	44.96	Pass	2986
30	1000	0.1	RMS	941.561	-62.85	-25	37.85	Pass	9701
1000	2550	1	RMS	2550	-51.87	-25	26.87	Pass	1551
2550	2640	1	RMS	2570.925	19.37	60	40.63	Pass	401
2640	3000	1	RMS	2939.7	-49.8	-25	24.8	Pass	401
3000	7000	1	RMS	6975	-66.14	-25	41.14	Pass	4001
7000	26500	1	RMS	25517	-50.04	-25	25.04	Pass	19503




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-25	46.33	Pass	401
0.15	30	0.01	RMS	1.18	-70.33	-25	45.33	Pass	2986
30	1000	0.1	RMS	804.4	-62.42	-25	37.42	Pass	9701
1000	2550	1	RMS	2550	-51.62	-25	26.62	Pass	1551
2550	2640	1	RMS	2588.925	19.4	60	40.6	Pass	401
2640	3000	1	RMS	2949.6	-49.78	-25	24.78	Pass	401
3000	7000	1	RMS	6984	-66.14	-25	41.14	Pass	4001
7000	26500	1	RMS	25465	-49.98	-25	24.98	Pass	19503




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.69	-25	45.69	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-25	46.15	Pass	2986
30	1000	0.1	RMS	997.298	-61.47	-25	36.47	Pass	9701
1000	2550	1	RMS	2550	-50.89	-25	25.89	Pass	1551
2550	2640	1	RMS	2586.9	7.31	60	52.69	Pass	401
2640	3000	1	RMS	2931.6	-49.81	-25	24.81	Pass	401
3000	7000	1	RMS	6979	-66.04	-25	41.04	Pass	4001
7000	26500	1	RMS	25494	-49.92	-25	24.92	Pass	19503




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.37	-25	46.37	Pass	401
0.15	30	0.01	RMS	0.23	-69.09	-25	44.09	Pass	2986
30	1000	0.1	RMS	591.8	-62.57	-25	37.57	Pass	9701
1000	2550	1	RMS	2543	-52.02	-25	27.02	Pass	1551
2550	2640	1	RMS	2586	19.35	60	40.65	Pass	401
2640	3000	1	RMS	2936.1	-49.78	-25	24.78	Pass	401
3000	7000	1	RMS	6976	-66.3	-25	41.3	Pass	4001
7000	26500	1	RMS	25512	-49.43	-25	24.43	Pass	19503




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.89	-25	45.89	Pass	401
0.15	30	0.01	RMS	0.17	-70.47	-25	45.47	Pass	2986
30	1000	0.1	RMS	947.865	-62.44	-25	37.44	Pass	9701
1000	2550	1	RMS	2510	-52	-25	27	Pass	1551
2550	2640	1	RMS	2604	19.35	60	40.65	Pass	401
2640	3000	1	RMS	2947.8	-49.8	-25	24.8	Pass	401
3000	7000	1	RMS	6982	-66.22	-25	41.22	Pass	4001
7000	26500	1	RMS	25523	-50.02	-25	25.02	Pass	19503




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-25	47	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-25	44.75	Pass	2986
30	1000	0.1	RMS	882.922	-62.36	-25	37.36	Pass	9701
1000	2550	1	RMS	2540	-51.74	-25	26.74	Pass	1551
2550	2640	1	RMS	2607.375	7.3	60	52.7	Pass	401
2640	3000	1	RMS	2640	-34.84	-25	9.84	Pass	401
3000	7000	1	RMS	6980	-66.22	-25	41.22	Pass	4001
7000	26500	1	RMS	25472	-49.98	-25	24.98	Pass	19503




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.95	-25	45.95	Pass	401
0.15	30	0.01	RMS	0.35	-69.85	-25	44.85	Pass	2986
30	1000	0.1	RMS	934.256	-62.63	-25	37.63	Pass	9701
1000	2550	1	RMS	2503	-51.88	-25	26.88	Pass	1551
2550	2640	1	RMS	2601.075	19.24	60	40.76	Pass	401
2640	3000	1	RMS	2937.9	-49.7	-25	24.7	Pass	401
3000	7000	1	RMS	6967	-66.21	-25	41.21	Pass	4001
7000	26500	1	RMS	25520	-49.77	-25	24.77	Pass	19503




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-25	46.45	Pass	401
0.15	30	0.01	RMS	0.22	-68.95	-25	43.95	Pass	2986
30	1000	0.1	RMS	862.209	-62.16	-25	37.16	Pass	9701
1000	2550	1	RMS	2514	-52.05	-25	27.05	Pass	1551
2550	2640	1	RMS	2619.075	19.27	60	40.73	Pass	401
2640	3000	1	RMS	2931.6	-49.76	-25	24.76	Pass	401
3000	7000	1	RMS	6974	-66.1	-25	41.1	Pass	4001
7000	26500	1	RMS	25921	-49.42	-25	24.42	Pass	19503




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.49	-25	46.49	Pass	401
0.15	30	0.01	RMS	0.46	-70.35	-25	45.35	Pass	2986
30	1000	0.1	RMS	819.8	-63	-25	38	Pass	9701
1000	2560	1	RMS	2560	-38.38	-25	13.38	Pass	1561
2560	2630	1	RMS	2576.45	10.4	60	49.6	Pass	401
2630	3000	1	RMS	2938.95	-49.89	-25	24.89	Pass	401
3000	7000	1	RMS	6966	-66.35	-25	41.35	Pass	4001
7000	26500	1	RMS	25888	-49.78	-25	24.78	Pass	19503




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.79	-25	46.79	Pass	401
0.15	30	0.01	RMS	0.34	-69.96	-25	44.96	Pass	2986
30	1000	0.1	RMS	892.129	-62.46	-25	37.46	Pass	9701
1000	2560	1	RMS	2560	-50.54	-25	25.54	Pass	1561
2560	2630	1	RMS	2570.85	19.46	60	40.54	Pass	401
2630	3000	1	RMS	2930.625	-49.89	-25	24.89	Pass	401
3000	7000	1	RMS	6976	-66.33	-25	41.33	Pass	4001
7000	26500	1	RMS	25488	-49.84	-25	24.84	Pass	19503




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.62	-25	46.62	Pass	401
0.15	30	0.01	RMS	0.17	-70.16	-25	45.16	Pass	2986
30	1000	0.1	RMS	783.3	-63.11	-25	38.11	Pass	9701
1000	2560	1	RMS	2560	-50.59	-25	25.59	Pass	1561
2560	2630	1	RMS	2579.075	19.47	60	40.53	Pass	401
2630	3000	1	RMS	2945.425	-49.87	-25	24.87	Pass	401
3000	7000	1	RMS	6980	-66.12	-25	41.12	Pass	4001
7000	26500	1	RMS	26495	-50.06	-25	25.06	Pass	19503




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-25	46.44	Pass	401
0.15	30	0.01	RMS	0.44	-71.39	-25	46.39	Pass	2986
30	1000	0.1	RMS	962.975	-62.7	-25	37.7	Pass	9701
1000	2560	1	RMS	2560	-52.01	-25	27.01	Pass	1561
2560	2630	1	RMS	2596.75	10.35	60	49.65	Pass	401
2630	3000	1	RMS	2933.4	-49.8	-25	24.8	Pass	401
3000	7000	1	RMS	6997	-66.14	-25	41.14	Pass	4001
7000	26500	1	RMS	25508	-49.7	-25	24.7	Pass	19503




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.65	-25	46.65	Pass	401
0.15	30	0.01	RMS	0.26	-69.72	-25	44.72	Pass	2986
30	1000	0.1	RMS	978.986	-62.85	-25	37.85	Pass	9701
1000	2560	1	RMS	2544	-52.04	-25	27.04	Pass	1561
2560	2630	1	RMS	2590.8	19.38	60	40.62	Pass	401
2630	3000	1	RMS	2941.725	-49.86	-25	24.86	Pass	401
3000	7000	1	RMS	6998	-66.22	-25	41.22	Pass	4001
7000	26500	1	RMS	25515	-49.88	-25	24.88	Pass	19503




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.97	-25	45.97	Pass	401
0.15	30	0.01	RMS	0.15	-69.7	-25	44.7	Pass	2986
30	1000	0.1	RMS	884.624	-63.01	-25	38.01	Pass	9701
1000	2560	1	RMS	2552	-52.17	-25	27.17	Pass	1561
2560	2630	1	RMS	2599.2	19.33	60	40.67	Pass	401
2630	3000	1	RMS	2932.475	-49.84	-25	24.84	Pass	401
3000	7000	1	RMS	6975	-66.32	-25	41.32	Pass	4001
7000	26500	1	RMS	25545	-50.09	-25	25.09	Pass	19503




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.33	-25	45.33	Pass	401
0.15	30	0.01	RMS	0.77	-71.26	-25	46.26	Pass	2986
30	1000	0.1	RMS	872.816	-62.83	-25	37.83	Pass	9701
1000	2560	1	RMS	2532	-52.19	-25	27.19	Pass	1561
2560	2630	1	RMS	2617.925	10.39	60	49.61	Pass	401
2630	3000	1	RMS	2630	-36.02	-25	11.02	Pass	401
3000	7000	1	RMS	6982	-66.27	-25	41.27	Pass	4001
7000	26500	1	RMS	25510	-49.69	-25	24.69	Pass	19503




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-25	44.87	Pass	401
0.15	30	0.01	RMS	0.19	-70.5	-25	45.5	Pass	2986
30	1000	0.1	RMS	494.3	-62.61	-25	37.61	Pass	9701
1000	2560	1	RMS	2559	-52.02	-25	27.02	Pass	1561
2560	2630	1	RMS	2610.925	19.32	60	40.68	Pass	401
2630	3000	1	RMS	2942.65	-49.83	-25	24.83	Pass	401
3000	7000	1	RMS	6977	-66.36	-25	41.36	Pass	4001
7000	26500	1	RMS	25486	-49.93	-25	24.93	Pass	19503




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-25	46.01	Pass	401
0.15	30	0.01	RMS	0.22	-69.89	-25	44.89	Pass	2986
30	1000	0.1	RMS	990.694	-62.93	-25	37.93	Pass	9701
1000	2560	1	RMS	2527	-52.03	-25	27.03	Pass	1561
2560	2630	1	RMS	2619.15	19.37	60	40.63	Pass	401
2630	3000	1	RMS	2938.95	-49.82	-25	24.82	Pass	401
3000	7000	1	RMS	6982	-66.29	-25	41.29	Pass	4001
7000	26500	1	RMS	25902	-50.11	-25	25.11	Pass	19503




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.79	-25	45.79	Pass	401
0.15	30	0.01	RMS	1.22	-71.25	-25	46.25	Pass	2986
30	1000	0.1	RMS	977.385	-63.04	-25	38.04	Pass	9701
1000	2555	1	RMS	2555	-39.37	-25	14.37	Pass	1556
2555	2635	1	RMS	2583.2	8.53	60	51.47	Pass	401
2635	3000	1	RMS	2943.425	-49.87	-25	24.87	Pass	401
3000	7000	1	RMS	6983	-66.32	-25	41.32	Pass	4001
7000	26500	1	RMS	25834	-50.12	-25	25.12	Pass	19503




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-25	47.17	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-25	45.67	Pass	2986
30	1000	0.1	RMS	910.04	-62.63	-25	37.63	Pass	9701
1000	2555	1	RMS	2555	-51.23	-25	26.23	Pass	1556
2555	2635	1	RMS	2570.8	19.41	60	40.59	Pass	401
2635	3000	1	RMS	2950.725	-49.84	-25	24.84	Pass	401
3000	7000	1	RMS	6971	-66.34	-25	41.34	Pass	4001
7000	26500	1	RMS	25543	-49.86	-25	24.86	Pass	19503




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.21	-25	45.21	Pass	401
0.15	30	0.01	RMS	0.17	-70.3	-25	45.3	Pass	2986
30	1000	0.1	RMS	929.854	-62.93	-25	37.93	Pass	9701
1000	2555	1	RMS	2555	-49.88	-25	24.88	Pass	1556
2555	2635	1	RMS	2584.2	19.34	60	40.66	Pass	401
2635	3000	1	RMS	2935.213	-49.81	-25	24.81	Pass	401
3000	7000	1	RMS	6973	-66.17	-25	41.17	Pass	4001
7000	26500	1	RMS	25857	-49.81	-25	24.81	Pass	19503




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.34	-25	46.34	Pass	401
0.15	30	0.01	RMS	0.36	-69.85	-25	44.85	Pass	2986
30	1000	0.1	RMS	892.629	-62.84	-25	37.84	Pass	9701
1000	2555	1	RMS	2555	-51.59	-25	26.59	Pass	1556
2555	2635	1	RMS	2589.6	8.45	60	51.55	Pass	401
2635	3000	1	RMS	2938.863	-49.8	-25	24.8	Pass	401
3000	7000	1	RMS	6980	-66.19	-25	41.19	Pass	4001
7000	26500	1	RMS	25498	-50.05	-25	25.05	Pass	19503




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.72	-25	45.72	Pass	401
0.15	30	0.01	RMS	0.29	-70.19	-25	45.19	Pass	2986
30	1000	0.1	RMS	992.395	-62.97	-25	37.97	Pass	9701
1000	2555	1	RMS	2545	-52.05	-25	27.05	Pass	1556
2555	2635	1	RMS	2588.4	19.28	60	40.72	Pass	401
2635	3000	1	RMS	2932.475	-49.8	-25	24.8	Pass	401
3000	7000	1	RMS	6975	-66.12	-25	41.12	Pass	4001
7000	26500	1	RMS	25924	-49.97	-25	24.97	Pass	19503




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.86	-25	46.86	Pass	401
0.15	30	0.01	RMS	0.17	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	454.3	-61.84	-25	36.84	Pass	9701
1000	2555	1	RMS	2502	-52.05	-25	27.05	Pass	1556
2555	2635	1	RMS	2601.6	19.33	60	40.67	Pass	401
2635	3000	1	RMS	2937.95	-49.8	-25	24.8	Pass	401
3000	7000	1	RMS	6997	-66.2	-25	41.2	Pass	4001
7000	26500	1	RMS	25486	-49.85	-25	24.85	Pass	19503




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.41	-70.66	-25	45.66	Pass	2986
30	1000	0.1	RMS	963.076	-62.79	-25	37.79	Pass	9701
1000	2555	1	RMS	2511	-52.06	-25	27.06	Pass	1556
2555	2635	1	RMS	2606.8	8.4	60	51.6	Pass	401
2635	3000	1	RMS	2635	-35.77	-25	10.77	Pass	401
3000	7000	1	RMS	6994	-66.21	-25	41.21	Pass	4001
7000	26500	1	RMS	25503	-49.65	-25	24.65	Pass	19503




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.06	-25	46.06	Pass	401
0.15	30	0.01	RMS	0.16	-68.87	-25	43.87	Pass	2986
30	1000	0.1	RMS	766.9	-62.73	-25	37.73	Pass	9701
1000	2555	1	RMS	2484	-52.07	-25	27.07	Pass	1556
2555	2635	1	RMS	2605.8	19.26	60	40.74	Pass	401
2635	3000	1	RMS	2937.038	-49.81	-25	24.81	Pass	401
3000	7000	1	RMS	6975	-66.15	-25	41.15	Pass	4001
7000	26500	1	RMS	25575	-50.13	-25	25.13	Pass	19503



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-25	45.79	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-25	44.75	Pass	2986
30	1000	0.1	RMS	919.046	-63.03	-25	38.03	Pass	9701
1000	2555	1	RMS	2409	-51.66	-25	26.66	Pass	1556
2555	2635	1	RMS	2619.2	19.26	60	40.74	Pass	401
2635	3000	1	RMS	2929.738	-49.75	-25	24.75	Pass	401
3000	7000	1	RMS	6978	-66.25	-25	41.25	Pass	4001
7000	26500	1	RMS	25533	-49.5	-25	24.5	Pass	19503



5. n41


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-25	47.54	Pass	2986
30	1000	0.1	RMS	898.132	-65.47	-25	40.47	Pass	9701
1000	2486	1	RMS	2486	-39.65	-25	14.65	Pass	1487
2486	2700	1	RMS	2502.585	12.37	60	47.63	Pass	401
2700	3000	1	RMS	2931.75	-49.98	-25	24.98	Pass	401
3000	7000	1	RMS	6977	-66.65	-25	41.65	Pass	4001
7000	26500	1	RMS	25507	-50.91	-25	25.91	Pass	19503




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-25	46.17	Pass	2986
30	1000	0.1	RMS	536.1	-64.96	-25	39.96	Pass	9701
1000	2486	1	RMS	2486	-50.18	-25	25.18	Pass	1487
2486	2700	1	RMS	2496.7	20.58	60	39.42	Pass	401
2700	3000	1	RMS	2940	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	4994	-65.28	-25	40.28	Pass	4001
7000	26500	1	RMS	25505	-50.84	-25	25.84	Pass	19503




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.18	-71.08	-25	46.08	Pass	2986
30	1000	0.1	RMS	544.4	-65.11	-25	40.11	Pass	9701
1000	2486	1	RMS	2486	-50.01	-25	25.01	Pass	1487
2486	2700	1	RMS	2504.725	20.59	60	39.41	Pass	401
2700	3000	1	RMS	2932.5	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	5010	-64.49	-25	39.49	Pass	4001
7000	26500	1	RMS	25504	-50.89	-25	25.89	Pass	19503




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-25	47.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-25	46.91	Pass	2986
30	1000	0.1	RMS	862.109	-65.62	-25	40.62	Pass	9701
1000	2486	1	RMS	2484	-52.59	-25	27.59	Pass	1487
2486	2700	1	RMS	2589.79	12.71	60	47.29	Pass	401
2700	3000	1	RMS	2931.75	-50.12	-25	25.12	Pass	401
3000	7000	1	RMS	6978	-66.74	-25	41.74	Pass	4001
7000	26500	1	RMS	25501	-50.92	-25	25.92	Pass	19503




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-25	46.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-25	46.48	Pass	2986
30	1000	0.1	RMS	922.649	-65.54	-25	40.54	Pass	9701
1000	2486	1	RMS	2482	-52.58	-25	27.58	Pass	1487
2486	2700	1	RMS	2588.72	20.79	60	39.21	Pass	401
2700	3000	1	RMS	2930.25	-50.05	-25	25.05	Pass	401
3000	7000	1	RMS	7000	-66.63	-25	41.63	Pass	4001
7000	26500	1	RMS	25500	-50.95	-25	25.95	Pass	19503




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-25	48.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	842.7	-65.59	-25	40.59	Pass	9701
1000	2486	1	RMS	2486	-52.56	-25	27.56	Pass	1487
2486	2700	1	RMS	2686.09	12.63	60	47.37	Pass	401
2700	3000	1	RMS	2700	-39.03	-25	14.03	Pass	401
3000	7000	1	RMS	6974	-66.55	-25	41.55	Pass	4001
7000	26500	1	RMS	25499	-50.92	-25	25.92	Pass	19503




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.29	-25	47.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	46.62	Pass	2986
30	1000	0.1	RMS	720.2	-63.91	-25	38.91	Pass	9701
1000	2486	1	RMS	2480	-52.59	-25	27.59	Pass	1487
2486	2700	1	RMS	2680.74	20.67	60	39.33	Pass	401
2700	3000	1	RMS	2934.75	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6969	-66.7	-25	41.7	Pass	4001
7000	26500	1	RMS	25504	-50.87	-25	25.87	Pass	19503



5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-25	46.73	Pass	2986
30	1000	0.1	RMS	890.127	-65.58	-25	40.58	Pass	9701
1000	2486	1	RMS	2480	-52.62	-25	27.62	Pass	1487
2486	2700	1	RMS	2596.745	21.06	60	38.94	Pass	401
2700	3000	1	RMS	2930.25	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	6972	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25496	-51	-25	26	Pass	19503



5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-25	47.37	Pass	401
0.15	30	0.01	RMS	0.22	-71.2	-25	46.2	Pass	2986
30	1000	0.1	RMS	728.4	-63.77	-25	38.77	Pass	9701
1000	2486	1	RMS	2483	-52.55	-25	27.55	Pass	1487
2486	2700	1	RMS	2688.765	20.89	60	39.11	Pass	401
2700	3000	1	RMS	2938.5	-50.04	-25	25.04	Pass	401
3000	7000	1	RMS	6979	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25499	-50.89	-25	25.89	Pass	19503

