


Spurious Emission at Antenna Terminals


8.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.29	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	901.435	-63	-13	50	Pass	9701
1000	3000	1	RMS	2938	-49.78	-13	36.78	Pass	2001
3000	3440	1	RMS	3440	-49.71	-13	36.71	Pass	441
3440	3560	1	RMS	3450.8	20.12	60	39.88	Pass	401
3560	7000	1	RMS	6988	-66.47	-13	53.47	Pass	3441
7000	26500	1	RMS	25827	-49.89	-13	36.89	Pass	19503




8.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.21	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	963.676	-62.6	-13	49.6	Pass	9701
1000	3000	1	RMS	2948	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3440	-49.6	-13	36.6	Pass	441
3440	3560	1	RMS	3459.2	20.27	60	39.73	Pass	401
3560	7000	1	RMS	3562	-66.14	-13	53.14	Pass	3441
7000	26500	1	RMS	25477	-49.68	-13	36.68	Pass	19503




8.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	1.03	-71.01	-13	58.01	Pass	2986
30	1000	0.1	RMS	875.417	-63.24	-13	50.24	Pass	9701
1000	3000	1	RMS	2968	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3164	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3498.5	11.9	60	48.1	Pass	401
3560	7000	1	RMS	3562	-66.16	-13	53.16	Pass	3441
7000	26500	1	RMS	25918	-49.97	-13	36.97	Pass	19503




8.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	1.74	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	967.178	-63.18	-13	50.18	Pass	9701
1000	3000	1	RMS	2938	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3162	-50.21	-13	37.21	Pass	441
3440	3560	1	RMS	3495.8	20.27	60	39.73	Pass	401
3560	7000	1	RMS	3562	-66.05	-13	53.05	Pass	3441
7000	26500	1	RMS	25487	-49.89	-13	36.89	Pass	19503




8.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.86	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	900.834	-62.48	-13	49.48	Pass	9701
1000	3000	1	RMS	2957	-49.75	-13	36.75	Pass	2001
3000	3440	1	RMS	3160	-50.23	-13	37.23	Pass	441
3440	3560	1	RMS	3504.2	20.14	60	39.86	Pass	401
3560	7000	1	RMS	3562	-65.96	-13	52.96	Pass	3441
7000	26500	1	RMS	25910	-50.13	-13	37.13	Pass	19503




8.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.25	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	984.19	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2955	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3162	-50.18	-13	37.18	Pass	441
3440	3560	1	RMS	3542.6	11.58	60	48.42	Pass	401
3560	7000	1	RMS	3560	-41	-13	28	Pass	3441
7000	26500	1	RMS	25503	-50.1	-13	37.1	Pass	19503




8.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.23	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	970.681	-62.74	-13	49.74	Pass	9701
1000	3000	1	RMS	2935	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3160	-49.99	-13	36.99	Pass	441
3440	3560	1	RMS	3540.8	19.99	60	40.01	Pass	401
3560	7000	1	RMS	3560	-55.4	-13	42.4	Pass	3441
7000	26500	1	RMS	25507	-50.03	-13	37.03	Pass	19503




8.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.22	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	971.481	-63.07	-13	50.07	Pass	9701
1000	3000	1	RMS	2943	-49.51	-13	36.51	Pass	2001
3000	3440	1	RMS	3164	-50.15	-13	37.15	Pass	441
3440	3560	1	RMS	3549.2	19.97	60	40.03	Pass	401
3560	7000	1	RMS	3560	-54.89	-13	41.89	Pass	3441
7000	26500	1	RMS	25472	-50.12	-13	37.12	Pass	19503




8.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.2	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	870.714	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2930	-49.66	-13	36.66	Pass	2001
3000	3440	1	RMS	3440	-34.73	-13	21.73	Pass	441
3440	3560	1	RMS	3459.8	4.42	60	55.58	Pass	401
3560	7000	1	RMS	3560	-46.82	-13	33.82	Pass	3441
7000	26500	1	RMS	25517	-50.02	-13	37.02	Pass	19503




8.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	0.58	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	873.516	-62.76	-13	49.76	Pass	9701
1000	3000	1	RMS	2961	-49.73	-13	36.73	Pass	2001
3000	3440	1	RMS	3427	-44.77	-13	31.77	Pass	441
3440	3560	1	RMS	3451.1	19.71	60	40.29	Pass	401
3560	7000	1	RMS	3562	-65.43	-13	52.43	Pass	3441
7000	26500	1	RMS	25585	-50.07	-13	37.07	Pass	19503




8.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	0.34	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	857.506	-63.18	-13	50.18	Pass	9701
1000	3000	1	RMS	2955	-49.7	-13	36.7	Pass	2001
3000	3440	1	RMS	3440	-44.63	-13	31.63	Pass	441
3440	3560	1	RMS	3498.8	20.13	60	39.87	Pass	401
3560	7000	1	RMS	3562	-63.34	-13	50.34	Pass	3441
7000	26500	1	RMS	25390	-49.97	-13	36.97	Pass	19503




8.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	58.08	Pass	2986
30	1000	0.1	RMS	794.7	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2934	-49.53	-13	36.53	Pass	2001
3000	3440	1	RMS	3433	-35.78	-13	22.78	Pass	441
3440	3560	1	RMS	3480.8	4.38	60	55.62	Pass	401
3560	7000	1	RMS	3561	-39.67	-13	26.67	Pass	3441
7000	26500	1	RMS	25500	-49.65	-13	36.65	Pass	19503




8.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.48	-70.55	-13	57.55	Pass	2986
30	1000	0.1	RMS	934.657	-62.34	-13	49.34	Pass	9701
1000	3000	1	RMS	2932	-49.56	-13	36.56	Pass	2001
3000	3440	1	RMS	3159	-50.08	-13	37.08	Pass	441
3440	3560	1	RMS	3476.3	19.67	60	40.33	Pass	401
3560	7000	1	RMS	3560	-60.76	-13	47.76	Pass	3441
7000	26500	1	RMS	25506	-49.95	-13	36.95	Pass	19503




8.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.3	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	935.457	-63.22	-13	50.22	Pass	9701
1000	3000	1	RMS	2928	-49.7	-13	36.7	Pass	2001
3000	3440	1	RMS	3440	-49.63	-13	36.63	Pass	441
3440	3560	1	RMS	3523.7	19.97	60	40.03	Pass	401
3560	7000	1	RMS	3571	-57.17	-13	44.17	Pass	3441
7000	26500	1	RMS	25496	-49.82	-13	36.82	Pass	19503




8.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.18	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	912.142	-62.47	-13	49.47	Pass	9701
1000	3000	1	RMS	2932	-49.64	-13	36.64	Pass	2001
3000	3440	1	RMS	3440	-42.4	-13	29.4	Pass	441
3440	3560	1	RMS	3505.7	4.43	60	55.57	Pass	401
3560	7000	1	RMS	3572	-38.35	-13	25.35	Pass	3441
7000	26500	1	RMS	25894	-50.14	-13	37.14	Pass	19503




8.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.21	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	851.301	-62.81	-13	49.81	Pass	9701
1000	3000	1	RMS	2942	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3160	-50.12	-13	37.12	Pass	441
3440	3560	1	RMS	3501.2	20.03	60	39.97	Pass	401
3560	7000	1	RMS	3560	-48.85	-13	35.85	Pass	3441
7000	26500	1	RMS	25540	-49.44	-13	36.44	Pass	19503




8.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.29	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	865.011	-62.38	-13	49.38	Pass	9701
1000	3000	1	RMS	2928	-49.64	-13	36.64	Pass	2001
3000	3440	1	RMS	3157	-50.12	-13	37.12	Pass	441
3440	3560	1	RMS	3548.6	19.59	60	40.41	Pass	401
3560	7000	1	RMS	3572	-47.13	-13	34.13	Pass	3441
7000	26500	1	RMS	25445	-50.23	-13	37.23	Pass	19503




8.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.29	-70.74	-13	57.74	Pass	2986
30	1000	0.1	RMS	884.223	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2930	-49.59	-13	36.59	Pass	2001
3000	3440	1	RMS	3361	-35.88	-13	22.88	Pass	441
3440	3560	1	RMS	3500	1.46	60	58.54	Pass	401
3560	7000	1	RMS	3592	-40	-13	27	Pass	3441
7000	26500	1	RMS	25493	-50.18	-13	37.18	Pass	19503




8.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	834.9	-62.44	-13	49.44	Pass	9701
1000	3000	1	RMS	2956	-49.71	-13	36.71	Pass	2001
3000	3440	1	RMS	3402	-44.06	-13	31.06	Pass	441
3440	3560	1	RMS	3451.1	19.98	60	40.02	Pass	401
3560	7000	1	RMS	3568	-50.69	-13	37.69	Pass	3441
7000	26500	1	RMS	25490	-49.74	-13	36.74	Pass	19503



8.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.17	-69.15	-13	56.15	Pass	2986
30	1000	0.1	RMS	953.169	-63	-13	50	Pass	9701
1000	3000	1	RMS	2931	-49.56	-13	36.56	Pass	2001
3000	3440	1	RMS	3432	-42.41	-13	29.41	Pass	441
3440	3560	1	RMS	3548.9	20.05	60	39.95	Pass	401
3560	7000	1	RMS	3598	-48.49	-13	35.49	Pass	3441
7000	26500	1	RMS	25488	-49.74	-13	36.74	Pass	19503



9. n77 (3700–3980)


9.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.96	-13	56.96	Pass	401
0.15	30	0.01	RMS	0.22	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	937.559	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2937	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3690	-46.23	-13	33.23	Pass	691
3690	3990	1	RMS	3704.25	11.73	60	48.27	Pass	401
3990	7000	1	RMS	4030	-65.61	-13	52.61	Pass	3011
7000	26500	1	RMS	25497	-49.73	-13	36.73	Pass	19503




9.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	959.373	-62.55	-13	49.55	Pass	9701
1000	3000	1	RMS	2951	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3690	-49.41	-13	36.41	Pass	691
3690	3990	1	RMS	3700.5	18.79	60	41.21	Pass	401
3990	7000	1	RMS	4030	-65.58	-13	52.58	Pass	3011
7000	26500	1	RMS	25487	-49.64	-13	36.64	Pass	19503




9.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.3	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	855.304	-62.81	-13	49.81	Pass	9701
1000	3000	1	RMS	2958	-49.59	-13	36.59	Pass	2001
3000	3690	1	RMS	3146	-49.21	-13	36.21	Pass	691
3690	3990	1	RMS	3708.75	18.52	60	41.48	Pass	401
3990	7000	1	RMS	4134	-65.46	-13	52.46	Pass	3011
7000	26500	1	RMS	25541	-49.87	-13	36.87	Pass	19503




9.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.31	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	578.6	-63.42	-13	50.42	Pass	9701
1000	3000	1	RMS	2941	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3146	-49.21	-13	36.21	Pass	691
3690	3990	1	RMS	3841.5	11.05	60	48.95	Pass	401
3990	7000	1	RMS	4030	-65.02	-13	52.02	Pass	3011
7000	26500	1	RMS	25829	-49.88	-13	36.88	Pass	19503




9.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.38	-13	57.38	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	56.44	Pass	2986
30	1000	0.1	RMS	840	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2947	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3146	-49.37	-13	36.37	Pass	691
3690	3990	1	RMS	3835.5	18.04	60	41.96	Pass	401
3990	7000	1	RMS	4030	-65.18	-13	52.18	Pass	3011
7000	26500	1	RMS	25514	-50.11	-13	37.11	Pass	19503




9.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.59	-72	-13	59	Pass	2986
30	1000	0.1	RMS	909.04	-62.39	-13	49.39	Pass	9701
1000	3000	1	RMS	2955	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3146	-49.11	-13	36.11	Pass	691
3690	3990	1	RMS	3843.75	17.95	60	42.05	Pass	401
3990	7000	1	RMS	4000	-65.1	-13	52.1	Pass	3011
7000	26500	1	RMS	25850	-49.71	-13	36.71	Pass	19503




9.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.18	-70.69	-13	57.69	Pass	2986
30	1000	0.1	RMS	983.689	-62.97	-13	49.97	Pass	9701
1000	3000	1	RMS	2939	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3160	-50.01	-13	37.01	Pass	691
3690	3990	1	RMS	3977.25	11.28	60	48.72	Pass	401
3990	7000	1	RMS	3990	-39.97	-13	26.97	Pass	3011
7000	26500	1	RMS	25539	-50.16	-13	37.16	Pass	19503




9.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.17	-68.45	-13	55.45	Pass	2986
30	1000	0.1	RMS	872.215	-62.87	-13	49.87	Pass	9701
1000	3000	1	RMS	2949	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3146	-50.08	-13	37.08	Pass	691
3690	3990	1	RMS	3970.5	18.33	60	41.67	Pass	401
3990	7000	1	RMS	3990	-55.44	-13	42.44	Pass	3011
7000	26500	1	RMS	25912	-50.01	-13	37.01	Pass	19503




9.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.25	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	893.329	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2931	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3146	-50.04	-13	37.04	Pass	691
3690	3990	1	RMS	3978.75	18.1	60	41.9	Pass	401
3990	7000	1	RMS	3990	-55.41	-13	42.41	Pass	3011
7000	26500	1	RMS	25492	-50.11	-13	37.11	Pass	19503




9.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.21	-69.93	-13	56.93	Pass	2986
30	1000	0.1	RMS	815.1	-62.75	-13	49.75	Pass	9701
1000	3000	1	RMS	2931	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3682	-42.31	-13	29.31	Pass	691
3690	3990	1	RMS	3705	4.22	60	55.78	Pass	401
3990	7000	1	RMS	4030	-64.09	-13	51.09	Pass	3011
7000	26500	1	RMS	25866	-50.12	-13	37.12	Pass	19503




9.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	1.13	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	817.8	-62.62	-13	49.62	Pass	9701
1000	3000	1	RMS	2960	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3677	-46.22	-13	33.22	Pass	691
3690	3990	1	RMS	3701.25	19.42	60	40.58	Pass	401
3990	7000	1	RMS	4186	-65.05	-13	52.05	Pass	3011
7000	26500	1	RMS	25505	-49.96	-13	36.96	Pass	19503




9.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.26	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	838.5	-63.03	-13	50.03	Pass	9701
1000	3000	1	RMS	2932	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3690	-46.14	-13	33.14	Pass	691
3690	3990	1	RMS	3748.5	18.54	60	41.46	Pass	401
3990	7000	1	RMS	4013	-65.16	-13	52.16	Pass	3011
7000	26500	1	RMS	25884	-49.48	-13	36.48	Pass	19503




9.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.21	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	954.27	-63.1	-13	50.1	Pass	9701
1000	3000	1	RMS	2942	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3146	-49.21	-13	36.21	Pass	691
3690	3990	1	RMS	3820.5	3.75	60	56.25	Pass	401
3990	7000	1	RMS	3990	-58.32	-13	45.32	Pass	3011
7000	26500	1	RMS	25528	-49.81	-13	36.81	Pass	19503




9.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.35	-70.88	-13	57.88	Pass	2986
30	1000	0.1	RMS	865.211	-63.37	-13	50.37	Pass	9701
1000	3000	1	RMS	2953	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3146	-49	-13	36	Pass	691
3690	3990	1	RMS	3816	18.6	60	41.4	Pass	401
3990	7000	1	RMS	4006	-64.73	-13	51.73	Pass	3011
7000	26500	1	RMS	25879	-49.85	-13	36.85	Pass	19503




9.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.93	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	827.9	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2937	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3146	-49.2	-13	36.2	Pass	691
3690	3990	1	RMS	3864	18.73	60	41.27	Pass	401
3990	7000	1	RMS	4014	-64.93	-13	51.93	Pass	3011
7000	26500	1	RMS	25854	-49.76	-13	36.76	Pass	19503




9.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.2	-70.22	-13	57.22	Pass	2986
30	1000	0.1	RMS	857.205	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2941	-49.62	-13	36.62	Pass	2001
3000	3690	1	RMS	3146	-50.04	-13	37.04	Pass	691
3690	3990	1	RMS	3936	4.24	60	55.76	Pass	401
3990	7000	1	RMS	3995	-38.6	-13	25.6	Pass	3011
7000	26500	1	RMS	25891	-49.7	-13	36.7	Pass	19503




9.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.45	-70.64	-13	57.64	Pass	2986
30	1000	0.1	RMS	953.169	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2950	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3146	-50.01	-13	37.01	Pass	691
3690	3990	1	RMS	3931.5	18.64	60	41.36	Pass	401
3990	7000	1	RMS	3990	-47.72	-13	34.72	Pass	3011
7000	26500	1	RMS	25508	-49.85	-13	36.85	Pass	19503




9.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.23	-69.75	-13	56.75	Pass	2986
30	1000	0.1	RMS	834.6	-62.56	-13	49.56	Pass	9701
1000	3000	1	RMS	2932	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3146	-49.92	-13	36.92	Pass	691
3690	3990	1	RMS	3978.75	19.13	60	40.87	Pass	401
3990	7000	1	RMS	4003	-47.96	-13	34.96	Pass	3011
7000	26500	1	RMS	25510	-49.54	-13	36.54	Pass	19503




9.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.15	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	838.2	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2945	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3657	-43.89	-13	30.89	Pass	691
3690	3990	1	RMS	3702	1.43	60	58.57	Pass	401
3990	7000	1	RMS	3993	-55.82	-13	42.82	Pass	3011
7000	26500	1	RMS	25471	-50.14	-13	37.14	Pass	19503




9.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	822.7	-62.27	-13	49.27	Pass	9701
1000	3000	1	RMS	2932	-49.6	-13	36.6	Pass	2001
3000	3690	1	RMS	3652	-46.19	-13	33.19	Pass	691
3690	3990	1	RMS	3701.25	19.15	60	40.85	Pass	401
3990	7000	1	RMS	4325	-54.8	-13	41.8	Pass	3011
7000	26500	1	RMS	25501	-50.03	-13	37.03	Pass	19503




9.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.74	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	855.204	-63.09	-13	50.09	Pass	9701
1000	3000	1	RMS	2967	-49.61	-13	36.61	Pass	2001
3000	3690	1	RMS	3175	-41.06	-13	28.06	Pass	691
3690	3990	1	RMS	3798.75	19.36	60	40.64	Pass	401
3990	7000	1	RMS	4423	-59.26	-13	46.26	Pass	3011
7000	26500	1	RMS	25536	-49.69	-13	36.69	Pass	19503




9.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-13	56.39	Pass	2986
30	1000	0.1	RMS	582.6	-62.23	-13	49.23	Pass	9701
1000	3000	1	RMS	2960	-49.62	-13	36.62	Pass	2001
3000	3690	1	RMS	3688	-48.15	-13	35.15	Pass	691
3690	3990	1	RMS	3800.25	1.5	60	58.5	Pass	401
3990	7000	1	RMS	3990	-46.83	-13	33.83	Pass	3011
7000	26500	1	RMS	25550	-49.85	-13	36.85	Pass	19503




9.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-13	56.17	Pass	2986
30	1000	0.1	RMS	816.8	-62.59	-13	49.59	Pass	9701
1000	3000	1	RMS	2936	-49.48	-13	36.48	Pass	2001
3000	3690	1	RMS	3167	-44.66	-13	31.66	Pass	691
3690	3990	1	RMS	3791.25	18.89	60	41.11	Pass	401
3990	7000	1	RMS	4415	-58.43	-13	45.43	Pass	3011
7000	26500	1	RMS	25602	-50.08	-13	37.08	Pass	19503




9.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.47	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	791.7	-63.23	-13	50.23	Pass	9701
1000	3000	1	RMS	2946	-49.55	-13	36.55	Pass	2001
3000	3690	1	RMS	3265	-40.76	-13	27.76	Pass	691
3690	3990	1	RMS	3888.75	19.65	60	40.35	Pass	401
3990	7000	1	RMS	4513	-60.25	-13	47.25	Pass	3011
7000	26500	1	RMS	25548	-49.68	-13	36.68	Pass	19503




9.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.2	-70.07	-13	57.07	Pass	2986
30	1000	0.1	RMS	969.18	-62.72	-13	49.72	Pass	9701
1000	3000	1	RMS	2965	-49.61	-13	36.61	Pass	2001
3000	3690	1	RMS	3146	-49.96	-13	36.96	Pass	691
3690	3990	1	RMS	3883.5	2.03	60	57.97	Pass	401
3990	7000	1	RMS	3991	-40.26	-13	27.26	Pass	3011
7000	26500	1	RMS	25881	-50.05	-13	37.05	Pass	19503




9.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.25	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	852.502	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2939	-49.62	-13	36.62	Pass	2001
3000	3690	1	RMS	3257	-45.02	-13	32.02	Pass	691
3690	3990	1	RMS	3881.25	19.62	60	40.38	Pass	401
3990	7000	1	RMS	3998	-45.59	-13	32.59	Pass	3011
7000	26500	1	RMS	25471	-50.13	-13	37.13	Pass	19503



9.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.27	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	471.7	-62.5	-13	49.5	Pass	9701
1000	3000	1	RMS	2928	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3355	-42.54	-13	29.54	Pass	691
3690	3990	1	RMS	3978.75	19	60	41	Pass	401
3990	7000	1	RMS	4028	-47.27	-13	34.27	Pass	3011
7000	26500	1	RMS	25443	-49.89	-13	36.89	Pass	19503



10. n78 (3700–3800)


10.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.4	-13	56.4	Pass	401
0.15	30	0.01	RMS	0.45	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	967.078	-62.64	-13	49.64	Pass	9701
1000	3000	1	RMS	2932	-49.52	-13	36.52	Pass	2001
3000	3690	1	RMS	3690	-46.22	-13	33.22	Pass	691
3690	3810	1	RMS	3702	11.9	60	48.1	Pass	401
3810	7000	1	RMS	3978	-65.32	-13	52.32	Pass	3191
7000	26500	1	RMS	25531	-49.74	-13	36.74	Pass	19503




10.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.16	-70.38	-13	57.38	Pass	2986
30	1000	0.1	RMS	982.488	-62.87	-13	49.87	Pass	9701
1000	3000	1	RMS	2931	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3690	-49.28	-13	36.28	Pass	691
3690	3810	1	RMS	3700.8	20.28	60	39.72	Pass	401
3810	7000	1	RMS	4030	-65.71	-13	52.71	Pass	3191
7000	26500	1	RMS	25543	-49.56	-13	36.56	Pass	19503




10.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.53	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	885.924	-63.16	-13	50.16	Pass	9701
1000	3000	1	RMS	2942	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3146	-49.13	-13	36.13	Pass	691
3690	3810	1	RMS	3709.2	20.13	60	39.87	Pass	401
3810	7000	1	RMS	4030	-65.32	-13	52.32	Pass	3191
7000	26500	1	RMS	25888	-49.82	-13	36.82	Pass	19503




10.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-13	57.81	Pass	2986
30	1000	0.1	RMS	843.5	-62.54	-13	49.54	Pass	9701
1000	3000	1	RMS	2933	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3146	-49.39	-13	36.39	Pass	691
3690	3810	1	RMS	3751.2	11.38	60	48.62	Pass	401
3810	7000	1	RMS	4030	-65.34	-13	52.34	Pass	3191
7000	26500	1	RMS	25846	-49.98	-13	36.98	Pass	19503




10.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.24	-70.11	-13	57.11	Pass	2986
30	1000	0.1	RMS	836.2	-63.04	-13	50.04	Pass	9701
1000	3000	1	RMS	2936	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3146	-49.29	-13	36.29	Pass	691
3690	3810	1	RMS	3745.8	19.82	60	40.18	Pass	401
3810	7000	1	RMS	3978	-65.21	-13	52.21	Pass	3191
7000	26500	1	RMS	25505	-50.17	-13	37.17	Pass	19503




10.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.93	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	705.6	-62.62	-13	49.62	Pass	9701
1000	3000	1	RMS	2953	-49.75	-13	36.75	Pass	2001
3000	3690	1	RMS	3146	-49.35	-13	36.35	Pass	691
3690	3810	1	RMS	3754.2	19.72	60	40.28	Pass	401
3810	7000	1	RMS	3978	-65.47	-13	52.47	Pass	3191
7000	26500	1	RMS	25448	-50.11	-13	37.11	Pass	19503




10.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.21	-68.99	-13	55.99	Pass	2986
30	1000	0.1	RMS	808.6	-62.78	-13	49.78	Pass	9701
1000	3000	1	RMS	2928	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3146	-49.41	-13	36.41	Pass	691
3690	3810	1	RMS	3798	11.57	60	48.43	Pass	401
3810	7000	1	RMS	3810	-45	-13	32	Pass	3191
7000	26500	1	RMS	25883	-49.76	-13	36.76	Pass	19503




10.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.31	-69.16	-13	56.16	Pass	2986
30	1000	0.1	RMS	859.907	-62.51	-13	49.51	Pass	9701
1000	3000	1	RMS	2943	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3146	-49.49	-13	36.49	Pass	691
3690	3810	1	RMS	3790.8	19.84	60	40.16	Pass	401
3810	7000	1	RMS	3810	-54.66	-13	41.66	Pass	3191
7000	26500	1	RMS	25536	-49.79	-13	36.79	Pass	19503




10.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-13	56.58	Pass	2986
30	1000	0.1	RMS	739.2	-62.98	-13	49.98	Pass	9701
1000	3000	1	RMS	2947	-49.69	-13	36.69	Pass	2001
3000	3690	1	RMS	3146	-49.54	-13	36.54	Pass	691
3690	3810	1	RMS	3799.2	20.1	60	39.9	Pass	401
3810	7000	1	RMS	3810	-55.14	-13	42.14	Pass	3191
7000	26500	1	RMS	25507	-49.92	-13	36.92	Pass	19503




10.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.18	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	721.9	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2939	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3682	-40.21	-13	27.21	Pass	691
3690	3810	1	RMS	3705.3	4.47	60	55.53	Pass	401
3810	7000	1	RMS	3810	-53.78	-13	40.78	Pass	3191
7000	26500	1	RMS	25470	-49.87	-13	36.87	Pass	19503




10.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.2	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	940.561	-62.98	-13	49.98	Pass	9701
1000	3000	1	RMS	2944	-49.58	-13	36.58	Pass	2001
3000	3690	1	RMS	3677	-45.64	-13	32.64	Pass	691
3690	3810	1	RMS	3701.1	19.72	60	40.28	Pass	401
3810	7000	1	RMS	3812	-64.1	-13	51.1	Pass	3191
7000	26500	1	RMS	25872	-50.21	-13	37.21	Pass	19503




10.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-13	57.06	Pass	2986
30	1000	0.1	RMS	933.156	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2959	-49.7	-13	36.7	Pass	2001
3000	3690	1	RMS	3690	-46.16	-13	33.16	Pass	691
3690	3810	1	RMS	3748.8	19.52	60	40.48	Pass	401
3810	7000	1	RMS	3810	-63.75	-13	50.75	Pass	3191
7000	26500	1	RMS	25518	-50.01	-13	37.01	Pass	19503




10.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.3	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	887.826	-62.7	-13	49.7	Pass	9701
1000	3000	1	RMS	2950	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3690	-45.71	-13	32.71	Pass	691
3690	3810	1	RMS	3726.9	4.49	60	55.51	Pass	401
3810	7000	1	RMS	3810	-44.53	-13	31.53	Pass	3191
7000	26500	1	RMS	25483	-49.83	-13	36.83	Pass	19503




10.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.29	-70.48	-13	57.48	Pass	2986
30	1000	0.1	RMS	836.4	-63.06	-13	50.06	Pass	9701
1000	3000	1	RMS	2934	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3146	-49.33	-13	36.33	Pass	691
3690	3810	1	RMS	3726.3	19.46	60	40.54	Pass	401
3810	7000	1	RMS	3810	-58.8	-13	45.8	Pass	3191
7000	26500	1	RMS	25516	-49.92	-13	36.92	Pass	19503




10.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.17	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	751.4	-62.68	-13	49.68	Pass	9701
1000	3000	1	RMS	2927	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3146	-49.29	-13	36.29	Pass	691
3690	3810	1	RMS	3773.7	19.32	60	40.68	Pass	401
3810	7000	1	RMS	3811	-58.28	-13	45.28	Pass	3191
7000	26500	1	RMS	25455	-49.87	-13	36.87	Pass	19503




10.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.16	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	715.7	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2943	-49.75	-13	36.75	Pass	2001
3000	3690	1	RMS	3146	-49.26	-13	36.26	Pass	691
3690	3810	1	RMS	3797.7	4.83	60	55.17	Pass	401
3810	7000	1	RMS	3818	-41.97	-13	28.97	Pass	3191
7000	26500	1	RMS	25497	-49.83	-13	36.83	Pass	19503




10.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	943.863	-62.93	-13	49.93	Pass	9701
1000	3000	1	RMS	2932	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3146	-49.31	-13	36.31	Pass	691
3690	3810	1	RMS	3751.2	19.36	60	40.64	Pass	401
3810	7000	1	RMS	3810	-48.27	-13	35.27	Pass	3191
7000	26500	1	RMS	25512	-50.02	-13	37.02	Pass	19503




10.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.72	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	870.514	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2941	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3146	-49.3	-13	36.3	Pass	691
3690	3810	1	RMS	3798.6	19.69	60	40.31	Pass	401
3810	7000	1	RMS	3822	-47.42	-13	34.42	Pass	3191
7000	26500	1	RMS	25493	-49.77	-13	36.77	Pass	19503




10.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.45	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	994.696	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2934	-49.55	-13	36.55	Pass	2001
3000	3690	1	RMS	3689	-41.49	-13	28.49	Pass	691
3690	3810	1	RMS	3702.3	1.71	60	58.29	Pass	401
3810	7000	1	RMS	3842	-42.82	-13	29.82	Pass	3191
7000	26500	1	RMS	25886	-49.74	-13	36.74	Pass	19503




10.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	0.3	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	824.6	-62.95	-13	49.95	Pass	9701
1000	3000	1	RMS	2944	-49.64	-13	36.64	Pass	2001
3000	3690	1	RMS	3652	-46.41	-13	33.41	Pass	691
3690	3810	1	RMS	3701.1	19.91	60	40.09	Pass	401
3810	7000	1	RMS	3818	-46.98	-13	33.98	Pass	3191
7000	26500	1	RMS	25486	-50.02	-13	37.02	Pass	19503



10.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.28	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	880.321	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2959	-49.72	-13	36.72	Pass	2001
3000	3690	1	RMS	3175	-41.26	-13	28.26	Pass	691
3690	3810	1	RMS	3798.9	20.14	60	39.86	Pass	401
3810	7000	1	RMS	3848	-46.6	-13	33.6	Pass	3191
7000	26500	1	RMS	25500	-49.71	-13	36.71	Pass	19503



--BLANK BELOW--