


Band Edge


5.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	17.42	30	12.58	Pass	401
716	716.1	0.03	RMS	716.014	-31.91	-13	18.91	Pass	401
716.1	731	0.1	RMS	716.1	-34.97	-13	21.97	Pass	401




5.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.45	1.13	30	28.87	Pass	401
716	716.1	0.03	RMS	716.037	-42.89	-13	29.89	Pass	401
716.1	731	0.1	RMS	716.137	-38.28	-13	25.28	Pass	401




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-37.94	-13	24.94	Pass	401
698.9	699	0.03	RMS	698.999	-35.04	-13	22.04	Pass	401
699	714	0.1	RMS	699.488	17.46	30	12.54	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-40.28	-13	27.28	Pass	401
698.9	699	0.03	RMS	698.99	-44.25	-13	31.25	Pass	401
699	714	0.1	RMS	708.15	-0.89	30	30.89	Pass	401




5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	17.4	30	12.6	Pass	401
716	716.1	0.03	RMS	716.002	-35.63	-13	22.63	Pass	401
716.1	736	0.1	RMS	716.1	-37.2	-13	24.2	Pass	401



5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	708.088	-0.83	30	30.83	Pass	401
716	716.1	0.03	RMS	716.008	-43.33	-13	30.33	Pass	401
716.1	736	0.1	RMS	716.797	-39.02	-13	26.02	Pass	401



6. n41


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.476	-45.58	-25	20.58	Pass	401
2490.5	2495	1	RMS	2495	-26.64	-13	13.64	Pass	401
2495	2496	0.051	RMS	2496	-35.32	-13	22.32	Pass	401
2496	2506	1	RMS	2496.875	20.94	40	19.06	Pass	401




6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-36.03	-25	11.03	Pass	10
2490.5	2495	1	RMS	2494.989	-30.18	-13	17.18	Pass	401
2495	2496	0.2	RMS	2495.98	-35.25	-13	22.25	Pass	401
2496	2506	1	RMS	2502.65	12.34	40	27.66	Pass	401




6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.125	21.25	40	18.75	Pass	401
2690	2691	0.051	RMS	2690.005	-37.1	-10	27.1	Pass	401
2691	2695	1	RMS	2691	-27.56	-10	17.56	Pass	401
2695	2700	1	RMS	2695.088	-44.8	-13	31.8	Pass	401
2700	2705	1	RMS	2700.013	-50.07	-25	25.07	Pass	401




6.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2686.425	12.65	40	27.35	Pass	401
2690	2691	0.2	RMS	2690.003	-36.67	-10	26.67	Pass	401
2691	2695	1	RMS	2691	-32.08	-10	22.08	Pass	401
2695	2700	1	RMS	2695.038	-35.17	-13	22.17	Pass	401
2700	2705	1	RMS	2700.188	-38.54	-25	13.54	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.253	-47.18	-25	22.18	Pass	401
2490.5	2495	1	RMS	2495	-36.36	-13	23.36	Pass	401
2495	2496	0.051	RMS	2495.998	-38.96	-13	25.96	Pass	401
2496	2546	1	RMS	2497.25	20.79	40	19.21	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.5	-36.58	-25	11.58	Pass	401
2490.5	2495	1	RMS	2494.966	-34.77	-13	21.77	Pass	401
2495	2496	1	RMS	2496	-18.76	-13	5.76	Pass*	401
2496	2546	1	RMS	2540.75	5.69	40	34.31	Pass	401



6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	21.21	40	18.79	Pass	401
2690	2691	0.051	RMS	2690	-40.26	-10	30.26	Pass	401
2691	2695	1	RMS	2691	-36.37	-10	26.37	Pass	401
2695	2740	1	RMS	2712.438	-45.02	-13	32.02	Pass	401
2740	2745	1	RMS	2740.525	-51.46	-25	26.46	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2646	5.89	40	34.11	Pass	401
2690	2691	1	RMS	2690	-19.41	-10	9.41	Pass	401
2691	2695	1	RMS	2691.06	-34.07	-10	24.07	Pass	401
2695	2740	1	RMS	2695.225	-34.89	-13	21.89	Pass	401
2740	2745	1	RMS	2740.113	-45.1	-25	20.1	Pass	401




6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-47.11	-25	22.11	Pass	401
2490.5	2495	1	RMS	2495	-32.05	-13	19.05	Pass	401
2495	2496	0.051	RMS	2495.998	-33.84	-13	20.84	Pass	401
2496	2596	1	RMS	2497	20.69	40	19.31	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-36.45	-25	11.45	Pass	401
2490.5	2495	1	RMS	2493.515	-34.34	-13	21.34	Pass	401
2495	2495.5	1	RMS	2495.495	-30.15	-13	17.15	Pass	401
2496	2596	1	RMS	2573.25	4.79	40	35.21	Pass	401




6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.96	40	19.04	Pass	401
2690	2691	0.051	RMS	2690.005	-35.35	-10	25.35	Pass	401
2691	2695	1	RMS	2691	-32.92	-10	22.92	Pass	401
2695	2790	1	RMS	2695	-46.25	-13	33.25	Pass	401
2790	2795	1	RMS	2793.113	-51.28	-25	26.28	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2600.5	4.94	40	35.06	Pass	401
2690	2691	1	RMS	2690.458	-33.07	-10	23.07	Pass	401
2691	2695	1	RMS	2693.71	-34.15	-10	24.15	Pass	401
2695	2790	1	RMS	2695	-34.99	-13	21.99	Pass	401
2790	2795	1	RMS	2793.613	-51.27	-25	26.27	Pass	401



7. n77 (3450–3550)


7.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.925	-45.52	-13	32.52	Pass	401
3445	3449	0.62	RMS	3449	-39.86	-13	26.86	Pass	401
3449	3450	0.2	RMS	3450	-26.61	-13	13.61	Pass	401
3450	3460	1	RMS	3450.85	20.21	40	19.79	Pass	401




7.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-31.68	-13	18.68	Pass	401
3445	3449	0.62	RMS	3448.94	-28.73	-13	15.73	Pass	401
3449	3450	0.2	RMS	3450	-30.88	-13	17.88	Pass	401
3450	3460	1	RMS	3456.625	11.77	40	28.23	Pass	401




7.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.125	19.94	40	20.06	Pass	401
3550	3551	0.2	RMS	3550	-29.23	-13	16.23	Pass	401
3551	3555	0.62	RMS	3551	-39.68	-13	26.68	Pass	401
3555	3565	1	RMS	3555.175	-44.44	-13	31.44	Pass	401




7.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3544.5	11.5	40	28.5	Pass	401
3550	3551	0.2	RMS	3550	-36.32	-13	23.32	Pass	401
3551	3555	0.62	RMS	3551	-34.26	-13	21.26	Pass	401
3555	3565	1	RMS	3555.075	-35.3	-13	22.3	Pass	401




7.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427.5	-42.46	-13	29.46	Pass	401
3445	3449	0.62	RMS	3448.99	-41.21	-13	28.21	Pass	401
3449	3450	0.2	RMS	3450	-32.07	-13	19.07	Pass	401
3450	3500	1	RMS	3451.25	19.99	40	20.01	Pass	401




7.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.16	-13	20.16	Pass	401
3445	3449	0.62	RMS	3448.73	-33.31	-13	20.31	Pass	401
3449	3450	0.2	RMS	3449.99	-37.19	-13	24.19	Pass	401
3450	3500	1	RMS	3460	4.34	40	35.66	Pass	401




7.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	19.96	40	20.04	Pass	401
3550	3551	0.2	RMS	3550.005	-32.27	-13	19.27	Pass	401
3551	3555	0.62	RMS	3551	-40.59	-13	27.59	Pass	401
3555	3605	1	RMS	3572.5	-43.84	-13	30.84	Pass	401




7.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3517.25	4.22	40	35.78	Pass	401
3550	3551	0.2	RMS	3550.005	-42.15	-13	29.15	Pass	401
3551	3555	0.62	RMS	3551.26	-37.21	-13	24.21	Pass	401
3555	3605	1	RMS	3565.5	-36.86	-13	23.86	Pass	401




7.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-43.53	-13	30.53	Pass	401
3445	3449	0.62	RMS	3448.98	-38.27	-13	25.27	Pass	401
3449	3450	0.051	RMS	3449.995	-32.2	-13	19.2	Pass	401
3450	3550	1	RMS	3451	20.11	40	19.89	Pass	401




7.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-33.84	-13	20.84	Pass	401
3445	3449	0.62	RMS	3448.97	-35.06	-13	22.06	Pass	401
3449	3450	0.2	RMS	3449.853	-38.71	-13	25.71	Pass	401
3450	3550	1	RMS	3461	1.38	40	38.62	Pass	401




7.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.07	40	19.93	Pass	401
3550	3551	0.2	RMS	3550.003	-28.79	-13	15.79	Pass	401
3551	3555	0.62	RMS	3551.01	-38.86	-13	25.86	Pass	401
3555	3655	1	RMS	3597.75	-45.18	-13	32.18	Pass	401



7.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3460.5	1.36	40	38.64	Pass	401
3550	3551	0.2	RMS	3550.013	-43.07	-13	30.07	Pass	401
3551	3555	0.62	RMS	3552.83	-39.04	-13	26.04	Pass	401
3555	3655	1	RMS	3555	-38.13	-13	25.13	Pass	401



8. n78 (3450–3550)


8.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.95	-45.45	-13	32.45	Pass	401
3445	3449	0.62	RMS	3449	-39.85	-13	26.85	Pass	401
3449	3450	0.2	RMS	3449.998	-26.66	-13	13.66	Pass	401
3450	3460	1	RMS	3450.85	20.26	40	19.74	Pass	401




8.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-31.9	-13	18.9	Pass	401
3445	3449	0.62	RMS	3448.98	-28.27	-13	15.27	Pass	401
3449	3450	0.2	RMS	3449.94	-30.82	-13	17.82	Pass	401
3450	3460	1	RMS	3454.8	11.83	40	28.17	Pass	401




8.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.075	20.25	40	19.75	Pass	401
3550	3551	0.2	RMS	3550	-28.93	-13	15.93	Pass	401
3551	3555	0.62	RMS	3551.03	-39.53	-13	26.53	Pass	401
3555	3565	1	RMS	3555.1	-45.36	-13	32.36	Pass	401




8.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3544.2	11.7	40	28.3	Pass	401
3550	3551	0.2	RMS	3550	-34.43	-13	21.43	Pass	401
3551	3555	0.62	RMS	3551.06	-31.85	-13	18.85	Pass	401
3555	3565	1	RMS	3555.05	-34.42	-13	21.42	Pass	401




8.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427.5	-42.36	-13	29.36	Pass	401
3445	3449	0.62	RMS	3449	-41.28	-13	28.28	Pass	401
3449	3450	0.2	RMS	3450	-32.08	-13	19.08	Pass	401
3450	3500	1	RMS	3451.25	20.03	40	19.97	Pass	401




8.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.39	-13	20.39	Pass	401
3445	3449	0.62	RMS	3448.73	-33.89	-13	20.89	Pass	401
3449	3450	0.2	RMS	3449.963	-37.4	-13	24.4	Pass	401
3450	3500	1	RMS	3455.75	4.42	40	35.58	Pass	401




8.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20	40	20	Pass	401
3550	3551	0.2	RMS	3550.003	-32.22	-13	19.22	Pass	401
3551	3555	0.62	RMS	3551	-40.54	-13	27.54	Pass	401
3555	3605	1	RMS	3572.5	-43.5	-13	30.5	Pass	401




8.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3531.375	4.24	40	35.76	Pass	401
3550	3551	0.2	RMS	3550.003	-41.3	-13	28.3	Pass	401
3551	3555	0.62	RMS	3551.01	-36.98	-13	23.98	Pass	401
3555	3605	1	RMS	3555	-38.38	-13	25.38	Pass	401




8.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-43.28	-13	30.28	Pass	401
3445	3449	0.62	RMS	3448.99	-38.32	-13	25.32	Pass	401
3449	3450	0.051	RMS	3450	-32.12	-13	19.12	Pass	401
3450	3550	1	RMS	3451	20.09	40	19.91	Pass	401




8.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-34.91	-13	21.91	Pass	401
3445	3449	0.62	RMS	3445.93	-36.46	-13	23.46	Pass	401
3449	3450	0.2	RMS	3449.885	-39.01	-13	26.01	Pass	401
3450	3550	1	RMS	3460	1.39	40	38.61	Pass	401




8.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.13	40	19.87	Pass	401
3550	3551	0.2	RMS	3550	-28.45	-13	15.45	Pass	401
3551	3555	0.62	RMS	3551.03	-39.11	-13	26.11	Pass	401
3555	3655	1	RMS	3597.75	-45.06	-13	32.06	Pass	401



8.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3460.75	1.38	40	38.62	Pass	401
3550	3551	0.2	RMS	3550.005	-43.12	-13	30.12	Pass	401
3551	3555	0.62	RMS	3551.05	-39.19	-13	26.19	Pass	401
3555	3655	1	RMS	3555	-38.53	-13	25.53	Pass	401



9. n77 (3700–3980)


9.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.925	-44.49	-13	31.49	Pass	401
3695	3699	0.62	RMS	3699	-40.15	-13	27.15	Pass	401
3699	3700	0.051	RMS	3699.998	-35.73	-13	22.73	Pass	401
3700	3710	1	RMS	3700.85	19.86	40	20.14	Pass	401




9.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-38.22	-13	25.22	Pass	401
3695	3699	0.62	RMS	3698.89	-36.24	-13	23.24	Pass	401
3699	3700	0.39	RMS	3699.998	-31.3	-13	18.3	Pass	401
3700	3710	1	RMS	3704.875	11.28	40	28.72	Pass	401




9.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.075	19.73	40	20.27	Pass	401
3980	3981	0.051	RMS	3980.003	-37.23	-13	24.23	Pass	401
3981	3985	0.62	RMS	3981.01	-39.68	-13	26.68	Pass	401
3985	3995	1	RMS	3985	-45.34	-13	32.34	Pass	401




9.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3976.675	11.19	40	28.81	Pass	401
3980	3981	0.39	RMS	3980	-30.37	-13	17.37	Pass	401
3981	3985	0.62	RMS	3981.04	-33.03	-13	20.03	Pass	401
3985	3995	1	RMS	3985.05	-34.22	-13	21.22	Pass	401




9.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3677.5	-42.99	-13	29.99	Pass	401
3695	3699	0.62	RMS	3698.99	-41.23	-13	28.23	Pass	401
3699	3700	0.39	RMS	3699.988	-26.96	-13	13.96	Pass	401
3700	3750	1	RMS	3701.25	19.61	40	20.39	Pass	401




9.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-38.3	-13	25.3	Pass	401
3695	3699	0.62	RMS	3698.93	-38.72	-13	25.72	Pass	401
3699	3700	0.39	RMS	3700	-39.24	-13	26.24	Pass	401
3700	3750	1	RMS	3705.375	4.17	40	35.83	Pass	401




9.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	19.59	40	20.41	Pass	401
3980	3981	0.39	RMS	3980	-28.82	-13	15.82	Pass	401
3981	3985	0.62	RMS	3981	-41.23	-13	28.23	Pass	401
3985	4035	1	RMS	4002.5	-43.62	-13	30.62	Pass	401




9.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3935.75	4.29	40	35.71	Pass	401
3980	3981	0.39	RMS	3980.003	-39.85	-13	26.85	Pass	401
3981	3985	0.62	RMS	3981	-38.94	-13	25.94	Pass	401
3985	4035	1	RMS	3994.625	-38.74	-13	25.74	Pass	401




9.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3652	-44.08	-13	31.08	Pass	401
3695	3699	0.62	RMS	3699	-38.51	-13	25.51	Pass	401
3699	3700	0.051	RMS	3699.998	-33.35	-13	20.35	Pass	401
3700	3800	1	RMS	3701	20.12	40	19.88	Pass	401




9.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-40.62	-13	27.62	Pass	401
3695	3699	0.62	RMS	3698.94	-41.29	-13	28.29	Pass	401
3699	3700	0.39	RMS	3700	-41.68	-13	28.68	Pass	401
3700	3800	1	RMS	3703.75	1.47	40	38.53	Pass	401




9.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.73	40	20.27	Pass	401
3980	3981	0.051	RMS	3980	-35.17	-13	22.17	Pass	401
3981	3985	0.62	RMS	3981.02	-38.89	-13	25.89	Pass	401
3985	4085	1	RMS	4027.75	-43.84	-13	30.84	Pass	401



9.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3883.25	1.79	40	38.21	Pass	401
3980	3981	0.39	RMS	3980	-40.84	-13	27.84	Pass	401
3981	3985	0.62	RMS	3983.21	-40.06	-13	27.06	Pass	401
3985	4085	1	RMS	3985	-39.15	-13	26.15	Pass	401



10. n78 (3700–3800)


10.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-43.96	-13	30.96	Pass	401
3695	3699	0.62	RMS	3699	-39.29	-13	26.29	Pass	401
3699	3700	0.051	RMS	3700	-34.86	-13	21.86	Pass	401
3700	3710	1	RMS	3700.85	20.32	40	19.68	Pass	401




10.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.9	-37.93	-13	24.93	Pass	401
3695	3699	0.62	RMS	3699	-35.51	-13	22.51	Pass	401
3699	3700	0.39	RMS	3699.998	-30.34	-13	17.34	Pass	401
3700	3710	1	RMS	3701.8	11.81	40	28.19	Pass	401




10.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.125	20.26	40	19.74	Pass	401
3800	3801	0.051	RMS	3800.003	-36.23	-13	23.23	Pass	401
3801	3805	0.62	RMS	3801	-38.79	-13	25.79	Pass	401
3805	3815	1	RMS	3805	-44.79	-13	31.79	Pass	401




10.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3797.675	11.55	40	28.45	Pass	401
3800	3801	0.39	RMS	3800	-30.84	-13	17.84	Pass	401
3801	3805	0.62	RMS	3801.05	-34.54	-13	21.54	Pass	401
3805	3815	1	RMS	3805	-36.69	-13	23.69	Pass	401




10.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3677.375	-42.75	-13	29.75	Pass	401
3695	3699	0.62	RMS	3699	-41.16	-13	28.16	Pass	401
3699	3700	0.39	RMS	3700	-26.46	-13	13.46	Pass	401
3700	3750	1	RMS	3701.25	20.1	40	19.9	Pass	401




10.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-39.13	-13	26.13	Pass	401
3695	3699	0.62	RMS	3698.96	-39.05	-13	26.05	Pass	401
3699	3700	0.39	RMS	3700	-39.83	-13	26.83	Pass	401
3700	3750	1	RMS	3705.375	4.55	40	35.45	Pass	401




10.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	19.96	40	20.04	Pass	401
3800	3801	0.39	RMS	3800.003	-27.5	-13	14.5	Pass	401
3801	3805	0.62	RMS	3801.01	-40.72	-13	27.72	Pass	401
3805	3855	1	RMS	3822.5	-43.92	-13	30.92	Pass	401




10.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3797.5	4.52	40	35.48	Pass	401
3800	3801	0.39	RMS	3800.003	-39.9	-13	26.9	Pass	401
3801	3805	0.62	RMS	3801.22	-39.26	-13	26.26	Pass	401
3805	3855	1	RMS	3805	-40.12	-13	27.12	Pass	401




10.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3652	-44.26	-13	31.26	Pass	401
3695	3699	0.62	RMS	3698.99	-38.58	-13	25.58	Pass	401
3699	3700	0.051	RMS	3700	-33.42	-13	20.42	Pass	401
3700	3800	1	RMS	3701	20.25	40	19.75	Pass	401




10.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-40.3	-13	27.3	Pass	401
3695	3699	0.62	RMS	3698.97	-41.07	-13	28.07	Pass	401
3699	3700	0.39	RMS	3700	-41.27	-13	28.27	Pass	401
3700	3800	1	RMS	3703.25	2.01	40	37.99	Pass	401




10.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.22	40	19.78	Pass	401
3800	3801	0.051	RMS	3800.003	-35.74	-13	22.74	Pass	401
3801	3805	0.62	RMS	3801	-39.26	-13	26.26	Pass	401
3805	3905	1	RMS	3847.75	-44.27	-13	31.27	Pass	401



10.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3703	1.99	40	38.01	Pass	401
3800	3801	0.39	RMS	3800.005	-41.98	-13	28.98	Pass	401
3801	3805	0.62	RMS	3801.05	-41.46	-13	28.46	Pass	401
3805	3905	1	RMS	3805	-41.13	-13	28.13	Pass	401



--BLANK BELOW--