


Peak to Average Ratio


3.12. LTE Peak to Average Ratio_Part22-24-27(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)




4. LTE_Band7

4.1. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.17	13	Pass




4.2. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)




4.3. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)




4.4. LTE Peak to Average Ratio_Part22-24-27(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)




4.5. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)



4.6. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)




4.7. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)




4.8. LTE Peak to Average Ratio_Part22-24-27(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.37	13	Pass




4.9. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	4.17	13	Pass




4.10. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.67	13	Pass




4.11. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.11	13	Pass



4.12. LTE Peak to Average Ratio_Part22-24-27(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.42	13	Pass



5. LTE_Band38


5.1. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	9.19	13	Pass




5.2. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	9.14	13	Pass




5.3. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	9.84	13	Pass




5.4. LTE Peak to Average Ratio_Part22-24-27(Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	9.84	13	Pass




5.5. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.28	13	Pass




5.6. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.19	13	Pass




5.7. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	10.03	13	Pass




5.8. LTE Peak to Average Ratio_Part22-24-27(Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.84	13	Pass




5.9. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.23	13	Pass




5.10. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.19	13	Pass




5.11. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.98	13	Pass




5.12. LTE Peak to Average Ratio_Part22-24-27(Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	9.84	13	Pass




6. LTE_Band41 120M

6.1. LTE Peak to Average Ratio_Part22-24-27(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)




6.2. LTE Peak to Average Ratio_Part22-24-27(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	20	9.14	13	Pass




6.3. LTE Peak to Average Ratio_Part22-24-27(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	20	9	13	Pass




6.4. LTE Peak to Average Ratio_Part22-24-27(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	20	9.84	13	Pass




6.5. LTE Peak to Average Ratio_Part22-24-27(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.42	13	Pass




6.6. LTE Peak to Average Ratio_Part22-24-27(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.19	13	Pass




6.7. LTE Peak to Average Ratio_Part22-24-27(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	10.17	13	Pass




6.8. LTE Peak to Average Ratio_Part22-24-27(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	9.89	13	Pass




6.9. LTE Peak to Average Ratio_Part22-24-27(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	20	9.09	13	Pass




6.10. LTE Peak to Average Ratio_Part22-24-27(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	20	9.14	13	Pass




6.11. LTE Peak to Average Ratio_Part22-24-27(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	20	9.84	13	Pass




6.12. LTE Peak to Average Ratio_Part22-24-27(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	20	9.84	13	Pass




1. CA_2C


1.1. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18808|18925, Bandwidth:5|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




1.2. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18808|18925, Bandwidth:5|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1.3. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18875|18992, Bandwidth:20|5MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




1.4. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18875|18992, Bandwidth:20|5MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1.5. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18806|18950, Bandwidth:10|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




1.6. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18806|18950, Bandwidth:10|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1.7. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18851|18995, Bandwidth:20|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




1.8. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18851|18995, Bandwidth:20|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1.9. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18829|18949, Bandwidth:10|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




1.10. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18829|18949, Bandwidth:10|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



1.11. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18851|18971, Bandwidth:15|10MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)



1.12. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18851|18971, Bandwidth:15|10MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



1.13. LTE-A Peak to Average Ratio_Part22-24-27(Channel:18825|18975, Bandwidth:15|15MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

