

Spurious Emission at Antenna Terminals


1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	969.58	-64.51	-13	51.51	Pass	9701
1000	1840	1	RMS	1840	-42.14	-13	29.14	Pass	841
1840	1920	1	RMS	1851	23.68	60	36.32	Pass	401
1920	3000	1	RMS	2980	-50.04	-13	37.04	Pass	1081
3000	12000	1	RMS	11997	-40.05	-13	27.05	Pass	9002
12000	20000	1	RMS	16110	-32.77	-13	19.77	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	982.889	-64.55	-13	51.55	Pass	9701
1000	1840	1	RMS	1840	-52.14	-13	39.14	Pass	841
1840	1920	1	RMS	1871	24.52	60	35.48	Pass	401
1920	3000	1	RMS	2838	-50.02	-13	37.02	Pass	1081
3000	12000	1	RMS	11997	-39.99	-13	26.99	Pass	9002
12000	20000	1	RMS	16136	-32.79	-13	19.79	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	970.48	-64.55	-13	51.55	Pass	9701
1000	1840	1	RMS	1840	-52.43	-13	39.43	Pass	841
1840	1920	1	RMS	1871	23.59	60	36.41	Pass	401
1920	3000	1	RMS	2980	-50.01	-13	37.01	Pass	1081
3000	12000	1	RMS	11999	-39.93	-13	26.93	Pass	9002
12000	20000	1	RMS	16118	-32.78	-13	19.78	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	992.995	-64.47	-13	51.47	Pass	9701
1000	1840	1	RMS	1839	-52.96	-13	39.96	Pass	841
1840	1920	1	RMS	1891	24.49	60	35.51	Pass	401
1920	3000	1	RMS	2839	-50.05	-13	37.05	Pass	1081
3000	12000	1	RMS	12000	-39.95	-13	26.95	Pass	9002
12000	20000	1	RMS	16114	-32.79	-13	19.79	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	940.861	-64.64	-13	51.64	Pass	9701
1000	1840	1	RMS	1836	-53.01	-13	40.01	Pass	841
1840	1920	1	RMS	1891	23.55	60	36.45	Pass	401
1920	3000	1	RMS	2935	-50.08	-13	37.08	Pass	1081
3000	12000	1	RMS	11995	-40.02	-13	27.02	Pass	9002
12000	20000	1	RMS	16133	-32.66	-13	19.66	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	868.813	-64.56	-13	51.56	Pass	9701
1000	1700	1	RMS	1700	-52.04	-13	39.04	Pass	701
1700	1765	1	RMS	1710.238	23.97	60	36.03	Pass	401
1765	3000	1	RMS	2984	-49.97	-13	36.97	Pass	1236
3000	12000	1	RMS	11999	-39.99	-13	26.99	Pass	9002
12000	20000	1	RMS	16102	-32.78	-13	19.78	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	980.487	-64.63	-13	51.63	Pass	9701
1000	1700	1	RMS	1700	-52.21	-13	39.21	Pass	701
1700	1765	1	RMS	1710.238	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2840	-50.06	-13	37.06	Pass	1236
3000	12000	1	RMS	11996	-39.92	-13	26.92	Pass	9002
12000	20000	1	RMS	16117	-32.7	-13	19.7	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	966.978	-64.56	-13	51.56	Pass	9701
1000	1700	1	RMS	1696	-53.13	-13	40.13	Pass	701
1700	1765	1	RMS	1732.013	24.15	60	35.85	Pass	401
1765	3000	1	RMS	2983	-50	-13	37	Pass	1236
3000	12000	1	RMS	12000	-40	-13	27	Pass	9002
12000	20000	1	RMS	16096	-32.78	-13	19.78	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	955.37	-64.64	-13	51.64	Pass	9701
1000	1700	1	RMS	1694	-53.12	-13	40.12	Pass	701
1700	1765	1	RMS	1732.013	23.24	60	36.76	Pass	401
1765	3000	1	RMS	2920	-50.02	-13	37.02	Pass	1236
3000	12000	1	RMS	11998	-39.92	-13	26.92	Pass	9002
12000	20000	1	RMS	16123	-32.73	-13	19.73	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	923.649	-64.66	-13	51.66	Pass	9701
1000	1700	1	RMS	1686	-53.11	-13	40.11	Pass	701
1700	1765	1	RMS	1753.788	24.11	60	35.89	Pass	401
1765	3000	1	RMS	2829	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11996	-39.96	-13	26.96	Pass	9002
12000	20000	1	RMS	16097	-32.66	-13	19.66	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	991.594	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1691	-53.12	-13	40.12	Pass	701
1700	1765	1	RMS	1753.788	23.33	60	36.67	Pass	401
1765	3000	1	RMS	2980	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11993	-40.01	-13	27.01	Pass	9002
12000	20000	1	RMS	16117	-32.72	-13	19.72	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.24	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	966.078	-64.67	-13	51.67	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	38.65	Pass	701
1700	1765	1	RMS	1710.238	24.08	60	35.92	Pass	401
1765	3000	1	RMS	2993	-50	-13	37	Pass	1236
3000	12000	1	RMS	11992	-40.05	-13	27.05	Pass	9002
12000	20000	1	RMS	16098	-32.71	-13	19.71	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	989.693	-64.65	-13	51.65	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	38.91	Pass	701
1700	1765	1	RMS	1710.238	23.27	60	36.73	Pass	401
1765	3000	1	RMS	2920	-50.01	-13	37.01	Pass	1236
3000	12000	1	RMS	11996	-39.95	-13	26.95	Pass	9002
12000	20000	1	RMS	16127	-32.71	-13	19.71	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	946.765	-64.63	-13	51.63	Pass	9701
1000	1700	1	RMS	1698	-53.1	-13	40.1	Pass	701
1700	1765	1	RMS	1731.2	24.17	60	35.83	Pass	401
1765	3000	1	RMS	2837	-49.99	-13	36.99	Pass	1236
3000	12000	1	RMS	12000	-39.93	-13	26.93	Pass	9002
12000	20000	1	RMS	16147	-32.77	-13	19.77	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	999.9	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1696	-53.08	-13	40.08	Pass	701
1700	1765	1	RMS	1731.2	23.25	60	36.75	Pass	401
1765	3000	1	RMS	2835	-50.06	-13	37.06	Pass	1236
3000	12000	1	RMS	11999	-40.03	-13	27.03	Pass	9002
12000	20000	1	RMS	16125	-32.76	-13	19.76	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	976.384	-64.53	-13	51.53	Pass	9701
1000	1700	1	RMS	1690	-53.14	-13	40.14	Pass	701
1700	1765	1	RMS	1752.163	24.22	60	35.78	Pass	401
1765	3000	1	RMS	1765	-48.99	-13	35.99	Pass	1236
3000	12000	1	RMS	11991	-39.93	-13	26.93	Pass	9002
12000	20000	1	RMS	16102	-32.72	-13	19.72	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	975.784	-64.7	-13	51.7	Pass	9701
1000	1700	1	RMS	1692	-53.15	-13	40.15	Pass	701
1700	1765	1	RMS	1752.163	23.31	60	36.69	Pass	401
1765	3000	1	RMS	1765	-49.44	-13	36.44	Pass	1236
3000	12000	1	RMS	11996	-39.8	-13	26.8	Pass	9002
12000	20000	1	RMS	16133	-32.74	-13	19.74	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	975.784	-64.58	-13	51.58	Pass	9701
1000	1700	1	RMS	1700	-52.11	-13	39.11	Pass	701
1700	1765	1	RMS	1710.238	24.48	60	35.52	Pass	401
1765	3000	1	RMS	2837	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11999	-39.98	-13	26.98	Pass	9002
12000	20000	1	RMS	16136	-32.75	-13	19.75	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	982.889	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1700	-52.28	-13	39.28	Pass	701
1700	1765	1	RMS	1710.238	23.6	60	36.4	Pass	401
1765	3000	1	RMS	2980	-50.02	-13	37.02	Pass	1236
3000	12000	1	RMS	11998	-39.97	-13	26.97	Pass	9002
12000	20000	1	RMS	17806	-32.74	-13	19.74	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	965.277	-64.64	-13	51.64	Pass	9701
1000	1700	1	RMS	1691	-53.05	-13	40.05	Pass	701
1700	1765	1	RMS	1730.225	24.53	60	35.47	Pass	401
1765	3000	1	RMS	2840	-50.05	-13	37.05	Pass	1236
3000	12000	1	RMS	12000	-39.94	-13	26.94	Pass	9002
12000	20000	1	RMS	16105	-32.74	-13	19.74	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	969.68	-64.68	-13	51.68	Pass	9701
1000	1700	1	RMS	1693	-53.09	-13	40.09	Pass	701
1700	1765	1	RMS	1730.225	23.83	60	36.17	Pass	401
1765	3000	1	RMS	2990	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11997	-40.01	-13	27.01	Pass	9002
12000	20000	1	RMS	16104	-32.74	-13	19.74	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	928.052	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1696	-53.12	-13	40.12	Pass	701
1700	1765	1	RMS	1750.213	24.51	60	35.49	Pass	401
1765	3000	1	RMS	2986	-50.05	-13	37.05	Pass	1236
3000	12000	1	RMS	11997	-39.97	-13	26.97	Pass	9002
12000	20000	1	RMS	16105	-32.74	-13	19.74	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	967.679	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1697	-53.13	-13	40.13	Pass	701
1700	1765	1	RMS	1750.213	23.74	60	36.26	Pass	401
1765	3000	1	RMS	2840	-50.02	-13	37.02	Pass	1236
3000	12000	1	RMS	11998	-39.94	-13	26.94	Pass	9002
12000	20000	1	RMS	16098	-32.72	-13	19.72	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	58.08	Pass	2986
30	1000	0.1	RMS	848.6	-64.55	-13	51.55	Pass	9701
1000	1700	1	RMS	1693	-45.54	-13	32.54	Pass	701
1700	1765	1	RMS	1710.563	24.51	60	35.49	Pass	401
1765	3000	1	RMS	2980	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11994	-39.96	-13	26.96	Pass	9002
12000	20000	1	RMS	16098	-32.74	-13	19.74	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	969.88	-64.65	-13	51.65	Pass	9701
1000	1700	1	RMS	1700	-46.8	-13	33.8	Pass	701
1700	1765	1	RMS	1710.563	23.7	60	36.3	Pass	401
1765	3000	1	RMS	2844	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11998	-39.96	-13	26.96	Pass	9002
12000	20000	1	RMS	16138	-32.75	-13	19.75	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	991.694	-64.44	-13	51.44	Pass	9701
1000	1700	1	RMS	1700	-53.06	-13	40.06	Pass	701
1700	1765	1	RMS	1727.95	24.56	60	35.44	Pass	401
1765	3000	1	RMS	2979	-50	-13	37	Pass	1236
3000	12000	1	RMS	12000	-40.05	-13	27.05	Pass	9002
12000	20000	1	RMS	16102	-32.77	-13	19.77	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	979.586	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1693	-53.08	-13	40.08	Pass	701
1700	1765	1	RMS	1727.95	23.66	60	36.34	Pass	401
1765	3000	1	RMS	2982	-49.99	-13	36.99	Pass	1236
3000	12000	1	RMS	11997	-39.95	-13	26.95	Pass	9002
12000	20000	1	RMS	16122	-32.79	-13	19.79	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	947.966	-64.63	-13	51.63	Pass	9701
1000	1700	1	RMS	1695	-53.14	-13	40.14	Pass	701
1700	1765	1	RMS	1745.5	24.61	60	35.39	Pass	401
1765	3000	1	RMS	1765	-48.93	-13	35.93	Pass	1236
3000	12000	1	RMS	12000	-39.98	-13	26.98	Pass	9002
12000	20000	1	RMS	16120	-32.77	-13	19.77	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	971.081	-64.61	-13	51.61	Pass	9701
1000	1700	1	RMS	1684	-53.14	-13	40.14	Pass	701
1700	1765	1	RMS	1745.5	23.69	60	36.31	Pass	401
1765	3000	1	RMS	1765	-49.22	-13	36.22	Pass	1236
3000	12000	1	RMS	11999	-39.98	-13	26.98	Pass	9002
12000	20000	1	RMS	16121	-32.72	-13	19.72	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	989.393	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1700	-37.04	-13	24.04	Pass	701
1700	1765	1	RMS	1710.725	24.51	60	35.49	Pass	401
1765	3000	1	RMS	2979	-50.06	-13	37.06	Pass	1236
3000	12000	1	RMS	11996	-40.02	-13	27.02	Pass	9002
12000	20000	1	RMS	16121	-32.75	-13	19.75	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	850.701	-64.63	-13	51.63	Pass	9701
1000	1700	1	RMS	1700	-38.66	-13	25.66	Pass	701
1700	1765	1	RMS	1710.725	23.68	60	36.32	Pass	401
1765	3000	1	RMS	2838	-49.97	-13	36.97	Pass	1236
3000	12000	1	RMS	11998	-40.01	-13	27.01	Pass	9002
12000	20000	1	RMS	15749	-32.75	-13	19.75	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	898.433	-64.63	-13	51.63	Pass	9701
1000	1700	1	RMS	1699	-43.68	-13	30.68	Pass	701
1700	1765	1	RMS	1725.838	24.51	60	35.49	Pass	401
1765	3000	1	RMS	2994	-50.02	-13	37.02	Pass	1236
3000	12000	1	RMS	11998	-40	-13	27	Pass	9002
12000	20000	1	RMS	17843	-32.75	-13	19.75	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	965.477	-64.47	-13	51.47	Pass	9701
1000	1700	1	RMS	1699	-44.71	-13	31.71	Pass	701
1700	1765	1	RMS	1725.675	23.61	60	36.39	Pass	401
1765	3000	1	RMS	2992	-50.02	-13	37.02	Pass	1236
3000	12000	1	RMS	12000	-39.95	-13	26.95	Pass	9002
12000	20000	1	RMS	17810	-32.77	-13	19.77	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	969.98	-64.5	-13	51.5	Pass	9701
1000	1700	1	RMS	1695	-53.08	-13	40.08	Pass	701
1700	1765	1	RMS	1740.788	24.55	60	35.45	Pass	401
1765	3000	1	RMS	1767	-31.71	-13	18.71	Pass	1236
3000	12000	1	RMS	11993	-39.88	-13	26.88	Pass	9002
12000	20000	1	RMS	16143	-32.75	-13	19.75	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	954.97	-64.67	-13	51.67	Pass	9701
1000	1700	1	RMS	1695	-53.14	-13	40.14	Pass	701
1700	1765	1	RMS	1740.788	23.75	60	36.25	Pass	401
1765	3000	1	RMS	1767	-32.57	-13	19.57	Pass	1236
3000	12000	1	RMS	12000	-39.97	-13	26.97	Pass	9002
12000	20000	1	RMS	17805	-32.74	-13	19.74	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.19	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	910.341	-64.69	-13	51.69	Pass	9701
1000	1700	1	RMS	1700	-37.97	-13	24.97	Pass	701
1700	1765	1	RMS	1711.05	24.47	60	35.53	Pass	401
1765	3000	1	RMS	2984	-50	-13	37	Pass	1236
3000	12000	1	RMS	12000	-39.96	-13	26.96	Pass	9002
12000	20000	1	RMS	16098	-32.74	-13	19.74	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	976.284	-64.52	-13	51.52	Pass	9701
1000	1700	1	RMS	1700	-39.54	-13	26.54	Pass	701
1700	1765	1	RMS	1711.05	23.64	60	36.36	Pass	401
1765	3000	1	RMS	2989	-50.03	-13	37.03	Pass	1236
3000	12000	1	RMS	11999	-40.01	-13	27.01	Pass	9002
12000	20000	1	RMS	16101	-32.72	-13	19.72	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	964.677	-64.56	-13	51.56	Pass	9701
1000	1700	1	RMS	1688	-50	-13	37	Pass	701
1700	1765	1	RMS	1723.563	24.47	60	35.53	Pass	401
1765	3000	1	RMS	2978	-50.05	-13	37.05	Pass	1236
3000	12000	1	RMS	11995	-40.01	-13	27.01	Pass	9002
12000	20000	1	RMS	16112	-32.71	-13	19.71	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	988.492	-64.6	-13	51.6	Pass	9701
1000	1700	1	RMS	1688	-51.02	-13	38.02	Pass	701
1700	1765	1	RMS	1723.563	23.59	60	36.41	Pass	401
1765	3000	1	RMS	2980	-50.05	-13	37.05	Pass	1236
3000	12000	1	RMS	11997	-40	-13	27	Pass	9002
12000	20000	1	RMS	16150	-32.71	-13	19.71	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	940.26	-64.58	-13	51.58	Pass	9701
1000	1700	1	RMS	1700	-43.64	-13	30.64	Pass	701
1700	1765	1	RMS	1736.075	24.46	60	35.54	Pass	401
1765	3000	1	RMS	1772	-29.09	-13	16.09	Pass	1236
3000	12000	1	RMS	11997	-39.98	-13	26.98	Pass	9002
12000	20000	1	RMS	16103	-32.74	-13	19.74	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	847.8	-64.66	-13	51.66	Pass	9701
1000	1700	1	RMS	1700	-44.44	-13	31.44	Pass	701
1700	1765	1	RMS	1735.913	23.53	60	36.47	Pass	401
1765	3000	1	RMS	1772	-30.08	-13	17.08	Pass	1236
3000	12000	1	RMS	11997	-39.99	-13	26.99	Pass	9002
12000	20000	1	RMS	16121	-32.68	-13	19.68	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	58.07	Pass	2986
30	814	0.1	RMS	813.6	-64.16	-13	51.16	Pass	7841
814	860	0.1	RMS	824.2	21.11	60	38.89	Pass	461
860	1000	0.1	RMS	975.7	-64.58	-13	51.58	Pass	1401
1000	3000	1	RMS	1648	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	9239	-41.9	-13	28.9	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	813.6	-64.43	-13	51.43	Pass	7841
814	860	0.1	RMS	824.3	20.27	60	39.73	Pass	461
860	1000	0.1	RMS	965.8	-64.67	-13	51.67	Pass	1401
1000	3000	1	RMS	1648	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	9246	-41.99	-13	28.99	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	788.3	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	836	21.31	60	38.69	Pass	461
860	1000	0.1	RMS	941	-64.47	-13	51.47	Pass	1401
1000	3000	1	RMS	1672	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	9245	-41.97	-13	28.97	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	59.81	Pass	2986
30	814	0.1	RMS	755	-65.04	-13	52.04	Pass	7841
814	860	0.1	RMS	836	20.29	60	39.71	Pass	461
860	1000	0.1	RMS	945	-64.61	-13	51.61	Pass	1401
1000	3000	1	RMS	1672	-49.88	-13	36.88	Pass	2001
3000	10000	1	RMS	9240	-41.98	-13	28.98	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	811.2	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	847.8	21.29	60	38.71	Pass	461
860	1000	0.1	RMS	980	-64.6	-13	51.6	Pass	1401
1000	3000	1	RMS	1695	-47.03	-13	34.03	Pass	2001
3000	10000	1	RMS	9243	-41.89	-13	28.89	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	804	-65.04	-13	52.04	Pass	7841
814	860	0.1	RMS	847.9	20.47	60	39.53	Pass	461
860	1000	0.1	RMS	981.8	-64.6	-13	51.6	Pass	1401
1000	3000	1	RMS	1695	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	9239	-41.97	-13	28.97	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.6	-64.27	-13	51.27	Pass	7841
814	860	0.1	RMS	824.2	21.42	60	38.58	Pass	461
860	1000	0.1	RMS	986.5	-64.66	-13	51.66	Pass	1401
1000	3000	1	RMS	1648	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	9250	-41.94	-13	28.94	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	814	0.1	RMS	813.5	-64.31	-13	51.31	Pass	7841
814	860	0.1	RMS	824.2	20.56	60	39.44	Pass	461
860	1000	0.1	RMS	928.2	-64.64	-13	51.64	Pass	1401
1000	3000	1	RMS	1648	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	9242	-41.94	-13	28.94	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	814	0.1	RMS	812.8	-65	-13	52	Pass	7841
814	860	0.1	RMS	835.2	21.54	60	38.46	Pass	461
860	1000	0.1	RMS	945.9	-64.62	-13	51.62	Pass	1401
1000	3000	1	RMS	1670	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	9243	-41.97	-13	28.97	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.21	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	811.7	-65.01	-13	52.01	Pass	7841
814	860	0.1	RMS	835.2	20.52	60	39.48	Pass	461
860	1000	0.1	RMS	992.1	-64.62	-13	51.62	Pass	1401
1000	3000	1	RMS	1670	-49.45	-13	36.45	Pass	2001
3000	10000	1	RMS	9241	-42	-13	29	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	757	-65.04	-13	52.04	Pass	7841
814	860	0.1	RMS	846.2	21.58	60	38.42	Pass	461
860	1000	0.1	RMS	959.4	-64.65	-13	51.65	Pass	1401
1000	3000	1	RMS	1692	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	9233	-41.99	-13	28.99	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	773.1	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	846.2	20.62	60	39.38	Pass	461
860	1000	0.1	RMS	996.5	-64.53	-13	51.53	Pass	1401
1000	3000	1	RMS	1692	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	9233	-42	-13	29	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	813.6	-64.11	-13	51.11	Pass	7841
814	860	0.1	RMS	824.3	21.79	60	38.21	Pass	461
860	1000	0.1	RMS	976.2	-64.65	-13	51.65	Pass	1401
1000	3000	1	RMS	1648	-46.81	-13	33.81	Pass	2001
3000	10000	1	RMS	9247	-42.01	-13	29.01	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.18	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	813.7	-64.5	-13	51.5	Pass	7841
814	860	0.1	RMS	824.3	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	989.3	-64.66	-13	51.66	Pass	1401
1000	3000	1	RMS	1648	-47.51	-13	34.51	Pass	2001
3000	10000	1	RMS	9239	-41.99	-13	28.99	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	814	0.1	RMS	797.8	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	834.3	21.86	60	38.14	Pass	461
860	1000	0.1	RMS	944.8	-64.66	-13	51.66	Pass	1401
1000	3000	1	RMS	1668	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	9241	-42	-13	29	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.3	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	834.3	21.2	60	38.8	Pass	461
860	1000	0.1	RMS	938.6	-64.52	-13	51.52	Pass	1401
1000	3000	1	RMS	1668	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	9238	-41.99	-13	28.99	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.8	-65.01	-13	52.01	Pass	7841
814	860	0.1	RMS	844.3	21.99	60	38.01	Pass	461
860	1000	0.1	RMS	951.9	-64.56	-13	51.56	Pass	1401
1000	3000	1	RMS	1688	-46.61	-13	33.61	Pass	2001
3000	10000	1	RMS	9238	-41.89	-13	28.89	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	810	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	844.3	21.31	60	38.69	Pass	461
860	1000	0.1	RMS	939	-64.58	-13	51.58	Pass	1401
1000	3000	1	RMS	1688	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9238	-41.99	-13	28.99	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	814	-58.12	-13	45.12	Pass	7841
814	860	0.1	RMS	824.6	22.26	60	37.74	Pass	461
860	1000	0.1	RMS	971.8	-64.58	-13	51.58	Pass	1401
1000	3000	1	RMS	1649	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9241	-42	-13	29	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	59.76	Pass	2986
30	814	0.1	RMS	814	-59.19	-13	46.19	Pass	7841
814	860	0.1	RMS	824.6	21.6	60	38.4	Pass	461
860	1000	0.1	RMS	974	-64.59	-13	51.59	Pass	1401
1000	3000	1	RMS	1649	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	9245	-41.99	-13	28.99	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	809.7	-64.97	-13	51.97	Pass	7841
814	860	0.1	RMS	832.1	22.39	60	37.61	Pass	461
860	1000	0.1	RMS	992.9	-64.6	-13	51.6	Pass	1401
1000	3000	1	RMS	1664	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	9235	-41.86	-13	28.86	Pass	7001



3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	59.78	Pass	2986
30	814	0.1	RMS	812.9	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	832.1	21.48	60	38.52	Pass	461
860	1000	0.1	RMS	993.3	-64.6	-13	51.6	Pass	1401
1000	3000	1	RMS	2496	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	9234	-41.94	-13	28.94	Pass	7001



3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	811.6	-64.97	-13	51.97	Pass	7841
814	860	0.1	RMS	839.6	22.37	60	37.63	Pass	461
860	1000	0.1	RMS	940.7	-64.56	-13	51.56	Pass	1401
1000	3000	1	RMS	1679	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	9239	-41.95	-13	28.95	Pass	7001

