

Spurious Emission at Antenna Terminals

3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	809.9	-65	-13	52	Pass	7841
814	860	0.1	RMS	839.6	21.53	60	38.47	Pass	461
860	1000	0.1	RMS	940.4	-64.62	-13	51.62	Pass	1401
1000	3000	1	RMS	1679	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	9240	-41.99	-13	28.99	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-25	47.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-25	47.55	Pass	2986
30	1000	0.1	RMS	539.6	-62.34	-25	37.34	Pass	9701
1000	2490	1	RMS	2490	-50.3	-25	25.3	Pass	1491
2490	2580	1	RMS	2500.125	24.41	60	35.59	Pass	401
2580	3000	1	RMS	2984	-50.04	-25	25.04	Pass	421
3000	12000	1	RMS	11998	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25496	-56.68	-25	31.68	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	48.13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	47.44	Pass	2986
30	1000	0.1	RMS	539.6	-63.16	-25	38.16	Pass	9701
1000	2490	1	RMS	2490	-50.28	-25	25.28	Pass	1491
2490	2580	1	RMS	2500.125	23.54	60	36.46	Pass	401
2580	3000	1	RMS	2836	-50.07	-25	25.07	Pass	421
3000	12000	1	RMS	11998	-63.76	-25	38.76	Pass	9002
12000	26000	1	RMS	25504	-56.73	-25	31.73	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-25	47.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	572.1	-63.89	-25	38.89	Pass	9701
1000	2490	1	RMS	2482	-51.22	-25	26.22	Pass	1491
2490	2580	1	RMS	2532.75	24.51	60	35.49	Pass	401
2580	3000	1	RMS	2983	-50.07	-25	25.07	Pass	421
3000	12000	1	RMS	11885	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25506	-56.67	-25	31.67	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-25	47.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-25	47.37	Pass	2986
30	1000	0.1	RMS	572.1	-63.99	-25	38.99	Pass	9701
1000	2490	1	RMS	2487	-51.18	-25	26.18	Pass	1491
2490	2580	1	RMS	2532.75	23.77	60	36.23	Pass	401
2580	3000	1	RMS	2840	-50.04	-25	25.04	Pass	421
3000	12000	1	RMS	11898	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25491	-56.72	-25	31.72	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-25	48.04	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	604.6	-63.54	-25	38.54	Pass	9701
1000	2490	1	RMS	2488	-51.18	-25	26.18	Pass	1491
2490	2580	1	RMS	2565.15	24.63	60	35.37	Pass	401
2580	3000	1	RMS	2840	-50.07	-25	25.07	Pass	421
3000	12000	1	RMS	11898	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	25524	-56.62	-25	31.62	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-25	47.47	Pass	2986
30	1000	0.1	RMS	604.6	-63.83	-25	38.83	Pass	9701
1000	2490	1	RMS	2490	-51.13	-25	26.13	Pass	1491
2490	2580	1	RMS	2565.15	23.97	60	36.03	Pass	401
2580	3000	1	RMS	2838	-50.09	-25	25.09	Pass	421
3000	12000	1	RMS	11998	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25493	-56.61	-25	31.61	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-25	48.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	539.9	-61.64	-25	36.64	Pass	9701
1000	2490	1	RMS	2490	-44.61	-25	19.61	Pass	1491
2490	2580	1	RMS	2500.575	24.45	60	35.55	Pass	401
2580	3000	1	RMS	2980	-50.08	-25	25.08	Pass	421
3000	12000	1	RMS	11998	-63.82	-25	38.82	Pass	9002
12000	26000	1	RMS	25499	-56.59	-25	31.59	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.17	-72	-25	47	Pass	2986
30	1000	0.1	RMS	539.9	-62.2	-25	37.2	Pass	9701
1000	2490	1	RMS	2490	-45.06	-25	20.06	Pass	1491
2490	2580	1	RMS	2500.575	23.68	60	36.32	Pass	401
2580	3000	1	RMS	2837	-50.08	-25	25.08	Pass	421
3000	12000	1	RMS	11993	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	25500	-56.61	-25	31.61	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	47.18	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-25	46.87	Pass	2986
30	1000	0.1	RMS	569.9	-63.18	-25	38.18	Pass	9701
1000	2490	1	RMS	2486	-51.2	-25	26.2	Pass	1491
2490	2580	1	RMS	2530.5	24.59	60	35.41	Pass	401
2580	3000	1	RMS	2837	-50.08	-25	25.08	Pass	421
3000	12000	1	RMS	11988	-63.87	-25	38.87	Pass	9002
12000	26000	1	RMS	25500	-56.7	-25	31.7	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	46.74	Pass	2986
30	1000	0.1	RMS	569.9	-63.74	-25	38.74	Pass	9701
1000	2490	1	RMS	2486	-51.21	-25	26.21	Pass	1491
2490	2580	1	RMS	2530.5	23.62	60	36.38	Pass	401
2580	3000	1	RMS	2837	-50.1	-25	25.1	Pass	421
3000	12000	1	RMS	11893	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25509	-56.68	-25	31.68	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	47.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	599.9	-62.82	-25	37.82	Pass	9701
1000	2490	1	RMS	2485	-51.19	-25	26.19	Pass	1491
2490	2580	1	RMS	2560.425	24.65	60	35.35	Pass	401
2580	3000	1	RMS	2580	-49.11	-25	24.11	Pass	421
3000	12000	1	RMS	12000	-63.82	-25	38.82	Pass	9002
12000	26000	1	RMS	25500	-56.6	-25	31.6	Pass	14002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-25	46.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-25	47.6	Pass	2986
30	1000	0.1	RMS	599.9	-63.53	-25	38.53	Pass	9701
1000	2490	1	RMS	2489	-51.16	-25	26.16	Pass	1491
2490	2580	1	RMS	2560.425	23.77	60	36.23	Pass	401
2580	3000	1	RMS	2580	-49	-25	24	Pass	421
3000	12000	1	RMS	11996	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	25497	-56.65	-25	31.65	Pass	14002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	540.1	-62.58	-25	37.58	Pass	9701
1000	2490	1	RMS	2489	-37.16	-25	12.16	Pass	1491
2490	2580	1	RMS	2500.8	24.48	60	35.52	Pass	401
2580	3000	1	RMS	2980	-50.05	-25	25.05	Pass	421
3000	12000	1	RMS	11995	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	25504	-56.68	-25	31.68	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.59	-25	47.59	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-25	47.45	Pass	2986
30	1000	0.1	RMS	540.1	-62.87	-25	37.87	Pass	9701
1000	2490	1	RMS	2490	-38.72	-25	13.72	Pass	1491
2490	2580	1	RMS	2500.8	23.69	60	36.31	Pass	401
2580	3000	1	RMS	2982	-50.06	-25	25.06	Pass	421
3000	12000	1	RMS	11994	-63.87	-25	38.87	Pass	9002
12000	26000	1	RMS	25500	-56.55	-25	31.55	Pass	14002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.29	-25	48.29	Pass	401
0.15	30	0.01	RMS	0.26	-72.44	-25	47.44	Pass	2986
30	1000	0.1	RMS	567.6	-63.9	-25	38.9	Pass	9701
1000	2490	1	RMS	2487	-51.11	-25	26.11	Pass	1491
2490	2580	1	RMS	2528.25	24.56	60	35.44	Pass	401
2580	3000	1	RMS	2840	-50.05	-25	25.05	Pass	421
3000	12000	1	RMS	11982	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	25505	-56.65	-25	31.65	Pass	14002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-25	47.28	Pass	2986
30	1000	0.1	RMS	567.7	-64.62	-25	39.62	Pass	9701
1000	2490	1	RMS	2489	-51.14	-25	26.14	Pass	1491
2490	2580	1	RMS	2528.25	23.58	60	36.42	Pass	401
2580	3000	1	RMS	2839	-50.08	-25	25.08	Pass	421
3000	12000	1	RMS	11892	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25494	-56.67	-25	31.67	Pass	14002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-25	47.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	595.1	-63.46	-25	38.46	Pass	9701
1000	2490	1	RMS	2490	-51.15	-25	26.15	Pass	1491
2490	2580	1	RMS	2555.7	24.64	60	35.36	Pass	401
2580	3000	1	RMS	2582	-37.55	-25	12.55	Pass	421
3000	12000	1	RMS	11998	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25507	-56.66	-25	31.66	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-25	46.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-25	46.37	Pass	2986
30	1000	0.1	RMS	595.1	-63.98	-25	38.98	Pass	9701
1000	2490	1	RMS	2487	-51.2	-25	26.2	Pass	1491
2490	2580	1	RMS	2555.7	23.83	60	36.17	Pass	401
2580	3000	1	RMS	2582	-38.4	-25	13.4	Pass	421
3000	12000	1	RMS	11898	-63.86	-25	38.86	Pass	9002
12000	26000	1	RMS	25501	-56.7	-25	31.7	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.03	-25	48.03	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	46	Pass	2986
30	1000	0.1	RMS	540.4	-61.54	-25	36.54	Pass	9701
1000	2490	1	RMS	2490	-37.93	-25	12.93	Pass	1491
2490	2580	1	RMS	2501.025	24.47	60	35.53	Pass	401
2580	3000	1	RMS	2988	-50.1	-25	25.1	Pass	421
3000	12000	1	RMS	11999	-63.77	-25	38.77	Pass	9002
12000	26000	1	RMS	25505	-56.61	-25	31.61	Pass	14002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-25	47.99	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-25	47.83	Pass	2986
30	1000	0.1	RMS	540.4	-62.53	-25	37.53	Pass	9701
1000	2490	1	RMS	2490	-40.11	-25	15.11	Pass	1491
2490	2580	1	RMS	2501.025	23.65	60	36.35	Pass	401
2580	3000	1	RMS	2980	-50.06	-25	25.06	Pass	421
3000	12000	1	RMS	11907	-63.88	-25	38.88	Pass	9002
12000	26000	1	RMS	25504	-56.68	-25	31.68	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.96	-25	46.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-25	47.57	Pass	2986
30	1000	0.1	RMS	565.4	-63.2	-25	38.2	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	22.75	Pass	1491
2490	2580	1	RMS	2526	24.48	60	35.52	Pass	401
2580	3000	1	RMS	2991	-50.09	-25	25.09	Pass	421
3000	12000	1	RMS	11993	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	25500	-56.64	-25	31.64	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-25	45.68	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	565.4	-63.97	-25	38.97	Pass	9701
1000	2490	1	RMS	2490	-48.87	-25	23.87	Pass	1491
2490	2580	1	RMS	2526	23.56	60	36.44	Pass	401
2580	3000	1	RMS	2982	-50.07	-25	25.07	Pass	421
3000	12000	1	RMS	11885	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	25493	-56.62	-25	31.62	Pass	14002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.6	-25	48.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-25	46.7	Pass	2986
30	1000	0.1	RMS	590.4	-63.06	-25	38.06	Pass	9701
1000	2490	1	RMS	2488	-51.15	-25	26.15	Pass	1491
2490	2580	1	RMS	2550.975	24.63	60	35.37	Pass	401
2580	3000	1	RMS	2581	-38.67	-25	13.67	Pass	421
3000	12000	1	RMS	11895	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25505	-56.69	-25	31.69	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	47.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-25	46.69	Pass	2986
30	1000	0.1	RMS	590.4	-63.49	-25	38.49	Pass	9701
1000	2490	1	RMS	2489	-51.24	-25	26.24	Pass	1491
2490	2580	1	RMS	2550.975	23.71	60	36.29	Pass	401
2580	3000	1	RMS	2581	-39.1	-25	14.1	Pass	421
3000	12000	1	RMS	11999	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	25496	-56.61	-25	31.61	Pass	14002



5. LTE_Band38


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.87	-25	42.87	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	864.61	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2560	-44.3	-25	19.3	Pass	1561
2560	2630	1	RMS	2570.325	24.32	60	35.68	Pass	401
2630	3000	1	RMS	2902.875	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11970	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25868	-50.94	-25	25.94	Pass	14502




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.79	-25	44.79	Pass	401
0.15	30	0.01	RMS	0.17	-67.49	-25	42.49	Pass	2986
30	1000	0.1	RMS	609.6	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2559	-45.96	-25	20.96	Pass	1561
2560	2630	1	RMS	2570.15	23.33	60	36.67	Pass	401
2630	3000	1	RMS	2900.1	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11960	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25502	-50.96	-25	25.96	Pass	14502




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.17	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	969.38	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2559	-48.26	-25	23.26	Pass	1561
2560	2630	1	RMS	2592.9	24.22	60	35.78	Pass	401
2630	3000	1	RMS	2899.175	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11957	-49.78	-25	24.78	Pass	9002
12000	26500	1	RMS	25506	-50.91	-25	25.91	Pass	14502




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.89	-25	43.89	Pass	401
0.15	30	0.01	RMS	0.24	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	842.9	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2517	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2592.9	23.49	60	36.51	Pass	401
2630	3000	1	RMS	2901.95	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11959	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25502	-50.93	-25	25.93	Pass	14502




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.89	-25	42.89	Pass	401
0.15	30	0.01	RMS	0.17	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	994.396	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2535	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2615.3	24	60	36	Pass	401
2630	3000	1	RMS	2900.1	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11956	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25510	-50.93	-25	25.93	Pass	14502




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	869.213	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2533	-48.28	-25	23.28	Pass	1561
2560	2630	1	RMS	2615.125	23.61	60	36.39	Pass	401
2630	3000	1	RMS	2905.65	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11954	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25503	-50.95	-25	25.95	Pass	14502




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.99	-25	42.99	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	609.9	-61.34	-25	36.34	Pass	9701
1000	2560	1	RMS	2560	-40.21	-25	15.21	Pass	1561
2560	2630	1	RMS	2570.5	24.47	60	35.53	Pass	401
2630	3000	1	RMS	2901.95	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11979	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25499	-50.96	-25	25.96	Pass	14502




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	868.013	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2559	-44.69	-25	19.69	Pass	1561
2560	2630	1	RMS	2570.5	23.39	60	36.61	Pass	401
2630	3000	1	RMS	2901.95	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11951	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25504	-50.91	-25	25.91	Pass	14502




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.16	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	961.575	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2528	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2590.625	23.72	60	36.28	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11995	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25497	-50.97	-25	25.97	Pass	14502




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.23	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	976.484	-61.52	-25	36.52	Pass	9701
1000	2560	1	RMS	2531	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2590.45	23.15	60	36.85	Pass	401
2630	3000	1	RMS	2901.025	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11964	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25901	-50.89	-25	25.89	Pass	14502




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.22	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	960.574	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2537	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2610.4	24.47	60	35.53	Pass	401
2630	3000	1	RMS	2630	-45.98	-25	20.98	Pass	401
3000	12000	1	RMS	11956	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25508	-50.94	-25	25.94	Pass	14502




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.19	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	853.203	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2539	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2610.575	23.5	60	36.5	Pass	401
2630	3000	1	RMS	2630	-45.54	-25	20.54	Pass	401
3000	12000	1	RMS	11985	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25898	-50.96	-25	25.96	Pass	14502




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	992.695	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2559	-36.36	-25	11.36	Pass	1561
2560	2630	1	RMS	2570.85	23.62	60	36.38	Pass	401
2630	3000	1	RMS	2901.025	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11953	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25513	-50.91	-25	25.91	Pass	14502




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	839.8	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2560	-36.34	-25	11.34	Pass	1561
2560	2630	1	RMS	2570.85	23.24	60	36.76	Pass	401
2630	3000	1	RMS	2901.025	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11949	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25512	-50.98	-25	25.98	Pass	14502




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	0.16	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	870.514	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2538	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2588.175	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2902.875	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11973	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25495	-50.98	-25	25.98	Pass	14502




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.67	-25	43.67	Pass	401
0.15	30	0.01	RMS	0.22	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	941.861	-61.49	-25	36.49	Pass	9701
1000	2560	1	RMS	2539	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2588.35	23.41	60	36.59	Pass	401
2630	3000	1	RMS	2901.025	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11977	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25499	-50.95	-25	25.95	Pass	14502




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.53	-25	42.53	Pass	401
0.15	30	0.01	RMS	0.16	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	965.177	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2536	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2605.85	24.45	60	35.55	Pass	401
2630	3000	1	RMS	2631.85	-36.74	-25	11.74	Pass	401
3000	12000	1	RMS	11950	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25498	-50.95	-25	25.95	Pass	14502




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.99	-25	42.99	Pass	401
0.15	30	0.01	RMS	0.19	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	820.2	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2480	-48.08	-25	23.08	Pass	1561
2560	2630	1	RMS	2605.675	23.52	60	36.48	Pass	401
2630	3000	1	RMS	2631.85	-36.23	-25	11.23	Pass	401
3000	12000	1	RMS	11981	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25504	-50.9	-25	25.9	Pass	14502




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.16	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	610.4	-60.69	-25	35.69	Pass	9701
1000	2560	1	RMS	2560	-36.34	-25	11.34	Pass	1561
2560	2630	1	RMS	2570.85	23.87	60	36.13	Pass	401
2630	3000	1	RMS	2900.1	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11950	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25501	-50.98	-25	25.98	Pass	14502




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.15	-67.22	-25	42.22	Pass	2986
30	1000	0.1	RMS	899.734	-61.53	-25	36.53	Pass	9701
1000	2560	1	RMS	2559	-38	-25	13	Pass	1561
2560	2630	1	RMS	2570.85	22.97	60	37.03	Pass	401
2630	3000	1	RMS	2899.175	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11955	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25501	-50.91	-25	25.91	Pass	14502




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-25	42.72	Pass	2986
30	1000	0.1	RMS	952.168	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2551	-47.36	-25	22.36	Pass	1561
2560	2630	1	RMS	2585.9	24.21	60	35.79	Pass	401
2630	3000	1	RMS	2900.1	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11972	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25508	-50.98	-25	25.98	Pass	14502




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.16	-67.7	-25	42.7	Pass	2986
30	1000	0.1	RMS	815.4	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2551	-47.48	-25	22.48	Pass	1561
2560	2630	1	RMS	2585.9	23.23	60	36.77	Pass	401
2630	3000	1	RMS	2901.95	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11953	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25496	-51	-25	26	Pass	14502




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	0.16	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	988.592	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	2525	-48.37	-25	23.37	Pass	1561
2560	2630	1	RMS	2600.95	23.96	60	36.04	Pass	401
2630	3000	1	RMS	2631.85	-36.33	-25	11.33	Pass	401
3000	12000	1	RMS	11965	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25497	-50.98	-25	25.98	Pass	14502



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.99	-25	42.99	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	868.113	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2534	-48.23	-25	23.23	Pass	1561
2560	2630	1	RMS	2601.125	23.39	60	36.61	Pass	401
2630	3000	1	RMS	2630.925	-36.43	-25	11.43	Pass	401
3000	12000	1	RMS	11967	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25900	-50.94	-25	25.94	Pass	14502



6. LTE_Band41 120M


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.98	-25	42.98	Pass	401
0.15	30	0.01	RMS	0.15	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	885.824	-61.52	-25	36.52	Pass	9701
1000	2525	1	RMS	2525	-43.28	-25	18.28	Pass	1526
2525	2665	1	RMS	2535.15	22.97	60	37.03	Pass	401
2665	3000	1	RMS	2901.175	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11957	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25510	-50.18	-25	25.18	Pass	14502




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.16	-67.22	-25	42.22	Pass	2986
30	1000	0.1	RMS	953.869	-61.5	-25	36.5	Pass	9701
1000	2525	1	RMS	2525	-43.54	-25	18.54	Pass	1526
2525	2665	1	RMS	2535.15	22.71	60	37.29	Pass	401
2665	3000	1	RMS	2901.175	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3438	-57.02	-25	32.02	Pass	9002
12000	26500	1	RMS	25502	-50.31	-25	25.31	Pass	14502




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.17	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	891.628	-61.35	-25	36.35	Pass	9701
1000	2525	1	RMS	2494	-48.38	-25	23.38	Pass	1526
2525	2665	1	RMS	2592.9	23.02	60	36.98	Pass	401
2665	3000	1	RMS	2900.338	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11956	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25508	-50.21	-25	25.21	Pass	14502




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.16	-68	-25	43	Pass	2986
30	1000	0.1	RMS	986.991	-61.3	-25	36.3	Pass	9701
1000	2525	1	RMS	2521	-48.39	-25	23.39	Pass	1526
2525	2665	1	RMS	2592.9	22.88	60	37.12	Pass	401
2665	3000	1	RMS	2901.175	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11969	-60.09	-25	35.09	Pass	9002
12000	26500	1	RMS	25491	-50.26	-25	25.26	Pass	14502




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	689.6	-60.4	-25	35.4	Pass	9701
1000	2525	1	RMS	2498	-48.32	-25	23.32	Pass	1526
2525	2665	1	RMS	2650.3	24.06	60	35.94	Pass	401
2665	3000	1	RMS	2900.338	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11956	-59.96	-25	34.96	Pass	9002
12000	26500	1	RMS	25509	-50.28	-25	25.28	Pass	14502




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	981.888	-61.16	-25	36.16	Pass	9701
1000	2525	1	RMS	2523	-48.3	-25	23.3	Pass	1526
2525	2665	1	RMS	2649.95	22.63	60	37.37	Pass	401
2665	3000	1	RMS	2902.013	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11970	-60	-25	35	Pass	9002
12000	26500	1	RMS	25494	-50.24	-25	25.24	Pass	14502




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.77	-25	42.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	574.9	-60.66	-25	35.66	Pass	9701
1000	2525	1	RMS	2525	-41.78	-25	16.78	Pass	1526
2525	2665	1	RMS	2535.5	23.6	60	36.4	Pass	401
2665	3000	1	RMS	2902.013	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11954	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25514	-50.25	-25	25.25	Pass	14502




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.64	-25	42.64	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	985.691	-61.44	-25	36.44	Pass	9701
1000	2525	1	RMS	2525	-42.9	-25	17.9	Pass	1526
2525	2665	1	RMS	2535.5	22.33	60	37.67	Pass	401
2665	3000	1	RMS	2901.175	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11959	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25500	-50.29	-25	25.29	Pass	14502




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.98	-25	43.98	Pass	401
0.15	30	0.01	RMS	0.17	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	873.016	-61.45	-25	36.45	Pass	9701
1000	2525	1	RMS	2522	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2590.45	23.48	60	36.52	Pass	401
2665	3000	1	RMS	2905.363	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11951	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25515	-50.29	-25	25.29	Pass	14502




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.6	-25	44.6	Pass	401
0.15	30	0.01	RMS	0.16	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	927.752	-61.4	-25	36.4	Pass	9701
1000	2525	1	RMS	2501	-48.36	-25	23.36	Pass	1526
2525	2665	1	RMS	2590.1	22.11	60	37.89	Pass	401
2665	3000	1	RMS	2899.5	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	3437	-53.5	-25	28.5	Pass	9002
12000	26500	1	RMS	25503	-50.3	-25	25.3	Pass	14502




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.12	-25	44.12	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	684.9	-60.62	-25	35.62	Pass	9701
1000	2525	1	RMS	2508	-48.37	-25	23.37	Pass	1526
2525	2665	1	RMS	2645.4	23.54	60	36.46	Pass	401
2665	3000	1	RMS	2665	-46.2	-25	21.2	Pass	401
3000	12000	1	RMS	11966	-60	-25	35	Pass	9002
12000	26500	1	RMS	25496	-50.21	-25	25.21	Pass	14502




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	684.9	-60.5	-25	35.5	Pass	9701
1000	2525	1	RMS	2494	-48.3	-25	23.3	Pass	1526
2525	2665	1	RMS	2645.4	22.96	60	37.04	Pass	401
2665	3000	1	RMS	2665	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11955	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25505	-50.26	-25	25.26	Pass	14502




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.16	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	847.9	-61.4	-25	36.4	Pass	9701
1000	2525	1	RMS	2525	-36.8	-25	11.8	Pass	1526
2525	2665	1	RMS	2535.5	23.91	60	36.09	Pass	401
2665	3000	1	RMS	2899.5	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11978	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25515	-50.24	-25	25.24	Pass	14502



6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.26	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	575.1	-61.37	-25	36.37	Pass	9701
1000	2525	1	RMS	2523	-39.32	-25	14.32	Pass	1526
2525	2665	1	RMS	2535.85	22.88	60	37.12	Pass	401
2665	3000	1	RMS	2902.013	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11954	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25489	-50.22	-25	25.22	Pass	14502



6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.21	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	979.787	-61.54	-25	36.54	Pass	9701
1000	2525	1	RMS	2505	-48.37	-25	23.37	Pass	1526
2525	2665	1	RMS	2588.35	23.82	60	36.18	Pass	401
2665	3000	1	RMS	2902.013	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	3428	-50.6	-25	25.6	Pass	9002
12000	26500	1	RMS	25502	-50.2	-25	25.2	Pass	14502

