


A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5035.600	62.49	74.0	11.51	Peak	359.00	100	Vertical	Pass
1**	5035.600	49.56	54.0	4.44	AV	359.00	100	Vertical	Pass
2	5150.000	58.67	74.0	15.33	Peak	351.00	300	Vertical	Pass
2**	5150.000	48.85	54.0	5.15	AV	351.00	300	Vertical	Pass
3	5087.925	60.08	74.0	13.92	Peak	335.00	150	Vertical	Pass
3**	5087.925	50.99	54.0	3.01	AV	335.00	150	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.52	74.0	14.48	Peak	345.00	100	Vertical	Pass
1**	5350.000	48.98	54.0	5.02	AV	345.00	100	Vertical	Pass
2	5350.183	63.80	74.0	10.20	Peak	0.00	200	Vertical	Pass
2**	5350.183	48.88	54.0	5.12	AV	0.00	200	Vertical	Pass
3	5381.533	62.15	74.0	11.85	Peak	0.00	200	Vertical	Pass
3**	5381.533	50.17	54.0	3.83	AV	0.00	200	Vertical	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5071.350	62.24	74.0	11.76	Peak	14.00	300	Vertical	Pass
1**	5071.350	48.42	54.0	5.58	AV	14.00	300	Vertical	Pass
2	5150.000	57.01	74.0	16.99	Peak	352.00	400	Vertical	Pass
2**	5150.000	48.79	54.0	5.21	AV	352.00	400	Vertical	Pass
3	5093.125	60.14	74.0	13.86	Peak	38.00	200	Vertical	Pass
3**	5093.125	50.57	54.0	3.43	AV	38.00	200	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.89	74.0	15.11	Peak	35.00	200	Vertical	Pass
1**	5350.000	49.27	54.0	4.73	AV	35.00	200	Vertical	Pass
2	5392.166	63.21	74.0	10.79	Peak	332.00	300	Vertical	Pass
2**	5392.166	48.69	54.0	5.31	AV	332.00	300	Vertical	Pass
3	5381.350	59.65	74.0	14.35	Peak	332.00	200	Vertical	Pass
3**	5381.350	50.23	54.0	3.77	AV	332.00	200	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.225	61.45	74.0	12.55	Peak	351.00	300	Vertical	Pass
1**	5050.225	48.36	54.0	5.64	AV	351.00	300	Vertical	Pass
2	5150.000	57.62	74.0	16.38	Peak	351.00	300	Vertical	Pass
2**	5150.000	48.38	54.0	5.62	AV	351.00	300	Vertical	Pass
3	5094.425	59.41	74.0	14.59	Peak	14.00	300	Vertical	Pass
3**	5094.425	50.00	54.0	4.00	AV	14.00	300	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.90	74.0	15.10	Peak	31.00	300	Vertical	Pass
1**	5350.000	49.16	54.0	4.84	AV	31.00	300	Vertical	Pass
2	5371.083	63.31	74.0	10.69	Peak	350.00	400	Vertical	Pass
2**	5371.083	49.82	54.0	4.18	AV	350.00	400	Vertical	Pass
3	5381.533	59.58	74.0	14.42	Peak	10.00	300	Vertical	Pass
3**	5381.533	50.14	54.0	3.86	AV	10.00	300	Vertical	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.625	62.26	74.0	11.74	Peak	336.00	200	Vertical	Pass
1**	5060.625	49.04	54.0	4.96	AV	336.00	200	Vertical	Pass
2	5150.000	57.56	74.0	16.44	Peak	360.00	400	Vertical	Pass
2**	5150.000	48.12	54.0	5.88	AV	360.00	400	Vertical	Pass
3	5090.525	59.26	74.0	14.74	Peak	340.00	100	Vertical	Pass
3**	5090.525	50.31	54.0	3.69	AV	340.00	100	Vertical	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.62	74.0	15.38	Peak	0.00	100	Vertical	Pass
1**	5350.000	48.76	54.0	5.24	AV	0.00	100	Vertical	Pass
2	5379.700	63.13	74.0	10.87	Peak	0.00	200	Vertical	Pass
2**	5379.700	49.55	54.0	4.45	AV	0.00	200	Vertical	Pass
3	5375.667	61.20	74.0	12.80	Peak	15.00	100	Vertical	Pass
3**	5375.667	50.07	54.0	3.93	AV	15.00	100	Vertical	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.675	66.01	74.0	7.99	Peak	337.00	100	Vertical	Pass
1**	5123.675	50.32	54.0	3.68	AV	337.00	100	Vertical	Pass
2	5150.000	60.69	74.0	13.31	Peak	347.00	100	Vertical	Pass
2**	5150.000	50.43	54.0	3.57	AV	347.00	100	Vertical	Pass
3	5143.175	59.77	74.0	14.23	Peak	357.00	150	Vertical	Pass
3**	5143.175	51.00	54.0	3.00	AV	357.00	150	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.53	74.0	16.47	Peak	340.00	200	Vertical	Pass
1**	5350.000	48.04	54.0	5.96	AV	340.00	200	Vertical	Pass
2	5438.917	64.70	74.0	9.30	Peak	31.00	300	Vertical	Pass
2**	5438.917	49.58	54.0	4.42	AV	31.00	300	Vertical	Pass
3	5428.283	59.71	74.0	14.29	Peak	347.00	150	Vertical	Pass
3**	5428.283	50.79	54.0	3.21	AV	347.00	150	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.950	64.62	74.0	9.38	Peak	334.00	100	Vertical	Pass
1**	5138.950	50.07	54.0	3.93	AV	334.00	100	Vertical	Pass
2	5150.000	59.20	74.0	14.80	Peak	355.00	300	Vertical	Pass
2**	5150.000	50.33	54.0	3.67	AV	355.00	300	Vertical	Pass
3	5137.975	58.75	74.0	15.25	Peak	39.00	300	Vertical	Pass
3**	5137.975	50.95	54.0	3.05	AV	39.00	300	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.39	74.0	16.61	Peak	344.00	400	Vertical	Pass
1**	5350.000	47.69	54.0	6.31	AV	344.00	400	Vertical	Pass
2	5423.700	64.06	74.0	9.94	Peak	360.00	200	Vertical	Pass
2**	5423.700	49.90	54.0	4.10	AV	360.00	200	Vertical	Pass
3	5414.717	59.61	74.0	14.39	Peak	27.00	150	Vertical	Pass
3**	5414.717	50.88	54.0	3.12	AV	27.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.725	65.07	74.0	8.93	Peak	10.00	100	Vertical	Pass
1**	5134.725	50.29	54.0	3.71	AV	10.00	100	Vertical	Pass
2	5150.000	59.44	74.0	14.56	Peak	346.00	400	Vertical	Pass
2**	5150.000	50.29	54.0	3.71	AV	346.00	400	Vertical	Pass
3	5141.550	60.27	74.0	13.73	Peak	32.00	150	Vertical	Pass
3**	5141.550	50.97	54.0	3.03	AV	32.00	150	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.33	74.0	15.67	Peak	360.00	200	Vertical	Pass
1**	5350.000	47.71	54.0	6.29	AV	360.00	200	Vertical	Pass
2	5433.967	64.23	74.0	9.77	Peak	360.00	200	Vertical	Pass
2**	5433.967	49.97	54.0	4.03	AV	360.00	200	Vertical	Pass
3	5381.533	60.66	74.0	13.34	Peak	1.00	200	Vertical	Pass
3**	5381.533	50.74	54.0	3.26	AV	1.00	200	Vertical	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5113.925	63.18	74.0	10.82	Peak	355.00	400	Vertical	Pass
1**	5113.925	49.43	54.0	4.57	AV	355.00	400	Vertical	Pass
2	5150.000	59.66	74.0	14.34	Peak	355.00	300	Vertical	Pass
2**	5150.000	49.67	54.0	4.33	AV	355.00	300	Vertical	Pass
3	5143.825	59.50	74.0	14.50	Peak	25.00	400	Vertical	Pass
3**	5143.825	50.97	54.0	3.03	AV	25.00	400	Vertical	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.68	74.0	16.32	Peak	30.00	300	Vertical	Pass
1**	5350.000	47.86	54.0	6.14	AV	30.00	300	Vertical	Pass
2	5458.533	64.74	74.0	9.26	Peak	360.00	100	Vertical	Pass
2**	5458.533	49.67	54.0	4.33	AV	360.00	100	Vertical	Pass
3	5424.984	60.29	74.0	13.71	Peak	360.00	150	Vertical	Pass
3**	5424.984	50.73	54.0	3.27	AV	360.00	150	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5372.400	65.19	74.0	8.81	Peak	0.00	100	Vertical	Pass
1**	5372.400	48.68	54.0	5.32	AV	0.00	100	Vertical	Pass
2	5460.000	57.53	68.2	10.67	Peak	0.00	100	Vertical	Pass
2**	5460.000	46.80	54.0	7.20	AV	0.00	100	Vertical	Pass
3	5468.000	59.96	68.2	8.24	Peak	0.00	100	Vertical	Pass
3**	5468.000	47.77	--	-47.77	AV	0.00	100	Vertical	N/A
4	5470.000	59.72	68.2	8.48	Peak	0.00	100	Vertical	Pass
4**	5470.000	47.94	--	-47.94	AV	0.00	100	Vertical	N/A
5	5381.400	60.56	74.0	13.44	Peak	0.00	100	Vertical	Pass
5**	5381.400	49.41	54.0	4.59	AV	0.00	100	Vertical	Pass

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.65	68.2	8.55	Peak	28.00	100	Vertical	Pass
2	5814.167	64.44	68.2	3.76	Peak	5.00	200	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.200	65.73	74.0	8.27	Peak	347.00	100	Vertical	Pass
1**	5377.200	50.14	54.0	3.86	AV	347.00	100	Vertical	Pass
2	5460.000	59.07	74.0	14.93	Peak	0.00	100	Vertical	Pass
2**	5460.000	48.54	54.0	5.46	AV	0.00	100	Vertical	Pass
3	5465.200	61.55	68.2	6.65	Peak	0.00	400	Vertical	Pass
3**	5465.200	49.13	--	-49.13	AV	0.00	400	Vertical	N/A
4	5470.000	59.60	68.2	8.60	Peak	0.00	100	Vertical	Pass
4**	5470.000	49.80	--	-49.80	AV	0.00	100	Vertical	N/A
5	5381.400	60.81	74.0	13.19	Peak	28.00	150	Vertical	Pass
5**	5381.400	50.91	54.0	3.09	AV	28.00	150	Vertical	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.96	68.2	8.24	Peak	357.00	100	Vertical	Pass
2	5778.958	64.73	68.2	3.47	Peak	4.00	200	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.000	65.45	74.0	8.55	Peak	0.00	100	Vertical	Pass
1**	5378.000	49.47	54.0	4.53	AV	0.00	100	Vertical	Pass
2	5460.000	57.68	74.0	16.32	Peak	0.00	400	Vertical	Pass
2**	5460.000	48.01	54.0	5.99	AV	0.00	400	Vertical	Pass
3	5469.400	60.35	68.2	7.85	Peak	0.00	300	Vertical	Pass
3**	5469.400	48.54	--	-48.54	AV	0.00	300	Vertical	N/A
4	5470.000	58.73	68.2	9.47	Peak	0.00	200	Vertical	Pass
4**	5470.000	49.07	--	-49.07	AV	0.00	200	Vertical	N/A
5	5381.000	60.38	74.0	13.62	Peak	0.00	150	Vertical	Pass
5**	5381.000	50.20	54.0	3.80	AV	0.00	150	Vertical	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.23	68.2	7.97	Peak	360.00	300	Vertical	Pass
2	5780.209	64.95	68.2	3.25	Peak	4.00	100	Vertical	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.800	65.42	74.0	8.58	Peak	347.00	400	Vertical	Pass
1**	5394.800	50.32	54.0	3.68	AV	347.00	400	Vertical	Pass
2	5460.000	59.12	74.0	14.88	Peak	5.00	200	Vertical	Pass
2**	5460.000	48.56	54.0	5.44	AV	5.00	200	Vertical	Pass
3	5468.800	60.38	68.2	7.82	Peak	0.00	200	Vertical	Pass
3**	5468.800	49.00	--	--	AV	0.00	200	Vertical	N/A
4	5470.000	59.68	68.2	8.52	Peak	26.00	400	Vertical	Pass
4**	5470.000	49.45	--	--	AV	26.00	400	Vertical	N/A
5	5381.400	60.98	74.0	13.02	Peak	360.00	150	Vertical	Pass
5**	5381.400	50.91	54.0	3.09	AV	360.00	150	Vertical	Pass

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.13	68.2	9.07	Peak	360.00	200	Vertical	Pass
2	5831.250	64.38	68.2	3.82	Peak	172.00	200	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.167	65.13	68.2	3.07	Peak	346.00	100	Vertical	Pass
2	5650.000	60.98	68.2	7.22	Peak	343.00	100	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	59.37	68.4	9.03	Peak	6.00	150	Vertical	Pass
2	5954.000	65.15	68.2	3.05	Peak	360.00	150	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.375	64.24	68.2	3.96	Peak	360.00	100	Vertical	Pass
2	5650.000	60.03	68.2	8.17	Peak	14.00	150	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	60.02	68.4	8.38	Peak	360.00	150	Vertical	Pass
2	5926.000	63.99	68.2	4.21	Peak	5.00	200	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.666	64.92	68.2	3.28	Peak	21.00	100	Vertical	Pass
2	5650.000	60.74	68.2	7.46	Peak	355.00	200	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	59.96	68.4	8.44	Peak	32.00	150	Vertical	Pass
2	5933.000	65.06	68.2	3.14	Peak	0.00	150	Vertical	Pass

U-NII-3 11ax20(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.625	65.17	68.2	3.03	Peak	360.00	100	Vertical	Pass
2	5650.000	60.82	68.2	7.38	Peak	360.00	200	Vertical	Pass

U-NII-3 11ax20(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.67	68.4	9.73	Peak	353.00	150	Vertical	Pass
2	5944.750	64.33	68.2	3.87	Peak	2.00	200	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25C0689-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25C0689-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25C0689-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--