



**14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	694	0.1	RMS	693.9	-64.21	-13	51.21	Pass	6641
694	726	0.1	RMS	704.56	19.57	60	40.43	Pass	401
726	1000	0.1	RMS	969.5	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	2113	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	6799	-45.72	-13	32.72	Pass	7001




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	694	0.1	RMS	693.9	-64.41	-13	51.41	Pass	6641
694	726	0.1	RMS	704.56	18.66	60	41.34	Pass	401
726	1000	0.1	RMS	966.9	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	2113	-50.19	-13	37.19	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001



**14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	694	0.1	RMS	688	-60.71	-13	47.71	Pass	6641
694	726	0.1	RMS	705.6	19.75	60	40.25	Pass	401
726	1000	0.1	RMS	834.9	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	2116	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001



14.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.21	-72.72	-13	59.72	Pass	2986
30	694	0.1	RMS	688	-61.84	-13	48.84	Pass	6641
694	726	0.1	RMS	705.6	18.72	60	41.28	Pass	401
726	1000	0.1	RMS	970.1	-65.28	-13	52.28	Pass	2741
1000	3000	1	RMS	2116	-50.69	-13	37.69	Pass	2001
3000	10000	1	RMS	6799	-45.72	-13	32.72	Pass	7001



14.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	694	0.1	RMS	689	-61.27	-13	48.27	Pass	6641
694	726	0.1	RMS	706.56	19.59	60	40.41	Pass	401
726	1000	0.1	RMS	862.5	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1413	-49.55	-13	36.55	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001



14.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.22	-72.52	-13	59.52	Pass	2986
30	694	0.1	RMS	689	-61.89	-13	48.89	Pass	6641
694	726	0.1	RMS	706.56	18.52	60	41.48	Pass	401
726	1000	0.1	RMS	977.8	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1413	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	6800	-45.75	-13	32.75	Pass	7001



15. LTE_Band25


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	981.188	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-53.6	-13	40.6	Pass	841
1840	1925	1	RMS	1850.2	22.07	60	37.93	Pass	401
1925	3000	1	RMS	2942	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11983	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	841.1	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.69	-13	40.69	Pass	841
1840	1925	1	RMS	1850.2	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2981	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11994	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	842.8	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1881.863	21.88	60	38.12	Pass	401
1925	3000	1	RMS	2991	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11998	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13599	-39.86	-13	26.86	Pass	8001




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	851.502	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1838	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1881.863	20.97	60	39.03	Pass	401
1925	3000	1	RMS	2995	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13602	-39.88	-13	26.88	Pass	8001




**15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	975.584	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1913.73 8	22.04	60	37.96	Pass	401
1925	3000	1	RMS	2998	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11988	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	833.2	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1913.738	21.22	60	38.78	Pass	401
1925	3000	1	RMS	2957	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	946.364	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.45	-13	40.45	Pass	841
1840	1925	1	RMS	1850.2	22.1	60	37.9	Pass	401
1925	3000	1	RMS	2993	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11988	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.87	-13	26.87	Pass	8001




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	832.4	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.31	-13	40.31	Pass	841
1840	1925	1	RMS	1850.2	21.35	60	38.65	Pass	401
1925	3000	1	RMS	2990	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	859.207	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1830	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1881.225	21.89	60	38.11	Pass	401
1925	3000	1	RMS	2988	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11996	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	951.268	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1881.225	20.92	60	39.08	Pass	401
1925	3000	1	RMS	2978	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11998	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13606	-39.83	-13	26.83	Pass	8001



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	844.2	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1839	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1912.038	21.96	60	38.04	Pass	401
1925	3000	1	RMS	2986	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13601	-39.89	-13	26.89	Pass	8001



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	823.6	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1825	-54.02	-13	41.02	Pass	841
1840	1925	1	RMS	1912.038	21.1	60	38.9	Pass	401
1925	3000	1	RMS	2999	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11997	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.89	-13	26.89	Pass	8001



15.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	845.8	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.45	-13	40.45	Pass	841
1840	1925	1	RMS	1850.2	22	60	38	Pass	401
1925	3000	1	RMS	2998	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11993	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001



15.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	984.089	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.58	-13	40.58	Pass	841
1840	1925	1	RMS	1850.2	21.16	60	38.84	Pass	401
1925	3000	1	RMS	2994	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11991	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001



15.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	965.277	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1839	-53.92	-13	40.92	Pass	841
1840	1925	1	RMS	1880.163	21.81	60	38.19	Pass	401
1925	3000	1	RMS	2994	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11996	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001



15.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-13	57.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	998.399	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1838	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1880.163	21.01	60	38.99	Pass	401
1925	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001



15.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	934.657	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1925	1	RMS	1910.338	21.83	60	38.17	Pass	401
1925	3000	1	RMS	2993	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001



15.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	826.8	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-54	-13	41	Pass	841
1840	1925	1	RMS	1910.12 5	21.12	60	38.88	Pass	401
1925	3000	1	RMS	2995	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



15.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	973.282	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1833	-50.49	-13	37.49	Pass	841
1840	1925	1	RMS	1850.413	22.07	60	37.93	Pass	401
1925	3000	1	RMS	2989	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.76	-13	26.76	Pass	8001



15.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	867.912	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1833	-50.51	-13	37.51	Pass	841
1840	1925	1	RMS	1850.41 3	21.33	60	38.67	Pass	401
1925	3000	1	RMS	2984	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11992	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13604	-39.89	-13	26.89	Pass	8001



15.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	847.7	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1832	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1878.038	21.94	60	38.06	Pass	401
1925	3000	1	RMS	2999	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001



15.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	841.9	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1878.038	21	60	39	Pass	401
1925	3000	1	RMS	2984	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001



15.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	840.4	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1905.45	22.11	60	37.89	Pass	401
1925	3000	1	RMS	2986	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001



15.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	849.2	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1905.45	21.23	60	38.77	Pass	401
1925	3000	1	RMS	2978	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001



15.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	994.196	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	36.61	Pass	841
1840	1925	1	RMS	1850.838	21.94	60	38.06	Pass	401
1925	3000	1	RMS	2989	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11996	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001



15.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	844	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-49.87	-13	36.87	Pass	841
1840	1925	1	RMS	1850.625	21.15	60	38.85	Pass	401
1925	3000	1	RMS	2988	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11998	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001



15.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.84	-13	55.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	984.69	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1832	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1875.7	21.94	60	38.06	Pass	401
1925	3000	1	RMS	2998	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11875	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001



15.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	938.759	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1828	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1875.7	20.92	60	39.08	Pass	401
1925	3000	1	RMS	2985	-51.49	-13	38.49	Pass	1076
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13605	-39.87	-13	26.87	Pass	8001



15.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	855.104	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1900.775	21.97	60	38.03	Pass	401
1925	3000	1	RMS	2937	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001



15.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	971.181	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1836	-54	-13	41	Pass	841
1840	1925	1	RMS	1900.775	21.21	60	38.79	Pass	401
1925	3000	1	RMS	2967	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11998	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13604	-39.87	-13	26.87	Pass	8001



15.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.92	-13	57.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	837	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-50.04	-13	37.04	Pass	841
1840	1925	1	RMS	1851.05	21.84	60	38.16	Pass	401
1925	3000	1	RMS	2997	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11992	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001



15.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	923.85	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-50.27	-13	37.27	Pass	841
1840	1925	1	RMS	1851.05	21.1	60	38.9	Pass	401
1925	3000	1	RMS	2986	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13606	-39.9	-13	26.9	Pass	8001



15.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	837	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1838	-48.9	-13	35.9	Pass	841
1840	1925	1	RMS	1873.575	21.68	60	38.32	Pass	401
1925	3000	1	RMS	2999	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11990	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001



15.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	974.783	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1838	-50.28	-13	37.28	Pass	841
1840	1925	1	RMS	1873.575	20.78	60	39.22	Pass	401
1925	3000	1	RMS	2934	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13602	-39.91	-13	26.91	Pass	8001



15.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	868.413	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1895.888	21.73	60	38.27	Pass	401
1925	3000	1	RMS	2984	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11996	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001



15.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	903.936	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1895.888	20.84	60	39.16	Pass	401
1925	3000	1	RMS	2991	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13602	-39.87	-13	26.87	Pass	8001



16. LTE_Band26(part22)


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.2	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.6	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	824.3	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	871.6	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1648	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.6	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	824.3	17.84	60	42.16	Pass	461
860	1000	0.1	RMS	865.7	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1648	-49.2	-13	36.2	Pass	2001
3000	10000	1	RMS	6801	-45.71	-13	32.71	Pass	7001




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	814	0.1	RMS	813.5	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	836.1	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	998.9	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1672	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.25	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.6	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	836.1	18.03	60	41.97	Pass	461
860	1000	0.1	RMS	942.5	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1672	-49.77	-13	36.77	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	808.9	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	847.9	18.98	60	41.02	Pass	461
860	1000	0.1	RMS	997.5	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1695	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	806.5	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	847.9	18.06	60	41.94	Pass	461
860	1000	0.1	RMS	968.4	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1695	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	813.4	-54.46	-13	41.46	Pass	7841
814	860	0.1	RMS	824.2	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	994.7	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1648	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.2	-73.35	-13	60.35	Pass	2986
30	814	0.1	RMS	813.1	-65.14	-13	52.14	Pass	7841
814	860	0.1	RMS	824.2	18.26	60	41.74	Pass	461
860	1000	0.1	RMS	992.6	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001



16.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.72	-13	57.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	808.8	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	835.2	19.29	60	40.71	Pass	461
860	1000	0.1	RMS	957.1	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1670	-47.99	-13	34.99	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001



16.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	814	0.1	RMS	804.8	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	835.2	18.35	60	41.65	Pass	461
860	1000	0.1	RMS	893.7	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1670	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001



16.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	811.7	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	846.2	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	952.1	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1692	-47.85	-13	34.85	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



16.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.22	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	811.9	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	846.2	18.33	60	41.67	Pass	461
860	1000	0.1	RMS	991.1	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1692	-48.87	-13	35.87	Pass	2001
3000	10000	1	RMS	6798	-45.66	-13	32.66	Pass	7001



16.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	813.6	-65	-13	52	Pass	7841
814	860	0.1	RMS	824.3	19.2	60	40.8	Pass	461
860	1000	0.1	RMS	971.1	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



16.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	813.6	-65.23	-13	52.23	Pass	7841
814	860	0.1	RMS	824.3	18.08	60	41.92	Pass	461
860	1000	0.1	RMS	958.1	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1648	-49.52	-13	36.52	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001



16.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.19	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.5	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	834.3	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	950.7	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1668	-49.41	-13	36.41	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001



16.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	807.2	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	834.3	18.45	60	41.55	Pass	461
860	1000	0.1	RMS	918.3	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1668	-50.16	-13	37.16	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001



16.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	59.73	Pass	2986
30	814	0.1	RMS	813.8	-62.21	-13	49.21	Pass	7841
814	860	0.1	RMS	844.3	19.23	60	40.77	Pass	461
860	1000	0.1	RMS	929.9	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1688	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6803	-45.65	-13	32.65	Pass	7001



16.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	812.9	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	844.3	18.28	60	41.72	Pass	461
860	1000	0.1	RMS	998.7	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1688	-49.46	-13	36.46	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001

