



19.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.35	-25	42.35	Pass	401
0.15	30	0.01	RMS	0.16	-67.58	-25	42.58	Pass	2986
30	1000	0.1	RMS	689.7	-60.98	-25	35.98	Pass	9701
1000	2525	1	RMS	2503	-47.62	-25	22.62	Pass	1526
2525	2665	1	RMS	2649.95	21.7	60	38.3	Pass	401
2665	3000	1	RMS	2998.325	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	5301	-53.73	-25	28.73	Pass	9002
12000	26500	1	RMS	25500	-48.38	-25	23.38	Pass	14502




19.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.89	-25	41.89	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	923.95	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2514	-47.69	-25	22.69	Pass	1526
2525	2665	1	RMS	2650.3	21.37	60	38.63	Pass	401
2665	3000	1	RMS	2996.65	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	5301	-55.36	-25	30.36	Pass	9002
12000	26500	1	RMS	25507	-48.44	-25	23.44	Pass	14502




**19.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.42	-25	42.42	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	867.212	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2518	-42.6	-25	17.6	Pass	1526
2525	2665	1	RMS	2535.15	22.33	60	37.67	Pass	401
2665	3000	1	RMS	3000	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	5072	-57.64	-25	32.64	Pass	9002
12000	26500	1	RMS	25500	-48.43	-25	23.43	Pass	14502




19.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-67.25	-25	42.25	Pass	401
0.15	30	0.01	RMS	0.18	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	873.516	-61.02	-25	36.02	Pass	9701
1000	2525	1	RMS	2518	-41.1	-25	16.1	Pass	1526
2525	2665	1	RMS	2535.5	21.88	60	38.12	Pass	401
2665	3000	1	RMS	2999.163	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	12000	-58.07	-25	33.07	Pass	9002
12000	26500	1	RMS	25497	-48.37	-25	23.37	Pass	14502



**19.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	962.775	-61.02	-25	36.02	Pass	9701
1000	2525	1	RMS	2499	-47.67	-25	22.67	Pass	1526
2525	2665	1	RMS	2590.45	22.65	60	37.35	Pass	401
2665	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	5181	-57.06	-25	32.06	Pass	9002
12000	26500	1	RMS	25509	-48.42	-25	23.42	Pass	14502



19.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.94	-25	42.94	Pass	401
0.15	30	0.01	RMS	0.16	-67.72	-25	42.72	Pass	2986
30	1000	0.1	RMS	861.808	-61.08	-25	36.08	Pass	9701
1000	2525	1	RMS	2504	-47.66	-25	22.66	Pass	1526
2525	2665	1	RMS	2590.1	20.89	60	39.11	Pass	401
2665	3000	1	RMS	2998.325	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	11986	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25499	-48.38	-25	23.38	Pass	14502



19.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.16	-67.44	-25	42.44	Pass	2986
30	1000	0.1	RMS	853.803	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2497	-47.66	-25	22.66	Pass	1526
2525	2665	1	RMS	2645.75	21.84	60	38.16	Pass	401
2665	3000	1	RMS	3000	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	5291	-57.04	-25	32.04	Pass	9002
12000	26500	1	RMS	25499	-48.42	-25	23.42	Pass	14502



19.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	0.18	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	899.033	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2509	-47.63	-25	22.63	Pass	1526
2525	2665	1	RMS	2645.4	22.12	60	37.88	Pass	401
2665	3000	1	RMS	2998.325	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	5291	-56.52	-25	31.52	Pass	9002
12000	26500	1	RMS	25498	-48.31	-25	23.31	Pass	14502



19.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.16	-67.17	-25	42.17	Pass	2986
30	1000	0.1	RMS	971.681	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2525	-41.16	-25	16.16	Pass	1526
2525	2665	1	RMS	2535.85	22.59	60	37.41	Pass	401
2665	3000	1	RMS	2998.325	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	5071	-56.43	-25	31.43	Pass	9002
12000	26500	1	RMS	25504	-48.4	-25	23.4	Pass	14502



19.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.26	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	937.859	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2509	-40.83	-25	15.83	Pass	1526
2525	2665	1	RMS	2535.85	21.76	60	38.24	Pass	401
2665	3000	1	RMS	3000	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	5071	-56.73	-25	31.73	Pass	9002
12000	26500	1	RMS	25502	-48.38	-25	23.38	Pass	14502



19.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.2	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	854.604	-61.07	-25	36.07	Pass	9701
1000	2525	1	RMS	2502	-47.63	-25	22.63	Pass	1526
2525	2665	1	RMS	2588	22.19	60	37.81	Pass	401
2665	3000	1	RMS	2999.163	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	5177	-53.69	-25	28.69	Pass	9002
12000	26500	1	RMS	25495	-48.37	-25	23.37	Pass	14502



19.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	0.21	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	955.17	-61.04	-25	36.04	Pass	9701
1000	2525	1	RMS	2518	-47.59	-25	22.59	Pass	1526
2525	2665	1	RMS	2588	21.35	60	38.65	Pass	401
2665	3000	1	RMS	2996.65	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11994	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25510	-48.42	-25	23.42	Pass	14502



19.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.18	-68.71	-25	43.71	Pass	2986
30	1000	0.1	RMS	956.671	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2507	-47.65	-25	22.65	Pass	1526
2525	2665	1	RMS	2640.5	22.76	60	37.24	Pass	401
2665	3000	1	RMS	2667.513	-26.02	-25	1.02	Pass*	401
3000	12000	1	RMS	11990	-58.09	-25	33.09	Pass	9002
12000	26500	1	RMS	25504	-48.44	-25	23.44	Pass	14502



19.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.44	-25	41.44	Pass	401
0.15	30	0.01	RMS	0.2	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	976.284	-61.13	-25	36.13	Pass	9701
1000	2525	1	RMS	2517	-47.65	-25	22.65	Pass	1526
2525	2665	1	RMS	2640.5	21.32	60	38.68	Pass	401
2665	3000	1	RMS	2667.513	-26.91	-25	1.91	Pass*	401
3000	12000	1	RMS	11997	-58.01	-25	33.01	Pass	9002
12000	26500	1	RMS	25489	-48.43	-25	23.43	Pass	14502



19.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.37	-25	42.37	Pass	401
0.15	30	0.01	RMS	0.22	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	906.038	-61.1	-25	36.1	Pass	9701
1000	2525	1	RMS	2524	-41.4	-25	16.4	Pass	1526
2525	2665	1	RMS	2535.85	22.86	60	37.14	Pass	401
2665	3000	1	RMS	3000	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11989	-57.99	-25	32.99	Pass	9002
12000	26500	1	RMS	25491	-48.32	-25	23.32	Pass	14502



19.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.15	-67.18	-25	42.18	Pass	2986
30	1000	0.1	RMS	936.858	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2525	-40.55	-25	15.55	Pass	1526
2525	2665	1	RMS	2535.85	22.02	60	37.98	Pass	401
2665	3000	1	RMS	2996.65	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	5072	-54.53	-25	29.53	Pass	9002
12000	26500	1	RMS	25511	-48.34	-25	23.34	Pass	14502



19.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.51	-25	42.51	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	975.884	-61.11	-25	36.11	Pass	9701
1000	2525	1	RMS	2506	-47.6	-25	22.6	Pass	1526
2525	2665	1	RMS	2585.9	21.78	60	38.22	Pass	401
2665	3000	1	RMS	2999.163	-46.53	-25	21.53	Pass	401
3000	12000	1	RMS	5173	-57.9	-25	32.9	Pass	9002
12000	26500	1	RMS	25492	-48.38	-25	23.38	Pass	14502



19.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.89	-25	41.89	Pass	401
0.15	30	0.01	RMS	0.15	-66.76	-25	41.76	Pass	2986
30	1000	0.1	RMS	900.134	-61.09	-25	36.09	Pass	9701
1000	2525	1	RMS	2507	-47.63	-25	22.63	Pass	1526
2525	2665	1	RMS	2585.9	21.99	60	38.01	Pass	401
2665	3000	1	RMS	2997.488	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	5173	-57.79	-25	32.79	Pass	9002
12000	26500	1	RMS	25499	-48.35	-25	23.35	Pass	14502



19.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.08	-25	43.08	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	944.663	-61.13	-25	36.13	Pass	9701
1000	2525	1	RMS	2501	-47.62	-25	22.62	Pass	1526
2525	2665	1	RMS	2635.95	22.52	60	37.48	Pass	401
2665	3000	1	RMS	2670.863	-27.69	-25	2.69	Pass*	401
3000	12000	1	RMS	5272	-54.3	-25	29.3	Pass	9002
12000	26500	1	RMS	25499	-48.33	-25	23.33	Pass	14502



19.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.19	-25	43.19	Pass	401
0.15	30	0.01	RMS	0.22	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	997.198	-61.1	-25	36.1	Pass	9701
1000	2525	1	RMS	2508	-47.62	-25	22.62	Pass	1526
2525	2665	1	RMS	2635.95	21.56	60	38.44	Pass	401
2665	3000	1	RMS	2671.7	-29.48	-25	4.48	Pass*	401
3000	12000	1	RMS	11995	-58.03	-25	33.03	Pass	9002
12000	26500	1	RMS	25508	-48.39	-25	23.39	Pass	14502



20. LTE_Band66


20.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.18	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	852.202	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1699	-52.95	-13	39.95	Pass	701
1700	1790	1	RMS	1710.125	22.1	60	37.9	Pass	401
1790	3000	1	RMS	2985	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11993	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.92	-13	26.92	Pass	8001




**20.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	854.003	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	40.48	Pass	701
1700	1790	1	RMS	1710.125	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2990	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001




20.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-13	57.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	847.9	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1674	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1744.55	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2982	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11991	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.85	-13	26.85	Pass	8001




20.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	853.703	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1744.55	21.05	60	38.95	Pass	401
1790	3000	1	RMS	2994	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11998	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001




20.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	976.184	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1674	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1778.75	22.13	60	37.87	Pass	401
1790	3000	1	RMS	2992	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11900	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




**20.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	982.789	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1679	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1778.75	21.19	60	38.81	Pass	401
1790	3000	1	RMS	2993	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.87	-13	26.87	Pass	8001




**20.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	871.815	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-53.28	-13	40.28	Pass	701
1700	1790	1	RMS	1710.125	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2994	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11991	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13598	-39.84	-13	26.84	Pass	8001




20.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	856.205	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-53.59	-13	40.59	Pass	701
1700	1790	1	RMS	1710.125	21.34	60	38.66	Pass	401
1790	3000	1	RMS	2982	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11992	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



20.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	854.704	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1743.65	22.22	60	37.78	Pass	401
1790	3000	1	RMS	2993	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11994	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001



20.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	944.663	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1674	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1743.65	21.26	60	38.74	Pass	401
1790	3000	1	RMS	2998	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11991	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001



20.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	852.002	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1675	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1777.175	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2983	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11997	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



20.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.28	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	844.2	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1679	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1777.175	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2997	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.87	-13	26.87	Pass	8001



20.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	979.386	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.36	-13	40.36	Pass	701
1700	1790	1	RMS	1710.125	21.94	60	38.06	Pass	401
1790	3000	1	RMS	2976	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13599	-39.87	-13	26.87	Pass	8001



20.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	59.84	Pass	2986
30	1000	0.1	RMS	970.38	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	40.4	Pass	701
1700	1790	1	RMS	1710.125	21.02	60	38.98	Pass	401
1790	3000	1	RMS	2992	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13604	-39.89	-13	26.89	Pass	8001



20.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	842.6	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1680	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1742.75	22.11	60	37.89	Pass	401
1790	3000	1	RMS	3000	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.92	-13	26.92	Pass	8001



20.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	849.8	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1676	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1742.75	21.25	60	38.75	Pass	401
1790	3000	1	RMS	2991	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11995	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001



20.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	858.606	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1680	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1775.15	21.94	60	38.06	Pass	401
1790	3000	1	RMS	2995	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.91	-13	26.91	Pass	8001



20.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	972.982	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1678	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1775.15	21.13	60	38.87	Pass	401
1790	3000	1	RMS	2987	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001



20.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	837.4	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1693	-45.88	-13	32.88	Pass	701
1700	1790	1	RMS	1710.575	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2998	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11994	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001



20.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	849.901	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1693	-47.44	-13	34.44	Pass	701
1700	1790	1	RMS	1710.575	21.21	60	38.79	Pass	401
1790	3000	1	RMS	2981	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



20.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	846.5	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1680	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1740.5	22.22	60	37.78	Pass	401
1790	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11995	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13605	-39.91	-13	26.91	Pass	8001



20.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	845.5	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1681	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1740.5	21.28	60	38.72	Pass	401
1790	3000	1	RMS	2979	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11996	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.8	-13	26.8	Pass	8001



20.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	858.806	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1770.425	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2999	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001



20.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	936.858	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1770.425	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2929	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001



20.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	846.6	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-48.6	-13	35.6	Pass	701
1700	1790	1	RMS	1710.8	22.05	60	37.95	Pass	401
1790	3000	1	RMS	2975	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11994	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



20.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.24	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	838.9	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-48.62	-13	35.62	Pass	701
1700	1790	1	RMS	1710.8	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2929	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13606	-39.9	-13	26.9	Pass	8001



20.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	993.596	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1678	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1738.25	22.17	60	37.83	Pass	401
1790	3000	1	RMS	2986	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001



20.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	851.502	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1673	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1738.25	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2997	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13606	-39.91	-13	26.91	Pass	8001



20.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.4	-13	57.4	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	854.804	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1679	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1765.7	22.04	60	37.96	Pass	401
1790	3000	1	RMS	1792	-30.38	-13	17.38	Pass	1211
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001



20.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	846.6	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1679	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1765.7	21.22	60	38.78	Pass	401
1790	3000	1	RMS	1792	-31.31	-13	18.31	Pass	1211
3000	12000	1	RMS	11992	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13599	-39.86	-13	26.86	Pass	8001



20.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	837.7	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-49.21	-13	36.21	Pass	701
1700	1790	1	RMS	1711.025	21.87	60	38.13	Pass	401
1790	3000	1	RMS	3000	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13603	-39.9	-13	26.9	Pass	8001



20.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	976.985	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-49.31	-13	36.31	Pass	701
1700	1790	1	RMS	1711.025	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2989	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001



20.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	984.69	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-45.65	-13	32.65	Pass	701
1700	1790	1	RMS	1736	22.01	60	37.99	Pass	401
1790	3000	1	RMS	2992	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001



20.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	930.854	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-48.23	-13	35.23	Pass	701
1700	1790	1	RMS	1736	21.04	60	38.96	Pass	401
1790	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13598	-39.81	-13	26.81	Pass	8001



20.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	842.3	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1677	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1760.975	21.98	60	38.02	Pass	401
1790	3000	1	RMS	1797	-32.39	-13	19.39	Pass	1211
3000	12000	1	RMS	11997	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.91	-13	26.91	Pass	8001



20.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	867.812	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1678	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1760.975	21.03	60	38.97	Pass	401
1790	3000	1	RMS	1797	-33.25	-13	20.25	Pass	1211
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.87	-13	26.87	Pass	8001

