

Spurious Emission at Antenna Terminals


2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.96	-13	55.96	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	56.44	Pass	2986
30	1000	0.1	RMS	977.585	-61.75	-13	48.75	Pass	9701
1000	1700	1	RMS	1696	-50.53	-13	37.53	Pass	701
1700	1765	1	RMS	1732.013	23.7	60	36.3	Pass	401
1765	3000	1	RMS	2987	-47.87	-13	34.87	Pass	1236
3000	12000	1	RMS	8660	-40.29	-13	27.29	Pass	9002
12000	20000	1	RMS	13598	-36.27	-13	23.27	Pass	8001




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.77	-13	55.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-13	55.98	Pass	2986
30	1000	0.1	RMS	863.109	-61.77	-13	48.77	Pass	9701
1000	1700	1	RMS	1680	-50.53	-13	37.53	Pass	701
1700	1765	1	RMS	1732.013	22.7	60	37.3	Pass	401
1765	3000	1	RMS	2990	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	11999	-40.81	-13	27.81	Pass	9002
12000	20000	1	RMS	13601	-36.24	-13	23.24	Pass	8001




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	0.16	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	998.999	-61.68	-13	48.68	Pass	9701
1000	1700	1	RMS	1682	-50.54	-13	37.54	Pass	701
1700	1765	1	RMS	1753.788	23.78	60	36.22	Pass	401
1765	3000	1	RMS	2982	-47.92	-13	34.92	Pass	1236
3000	12000	1	RMS	3508	-39.37	-13	26.37	Pass	9002
12000	20000	1	RMS	13607	-36.3	-13	23.3	Pass	8001




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.12	-13	56.12	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	955.671	-61.7	-13	48.7	Pass	9701
1000	1700	1	RMS	1676	-50.47	-13	37.47	Pass	701
1700	1765	1	RMS	1753.788	22.87	60	37.13	Pass	401
1765	3000	1	RMS	2999	-47.9	-13	34.9	Pass	1236
3000	12000	1	RMS	3508	-40.24	-13	27.24	Pass	9002
12000	20000	1	RMS	13600	-36.29	-13	23.29	Pass	8001




2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.26	-13	55.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-13	55.73	Pass	2986
30	1000	0.1	RMS	848	-61.78	-13	48.78	Pass	9701
1000	1700	1	RMS	1700	-50.17	-13	37.17	Pass	701
1700	1765	1	RMS	1710.238	23.5	60	36.5	Pass	401
1765	3000	1	RMS	2998	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	8551	-40.21	-13	27.21	Pass	9002
12000	20000	1	RMS	13597	-36.36	-13	23.36	Pass	8001




2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	55.43	Pass	2986
30	1000	0.1	RMS	966.578	-61.84	-13	48.84	Pass	9701
1000	1700	1	RMS	1699	-49.93	-13	36.93	Pass	701
1700	1765	1	RMS	1710.238	22.71	60	37.29	Pass	401
1765	3000	1	RMS	2924	-47.92	-13	34.92	Pass	1236
3000	12000	1	RMS	8551	-40.7	-13	27.7	Pass	9002
12000	20000	1	RMS	13599	-36.28	-13	23.28	Pass	8001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.41	-13	56.41	Pass	401
0.15	30	0.01	RMS	0.16	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	986.491	-61.79	-13	48.79	Pass	9701
1000	1700	1	RMS	1681	-50.54	-13	37.54	Pass	701
1700	1765	1	RMS	1731.2	23.76	60	36.24	Pass	401
1765	3000	1	RMS	2999	-47.86	-13	34.86	Pass	1236
3000	12000	1	RMS	8656	-40.19	-13	27.19	Pass	9002
12000	20000	1	RMS	13599	-36.32	-13	23.32	Pass	8001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.88	-13	54.88	Pass	401
0.15	30	0.01	RMS	0.17	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	861.608	-61.77	-13	48.77	Pass	9701
1000	1700	1	RMS	1680	-50.53	-13	37.53	Pass	701
1700	1765	1	RMS	1731.2	22.78	60	37.22	Pass	401
1765	3000	1	RMS	2991	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	12000	-40.71	-13	27.71	Pass	9002
12000	20000	1	RMS	13599	-36.32	-13	23.32	Pass	8001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	0.17	-69.57	-13	56.57	Pass	2986
30	1000	0.1	RMS	849.901	-61.71	-13	48.71	Pass	9701
1000	1700	1	RMS	1673	-50.51	-13	37.51	Pass	701
1700	1765	1	RMS	1752.163	23.86	60	36.14	Pass	401
1765	3000	1	RMS	2991	-47.9	-13	34.9	Pass	1236
3000	12000	1	RMS	8761	-40.05	-13	27.05	Pass	9002
12000	20000	1	RMS	13601	-36.31	-13	23.31	Pass	8001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	983.889	-61.72	-13	48.72	Pass	9701
1000	1700	1	RMS	1676	-50.54	-13	37.54	Pass	701
1700	1765	1	RMS	1752.163	22.97	60	37.03	Pass	401
1765	3000	1	RMS	2985	-47.92	-13	34.92	Pass	1236
3000	12000	1	RMS	8761	-40.3	-13	27.3	Pass	9002
12000	20000	1	RMS	13600	-36.23	-13	23.23	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.38	-13	56.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.03	-13	55.03	Pass	2986
30	1000	0.1	RMS	961.775	-61.67	-13	48.67	Pass	9701
1000	1700	1	RMS	1700	-50.23	-13	37.23	Pass	701
1700	1765	1	RMS	1710.238	23.5	60	36.5	Pass	401
1765	3000	1	RMS	2978	-47.91	-13	34.91	Pass	1236
3000	12000	1	RMS	8552	-40.74	-13	27.74	Pass	9002
12000	20000	1	RMS	13601	-36.39	-13	23.39	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.95	-13	55.95	Pass	401
0.15	30	0.01	RMS	0.16	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	870.314	-61.75	-13	48.75	Pass	9701
1000	1700	1	RMS	1700	-50.26	-13	37.26	Pass	701
1700	1765	1	RMS	1710.238	22.56	60	37.44	Pass	401
1765	3000	1	RMS	2999	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	11994	-40.83	-13	27.83	Pass	9002
12000	20000	1	RMS	13601	-36.33	-13	23.33	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.12	-13	56.12	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-13	55.49	Pass	2986
30	1000	0.1	RMS	925.15	-61.8	-13	48.8	Pass	9701
1000	1700	1	RMS	1677	-50.54	-13	37.54	Pass	701
1700	1765	1	RMS	1730.225	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2983	-47.93	-13	34.93	Pass	1236
3000	12000	1	RMS	8652	-40.56	-13	27.56	Pass	9002
12000	20000	1	RMS	13600	-36.32	-13	23.32	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.41	-13	56.41	Pass	401
0.15	30	0.01	RMS	0.15	-67.33	-13	54.33	Pass	2986
30	1000	0.1	RMS	838.3	-61.84	-13	48.84	Pass	9701
1000	1700	1	RMS	1679	-50.51	-13	37.51	Pass	701
1700	1765	1	RMS	1730.225	22.78	60	37.22	Pass	401
1765	3000	1	RMS	2993	-47.94	-13	34.94	Pass	1236
3000	12000	1	RMS	11998	-40.8	-13	27.8	Pass	9002
12000	20000	1	RMS	13601	-36.38	-13	23.38	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.28	-13	55.28	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	849.3	-61.77	-13	48.77	Pass	9701
1000	1700	1	RMS	1679	-50.53	-13	37.53	Pass	701
1700	1765	1	RMS	1750.213	23.71	60	36.29	Pass	401
1765	3000	1	RMS	2995	-47.93	-13	34.93	Pass	1236
3000	12000	1	RMS	3501	-39.05	-13	26.05	Pass	9002
12000	20000	1	RMS	13601	-36.4	-13	23.4	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	0.33	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	892.829	-61.81	-13	48.81	Pass	9701
1000	1700	1	RMS	1680	-50.51	-13	37.51	Pass	701
1700	1765	1	RMS	1750.213	22.96	60	37.04	Pass	401
1765	3000	1	RMS	2986	-47.87	-13	34.87	Pass	1236
3000	12000	1	RMS	3501	-39.81	-13	26.81	Pass	9002
12000	20000	1	RMS	13599	-36.34	-13	23.34	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.95	-13	55.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-13	55.09	Pass	2986
30	1000	0.1	RMS	845.5	-61.79	-13	48.79	Pass	9701
1000	1700	1	RMS	1693	-44.2	-13	31.2	Pass	701
1700	1765	1	RMS	1710.563	23.57	60	36.43	Pass	401
1765	3000	1	RMS	2995	-47.87	-13	34.87	Pass	1236
3000	12000	1	RMS	8553	-40.12	-13	27.12	Pass	9002
12000	20000	1	RMS	13603	-36.28	-13	23.28	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-13	55.14	Pass	2986
30	1000	0.1	RMS	948.866	-61.86	-13	48.86	Pass	9701
1000	1700	1	RMS	1693	-45.72	-13	32.72	Pass	701
1700	1765	1	RMS	1710.563	22.7	60	37.3	Pass	401
1765	3000	1	RMS	2985	-47.92	-13	34.92	Pass	1236
3000	12000	1	RMS	11996	-40.76	-13	27.76	Pass	9002
12000	20000	1	RMS	13602	-36.23	-13	23.23	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	0.15	-69	-13	56	Pass	2986
30	1000	0.1	RMS	937.459	-61.87	-13	48.87	Pass	9701
1000	1700	1	RMS	1677	-50.52	-13	37.52	Pass	701
1700	1765	1	RMS	1727.95	23.69	60	36.31	Pass	401
1765	3000	1	RMS	2989	-47.88	-13	34.88	Pass	1236
3000	12000	1	RMS	11997	-40.77	-13	27.77	Pass	9002
12000	20000	1	RMS	13601	-36.35	-13	23.35	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.52	-13	55.52	Pass	401
0.15	30	0.01	RMS	0.21	-69.12	-13	56.12	Pass	2986
30	1000	0.1	RMS	994.596	-61.86	-13	48.86	Pass	9701
1000	1700	1	RMS	1675	-50.55	-13	37.55	Pass	701
1700	1765	1	RMS	1727.95	22.73	60	37.27	Pass	401
1765	3000	1	RMS	2983	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	11998	-40.81	-13	27.81	Pass	9002
12000	20000	1	RMS	13599	-36.34	-13	23.34	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-13	55.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-13	55.89	Pass	2986
30	1000	0.1	RMS	847.9	-61.49	-13	48.49	Pass	9701
1000	1700	1	RMS	1676	-50.56	-13	37.56	Pass	701
1700	1765	1	RMS	1745.5	23.86	60	36.14	Pass	401
1765	3000	1	RMS	2980	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	8728	-39.58	-13	26.58	Pass	9002
12000	20000	1	RMS	13598	-36.34	-13	23.34	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	0.15	-68.9	-13	55.9	Pass	2986
30	1000	0.1	RMS	999.5	-61.77	-13	48.77	Pass	9701
1000	1700	1	RMS	1676	-50.54	-13	37.54	Pass	701
1700	1765	1	RMS	1745.5	22.94	60	37.06	Pass	401
1765	3000	1	RMS	2990	-47.89	-13	34.89	Pass	1236
3000	12000	1	RMS	8728	-40.2	-13	27.2	Pass	9002
12000	20000	1	RMS	13598	-36.37	-13	23.37	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.96	-13	55.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-13	55.23	Pass	2986
30	1000	0.1	RMS	876.918	-61.87	-13	48.87	Pass	9701
1000	1700	1	RMS	1698	-46.35	-13	33.35	Pass	701
1700	1765	1	RMS	1710.725	23.52	60	36.48	Pass	401
1765	3000	1	RMS	2998	-47.94	-13	34.94	Pass	1236
3000	12000	1	RMS	8554	-40.53	-13	27.53	Pass	9002
12000	20000	1	RMS	13601	-36.37	-13	23.37	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.46	-13	56.46	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-13	55.25	Pass	2986
30	1000	0.1	RMS	958.472	-61.85	-13	48.85	Pass	9701
1000	1700	1	RMS	1698	-46.59	-13	33.59	Pass	701
1700	1765	1	RMS	1710.725	22.65	60	37.35	Pass	401
1765	3000	1	RMS	2986	-47.94	-13	34.94	Pass	1236
3000	12000	1	RMS	11995	-40.8	-13	27.8	Pass	9002
12000	20000	1	RMS	13599	-36.35	-13	23.35	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	971.281	-61.87	-13	48.87	Pass	9701
1000	1700	1	RMS	1699	-43.56	-13	30.56	Pass	701
1700	1765	1	RMS	1725.838	23.56	60	36.44	Pass	401
1765	3000	1	RMS	2926	-47.93	-13	34.93	Pass	1236
3000	12000	1	RMS	8629	-40.36	-13	27.36	Pass	9002
12000	20000	1	RMS	13599	-36.32	-13	23.32	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-13	55.41	Pass	2986
30	1000	0.1	RMS	893.229	-61.81	-13	48.81	Pass	9701
1000	1700	1	RMS	1699	-45.51	-13	32.51	Pass	701
1700	1765	1	RMS	1725.838	22.6	60	37.4	Pass	401
1765	3000	1	RMS	2985	-47.93	-13	34.93	Pass	1236
3000	12000	1	RMS	11990	-40.82	-13	27.82	Pass	9002
12000	20000	1	RMS	13601	-36.32	-13	23.32	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	0.19	-69.2	-13	56.2	Pass	2986
30	1000	0.1	RMS	861.408	-61.85	-13	48.85	Pass	9701
1000	1700	1	RMS	1679	-50.51	-13	37.51	Pass	701
1700	1765	1	RMS	1740.788	23.74	60	36.26	Pass	401
1765	3000	1	RMS	1767	-26.83	-13	13.83	Pass	1236
3000	12000	1	RMS	8704	-39.89	-13	26.89	Pass	9002
12000	20000	1	RMS	13600	-36.37	-13	23.37	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.89	-13	56.89	Pass	401
0.15	30	0.01	RMS	0.16	-69.14	-13	56.14	Pass	2986
30	1000	0.1	RMS	850.301	-61.87	-13	48.87	Pass	9701
1000	1700	1	RMS	1681	-50.54	-13	37.54	Pass	701
1700	1765	1	RMS	1740.788	22.87	60	37.13	Pass	401
1765	3000	1	RMS	1767	-27.77	-13	14.77	Pass	1236
3000	12000	1	RMS	8704	-40.13	-13	27.13	Pass	9002
12000	20000	1	RMS	13603	-36.37	-13	23.37	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	850.101	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-49.14	-13	36.14	Pass	701
1700	1765	1	RMS	1711.05	22.57	60	37.43	Pass	401
1765	3000	1	RMS	2986	-51.26	-13	38.26	Pass	1236
3000	12000	1	RMS	3422	-42.32	-13	29.32	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	999.199	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1700	-49.1	-13	36.1	Pass	701
1700	1765	1	RMS	1711.05	21.82	60	38.18	Pass	401
1765	3000	1	RMS	2975	-51.27	-13	38.27	Pass	1236
3000	12000	1	RMS	3422	-42.86	-13	29.86	Pass	9002
12000	20000	1	RMS	13602	-39.68	-13	26.68	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.28	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	993.095	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1688	-52.66	-13	39.66	Pass	701
1700	1765	1	RMS	1723.563	22.59	60	37.41	Pass	401
1765	3000	1	RMS	2935	-51.24	-13	38.24	Pass	1236
3000	12000	1	RMS	3447	-42.16	-13	29.16	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	852.002	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1688	-53.37	-13	40.37	Pass	701
1700	1765	1	RMS	1723.563	21.72	60	38.28	Pass	401
1765	3000	1	RMS	2997	-51.29	-13	38.29	Pass	1236
3000	12000	1	RMS	3447	-42.84	-13	29.84	Pass	9002
12000	20000	1	RMS	13603	-39.71	-13	26.71	Pass	8001




2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	844.7	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-46.18	-13	33.18	Pass	701
1700	1765	1	RMS	1736.075	22.66	60	37.34	Pass	401
1765	3000	1	RMS	1772	-27.92	-13	14.92	Pass	1236
3000	12000	1	RMS	3472	-42.4	-13	29.4	Pass	9002
12000	20000	1	RMS	13598	-39.74	-13	26.74	Pass	8001



2.37 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	840.6	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-46.93	-13	33.93	Pass	701
1700	1765	1	RMS	1736.075	21.87	60	38.13	Pass	401
1765	3000	1	RMS	1772	-29.29	-13	16.29	Pass	1236
3000	12000	1	RMS	3472	-43.53	-13	30.53	Pass	9002
12000	20000	1	RMS	13603	-39.7	-13	26.7	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.6	-64.85	-13	51.85	Pass	7841
814	860	0.1	RMS	824.2	19.69	60	40.31	Pass	461
860	1000	0.1	RMS	989.7	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1648	-46.63	-13	33.63	Pass	2001
3000	10000	1	RMS	6799	-45.47	-13	32.47	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	813.8	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	824.3	18.76	60	41.24	Pass	461
860	1000	0.1	RMS	985.8	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1648	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6798	-45.38	-13	32.38	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	814	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	836.1	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	994.1	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1672	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	6802	-45.52	-13	32.52	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813.5	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	836.1	18.71	60	41.29	Pass	461
860	1000	0.1	RMS	885.3	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1672	-48.15	-13	35.15	Pass	2001
3000	10000	1	RMS	6800	-45.42	-13	32.42	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.8	-64.97	-13	51.97	Pass	7841
814	860	0.1	RMS	847.9	19.28	60	40.72	Pass	461
860	1000	0.1	RMS	901.2	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1695	-46.46	-13	33.46	Pass	2001
3000	10000	1	RMS	6801	-45.48	-13	32.48	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	814	0.1	RMS	811.9	-65.09	-13	52.09	Pass	7841
814	860	0.1	RMS	847.8	18.37	60	41.63	Pass	461
860	1000	0.1	RMS	936.4	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1695	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6799	-45.44	-13	32.44	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	813.5	-64.34	-13	51.34	Pass	7841
814	860	0.1	RMS	824.2	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	870.9	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-47.08	-13	34.08	Pass	2001
3000	10000	1	RMS	6800	-45.38	-13	32.38	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.19	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	813.5	-64.58	-13	51.58	Pass	7841
814	860	0.1	RMS	824.2	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	949.7	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	6800	-45.38	-13	32.38	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	810.9	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	835.2	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	882.1	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1670	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	6801	-45.4	-13	32.4	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	813.4	-65.15	-13	52.15	Pass	7841
814	860	0.1	RMS	835.2	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	998.9	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1670	-47.18	-13	34.18	Pass	2001
3000	10000	1	RMS	6800	-45.37	-13	32.37	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	812.3	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	846.2	19.54	60	40.46	Pass	461
860	1000	0.1	RMS	864.2	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1692	-46.55	-13	33.55	Pass	2001
3000	10000	1	RMS	6804	-45.48	-13	32.48	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	812.6	-65.24	-13	52.24	Pass	7841
814	860	0.1	RMS	846.2	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	904	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1692	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	6796	-45.39	-13	32.39	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.18	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.5	-61.74	-13	48.74	Pass	7841
814	860	0.1	RMS	824.3	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	861.3	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	6799	-45.42	-13	32.42	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.6	-64.78	-13	51.78	Pass	7841
814	860	0.1	RMS	824.3	18.78	60	41.22	Pass	461
860	1000	0.1	RMS	891.5	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1648	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	6801	-45.43	-13	32.43	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.4	-64.44	-13	51.44	Pass	7841
814	860	0.1	RMS	834.3	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	988.8	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1668	-46.3	-13	33.3	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.7	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	834.3	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	997.7	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1668	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	6798	-45.41	-13	32.41	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	812.2	-65.07	-13	52.07	Pass	7841
814	860	0.1	RMS	844.3	19.81	60	40.19	Pass	461
860	1000	0.1	RMS	952.2	-65.07	-13	52.07	Pass	1401
1000	3000	1	RMS	1688	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	6799	-45.5	-13	32.5	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	812.8	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	844.3	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	972.7	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1688	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	6797	-45.46	-13	32.46	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	58.6	Pass	2986
30	814	0.1	RMS	807	-54.66	-13	41.66	Pass	7841
814	860	0.1	RMS	824.6	20.33	60	39.67	Pass	461
860	1000	0.1	RMS	977.2	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1649	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	6800	-45.34	-13	32.34	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	807	-55.22	-13	42.22	Pass	7841
814	860	0.1	RMS	824.6	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	985.9	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.21	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	814	-64.09	-13	51.09	Pass	7841
814	860	0.1	RMS	832.1	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	955.6	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1664	-46.75	-13	33.75	Pass	2001
3000	10000	1	RMS	6800	-45.47	-13	32.47	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	814	-64.59	-13	51.59	Pass	7841
814	860	0.1	RMS	832.1	19.46	60	40.54	Pass	461
860	1000	0.1	RMS	999.5	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1664	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6799	-45.41	-13	32.41	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	813.8	-65.19	-13	52.19	Pass	7841
814	860	0.1	RMS	839.6	20.46	60	39.54	Pass	461
860	1000	0.1	RMS	891.9	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1679	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	813.7	-65.22	-13	52.22	Pass	7841
814	860	0.1	RMS	839.6	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	906.6	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1679	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	6803	-45.47	-13	32.47	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	46.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	539.6	-63.63	-25	38.63	Pass	9701
1000	2490	1	RMS	2490	-51.53	-25	26.53	Pass	1491
2490	2580	1	RMS	2500.125	22.31	60	37.69	Pass	401
2580	3000	1	RMS	2997	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	10001	-45.84	-25	20.84	Pass	9002
12000	26000	1	RMS	12502	-51.54	-25	26.54	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	47.52	Pass	401
0.15	30	0.01	RMS	0.19	-72.28	-25	47.28	Pass	2986
30	1000	0.1	RMS	539.6	-64.21	-25	39.21	Pass	9701
1000	2490	1	RMS	2490	-51.67	-25	26.67	Pass	1491
2490	2580	1	RMS	2500.35	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2991	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	10001	-46.1	-25	21.1	Pass	9002
12000	26000	1	RMS	12502	-52.02	-25	27.02	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-25	47.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-25	46.94	Pass	2986
30	1000	0.1	RMS	572.1	-64.54	-25	39.54	Pass	9701
1000	2490	1	RMS	2490	-51.81	-25	26.81	Pass	1491
2490	2580	1	RMS	2532.75	22.9	60	37.1	Pass	401
2580	3000	1	RMS	2987	-51.27	-25	26.27	Pass	421
3000	12000	1	RMS	10131	-47.47	-25	22.47	Pass	9002
12000	26000	1	RMS	12664	-53.1	-25	28.1	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.49	-25	46.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	46.63	Pass	2986
30	1000	0.1	RMS	861.508	-65.17	-25	40.17	Pass	9701
1000	2490	1	RMS	2486	-52.34	-25	27.34	Pass	1491
2490	2580	1	RMS	2532.75	22.02	60	37.98	Pass	401
2580	3000	1	RMS	2992	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	10131	-48.47	-25	23.47	Pass	9002
12000	26000	1	RMS	12664	-54.04	-25	29.04	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-25	47.88	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	604.6	-64.63	-25	39.63	Pass	9701
1000	2490	1	RMS	2490	-52.34	-25	27.34	Pass	1491
2490	2580	1	RMS	2565.15	22.4	60	37.6	Pass	401
2580	3000	1	RMS	2995	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	10261	-50.17	-25	25.17	Pass	9002
12000	26000	1	RMS	12827	-53.26	-25	28.26	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-25	47.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-25	46.58	Pass	2986
30	1000	0.1	RMS	604.6	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2490	-52.37	-25	27.37	Pass	1491
2490	2580	1	RMS	2565.15	21.81	60	38.19	Pass	401
2580	3000	1	RMS	2986	-51.34	-25	26.34	Pass	421
3000	12000	1	RMS	10261	-50.31	-25	25.31	Pass	9002
12000	26000	1	RMS	12827	-53.26	-25	28.26	Pass	14002




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.95	-25	47.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-25	46.43	Pass	2986
30	1000	0.1	RMS	539.9	-63.44	-25	38.44	Pass	9701
1000	2490	1	RMS	2483	-48.57	-25	23.57	Pass	1491
2490	2580	1	RMS	2500.575	22.43	60	37.57	Pass	401
2580	3000	1	RMS	2992	-51.35	-25	26.35	Pass	421
3000	12000	1	RMS	10002	-46.07	-25	21.07	Pass	9002
12000	26000	1	RMS	12503	-51.02	-25	26.02	Pass	14002



4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-25	47.31	Pass	2986
30	1000	0.1	RMS	539.9	-63.65	-25	38.65	Pass	9701
1000	2490	1	RMS	2483	-48.1	-25	23.1	Pass	1491
2490	2580	1	RMS	2500.575	21.99	60	38.01	Pass	401
2580	3000	1	RMS	2984	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	10002	-46.09	-25	21.09	Pass	9002
12000	26000	1	RMS	12503	-51.44	-25	26.44	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.63	-25	46.63	Pass	401
0.15	30	0.01	RMS	0.23	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	569.9	-64.06	-25	39.06	Pass	9701
1000	2490	1	RMS	2487	-51.47	-25	26.47	Pass	1491
2490	2580	1	RMS	2530.5	23.05	60	36.95	Pass	401
2580	3000	1	RMS	2994	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	10122	-46.25	-25	21.25	Pass	9002
12000	26000	1	RMS	12653	-52.57	-25	27.57	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.08	-25	48.08	Pass	401
0.15	30	0.01	RMS	0.18	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	569.9	-64.67	-25	39.67	Pass	9701
1000	2490	1	RMS	2488	-51.77	-25	26.77	Pass	1491
2490	2580	1	RMS	2530.5	22.04	60	37.96	Pass	401
2580	3000	1	RMS	2997	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	10122	-48.52	-25	23.52	Pass	9002
12000	26000	1	RMS	12653	-53.97	-25	28.97	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-25	47.81	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	599.9	-63.76	-25	38.76	Pass	9701
1000	2490	1	RMS	2485	-52.29	-25	27.29	Pass	1491
2490	2580	1	RMS	2560.425	22.68	60	37.32	Pass	401
2580	3000	1	RMS	2999	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	10242	-50.04	-25	25.04	Pass	9002
12000	26000	1	RMS	12803	-53.06	-25	28.06	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-25	47.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-25	45.85	Pass	2986
30	1000	0.1	RMS	599.9	-64.25	-25	39.25	Pass	9701
1000	2490	1	RMS	2471	-52.31	-25	27.31	Pass	1491
2490	2580	1	RMS	2560.425	22.01	60	37.99	Pass	401
2580	3000	1	RMS	2995	-51.35	-25	26.35	Pass	421
3000	12000	1	RMS	10242	-49.63	-25	24.63	Pass	9002
12000	26000	1	RMS	12803	-54.24	-25	29.24	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.26	-25	46.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	46.72	Pass	2986
30	1000	0.1	RMS	540.1	-63.71	-25	38.71	Pass	9701
1000	2490	1	RMS	2487	-43.02	-25	18.02	Pass	1491
2490	2580	1	RMS	2500.8	22.65	60	37.35	Pass	401
2580	3000	1	RMS	2977	-51.34	-25	26.34	Pass	421
3000	12000	1	RMS	10003	-45.76	-25	20.76	Pass	9002
12000	26000	1	RMS	12504	-51.26	-25	26.26	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	540.1	-63.7	-25	38.7	Pass	9701
1000	2490	1	RMS	2487	-43.06	-25	18.06	Pass	1491
2490	2580	1	RMS	2500.8	22.09	60	37.91	Pass	401
2580	3000	1	RMS	2983	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	10003	-46.21	-25	21.21	Pass	9002
12000	26000	1	RMS	12504	-51.34	-25	26.34	Pass	14002



4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-25	47.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	567.6	-64.67	-25	39.67	Pass	9701
1000	2490	1	RMS	2489	-51.86	-25	26.86	Pass	1491
2490	2580	1	RMS	2528.25	22.98	60	37.02	Pass	401
2580	3000	1	RMS	2989	-51.35	-25	26.35	Pass	421
3000	12000	1	RMS	10113	-46.38	-25	21.38	Pass	9002
12000	26000	1	RMS	12642	-53.07	-25	28.07	Pass	14002



4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-25	48.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	567.6	-65.04	-25	40.04	Pass	9701
1000	2490	1	RMS	2486	-52.27	-25	27.27	Pass	1491
2490	2580	1	RMS	2528.25	22.01	60	37.99	Pass	401
2580	3000	1	RMS	2989	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	10113	-48.37	-25	23.37	Pass	9002
12000	26000	1	RMS	12642	-54.58	-25	29.58	Pass	14002

