

Spurious Emission at Antenna Terminals


9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	0.23	-68.31	-25	43.31	Pass	2986
30	1000	0.1	RMS	724.7	-59.9	-25	34.9	Pass	9701
1000	2486	1	RMS	2467	-48.32	-25	23.32	Pass	1487
2486	2700	1	RMS	2685.02	22.44	60	37.56	Pass	401
2700	3000	1	RMS	2904	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5371	-50.87	-25	25.87	Pass	9002
12000	26500	1	RMS	25503	-50.23	-25	25.23	Pass	14502




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	724.7	-59.89	-25	34.89	Pass	9701
1000	2486	1	RMS	2484	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2685.02	21.51	60	38.49	Pass	401
2700	3000	1	RMS	2901.75	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	10741	-58.42	-25	33.42	Pass	9002
12000	26500	1	RMS	25505	-50.16	-25	25.16	Pass	14502




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.93	-25	43.93	Pass	401
0.15	30	0.01	RMS	0.28	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	873.816	-61.45	-25	36.45	Pass	9701
1000	2486	1	RMS	2479	-46.16	-25	21.16	Pass	1487
2486	2700	1	RMS	2496.7	22.1	60	37.9	Pass	401
2700	3000	1	RMS	2897.25	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	4994	-54.03	-25	29.03	Pass	9002
12000	26500	1	RMS	25513	-50.13	-25	25.13	Pass	14502




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	929.653	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2478	-46.53	-25	21.53	Pass	1487
2486	2700	1	RMS	2496.165	22.02	60	37.98	Pass	401
2700	3000	1	RMS	2903.25	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	4993	-47.51	-25	22.51	Pass	9002
12000	26500	1	RMS	25505	-50.12	-25	25.12	Pass	14502




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	0.15	-67.26	-25	42.26	Pass	2986
30	1000	0.1	RMS	867.412	-61.45	-25	36.45	Pass	9701
1000	2486	1	RMS	2485	-48.41	-25	23.41	Pass	1487
2486	2700	1	RMS	2588.185	22.17	60	37.83	Pass	401
2700	3000	1	RMS	2902.5	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5177	-49.99	-25	24.99	Pass	9002
12000	26500	1	RMS	25515	-50.26	-25	25.26	Pass	14502




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	974.483	-61.51	-25	36.51	Pass	9701
1000	2486	1	RMS	2483	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2588.185	22.12	60	37.88	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5177	-54.58	-25	29.58	Pass	9002
12000	26500	1	RMS	25514	-50.24	-25	25.24	Pass	14502




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.15	-67.1	-25	42.1	Pass	2986
30	1000	0.1	RMS	719.8	-60.44	-25	35.44	Pass	9701
1000	2486	1	RMS	2484	-48.4	-25	23.4	Pass	1487
2486	2700	1	RMS	2680.205	23.04	60	36.96	Pass	401
2700	3000	1	RMS	2898	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	5362	-55.41	-25	30.41	Pass	9002
12000	26500	1	RMS	25500	-50.22	-25	25.22	Pass	14502




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.76	-25	43.76	Pass	401
0.15	30	0.01	RMS	0.18	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	719.8	-61.25	-25	36.25	Pass	9701
1000	2486	1	RMS	2485	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2680.205	22.28	60	37.72	Pass	401
2700	3000	1	RMS	2901	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5361	-52.32	-25	27.32	Pass	9002
12000	26500	1	RMS	25491	-50.25	-25	25.25	Pass	14502




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.15	-67.5	-25	42.5	Pass	2986
30	1000	0.1	RMS	536.2	-60.37	-25	35.37	Pass	9701
1000	2486	1	RMS	2486	-42.78	-25	17.78	Pass	1487
2486	2700	1	RMS	2496.7	22.82	60	37.18	Pass	401
2700	3000	1	RMS	2901	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	4993	-50.35	-25	25.35	Pass	9002
12000	26500	1	RMS	25509	-50.23	-25	25.23	Pass	14502




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	0.19	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	536.1	-60.27	-25	35.27	Pass	9701
1000	2486	1	RMS	2483	-40.99	-25	15.99	Pass	1487
2486	2700	1	RMS	2496.7	21.44	60	38.56	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	4994	-50.86	-25	25.86	Pass	9002
12000	26500	1	RMS	25497	-50.21	-25	25.21	Pass	14502




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.33	-25	42.33	Pass	401
0.15	30	0.01	RMS	0.31	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	845.8	-61.45	-25	36.45	Pass	9701
1000	2486	1	RMS	2486	-48.34	-25	23.34	Pass	1487
2486	2700	1	RMS	2586.045	23.57	60	36.43	Pass	401
2700	3000	1	RMS	2900.25	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	5173	-53.19	-25	28.19	Pass	9002
12000	26500	1	RMS	25513	-50.22	-25	25.22	Pass	14502




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.64	-25	42.64	Pass	401
0.15	30	0.01	RMS	0.25	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	974.183	-61.36	-25	36.36	Pass	9701
1000	2486	1	RMS	2482	-48.47	-25	23.47	Pass	1487
2486	2700	1	RMS	2586.045	22.23	60	37.77	Pass	401
2700	3000	1	RMS	2899.5	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5173	-50.45	-25	25.45	Pass	9002
12000	26500	1	RMS	25504	-50.12	-25	25.12	Pass	14502




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	715.1	-60.44	-25	35.44	Pass	9701
1000	2486	1	RMS	2485	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2675.39	22.75	60	37.25	Pass	401
2700	3000	1	RMS	2702.25	-25.23	-25	0.23	Pass*	401
3000	12000	1	RMS	5351	-51.62	-25	26.62	Pass	9002
12000	26500	1	RMS	25499	-50.22	-25	25.22	Pass	14502




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.21	-25	44.21	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	715.2	-59.99	-25	34.99	Pass	9701
1000	2486	1	RMS	2481	-48.52	-25	23.52	Pass	1487
2486	2700	1	RMS	2675.39	21.57	60	38.43	Pass	401
2700	3000	1	RMS	2702.25	-26.38	-25	1.38	Pass*	401
3000	12000	1	RMS	5352	-58.64	-25	33.64	Pass	9002
12000	26500	1	RMS	25502	-50.22	-25	25.22	Pass	14502




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.17	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	536.4	-60.16	-25	35.16	Pass	9701
1000	2486	1	RMS	2485	-42.75	-25	17.75	Pass	1487
2486	2700	1	RMS	2496.7	22.93	60	37.07	Pass	401
2700	3000	1	RMS	2899.5	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	4995	-53.73	-25	28.73	Pass	9002
12000	26500	1	RMS	25504	-50.19	-25	25.19	Pass	14502




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.41	-25	44.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	536.3	-61.46	-25	36.46	Pass	9701
1000	2486	1	RMS	2486	-41.33	-25	16.33	Pass	1487
2486	2700	1	RMS	2496.7	22.27	60	37.73	Pass	401
2700	3000	1	RMS	2904	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	4994	-47.48	-25	22.48	Pass	9002
12000	26500	1	RMS	25520	-50.25	-25	25.25	Pass	14502




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.19	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	951.468	-61.42	-25	36.42	Pass	9701
1000	2486	1	RMS	2485	-48.39	-25	23.39	Pass	1487
2486	2700	1	RMS	2583.905	23.33	60	36.67	Pass	401
2700	3000	1	RMS	2901	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5168	-50.22	-25	25.22	Pass	9002
12000	26500	1	RMS	25496	-50.18	-25	25.18	Pass	14502




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.18	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	962.975	-61.44	-25	36.44	Pass	9701
1000	2486	1	RMS	2425	-46.35	-25	21.35	Pass	1487
2486	2700	1	RMS	2583.905	20.8	60	39.2	Pass	401
2700	3000	1	RMS	2901	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	10336	-55.7	-25	30.7	Pass	9002
12000	26500	1	RMS	25498	-50.26	-25	25.26	Pass	14502




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.01	-25	44.01	Pass	401
0.15	30	0.01	RMS	0.17	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	710.4	-58.51	-25	33.51	Pass	9701
1000	2486	1	RMS	2483	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2671.11	22.11	60	37.89	Pass	401
2700	3000	1	RMS	2706	-26.96	-25	1.96	Pass*	401
3000	12000	1	RMS	5342	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25495	-50.2	-25	25.2	Pass	14502



9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	710.3	-61.21	-25	36.21	Pass	9701
1000	2486	1	RMS	2484	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2671.11	21.54	60	38.46	Pass	401
2700	3000	1	RMS	2706	-28.8	-25	3.8	Pass*	401
3000	12000	1	RMS	5341	-58.67	-25	33.67	Pass	9002
12000	26500	1	RMS	25512	-50.16	-25	25.16	Pass	14502



10. LTE_Band66


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	836.3	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-53.52	-13	40.52	Pass	701
1700	1790	1	RMS	1710.125	22.65	60	37.35	Pass	401
1790	3000	1	RMS	2983	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	8551	-42.7	-13	29.7	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	845.4	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-53.6	-13	40.6	Pass	701
1700	1790	1	RMS	1710.125	21.7	60	38.3	Pass	401
1790	3000	1	RMS	2995	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	6841	-43.78	-13	30.78	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.2	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	857.706	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1683	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1744.55	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2987	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3489	-41.6	-13	28.6	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.21	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	838.8	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1699	-53.84	-13	40.84	Pass	701
1700	1790	1	RMS	1744.55	21.78	60	38.22	Pass	401
1790	3000	1	RMS	2981	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3489	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	839.6	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1673	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1778.75	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2990	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	3558	-35.92	-13	22.92	Pass	9002
12000	20000	1	RMS	13603	-39.84	-13	26.84	Pass	8001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	842.2	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1680	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1778.75	21.97	60	38.03	Pass	401
1790	3000	1	RMS	2983	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	3558	-36.82	-13	23.82	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	869.013	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1700	-53.04	-13	40.04	Pass	701
1700	1790	1	RMS	1710.125	22.71	60	37.29	Pass	401
1790	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	8551	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	841.1	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1700	-53.14	-13	40.14	Pass	701
1700	1790	1	RMS	1710.125	21.89	60	38.11	Pass	401
1790	3000	1	RMS	2988	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	8551	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	997.698	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1678	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1743.65	22.85	60	37.15	Pass	401
1790	3000	1	RMS	2985	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	8719	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




10.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	848.3	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1676	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1743.65	21.95	60	38.05	Pass	401
1790	3000	1	RMS	2935	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	8719	-42.97	-13	29.97	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




10.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	867.712	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1677	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1777.175	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2994	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3554	-36.29	-13	23.29	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



10.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	865.011	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1680	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1777.175	21.98	60	38.02	Pass	401
1790	3000	1	RMS	2980	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3554	-37.23	-13	24.23	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



10.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	979.586	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-52.22	-13	39.22	Pass	701
1700	1790	1	RMS	1710.125	22.45	60	37.55	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3421	-42.35	-13	29.35	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	992.295	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-52.41	-13	39.41	Pass	701
1700	1790	1	RMS	1710.125	21.57	60	38.43	Pass	401
1790	3000	1	RMS	2944	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	3421	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




10.15 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	930.154	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1700	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1742.75	22.76	60	37.24	Pass	401
1790	3000	1	RMS	2933	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3486	-41.76	-13	28.76	Pass	9002
12000	20000	1	RMS	13606	-39.85	-13	26.85	Pass	8001




10.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.31	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	987.592	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1681	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1742.75	21.96	60	38.04	Pass	401
1790	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	3486	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




10.17 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	856.905	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1682	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1775.15	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2984	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3551	-35.16	-13	22.16	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




10.18 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	850.601	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1681	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1775.15	21.98	60	38.02	Pass	401
1790	3000	1	RMS	2991	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	3551	-35.67	-13	22.67	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




10.19 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	830.8	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1693	-47.32	-13	34.32	Pass	701
1700	1790	1	RMS	1710.575	22.56	60	37.44	Pass	401
1790	3000	1	RMS	3000	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	3421	-42.24	-13	29.24	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




10.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.16	-73.01	-13	60.01	Pass	2986
30	1000	0.1	RMS	991.694	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1693	-48.43	-13	35.43	Pass	701
1700	1790	1	RMS	1710.575	21.78	60	38.22	Pass	401
1790	3000	1	RMS	2984	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	3421	-42.57	-13	29.57	Pass	9002
12000	20000	1	RMS	13606	-39.85	-13	26.85	Pass	8001



10.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.19	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	846.5	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1693	-47.52	-13	34.52	Pass	701
1700	1790	1	RMS	1710.575	22.57	60	37.43	Pass	401
1790	3000	1	RMS	2987	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	3421	-42.07	-13	29.07	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.18	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	981.388	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1693	-48.37	-13	35.37	Pass	701
1700	1790	1	RMS	1710.575	21.79	60	38.21	Pass	401
1790	3000	1	RMS	2844	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3421	-42.71	-13	29.71	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001



10.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	971.381	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1681	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1740.5	22.83	60	37.17	Pass	401
1790	3000	1	RMS	2990	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	8703	-41.9	-13	28.9	Pass	9002
12000	20000	1	RMS	13604	-39.78	-13	26.78	Pass	8001




10.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	835.1	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1676	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1740.5	21.94	60	38.06	Pass	401
1790	3000	1	RMS	2982	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	8703	-42.62	-13	29.62	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




10.25 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	851.502	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1675	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1770.425	22.81	60	37.19	Pass	401
1790	3000	1	RMS	1790	-50.01	-13	37.01	Pass	1211
3000	12000	1	RMS	3541	-35.56	-13	22.56	Pass	9002
12000	20000	1	RMS	13607	-39.82	-13	26.82	Pass	8001




10.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	59.99	Pass	2986
30	1000	0.1	RMS	924.95	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1676	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1770.425	22.03	60	37.97	Pass	401
1790	3000	1	RMS	1790	-50.43	-13	37.43	Pass	1211
3000	12000	1	RMS	3541	-36.6	-13	23.6	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




10.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.17	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	855.504	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1698	-48.12	-13	35.12	Pass	701
1700	1790	1	RMS	1710.8	22.55	60	37.45	Pass	401
1790	3000	1	RMS	2998	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	8554	-42.73	-13	29.73	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




10.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	958.973	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-48.31	-13	35.31	Pass	701
1700	1790	1	RMS	1710.8	21.79	60	38.21	Pass	401
1790	3000	1	RMS	2999	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	8554	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001



10.29 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	840	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1682	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1738.25	22.75	60	37.25	Pass	401
1790	3000	1	RMS	3000	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	8692	-42.85	-13	29.85	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001



10.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	834.9	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1681	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1738.25	21.85	60	38.15	Pass	401
1790	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	8692	-43.63	-13	30.63	Pass	9002
12000	20000	1	RMS	13606	-39.84	-13	26.84	Pass	8001



10.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	858.106	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1678	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1765.7	22.77	60	37.23	Pass	401
1790	3000	1	RMS	1792	-27.03	-13	14.03	Pass	1211
3000	12000	1	RMS	3532	-37.4	-13	24.4	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001



10.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	863.109	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1677	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1765.7	22	60	38	Pass	401
1790	3000	1	RMS	1792	-28.26	-13	15.26	Pass	1211
3000	12000	1	RMS	3532	-38.47	-13	25.47	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001



10.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.2	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	980.987	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-49.35	-13	36.35	Pass	701
1700	1790	1	RMS	1711.025	22.43	60	37.57	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	3422	-42.6	-13	29.6	Pass	9002
12000	20000	1	RMS	13597	-39.79	-13	26.79	Pass	8001



10.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	979.787	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-49.36	-13	36.36	Pass	701
1700	1790	1	RMS	1711.025	21.67	60	38.33	Pass	401
1790	3000	1	RMS	2996	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	3422	-42.83	-13	29.83	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001



10.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.23	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	848.1	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-47.8	-13	34.8	Pass	701
1700	1790	1	RMS	1736	22.57	60	37.43	Pass	401
1790	3000	1	RMS	2979	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	3472	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001



10.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.2	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	984.29	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-49.15	-13	36.15	Pass	701
1700	1790	1	RMS	1736	21.66	60	38.34	Pass	401
1790	3000	1	RMS	2997	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	8680	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001



10.37 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.18	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	852.202	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1681	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1760.975	22.66	60	37.34	Pass	401
1790	3000	1	RMS	1797	-28.27	-13	15.27	Pass	1211
3000	12000	1	RMS	3522	-38.23	-13	25.23	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001



10.38 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.22	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	850.301	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1674	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1760.975	21.78	60	38.22	Pass	401
1790	3000	1	RMS	1797	-29.76	-13	16.76	Pass	1211
3000	12000	1	RMS	3522	-39.61	-13	26.61	Pass	9002
12000	20000	1	RMS	13598	-39.76	-13	26.76	Pass	8001



11. LTE_Band25


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	878.72	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1840	-53.21	-13	40.21	Pass	841
1840	1925	1	RMS	1850.2	23.02	60	36.98	Pass	401
1925	3000	1	RMS	2995	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	11993	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	981.488	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1840	-53.29	-13	40.29	Pass	841
1840	1925	1	RMS	1850.2	22.11	60	37.89	Pass	401
1925	3000	1	RMS	2998	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.92	-13	26.92	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	913.843	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1840	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1881.863	22.92	60	37.08	Pass	401
1925	3000	1	RMS	2992	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11997	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	852.602	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1881.863	22.11	60	37.89	Pass	401
1925	3000	1	RMS	2990	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13605	-39.84	-13	26.84	Pass	8001




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	959.373	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1913.738	23.06	60	36.94	Pass	401
1925	3000	1	RMS	3000	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11995	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.9	-13	26.9	Pass	8001




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	853.503	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1913.738	22.14	60	37.86	Pass	401
1925	3000	1	RMS	2994	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	854.003	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-52.69	-13	39.69	Pass	841
1840	1925	1	RMS	1850.2	23.06	60	36.94	Pass	401
1925	3000	1	RMS	2987	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11995	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13597	-39.9	-13	26.9	Pass	8001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.54	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	847.7	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-53.06	-13	40.06	Pass	841
1840	1925	1	RMS	1850.2	22.25	60	37.75	Pass	401
1925	3000	1	RMS	2987	-51.4	-13	38.4	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13606	-39.79	-13	26.79	Pass	8001




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	825.1	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1839	-53.78	-13	40.78	Pass	841
1840	1925	1	RMS	1881.225	22.96	60	37.04	Pass	401
1925	3000	1	RMS	2991	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11994	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13598	-39.85	-13	26.85	Pass	8001



11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	853.603	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.85	-13	40.85	Pass	841
1840	1925	1	RMS	1881.225	22.04	60	37.96	Pass	401
1925	3000	1	RMS	2996	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13608	-39.82	-13	26.82	Pass	8001



11.11 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	956.471	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1838	-53.63	-13	40.63	Pass	841
1840	1925	1	RMS	1912.038	23.05	60	36.95	Pass	401
1925	3000	1	RMS	2986	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001



11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.16	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	930.654	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1838	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1912.038	22.28	60	37.72	Pass	401
1925	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11991	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001



11.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	929.753	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-52.87	-13	39.87	Pass	841
1840	1925	1	RMS	1850.2	22.97	60	37.03	Pass	401
1925	3000	1	RMS	2995	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.88	-13	26.88	Pass	8001




11.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	871.815	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-52.99	-13	39.99	Pass	841
1840	1925	1	RMS	1850.2	22.13	60	37.87	Pass	401
1925	3000	1	RMS	2990	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13603	-39.78	-13	26.78	Pass	8001




11.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	844.5	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-52.96	-13	39.96	Pass	841
1840	1925	1	RMS	1880.163	22.86	60	37.14	Pass	401
1925	3000	1	RMS	2947	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001



11.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.23	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	857.205	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1839	-52.98	-13	39.98	Pass	841
1840	1925	1	RMS	1880.163	22.13	60	37.87	Pass	401
1925	3000	1	RMS	2988	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



11.17 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	845.2	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1910.338	22.92	60	37.08	Pass	401
1925	3000	1	RMS	2997	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




11.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	982.088	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1910.125	22.26	60	37.74	Pass	401
1925	3000	1	RMS	2985	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11992	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001



11.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	843.8	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1833	-48.68	-13	35.68	Pass	841
1840	1925	1	RMS	1850.413	23.05	60	36.95	Pass	401
1925	3000	1	RMS	2999	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.84	-13	26.84	Pass	8001



11.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.18	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	991.494	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1833	-49.21	-13	36.21	Pass	841
1840	1925	1	RMS	1850.413	22.3	60	37.7	Pass	401
1925	3000	1	RMS	2985	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001

